

Index

- aboveground-belowground linkages
 altered rainfall regime, 238
 ecosystem function, 74
 spatial and temporal scales, 77
- abundance-adaptation hypothesis,
 latitudinal patterns, 144
- Acanthamoeba castellanii*
 biotic interactions, 52
 suppression of *Caenorhabditis elegans*, 187
- Acanthamoeba*, biogeography, 126
- Acari. *See* mites
- Acariformes, 28
- acid rain, effect of, 208, 209
- Acutuncus antarcticus*, feeding preference, 53
- Adineta cf. gracilis*, endemism, 130
- Aenictinae, biogeography, 133
- aggregatusphere, biological activity, 9, 10
- agrochemicals, management of soil fauna,
 274
- agroecosystems, effect of restoration, 273
- agroforestry, effect on soil fauna, 201
- Agropyron cristatum*, decomposition, 102
- Allocauarina tonilosa*, mite assemblage
 structure, 162
- Allolobophora rosea*, effect of vegetation
 composition, 165
- allometric scaling, use in soil ecology, 99
- altered rainfall regime
 aboveground-belowground linkages,
 238
 ecosystem function, 236, 237
 ecosystem responses, 221
 vegetation composition, 239
- Alternaria alternate*, trophic cascades, 72
- aluminum toxicity, interaction with acid
 rain, 209
- Alveolata, RNA approaches, 94
- amino acids, as biomarkers, 108
- Ammophila arenaria*, enemy-release, 213
- Amoebozoa, 18
- Amphimallon solstitiale*, detection in gut
 contents, 108
- Amyntas mekongianus*, 37
- Andropogon gerardii*, litter decomposition,
 109
- anecic, definition, 15
- Anguinidea, effect of elevated CO₂
 concentration, 225
- anhydrobiosis
 nematodes, 21, 128
 springtails, 32
- Annelida. *See* earthworms
- Antarctica
 anti-freeze proteins, 32
 assemblage structure, 186
 biogeography, 124
 climate change, 221
 edaphic influences, 168
 global chance, interaction among drivers,
 242
 indigenous insects, 134
 invasive species, 211, 219
 latitudinal patterns, 140
 nematodes, 127
 Protozoa, 46
 rotifers, 25
 springtails, 30, 159
 survival strategies, 21
 tardigrades, 25
- antifreeze protein, in springtails, 32
- Antonie van Leeuwenhoek, 4, 27
- ants
 agroforestry, 202
 altitudinal patterns, 146
 as biocontrol agents, 281
 biogeography, 133
 climatic influences, 153
 competition for resources, 186
 diversity and abundance, 35
 ecosystem function, 63

352 · Index

- ants (*cont.*)
 feeding activities, 35
 invasive species, 214, 217, 218
 land use change, 194
 latitudinal patterns, 137, 142
 local and regional species richness relationships, 148
 management practices, 201
 restoration, 257
 species–area relationships, 136
 successional patterns, 252
 vegetation composition, 157
 vegetation structure, effect on, 161
 warming, effect on distribution, 233
- Anurophorus subpolaris*, survival in Antarctica, 32
- Aphelenchoides*, trophic cascades, 71
- Aphodius erraticus*, predator–prey interactions, 72
- Apicomplexa, 18
 edaphic influences, 168
- Apodera vas*, biogeography, 125
- Araneida, management practices, 198
- Archegozetes longisetosus*, feeding preference, 108
- Archispirostreptus gigas*, length, 40
- Arrhopalites principalis*, succession, 248
- Arthropleona, 30
- Arthurdendylus triangulates*, distribution and impact, 218
- Ascaris*, molecular clock, 127
- Ascidae, biogeography, 132
- assemblage structure
 aboveground herbivory, 165
 aggregation pheromones, 170
 altered rainfall regime, 233, 236
 anthropogenic influences, 269
 biogeographical patterns, 121, 128
 biological processes, influence of, 160
 biotic interactions, 182, 184, 185
 characterization, 91
 climatic influences, 153
 deterministic versus stochastic influences, 187
 DNA barcoding, 94, 95
 edaphic influences, 153, 156, 160, 166, 167, 168, 177
 elevated CO₂ concentration, 225
 functional traits, 97, 99
 global change, interaction among multiple drivers, 241
 high throughput sequencing, 95
 human activities, 192
 knowledge gaps, 284
 leaf litter composition, 163
 macroecological patterns, 121
 metabarcoding, challenges, 93
 molecular sequencing approaches, constraints, 92
 predator–prey interactions, 184
 quantitative PCR, 93, 94
 restoration, 254
 RNA approaches, 93
 successional patterns, 153, 247
 vegetation composition, 153, 156, 163, 165
 vertical stratification, 16, 180, 182
- Bacillus thuringiensis*, suppression of plant pathogens, 282
- bacterivores, effect on ecosystem function, 52
- Baermann funnel, microfauna extraction, 87
- Bdelloidea, 25
- Beauveria*, suppression of plant pathogens, 282
- beetles
 aboveground–belowground linkages, 239
 agroforestry, 202
 altitudinal patterns, 147
 as biocontrol agents, 281
 competition for resources, 187
 edaphic influences, 157, 173
 land use change, 194
 management practices, 197
 organic farming, 200
 soil amendments, 201
 spatial patterns, 170, 173
 species–area relationships, 137
 successional patterns, 249
 vegetation composition, 157
 vertical stratification, 180
 wood decomposition, effect on, 65
- Belgica albipes*, biogeography, 134
- Belgica antarctica*, biogeography, 134
- Benhamiinae, biogeography, 133
- beta-diversity, insights from, 189
- β-glucosidase, effect of fungal grazing, 66
- biocides, use in soil ecology, 7
- biocontrol
 contribution of soil fauna, 43
 entomopathogenic nematodes, 54, 280
- biogeochemical cycling, influence of altered, 203

- biogeography
 - biological processes, 152
 - biotic interactions, 152
 - continental drift, 6
 - cosmopolitan hypothesis, 124
 - ecological biogeography theory, 6
 - environmental filter, 152
 - flagship species, 125, 129
 - historical biogeography theory, 6
 - knowledge gaps, 286
 - Moderate Endemicity Model, 124
 - origin as a field of research, 5
 - Rapaport's rule, 140
 - regional species pool, 152
 - species filtering, 122
 - the role of evolutionary history, 122
- bioregions, contribution to conservation, 271
- Blaniulus guttulatus*, fungal grazing, 66
- body size, latitudinal patterns, 143
- bottom-up control, 70, 71
 - global change effects, 243
 - soil food web structure, 163, 164
- Bromus sterilis*, effect on mesostigmatid mite assemblages, 161
- buffer strips, contribution to soil biodiversity, 275
- Caecilians, 41
- Caenorhabditis briggsae*, carbon and phosphorus retention, 107
- Caenorhabditis elegans*
 - as a model organism, 20
 - biotic interactions, 52, 187
 - trophic cascades, 71
- Caenorhabditis*, molecular clock, 127
- calcium cycling, effect of millipedes, 67
- Carabidae, 39
 - competition, 186
- Carex arenaria*, effect of elevated CO₂ concentration, 225
- Carmichaelia odorata*, effect on soil fauna assemblage structure, 162
- Catenaria*, negative biotic interactions, 73
- cellobiohydrolase, effect of fungal grazing, 66
- cellulase, 21
- cellulose
 - as biomarker, 99
 - production of, 64
- centipedes
 - agroforestry, 202
 - biogeography, 135
 - diversity and abundance, 40
 - successional patterns, 253
 - warming, 231
- Cephalobidae, effect of altered rainfall regime, 235
- Cercozoa, 18
 - biogeography, 126
 - edaphic influences, 168
 - RNA approaches, 94
- Chelonethi. *See* pseudoscorpions
- Chicorium intybus*, role as forage crop, 276
- Chilopoda. *See* centipedes
- Chironomidae, 39
- chitinase, 21
- chlorine, effect of, 206
- chronosequences, use in ecology, 247
- ciliates, 18
 - edaphic influences, 160
- Ciliophora, 18
 - edaphic influences, 168
- Cladocera, distribution, 159
- Coleoptera. *See* beetles
- Collembola. *See* springtails
- collophore, springtail morphology, 30
- Convention on Biological Diversity Aichi Biodiversity Targets, 289
- Copepoda, distribution, 159
- coprophagous, 72, 73
- Coriolus versicolor*, effect of grazing by springtails, 56
- cover crops, contribution to ecosystem service provision, 275
- crop plant diversity, management of, 275
- crop rotation, influence of, 201
- cryptic species complexes, insight from molecular techniques, 8
- cryptobiosis, 27
- Cryptodiffugia operculata*, as predator of nematodes, 47
- Cryptopygus antarcticus*, effect of warming, 229
- Cryptopygus, biogeography, 132
- Ctenizidae, 40
- Dasiphora fruticose*, belowground effect of grazing, 166
- decomposers
 - altered rainfall regime, 234
 - ecosystem function, 7, 83
 - interspecific plant interactions, effect on, 69
 - warming, 231

354 · Index

- defense-induction hypothesis, influence of herbivores, 219
- denaturing gradient gel electrophoresis, as biomarker, 46
- detritosphere, biological activity, 9, 10
- Dinophyceae, edaphic influences, 168
- Diplopoda. *See* millipedes
- Diplura, 28
- diversity and abundance, 34
 - restoration, 256
- Diptera, 39
- dipterans
- altitudinal patterns, 147
 - influence on aboveground assemblages, 76
- dispersal rates, influence on distribution, 171
- distance–decay relationships, 138
- disturbance, influence on soil fauna
- diversity, 180
- Ditylenchus*, 22
- diversity indices, assemblage structure, 92
- DNA metabarcoding, insights into assemblage structure, 92
- Dolichopodidae, 39
- Dorylaimina
- heavy metals, 207
- Dorylinae, biogeography, 133
- drilosphere, biological activity, 9
- dung beetles, effect on ecosystem function, 39, 65
- earthworms
- aboveground herbivory, 165
 - aboveground–belowground linkages, 76, 77, 239
 - acid rain, 209
 - agroforestry, 202
 - altered rainfall regime, 239
 - altitudinal patterns, 147
 - as ecosystem engineers, 38
 - biogeography, 133, 134
 - climatic influences, 156
 - competition for resources, 186
 - density dependent effects, 184
 - dispersal, 171
 - distribution, 5
 - disturbance, influence of, 187
 - diversity and abundance, 37
 - ecosystem engineers, effect as, 12
 - ecosystem function, 4, 38, 60, 62
 - edaphic influences, 38
 - elevated CO₂ concentration, 225, 240
 - endemism, 135
 - environmental filtering, 189
 - forage crops, 276
 - invasive species, 215, 270
 - latitudinal patterns, 140, 143
 - life cycle, 38
 - life history traits, 38
 - litter decomposition, effect on, 103
 - litter quality, 163
 - local and regional species richness relationships, 149
 - management practices, 196, 197, 198, 201
 - organic farming, 200
 - restoration, 256, 259
 - role in restoration ecology, 261
 - soil amendments, 201
 - soil biodiversity, influence on, 183
 - spatial patterns, 170, 189
 - species–area relationships, 137
 - successional patterns, 253
- Ecdysozoa, 26
- Ectioninae, biogeography, 133
- EcoFINDERS, 119, 157
- ecological economics, role in agriculture, 278
- ecological intensification, role in agriculture, 277
- ecosystem engineers, effect of, 12, 15, 43, 59
- ecosystem services, delivery of, 2
- Eisenia andrei*, life cycle, 39
- Eisenia veneta*, effect on weathering, 61
- Elateridae, 43, 156
- elevated CO₂ concentration, 221
- vegetation, effect on, 223
- Enchytraeidae. *See* potworms
- Enchytraeus*, effect of altered rainfall regime, 234
- endogeic, definition, 15
- Enterobacteriaceae, endosymbiotic bacteria, 24
- Entomobryomorpha, 30
- entomopathogenic nematodes, as biocontrol agents, 20, 24, 43, 54, 280
- environmental filtering, effect on phylogenetic clustering, 190
- enzyme activity, as a biomarker, 31
- epigeic, definition, 15
- Escherichia coli*, as bacterial prey, 107
- Eucalyptus marginata*, rehabilitation of mining sites, 257

- Eucalyptus pilularis*, mite assemblage structure, 162
- Eucalyptus propiqa*, mite assemblage structure, 162
- Eucalyptus tereticornus*, effect of fertilization, 118
- Eudorylaimus antarcticus*
 feeding preference, 53
- Eudrilidae, 37
 biogeography, 133
- euedaphic, definition, 15
- Eutardigrada, 26
- eutely, definition, 20
- evenness indices, assemblage structure, 92
- false scorpions. *See* pseudoscorpions
- fecal pellets
 biogeochemical cycling, 73
 nutrient utilization, 73
 soil structure, 31, 58, 59, 64, 73
- Fergusobia*, biogeography, 127
- fermentation layer, definition, 12
- Festuca rubra*, effect of elevated CO₂
 concentration, 225
- flagellates, 18
- Folsomia brevicauda*, succession, 248
- Folsomia candida*
 fungal grazing, 56, 66
 tillage, effect of, 198
 warming, 232
- Folsomia fimetaria*, trophic cascades, 72
- Folsomia quadrioculata*, spatial patterns, 174
- Folsomides deserticola*, distribution, 159
- food demand, increase in, 279
- Formicidae. *See* ants
- free air carbon dioxide enrichment, use in soil ecology, 106
- freeze-thaw cycles, effect of, 230
- Fridericia*, effect of altered rainfall regime, 234
- Friesea grisea*, distribution in Antarctica, 159
- Friesea mirabilis*, succession, 248
- Friesea*, feeding preferences, 31
- functional traits, spatial patterns, 174
- fungal feeders, ecosystem function, 68, 69, 74
- furcular, springtail morphology, 30, 32, 97, 98
- Fusarium oxysporum*, trophic cascades, 72
- Galenia africana*, springtail abundance, 217
- Gamasellus racovitzai*, effect of warming, 229
- Giant Gippsland Earthworm. *See* *Megascolides australis*
- glacial refugia, potworms, 133
- global change, 221
 ecosystems, impact on, 192
 multiple drivers, interaction among, 241, 243
 soil fauna assemblages, the future of, 270
- Global Soil Biodiversity Atlas, 96, 289
- Global Soil Biodiversity Initiative, 272, 289
- Globodera*, 23
- Glomeris marginata*, fungal grazing, 69
- Glossoscolecidae, 37
 biogeography, 133
- Gomphiocephalus hodgsoni*, distribution in Antarctica, 159
- gophers, effect on vegetation structure, 161
- Gressittacantha terranova*, distribution in Antarctica, 159
- gut content DNA, as a biomarker, 31
- gut content enzymatic activity, as indicator, 98
- habitat loss, influence of, 192
- Halicephalus mephisto*, presence in deep soil, 181
- Hartmannella*, biogeography, 126
- heat waves, effect on soil fauna, 229
- heavy metals, effect of, 206
- hedgerows, contribution to soil biodiversity, 275
- hemiedaphic, definition, 15
- Hemlea*, effect of altered rainfall regime, 234
- herbivores
 altered rainfall regime, 233
 ecosystem function, 68
 invasive species, 212
- herbivory, cascading effects belowground, 76
- Heterodera*, 22, 23
- Heterodera trifolii*, effect on *Trifolium repens*, 50
- Heteroderidae, biogeography, 127
- Heterorhabditidae, 24
- Heterorhabditis*, 24, 25
 as biocontrol agents, 280
- Heterotardigrada, 26
- Hoplolaimidae, effect of elevated CO₂
 concentration, 225
- humus layer, definition, 12
- hydrobionts, definition, 17

356 · Index

- hydrocarbon floatation, soil fauna
 quantification, 90
- Hymenoptera, influence of soil
 amendments, 201
- Hypaspis aculeifer*, trophic cascades, 72
- Hypochtonius rufulus*, effect of heavy metals,
 208
- Hypogastrura manubrialis*, distribution, 217
- Hypogastrura tullbergi*, spatial patterns, 174
- Hypogastrura viatica*, distribution, 218
- Illacme plenipes*, number of legs, 40
- insects
 as soil fauna, 39
 successional patterns, 249
- integrated livestock–arable production,
 influence of, 201
- integrated pest management
 agricultural practices, 201
 pest and pathogen suppression, 280
- inter-cropping, influence of, 201
- International Biological Program,
 contributions to soil ecology, 7
- invasive plant species, effect of, 210
- invasive soil fauna, effect of, 210, 270
- irrigation, influence of, 206
- Isaria*, suppression of plant pathogens, 282
- Isopoda. *See* isopods
- isopods
 diversity and abundance, 39
 ecosystem function, 40, 65
 restoration, 255, 259
 role in restoration ecology, 261
 successional patterns, 253
 trophic cascades, 72
- Isoptera. *See* termites
- Isotoma sensibilis*, succession, 248
- Isotoma*, feeding preferences, 31
- Isotomurus*, succession, 248
- Ixodida, 28
- keystone species, 8
- Lamyctes emarginatus*, 135
- land use change, impact of, 193
- land use, legacies of, 277
- Lasius flavus*, mounds, 63
- latitudinal patterns, drivers of, 140
- leaf litter, effect on assemblage structure,
 177
- Lecanicillium*, suppression of plant pathogens,
 282
- Lepidium sativum*, effects of Protozoa, 47
- Lepidoptera, 39
- Liaccarus subterraneus*, consumption of
 nematodes, 54
- Linepithema humile*, distribution and impact,
 218
- litter bag studies
 contribution of soil fauna, 65, 101, 103
 criticisms, 102
 early applications, 7
- litter decomposition, effect of soil fauna, 42
- litter layer, definition, 12
- litter stoichiometry, role in decomposition,
 104
- litter transformers, successional patterns,
 254
- Lolium perenne*
 as forage crop, 276
 root herbivory, 50
- Longidonus*, 22
- Longidonus elongates*, effect of elevated CO₂
 concentrations, 225
- Lotus corniculatus*, soil fauna assemblages, 161
- Lumbricidae, 37
- Lumbricus terrestris*
 as an ecosystem engineer, 4
 increased O₃ concentration, 240
 soil metabolism, 58
- Lycosidae, 40
- macroecology
 abundance–range relationships, 149
 altitudinal patterns, 139, 144
 distance–decay relationships, 137
 knowledge gaps, 286
 latitudinal patterns, 139
 local and regional richness patterns, 148
 species–area relationships, 135
- macrofauna
 biogeography, 122
 definition, 14
 diversity and abundance, 34
 ecosystem function, 35, 59, 64, 65
 litter bag studies, 7
 management practices, 197
 organic farming, 199
 quantification, 90
 role in restoration ecology, 261
 successional patterns, 252, 253
 vegetation composition, 161, 164, 195
 vertical stratification, 180
- Macrotermitinae, fungal farming termites, 37

- Magficada*, life cycle, 39
 Malaise trap. *See* pitfall trap
Mamestra brassica, aboveground–
 belowground linkages, 77
 management practices
 assemblage structure, 196
 ecosystem function, contribution of soil
 fauna to, 195
 edaphic factors, effect on, 197
 homogenization of assemblages, 193
 legacies of, 193
 Mastotermitidae, biogeography, 133
 McMurdo Dry Valleys, ecosystem function,
 81, 82
Medicago sativa, effect on mesostigmatid
 mite assemblages, 161
 megafauna
 as ecosystem engineers, 34, 41
 diversity and abundance, 34
 ecosystem function, 59, 65
 Megascolecidae, 37
Megascolides australis, 37
Meloidogyne, 20, 22, 23
 negative biotic interactions, 73
Meloidogyne hapla, suppression of, 282
Meloidogyne incognita
 biotic interaction, 283
 increased O₃ concentration, 240
 rhizodeposition, effect on, 49
 root development, effect on, 49
 suppression of, 200
 Meloidogynidae, biogeography, 127
 mesofauna
 altered rainfall regime, 234
 biogeography, 122, 131
 chlorine, 206
 definition, 14
 diversity and abundance, 27
 ecosystem function, 28, 55, 59, 65
 elevated CO₂ concentration, 224
 habitat, 28
 land use, 158
 litter bag studies, 7
 organic farming, 199
 quantification, 89
 Mesostigmata. *See* mesostigmatid mites
 mesostigmatid mites
 as biocontrol agents, 281
 climatic influences, 155
 DNA barcoding, 96
 edaphic influences, 158, 173, 178
 feeding activities, 29
 freeze–thaw cycles, 230
 land use, 158
 management practices, 197
 nitrogen deposition, 205
 predators, effect as, 54, 184
 restoration, 255
 spatial patterns, 171, 173, 189
 vegetation composition, 158
 vertical stratification, 181
 metabolic processes, effect of warming,
 226
 meta–community dynamics, assemblage
 structure, 188
Metarhizium, role in biocontrol, 280, 282
 microarthropods
 as bioindicators, 209
 biogeography, 132
 climatic influences, 159
 density dependency, 184
 ecosystem function, 65
 edaphic influences, 177
 fertilizer application, 204
 global change, 227
 global change, interaction among drivers,
 234, 244
 increased O₃ concentration, 240
 management practices, 201
 nitrogen deposition, 205
 pesticides, 195, 208
 predators, effect as, 201
 spatial patterns, 163, 169
 successional patterns, 249
 vegetation composition, 164
 vertical stratification, 180, 181
 microbial biomass, effect of microbial
 grazing, 52
 microcosms, use in soil ecology, 7
 microfauna
 biogeography, 6, 122
 definition, 14
 diversity and abundance, 17
 ecosystem function, 18, 51
 elevated CO₂ concentration, 224
 habitat, 17
 microbial grazers, quantifying effect of, 18
 microhabitat diversity, effect on soil fauna
 diversity, 176
 microscope, development of, 4
 millipedes
 agroforestry, 202
 calcium carbonate, 169
 defense, 40

358 · Index

- millipedes (*cont.*)
 diversity and abundance, 40
 ecosystem function, 65, 67
 feeding activities, 40
 restoration, 259
 role in restoration ecology, 261
 successional patterns, 253
- minimum-tillage, influence of, 201
- mining, effect of, 208
- mites
 aboveground-belowground linkages, 239
 agroforestry, 202
 altered rainfall regime, 234
 as biocontrol agents, 281
 biotic interactions, 186
 calcium carbonate, 169
 climatic influences, 153
 diversity and abundance, 28
 ecosystem function, 55, 58
 elevated CO₂ concentration, 224
 feeding guilds, 30
 fertilizer application, 206
 increased O₃ concentration, 240
 land use, 199
 life cycle, 28, 29
 management practices, 198, 201
 nitrogen deposition, 205
 pesticides, 208
 restoration, 258, 259
 species-area relationships, 137
 successional patterns, 248, 249, 250, 253
 trophic cascades, 71
 vegetation composition, 161, 163
 warming, 228, 229, 231
 water potential, 12, 29
- moder, definition, 12
- molecular sequencing approaches, use in soil ecology, 8
- Monogononta, 25
- Mononchoidea, edaphic influences, 157
- mor, definition, 13
- mulching, effect of, 200
- mull, definition, 12
- Muscidae, 39
- Mycetophilidae, 39
- Mycotozoa, RNA approaches, 94
- Myriapoda, 34
 diversity and abundance, 40
- Myrmicinae, biogeography, 133
- Myzus persica*, effect of soil fauna, 77
- N-acetylglucosaminidase, effect of fungal grazing, 66
- nano sensors, soil fauna distribution, 96
- naphthalene
 criticisms, 102
 use in soil ecology, 101, 102, 109
- natural enemies
 escape from, 79
 role in agroecosystems, 274
 soil amendments, 201
- natural habitat, contribution to soil biodiversity, 275
- nematodes, 17
 aboveground herbivory, 76, 165
 aboveground-belowground linkages, 239
 abundance-range relationships, 150
 agroforestry, 202
 altered rainfall regime, 233, 234, 236
 altitudinal patterns, 146
 as biocontrol agents, 20
 as bioindicators, 20, 111
 bacterial feeders, 23
 biogeography, 127, 128
 channel index, 112
 chemoreceptors, 20
 climatic influences, 153
 colonizer – persister scale, 111
 competition for resources, 186
 cover crop, 276
 dauer larvae, 21
 distance-decay relationships, 139
 disturbance, influence of, 187
 diversity and abundance, 20
 ecosystem function, 45, 48, 101, 109
 edaphic influences, 159, 160, 178
 effect of root feeders on aphids, 76
 elevated CO₂ concentration, 224, 225, 242
 enrichment index, 112
 entomopathogenic, 24
 feeding types, 21
 fertilizer application, 203, 204, 206
 forage crop, 276
 freeze-thaw cycles, 231
 fungal feeders, 23
 global change, interaction among drivers, 234
 heavy metals, 207, 208, 209
 increased O₃ concentration, 240
 intracellular freezing, 21
 land use, 199
 latitudinal patterns, 140

- life cycle, 20
 local and regional species richness relationships, 148
 Maturity index, 111
 microbial assemblages, effect on, 49
 omnivores, 24
 organic farming, 200
 phylogenetic clustering, 190
 plant parasite index, 111
 plant parasites, 21
 predators, effect of, 184
 predatory, 23
 quantification, 87, 88
 quantitative PCR, applications, 113
 restoration, 254, 259
 rhizosphere, 176
 soil amendments, 200
 species–area relationships, 137
 structure index, 112
 successional patterns, 248, 250, 254
 sulfur dioxide, 206
 survival strategies, 21
 trophic cascades, 71
 vegetation composition, 156, 163, 164
 vertical stratification, 180, 182
 warming, 227, 228, 229
 network analysis, application of, 118
 Neuroptera, 39
 neutral lipid fatty acids, as biomarkers, 108
 neutral theory, use in soil ecology, 188
Nicodrilus caliginosus, effect of vegetation composition, 165
 NINJA, use in nematology, 112
Nippostrongylus, molecular clock, 127
 nitrogen, changes in biogeochemical cycles, 192, 203, 204, 205
 novel assemblages, global change effects, 270

 ocelli, springtail morphology, 97
 Ocnodrilidae, biogeography, 133
Octodrilus, effect on weathering, 61
Oniscus asellus, fungal grazing, 66, 69
 Onychiuridae, 31
 Orbiliomycete, as nematode trapping fungi, 282
 organic farming, effect on soil fauna, 199
 organic horizon, biological activity, 12
 organic matter, 1
 oribatid mites
 aboveground herbivory, 76, 165
 biogeography, 131
 chlorine, 206
 climatic influences, 155, 159
 consumption of nematodes, 54
 deterministic processes, 188
 dispersal, 171, 188
 diversity and abundance, 29
 edaphic influences, 158, 173, 178
 endemism, 131
 feeding activities, 29
 heavy metals, 208
 land use, 158
 latitudinal patterns, 140
 litter quality, 163
 management practices, 197
 predators, effect of, 184
 restoration, 254, 259
 spatial patterns, 171, 173, 189
 species–area relationships, 136
 successional patterns, 249, 253, 254
 trophic cascades, 71
 vegetation composition, 158, 195
 vertical stratification, 182
 Oribatida. *See* oribatid mites
 orographic cloud formation, influence on assemblage structure, 147
 overdispersion
 earthworms, 189
 functional traits, 99
 springtail functional traits, 174

Panagrellus redivivus, fungal grazing, 66
Panagrolaimus davidi, intracellular freezing, 21
 panphytophagous, 34
 parasite genes, in nematodes, 22
 Parasitiformes, 28
Paratylenchus, effect of soil water availability, 157
 particle size, definitions, 9
Pasteuria penetrans, negative biotic interactions, 73
 Pauropoda
 diversity and abundance, 34, 40
 ecosystem function, 40
 management practices, 198
 permafrost, effect of warming, 243
 pesticides, effect of, 206
 pests and pathogens, suppression of, 200
Phasmarhabditis hermaphrodita, consumption of, 54
 pheromones, contribution to aggregation, 170

360 · Index

- Philonthus rubripennis*, predator-prey interactions, 72
- phosphatase, effect of microbial grazing, 52, 66
- phosphodiesterase, effect of fungal grazing, 66
- phospholipid fatty acids, as biomarkers, 87, 108
- phosphorus, changes in biogeochemical cycles, 192, 203
- Photorhabdus*
 as microbial symbiont, 280
 suppression of plant pathogens, 282
- photosynthetically derived carbon, fate of, 10, 51, 105, 106
- phytophagous, 32
- Phytoseiidae, biogeography, 132
- Picea abies*, effect of Protozoa on growth, 47
- Piloderma croceum*, 50
- pitfall trap extraction, 90
- plant growth promoting fungi, role in agriculture, 282
- plant growth promoting rhizobacteria, role in agriculture, 282
- plant productivity, effect of microbial grazing, 52
- Plantago lanceolata*
 decomposer assemblages, 163
 earthworms, effect of, 62
 soil fauna assemblages, 161
- plant-soil feedbacks
 contribution of soil fauna, 45, 78
 ecosystem structure, 79
 succession, 80
- Plasmodiophorida, RNA approaches, 94
- Platynothrus peltifer*
 consumption of nematodes, 54
 heavy metals, 208
- Plectidae, effect of altered rainfall regime, 235
- Plectus murrayi*, feeding preference, 53
- Pleuretra hystrix*, biogeography, 129
- Poa annua*, aboveground-belowground linkages, 77
- Poduromorpha, 30
 forage crop, 276
- Poecilus versicolor*, detection of prey in gut content, 108
- Populus tremuloides*, effect of increased O₃ concentration, 240
- porosphere, biological activity, 9
- potworms, 28
 acid rain, 209
 agrochemicals, 208
 altered rainfall regime, 234
 as bioturbators, 58
 as ecosystem engineers, 33
 biogeography, 132
 climatic influences, 153
 diversity and abundance, 32
 ecosystem function, 58, 59, 231
 feeding activities, 33
 heavy metals, 208, 209
 increased O₃ concentration, 240
 land use, 199
 life cycle, 33
 quantification, 89
 soil aggregation, 59
 spatial patterns, 169
 successional patterns, 252
 vegetation composition, 161, 163
 vertical stratification, 182
 warming, 227
- Pratylenchinae*, biogeography, 127
- Pratylenchus*, 22, 23
- Pratylenchus penetrans*
 plant growth, 50
- Pratylenchus thornei*, suppression of, 201
- Pratylenchus penetrans*
 negative biotic interactions, 73
- predator-prey interactions, 72
 assemblage structure, 183
 warming, 231
- predators
 ecosystem function, 68, 70
 trophic cascades, 71
- predatory beetles, as biocontrol agents, 43
- primary succession, definition, 246
- principal coordinates of neighbouring matrices
 application in variance partitioning, 116
- Prionchulus punctatus*, trophic cascades, 71
- productivity, effect on soil fauna diversity, 180
- Prostigmata. *See* prostigmatid mites
- prostigmatid mites, 28
 climatic influences, 159
 edaphic influences, 157
 freeze-thaw cycles, 230
- Protaphorura armata*
 plant growth, 50
 selective feeding, 31
- Protorhabditis oxyuroides*, effect on nitrogen cycling, 51

- Protozoa, 17
 aboveground-belowground linkages, 76
 altered rainfall regime, 235
 as a resource, 47
 as bioindicators, 113
 as predators, 47
 biogeography, 124, 125
 biomass production, 46
 climatic influences, 153
 distance-decay relationships, 139
 diversity and abundance, 18
 ecosystem function, 19, 45, 46, 101
 edaphic influences, 168
 feeding types, 18
 increased O₃ concentration, 240
 latitudinal patterns, 140
 life cycles, 19
 limitations of activity, 19
 management practices, 196
 microbial assemblages, effect on, 46
 mycorrhizal forming fungi, effect on, 47
 presence in Antarctica, 126
 protistology, 5
 quantification, 87
 rhizosphere, 46, 176
 successional patterns, 248, 249
 survival strategies, 18
 vegetation composition, 164
- Protura, 28
 diversity and abundance, 34
 management practices, 198
 restoration, 256
- Pselliiodidae, biogeography, 135
- Pseudomonas chlororaphis*, suppression of plant pathogens, 282
- Pseudomonas protegens*, suppression of plant pathogens, 282
- pseudoscorpions, 28
 diversity and abundance, 33
 life cycle, 33
- Pseudoterranova*, molecular clock, 127
- Pterosticus*, effect of competition, 186
- Qudsianematidae, effect of altered rainfall regime, 235
- Quedius liangshanensis*, predator-prey interactions, 72
- Quercus robur*, 50
- Quercus rubra*, litter decomposition, 104
- radioisotopes, application of
¹⁴carbon, 107
³²phosphorus, 107
⁶⁵zinc, 8
- rarefaction curves
 assemblage structure, 91
 rotifers, 130
 springtails, 189
- Reginaldia omodeoi*, as a bioturbator, 38
- residue addition, effect of, 200
- Resinicium bicolor*, preferential grazing on, 66
- restoration
 invasive species impacts, 265
- restoration
 soil fauna influences on, 254
- restoration
 limitations, 266
- Rhabditidae, effect of elevated CO₂ concentration, 242
- Rhabditis dolichura*, predation by amoeba, 47
- Rhabditis intermedia*, effect on nitrogen cycling, 51
- Rhabditis terricola*, predation by amoeba, 47
- Rhinotermitidae, biogeography, 133
- rhizosphere
 biological activity, 9, 10
 biological hotspot, 176
 root exudation, 51
- riparian zones, contribution to soil biodiversity, 275
- root development, effect of Protozoa, 47
- root exudation
 fate of photosynthetically derived carbon, 1, 106
 nematodes, effect of, 49
- root herbivores
 aboveground-belowground linkages, 75
 abundances, 39
 ecosystem function, 43, 66, 67
 plant carbon allocation, 107
 role in succession, 262
 vegetation composition, effect on, 66
- Rothamsted, 5, 47
- Rotifera. *See* rotifers
- rotifers, 17
 altitudinal patterns, 146
 biogeography, 129
 distance-decay relationships, 139
 diversity and abundance, 25
 endemism, 129, 130
 feeding activities, 25, 26
 life cycle, 26
 vegetation composition, 163

362 · Index

- Sarcoptiformes, 28
- Scarabaeidae, 43, 108
- Scheloribates moestus*, litter decomposition, 104
- scorpions, as predators of soil fauna, 40
- Scottnema lindsayae*
 - endemism, 127
- Scottnema lindsayae*, feeding preference, 53
- Scutigenerinidae, biogeography, 135
- secondary succession, definition, 246
- selective feeding, effect of, 43, 46
- silicon cycling, effect of Protozoa, 19
- Sinella curviseta*, effect of increased O₃ concentration, 240
- Sitona*, influences on nitrogen cycling, 67
- Sminthuridae, 32
- Sminthurides malmgreni*, succession, 248
- snails
 - calcium carbonate, 169
 - feeding activities, 41
- snow cover, effect on assemblage structure, 230
- soil biodiversity
 - cover crop, 276
 - dilution experiments, 84
 - ecosystem function, 8, 80, 81, 82, 83, 84, 272, 279
 - ecosystem function, knowledge gaps, 286
 - fine scale patterns, 175
 - functional redundancy, 81
 - hierarchical framework approaches, 85
 - human wellbeing, importance to, 288
 - identification gap, the, 14
 - losses of, 3
 - management of, 272
 - multifunctionality, 83, 84
 - pest and pathogen suppression, 280
 - poor man's rainforest, the, 2
 - reservoirs, management options, 275
 - restoration, 265
 - suppression of soil-transmitted diseases, 288
 - vegetation composition, 195
- soil ecology, development as a field of research, 2
- soil fauna
 - aggregation, 170
 - as a resource, 3
 - as bioindicators, 272
 - biodiversity hotspots, 271
 - conservation, 271
 - diversity and abundance, 5
 - ecosystem function, 2, 5, 7, 42, 43
 - endemism, 286
 - food web manipulations, 101
 - invasive species, 214
 - litter decomposition, 104
 - microhabitat preferences, 177
 - morphological classification, 14
 - provision of services, 43
 - role in moderating the success of alien species, 213
 - role in restoration ecology, 260, 262
 - the role of geothermal activity, 128
 - threatened species, 271
 - vegetation composition, 161
- soil fauna biomass, global patterns, 121
- soil food web models
 - DayCent, biogeochemical cycling, 109
 - ecosystem function, 74, 101, 109
 - limitations, 109
- soil food web structure
 - agroecosystems, 283
 - cover crop, 276
 - ecosystem function, 67
 - edaphic influences, 166
 - elevated CO₂ concentration, 226
 - functional redundancy, 109
 - global change, 227, 242, 270
 - management practices, 196
 - restoration, 256
 - role in agroecosystems, 274
 - successional patterns, 250, 252
 - superphosphate, effect of, 118
 - vegetation composition, 161
- soil formation, drivers, 1
- soil health, importance to human wellbeing, 1
- soil inoculants, role in restoration ecology, 263
- soil organic matter, management of, 275
- soil pores
 - as habitat, 11
 - definitions, 12
- soil respiration
 - microbial, 1
 - warming, effect of, 231
- soil sterilization, use in soil ecology, 8
- soil structure, 9
- soil texture, 9
- soil-transmitted helminths, influence on human wellbeing, 288
- Solenopsis invicta*, distribution, 217
- species co-existence – area relationship, definition, 136

- species loss, effect of, 193
 species richness, definitions, 92
Sphagnum magellanicum, amoeba assemblages, 114
 spiders
 as biocontrol agents, 281
 as ecosystem engineers, 40
 as soil fauna, 40
 edaphic influences, 173
 management practices, 197
 soil amendments, 201
 spatial patterns, 173
 species-area relationships, 137
 successional patterns, 249
 springtails
 aboveground-belowground linkages, 239
 agroforestry, 202
 altered rainfall regime, 234
 altitudinal patterns, 147
 biotic interactions, 186
 climatic influences, 153
 desiccation tolerance, 32
 dispersal, 188
 disturbance, influence of, 187
 diversity and abundance, 30
 ecosystem function, 32, 55, 57, 58
 edaphic influences, 157, 158
 elevated CO₂ concentration, 240
 extreme environments, 32
 feeding activities, 5, 31, 55
 fertilizer application, 204
 forage crop, 276
 freeze-thaw cycles, 230
 functional traits, 97
 habitat preferences, 32
 heavy metals, 208
 increased O₃ concentration, 240
 invasive species, 216
 land use, 158
 latitudinal patterns, 143
 life cycle, 30, 31
 management practices, 198, 201
 microbial assemblages, effect on, 56
 nitrogen deposition, 205
 predators, effect of, 184
 restoration, 258
 soil formation, contribution to, 31
 spatial patterns, 173, 174, 189
 species-area relationships, 136, 137
 successional patterns, 248, 249, 253, 254
 trophic cascades, 71
 vegetation composition, 161, 195
 vertical stratification, 181
 warming, 228, 231
 water potential, 12
 stable isotope probing
 ¹³carbon, 8, 47, 50, 56, 106, 109
 ¹³C-labeled glucose, 105
 ¹⁵nitrogen, 8, 48, 50, 109
 ¹⁸oxygen, 8, 107
 application, 104
 constraints, 105
 use with biomarkers, 108
 stable isotope ratios
 ¹³carbon/¹²carbon, 53, 105
 ¹⁵nitrogen/¹⁴nitrogen, 53, 56, 105
 Staphylinidae, 39
Steganacarus magnus
 calcium carbonate content, 169
 consumption of nematodes, 54
Steinernema, 24, 25
 as biocontrol agents, 280
Steinernema feltiae
 consumption of, 54
 intracellular freezing, 21
 Steinernematidae, 24
Stephensia brunnichella, aboveground-belowground linkages, 238
 stoichiometry
 fertilizer application, influence of, 203
 use in soil ecology, 99
 strategic tillage, effect of, 198
 stress-response hypothesis, influence of herbivores, 219
Strongyloides stercoralis, management of, 288
 structural equation models
 application, 116
 hypothesis testing, 116
 limitations, 118
 phosphorus fertilization, effect of, 118
 quantifying ecosystem function, 117
 succession
 contribution of soil fauna, 43
 disturbance effects, 246
 ecosystem recovery, 246
 vegetation composition, 247, 258
 sulfur dioxide, effect of, 206
 sustainable management practices
 agroecosystems, 277, 279
 contribution of soil fauna, 270

364 · Index

- Symphyla, 28
 diversity and abundance, 34, 40
 ecosystem function, 40
 restoration, 256
- Symphyleona, 31
 forage crop, 276
- Tabanidae, 39
- tallgrass prairie, effect of nitrogen addition, 204
- Taraxacum officinale*, effect on mesostigmatid mite assemblages, 161
- Tardigrada. *See* tardigrades
- tardigrades, 17
 biogeography, 130
 diversity and abundance, 25, 26
 edaphic influences, 160
 feeding activities, 25, 26
 heavy metals, 208
 life cycle, 26
 survival strategies, 26
- terminal restriction fragment length polymorphism, as a biomarker, 110
- termites
 agroforestry, 202
 altitudinal patterns, 146
 as ecosystem engineers, 37, 64
 biogeography, 133
 breakdown of woody material, 63
 climatic influences, 156
 disturbance, influence of, 187
 diversity and abundance, 35
 ecosystem function, 63, 64, 65
 endemism, 133
 feeding activities, 37
 gut microbes, contributions of, 36
 invasive species, 217, 270
 land use change, 194
 latitudinal patterns, 142
 litter decomposition, effect on, 103
 nests, 37
 restoration, 258
 spatial patterns, 170
 substrate use, 107
 vegetation structure, effect on, 161
 warming, effect on distribution, 233
- Termitidae, biogeography, 133
- termitosphere, biological activity, 9, 11
- Termopsidae, biogeography, 133
- testate amoeba, 18, 47
 biogeography, 125
 distribution, 114
 heat waves, 230
 warming, 228
- Tetracanthella bryura*, succession, 248
- Tetracanthella wahlgreni*, succession, 248
- thermal lethal limits, effect of warming, 226
- Thysanoptera, effect of elevated CO₂ concentration, 224
- Thysanura, effect of management practices, 198
- tillage, use for pest control, 198
- Tipulidae, 39
- top-down control, 70, 71, 73
 assemblage structure, 184
 global change effects, 243
 pest and pathogen suppression, 280
 role in biocontrol, 201
- trichobothria, springtail morphology, 97
- Trichoderma viride*, trophic cascades, 72
- Trichodoridae, effect of elevated CO₂ concentration, 242
- Trichostrongylus*, molecular clock, 127
- Trifolium pretense*, as forage crop, 276
- Trifolium repens*
 aboveground-belowground linkages, 77
 decomposer assemblages, 163
 plant parasitic nematodes, 282
 role as forage crop, 276
 root herbivory, 50
- Trombidiformes, 28
- trophic cascades, 70, 71
 ecosystem function, 70
 elevated CO₂ concentration, 224
 invasive species, 211
 warming, 232
- tropospheric ozone (O₃) concentration, effect of changes in, 239
- Tullgren funnels, mesofauna extraction, 89
- Tylenchorhynchus*, 22
- Tyleptus*, biogeography, 127
- UN Sustainable Development Goals, 289
- underdispersion, of springtail functional traits, 174
- variance partitioning, application, 114, 171
- vertebrates, as soil fauna, 2
- vertical stratification
 ground beetles, 171
 springtail functional traits, 98

- warming
 - ecosystem responses, 221
 - soil fauna assemblages, 232
- water bears. *See* tardigrades
- water holding capacity, 9
- water infiltration, 9
- wire-worms, climatic influences, 156
- Xenorhabdus*, as microbial symbiont, 280
- Xiphinema*, 22
- X-ray computed tomography, soil fauna distribution, 96
- Zea mays*, litter decomposition, 104