

## *Index*

- absence of structural stability, 71–72, 236–239, 240–242, 243, 246
- accepted physical principles, 154–155, 158, 160
- accountability, 216, 218–219, 221
- accuracy, 32–33, 40, 96, 177, 180–181, 216
- acid rain, 221
- acidification, 75–76
- adequacy-for-purpose, 41, 139
- AEI prize, 222–223
- aerosols, 39, 42, 49, 67, 203–204
- agents, 30, 79, 113–114, 116, 131, 136–137, 145–146, 209
- agnosticism, 210, 231
- ahistorical evidential norms, 161, 173
- albedo, 27, 33, 35–36, 42, 67, 75, 200  
   snow, 197–199, 200, 201
- algorithms, 40–41, 156, 158–159
- Allais paradox, 115, 125
- alternative decision theory, 119–120
- altitude, 13–14, 35
- ambiguity aversion, 118–119, 126, 128
- American Enterprise Institute, 222
- Antarctica, 20–21, 231
- anthropogenesis, 2, 5, 36–37, 213, 223  
   hypothesis, 2, 44, 211, 214, 229
- AOGCM (atmosphere-ocean global climate model), 46–47, 50, 100, 142–143, 195, 219
- apples-and-oranges affair, 14
- approximation technique, 160–161
- approximations, 142, 144, 159–160  
   balance of, 140, 159  
   numerical, 38, 91–92  
   simplifying, 45
- Arctic, 1, 16–20  
   permafrost, 231  
   sea ice, 1, 18–19, 231
- Argentina, 2
- Aristotelian idealization, 30–31
- Arrhenius, Svante, 26, 28
- articles, peer-reviewed, 211–213
- artifacts, 49, 68, 177, 192–193, 196
- assemblages of methods, 142, 220
- assessment reports, 10–12, 50, 75
- assumptions, 15–16, 24, 77, 87, 99, 144, 167, 177, 188, 211  
   auxiliary, 13  
   internal modeling, 144  
   problematic, 211  
   simplifying, 177
- atmosphere, 12–13, 26–29, 31–32, 33–36, 38–39, 42–48, 51, 55, 72–73, 83–84
- atmosphere-ocean global climate model, 46, *see* AOGCM
- atmospheric chemistry, 3, 142, 220
- atmospheric circulation, 54, 141
- atmospheric dynamics, 91, 141–142, 220
- atmospheric model, 44, 49
- atmospheric physics, 3, 142, 220
- attractors, 58, 61–64, 65, 84  
   Lorenz, 61, 64, 84
- Australia, 2
- authorship, 216, 218–219, 220–221, 229  
   group, 216, 219, 221
- auxiliary hypotheses, 10, 13
- available evidence, 86, 114, 133–134, 199, 214
- available methods, 9, 97–98
- average temperatures, 10, 93, 122, 128
- aversion, ambiguity, 118–119, 126, 128
- axioms, 77–78  
   of probability, 78, 111
- background conditions, 135
- background knowledge, 98, 100, 145, 147, 149, 167–168, 172
- back-of-the-envelope reasoning, 34, 60, 163
- Barnes, Eric, 169–170, 173
- base state, 204–205
- Bayes' rule, 110–111, 114, 145, 166–168  
   role, 103, 114
- Bayesian approach, 146, 164
- Bayesian inference, 145, 152, 167–168

- Bayesian response to arguments from inductive risk, 136, *see* BRAIR
- Bayesians, 78, 110–114, 136, 137, 145, 152  
 objective, 78, 86
- belief, degrees of, 76, 78–79, 82, 84, 86, 114, 134, 135–138, 167–168, 185–186
- best estimates, 94, 196
- best models, 9, 18, 29, 60, 91, 95, 114, 183, 195
- biases, 9, 102, 212–213  
 preference, 224–225  
 and values, 150–151
- Biddle, Justin, 222–225
- bijection, 242–243
- biochemistry, 3, 142, 220
- biogeography, 3, 142, 220
- black bodies, 27–28, 31, 75
- boundary conditions, 40, 46–47
- boundary values, 91, 94–95
- BRAIR (Bayesian response to arguments from inductive risk), 136, 137, 146–147, 151  
 model-specific response to, 138–145  
 replies to, 136–138
- Broome, John, 115
- burden of proof shifting, 246
- butterfly effect, 55, 58, 63–69, 71, 73, 232–233, 236–237
- canvas buckets, 8
- carbon, 2, 39, 75–76, 85, 180, 195
- carbon dioxide, 22, 26, 29, 31–32, 34–35, 37, 49, 190, 195  
 concentrations, 26, 34, 42, 67
- catch and toss collaborations, 216–219
- causal relationships, 31–33, 36, 43
- centralized control, 216, 219
- CEP (cumulative epistemic power), 184–185, 186, 190, 194
- chance setups, 81–83, 87, 112–113
- chance systems, 80, 82–83, 85
- chances, 36, 78, 79–86, 87, 104, 106, 109, 113, 115–116  
 and credences distinguished, 81–83  
 objective, 79–81, 83–85, 87, 90, 100, 104, 112–113  
 underlying, 82, 84
- chaos, 5, 55–73, 233, 239  
 definition, 55–62  
 toy chaotic models, 60–63
- chaotic models, toy, 60–63
- chaotic systems, 55–57, 58, 60–63, 72–73, 85, 229
- China, 2
- choices, 86, 88, 93–95, 113, 115–118, 119–120, 143, 145, 146–148, 149–151  
 methodological, 135, 138, 143, 220–221, 224
- modeling, 129, 151  
 past, 145, 147, 151
- Christy, John, 14, 15
- circulation, 39, 49  
 atmospheric, 54  
 general, 141, 155
- circulation model, 46
- Clark, Andy, 143, 216
- classical paradigm, 108, 110
- classical statistical methods, 109, 121, 135, 138
- classical statisticians, 110–113, 121
- climate change deniers, 25, 229
- climate feedbacks, 195, 197, 201–202
- climate forcings, 42–43, 67
- climate hypotheses, 5–6, 9, 147–148, 176–177, 178, 181, 192–194, 211, 228–230
- climate modelers, 97, 100, 140, 145, 171, 172, 214
- climate modeling, 7, 15, 141, 146, 150, 157–158, 161, 176, 182, 220  
 purposes, 41–44
- climate models, 41–42, 51–53, 93–94, 96–99, 139–142, 154–155, 162–163, 164–166, 172–173, 179–180  
 best, 95, 183  
 epistemology, 173  
 features, 54, 140, 143, 170, 197  
 modularity, 53, 142  
 reliability, 15, 161–162  
 two-sided, 52
- climate projections, 5, 42–43, 44, 67, 69, 73, 90, 94–95
- climate proxies, 22–24
- climate science, 4–7, 24–25, 55, 70–73, 75–77, 85–90, 178–180, 183–184, 214–215, 227–230  
 epistemology, 6, 209, 228  
 philosophy, 5, 70, 123, 178, 208, 231
- climate sensitivity, 34, 35–36, 43–46, 68, 86, 95, 163, 190, 195
- climate simulation models, 41, 47, 157–158, 161, 228
- climate simulations, *i. see* simulations
- climate system, 34, 35–36, 42, 51–53, 55, 67, 163, 204, 227–228, 230
- climate variables, 7, 24, 42, 44, 67, 85, 154, 197, 199
- Climategate, 24–25
- climatology, historical, 3, 142, 220
- cloud dynamics, 91–92, 166
- cloud feedbacks, 75, 149, 195–197, 200–202
- cloud formation, 49, 142, 193, 196
- cloud parameterization schemes, 49, 53, 193
- cloud types, 75, 200
- clouds, 28, 35, 39, 49–50, 200  
 cumulus, 53  
 extra-tropical, 200, 201

- CO<sub>2</sub>, 22, *see* carbon dioxide  
 co-albedo, 27  
 coarse-grained probability, 120, 125, 149  
 code, 50–51, 99, 141, 142–143, 220  
 coin-flipping, 77, 169–170, 171, 214  
 cold dark matter, 76, 222  
 collaborations, 15, 216–218, 219  
   catch and toss, 216–219  
 common sense, 24, 34  
 compensating errors, 166, 196–197, 198, 200, 201  
 competing hypotheses, 191–192, 193–195, 198, 200, 209  
 complex empiricism, 12, 16  
 complex models/modeling, 14, 46, 134, 136, 143–144, 147, 150–151, 220, 228  
 complexity, 47, 55, 134, 139, 141, 144, 220–221, 227, 229, 230  
 compromises, 92, 103, 220  
 computational models, 50, 141, 143, 157  
 computer science, 3, 142, 220  
 computer simulation models, 37–38, 40, 156  
 computer simulations, 3, 34, 37–41, 44, 155–156, 158  
   definition, 39–41  
   features of climate simulations, 44–54  
 computers, 3, 38–39, 40–41, 48, 66, 91, 156, 157, 218, 227  
 concentrations of carbon dioxide, 26, 34, 42, 67  
 conditionalization, 111  
 conditions, 42, 55, 67, 144, 176, 182, 189, 198–199, 213, 242–244  
   boundary, 40, 46–47  
   necessary, 81, 223  
   sufficient, 61, 81, 214, 223–224, 233  
 confidence, 75–76, 90–107, 154, 160, 162–163, 164, 175, 182, 185, 202  
   degrees of, 86, 90, 104, 107, 112, 198  
   group credences, 102–103  
   high, 75–76, 104–105, 149, 202, 206, 215, 227–228  
   low, 112, 231  
   medium, 75, 114, 126, 202, 206  
   predetermined level, 135  
   quantification of uncertainty, 6, 95–102, 132  
   sources of uncertainty, 90–95, 205  
 confirmation, 86, 169, 171, 173, 185  
   bias, 213  
   independent, 15  
   of models, 165, 171  
 consensus, 3, 86, 103–106, 119, 128, 161, 211–215, 228–229  
   scientific, 211, 212  
 conservation of mass, 38, 155  
 consistency, of evidence, 104, 175  
 conspiracy, 25, 212–213, 215  
 constraints, 77, 79, 114–115, 119, 198  
   emergent, 197–200, 201  
 consumers, 12, 106–107, 120–122  
 continuous differential equations, 61, 156  
 control, centralized, 216, 219  
 convection, 49  
 convergence of evidence, 212–213  
 Conway, Erik, 221–222  
 cooling, 13, 21, 26, 35, 44  
 corals, 7, 23, 127, 190  
 cost benefit analysis, 122–127  
 counting, double, 164–165  
 coupled atmosphere-ocean GCMs, 142  
 coupling, 46–47, 53, 124, 126, 141–142, 220  
 credences, 78–79, 81–85, 86–88, 90, 103, 104–106, 112–113, 114, 137, 209  
   group, 102–103  
   reporting, 87, 90, 103, 106  
   subjective, 78, 86–87  
 credibility, 50, 54, 150, 173, 213, 228  
 cumulative epistemic power *i*, *see* CEP  
 cumulus clouds, 53  
 curve fitting, 172  
 damage function, 124, 126, 128  
 dams, 88, 133  
 dark matter, cold, 76, 222  
 data, 7–25  
   evidence of warming, 9–12  
   instrument, 36, 204, 205  
   models of, 8, 9–10, 24, 29  
   nature of scientific data, 7–10  
   observed, 13, 102, 106, 182  
   proxy, 34, 36, 94, 183, 192, 203, 214  
   radiosonde, 12, 14–15  
   raw, 8, 9–10, 12, 14, 24  
   satellite, 9, 11–16  
 de Prony, Gaspard, 218, 221  
 decision makers, 114, 119–121  
 decision making, 108–128  
   cost benefit analysis, 122–127  
   probability and decision, 120–121  
   probability and inference, 112–114  
   risk and uncertainty, 114–120  
   statistical inference, 108–112  
 decision rules, 105, 115, 118–120  
 decision theory, 115, 119–120, 122, 126, 131, 133–134, 231  
 demon's apprentices, 70, 72, 241–244  
 deniers, climate change, 25, 229  
 dependence, functional, 198, 200–201  
 depraved motivations, 222–223, 225

- detection, 181, 186, 189–193, 196, 201, 205  
 definition, 185–186  
 methods, 186, 188–193, 203, 205–206  
 procedures, 188–189, 193  
 detectors, 108, 111, 190  
 determinate probabilities, 114, 118  
 detrimental dissent, 223, 225–226  
 DICE model, 126, 127  
 diffeomorphisms, 72, 238–240, 242–244  
 difference equations, 38, 56, 60, 244–246  
 differential equations, 38, 56–58, 60–62, 91, 155  
 continuous, 61, 156  
 partial, 44  
 direct empiricism, 12, 16  
 discount rates, 124–125, 128  
 discretization, 40–41, 44–45, 47, 91–92, 95, 158  
 disease, 112–113, 120, 135, 192  
 disinterestedness, 87  
 dissent, 3, 221–222, 223–224, 229–230  
 detrimental, 223, 225–226  
 illegitimate, 222, 224  
 legitimate, 222  
 scientific, 224–225, 229–230  
 distance, 59, 61–60, 233–234, 239, 244  
 metrics, 234–235  
 distortions, 30–31, 139, 146–147, 149, 177  
 distributed epistemic agency, 142, 219  
 diversity, 177, 183–185, 188–206  
 and ECS hypothesis, 194–206  
 explanatory robustness, 191–195  
 independent probability of failure, 189–191  
 sundry probabilistic notions of independence, 191–194  
 unconditional probabilistic independence, 188–189  
 documentation, incomplete, 50, 141  
 Doppler effect, 28  
 Douglas, Heather, 134–136, 150  
 Duhem, Pierre, 7, 9–10, 13–14, 25  
 dynamical models, 34, 36–37, 47, 163, 241  
 dynamical systems, 56, 58–59, 70, 233–237, 241  
 dynamics, 34, 35, 45, 55, 61–63, 93, 141–142, 233, 241  
 atmospheric, 91, 141–142, 220  
 cloud, 91–92, 166  
 earth models of intermediate complexity (EMICs), 46  
 earth system models, *i. see* ESMs  
 Easterbrook, Steve, 51  
 ecology, 3, 142, 220  
 economic growth, 124–125, 131  
 loss of, 124, 126  
 economic scenarios, 91, 95  
 ECS (equilibrium climate sensitivity), 34, 75–77, 114, 125–126, 183, 192, 194–196, 199–203, 204–206  
 evidence of hypothesis, 194–206  
 value, 125–126, 196, 202, 204, 206  
 eddies, 48, 49  
 effective radiative forcing (ERF), 195  
 effective temperatures, 27–28  
 Ellsberg paradox, 115, 117, 125  
 emergent constraints (EC), 197–200, 201  
 EMICs (earth models of intermediate complexity), 46  
 emissions, 10, 49, 101, 124–125, 128, 133, 162  
 emissivity, 28–29, 33, 35, 37, 42–43, 67, 200  
 coefficient, 28  
 empirical findings, 117, 158, 211, 214  
 empiricism  
 complex, 12, 16  
 direct, 12, 16  
 energy, 16, 27–29, 31, 42, 48, 67  
 energy, outgoing, 26–27  
 energy balance, 31, 35, 54, 147, 166  
 models, 26–29, 32, 33–37, 46, 54  
 zero-dimensional, 26, 29, 31, 33  
 ensemble methods, 96–99, 181  
 ensembles, 6, 63, 95, 97–99, 100, 193, 196, 197, 199, 201–202  
 of models, 100, 178, 194, 196–198, 201–202  
 of opportunity, 182, 193, 195, 198, 200–202, 203  
 entrenchment, 220  
 generative, 143–144  
 epistemic agency, 79, 134, 137, 142, 173  
 distributed, 142, 219  
 epistemic goals, 222–223  
 epistemic power, 227  
 epistemological issues, 3, 6, 227, 228  
 epistemology, 6, 34, 120, 156–157, 163, 173, 208–210, 212, 228  
 social, *ix. see* social epistemology  
 traditional, 208, 210  
 equations, 33, 38–39, 40, 44–45, 56–58, 60–61, 126, 155–157, 241, 243–246  
 continuous, 40, 47  
 of evolution, 56–58, 65, 234  
 logistic, 70, 72, 242–243  
 model, 95, 156, 158  
 thermodynamic, 38, 45  
 unforced, 68  
 equilibrium, 34–35, 204, 205  
 equilibrium climate sensitivity, *ix. see* ECS  
 equilibrium models, 5, 27, 71, 194  
 ERF (effective radiative forcing), 195

- errors, 15, 59–60, 62, 91–92, 95, 109, 138, 140, 196, 233–234  
 compensating, 166, 196–197, 198, 200, 201  
 discretization, 204  
 maximum one-step, 244–246  
 small, 70, 71–72, 239, 245  
 structural, 165–166  
 type II, 109
- ESMs (earth system models), 39, 46–47, 100, 193–194, 195–196
- estimates, 9, 36, 43, 60, 63, 95, 97–98, 100–103, 106, 146–148  
 best, 94, 196  
 credible quantitative, 154, 160  
 model-based, 147, 203  
 uncertainty, 11, 96, 102, 135–136, 148–149
- ethical values, 130–133, 135–136, 137–138, 146  
 evaluation, 54, 139, 151–154, 165, 169, 171, 182
- evaporation, 39, 75, 86
- events, 78, 79, 104, 110, 131, 134, 213  
 chancy, 85  
 singular, 80
- evidence, 16–18, 25, 82–83, 113, 133, 135–137, 166–169, 175–177, 183–184, 214–215  
 available, 86, 114, 133–134, 199, 214  
 consistency, 104, 175  
 convergence, 212–213  
 empirical, 178, 179  
 evaluation, 150, 209  
 independent lines of, 3, 227–228, 231  
 new, 26, 83, 85, 126, 145, 166–167  
 old, 168  
 robust, 3, 179, 194–195, 201–202, 205, 228  
 sources of, 105, 106–107, 179, 184, 229  
 of warming, 9–12, 16–24
- evolution, 40, 42, 56–58, 60, 65–67, 84, 155, 234  
 equations of, 56–58, 65, 234  
 functions, 56, 234–235, 237–238  
 non-deterministic laws of, 81
- expected utility  
 maximization, 121  
 theory, 115–118, 123
- experiments, 8, 10, 13, 15, 29, 115–118, 183–184, 186, 188, 191
- expert elicitation, 100–102
- expert judgment, 102, 104, 106, 135, 175
- expert testimony, 210–211
- expertise, 3, 39, 88, 130–131, 132, 134, 142–143, 147, 220, 229
- experts, 12, 15, 86–89, 100–103, 105–107, 114–115, 117, 118, 131–132, 210–212  
 groups of, 90, 105, 106, 120, 224
- explanations, 20, 58, 161, 192, 202, 205–206  
 alternative, 192, 199, 205  
 back-of-the-envelope, 60  
 plausible, 191, 198–199, 200  
 possible, 190, 192, 196, 201, 205  
 rival, 193, 201–202
- explanatory power, 195  
 explanatory robustness, 191–195
- exponential error growth, 61, 239
- exponential SDIC (sensitive dependence on initial conditions), 59, 233
- exponential sensitive dependence on model structure, 235
- exponents, Lyapunov, 59, 61–63
- external forcings, 42, 67, 203
- extra-tropical clouds, 200, 201
- false negatives, 109, 135, 150  
 false positives, 109, 135, 150, *see also* type II errors
- falsificationism, 7, 10
- falsifying of data, 25, 215
- feedbacks, 35, 37–38, 75, 149, 196, 200–201, 204  
 climate, 195, 197, 201–202  
 cloud, 75, 149, 195–197, 200–202  
 lapse rate, 195  
 negative, 36  
 positive, 195  
 snow-albedo, 198–199  
 water vapor, 35, 195
- fine-grained predictions, 41, 44, 47
- fit, 32, 39, 126, 137, 139, 166, 170–171, 172–173, 179–180, 195
- fitting procedure, 165
- flooding, 44, 88, 133
- flows, 45, 48, 56, 59, 60–62, 128, 220, 233–234, 242, 244
- forcings, 35, 42, 43–44, 66–68, 75, 93, 180, 182, 196–198, 203–204  
 climate, 42–43, 67  
 degree, 35, 68  
 external, 42, 67, 203  
 natural, 36, 43  
 radiative, 35, 195
- forecasting, 84, 139  
 probabilistic, 65, 84, 134  
 probabilistic initial condition ensemble, 63, 73, 241
- forecasts, 20, 42, 43, 65, 67, 69, 84, 139  
 probabilistic, 84, 134
- formalisms, 56, 59, 62
- fresh water, 20, 39
- freshman apprentice's model, 241, 244
- Frigg, Roman, 70, 157, 232
- Frisch, Mathias, 126–127, 164–166, 170–171, 172–173
- functional dependence, 198, 200–201
- functional relationships, 197, 200, 201–202

- functions, 29, 31, 38, 56, 124, 126, 133, 237, 242–243, 245  
 damage, 124, 126, 128  
 time-evolution, 59, 62, 233–235  
 fuzzy modularity, 141, 157, 220
- Galilean idealizations, 30–32  
 gambling scenarios, 115–118  
 gases, 2, 28, 32, 37, 49  
   heat trapping, 2, 10, 13, 26, 180, 205, 230  
 GCMs (global climate models), 13, 46–47, 141–142, 144, 161–162, 165, 193–194, 196, 219–220  
   coupled atmosphere-ocean, 46, 142, 219  
 GDP (gross domestic product), 126–127  
 generative entrenchment, 143–144  
 geochemistry, 3, 142, 220  
 geology, 3, 142, 220  
 Geophysical Fluid Dynamics Laboratory  
   Coupled Models (GFDL CMs), 49–50, 141, 166, 195  
 geophysics, 3, 142, 220  
 GFDL CMs, vii, *see* Geophysical Fluid Dynamics Laboratory Coupled Models  
 glacial lakes, 88  
 glaciers, 7, 16, 22, 88, 133  
   thickness, 18  
 global climate models, *x*, *see* GCMs  
 global surface temperatures, 34–35, 43, 100, 103, 189  
 goals, 32, 39, 47, 131, 134, 222, 232  
   epistemic, 222–223  
 Goldman, A., 209–210, 212  
 good-making features, 170  
   hidden, 172–173  
 goods, non-economic, 127–128  
 Goodwin, William, 72, 160–163  
 greenhouse effect, 2, 21, 28  
 greenhouse gases, 4, 28, 49, 123, 154, 203  
 Greenland, 20, 231  
 grid cells, 46–48, 49  
 grid size, 47, 49–50, 92, 192–193  
 gross domestic product (GDP), 126–127  
 group authorship, 216, 219, 221  
 group credences, 102–103  
 grubby motivations, 223  
 guilt, 176, 189–190, 191–193
- hawkmoth effect, 69, 70–72, 232–246  
 definitions, 232–235  
   demon's apprentice route, 241–244  
   and small arbitrary model  
   perturbations, 244–246  
   structural stability route, 236–240  
 heat island effect, 10–11  
 heat-trapping gases, 2, 10, 13, 26, 180, 205, 230  
 herd mentality, 97, 100, 213  
 hidden good-making features, 172–173  
 high confidence, 75–76, 104–105, 149, 202, 206, 215, 227–228  
 historical climatology, 3, 142, 220  
 homeomorphism, 237, 239, 242  
 human activities, 2, 3, 10, 26, 29, 34, 36, 227, 230  
 human computers, 218  
 humidity, 49  
   relative, 35  
 hypotheses, 6–8, 103–105, 109–110, 112–114, 131–138, 166–169, 190–197, 201–203, 205–206  
   anthropogenesis, 2, 211, 229  
   auxiliary, 10, 13  
   competing, 191–192, 193–195, 198, 200, 209  
   null, 109–110, 112–113, 120–121  
   paleoclimate, 192  
   probabilistic, 85, 136  
   quantitative, 36, 43  
   scientific, 10, 76–77, 112, 120, 131–133, 151, 216
- IAMs (integrated assessment models), 6, 123, 124–129  
 ice, 20, 22, 36  
   Antarctic, 20  
   Arctic, 1, 20  
   glacier, 88  
   land, 20, 47, 51, 142  
   sea, 1, 7, 18–22, 39, 51, 231  
   sheets, 20–22, 39  
 idealizations, 30, 31, 139, 146, 160, 170–172, 177, 180  
   Aristotelian, 30–31  
   distorting, 94  
   Galilean, 30–32  
 idealized models, 30, 171, 183  
 illegitimate dissent, 222, 224  
 imprecise probabilities, 147–150  
 impure motivations, 222  
 incident solar radiation, 27, 33  
 incoming radiation, 27–28, 204  
 incomplete documentation, 50, 141  
 independence  
   physical, 53  
   of probability of failure (IPF), 189–191  
   unconditional probabilistic, 188–189  
 independent lines of evidence, 3, 227–228, 231  
 independent probability of failure, 189–191  
 individual agents, 86, 103, 208–209  
   mental states, 78, 106  
   psychological characteristics, 79, 86, 103

- inductive risk, 133, 135–136, 138, 151, 194  
   arguments, 132, 134  
 inferences, 8, 9, 30, 32, 41, 102, 106, 112, 136, 183  
   Bayesian, 145, 152, 167–168  
   and probabilities, 112–114  
   statistical, 3, 5–8, 108–112  
 initial condition uncertainty, 55, 59, 67–68,  
   93–95, 241  
 initial conditions, 42–43, 57–60, 63–65, 67–72,  
   84, 93–94, 232–233, 234, 237, 240–241  
   actual, 68, 72, 94  
   choice of, 68, 93  
   true, 94  
 initial orbits, 13, 15  
 initial states, 72, 233, 241  
 initial values, 61–60, 63, 156  
 initialization files, 50, 141  
 inputs, 36, 40, 92, 124, 128–129, 163, 165, 172  
   arbitrary, 244  
   auxiliary, 36  
 insolation, 27, 35  
 instability, 72, 236, 240  
   dynamical, 236  
   structural, 236–238, 240, 243, 246  
 institutional arrangements, 209, 221–225  
 instrument records, 9, 36, 183, 203–204,  
   205–206  
 instruments, 7–8, 9–10, 29, 111, 203  
 insulated buckets, 8  
 integrated assessment models, 6, *see* IAMs  
 Intemann, Kristen, 139, 211–214  
 interactions, 47, 91, 141–142, 144, 182, 209  
   complex, 39, 49, 51, 144  
   social, 210–215  
 interdependencies, 140, 147  
 interglacial periods, 36  
 Intergovernmental Panel on Climate Change,  
   vii, *see* IPCC  
 intermodel variation, 197, 200  
 internal variability, 22, 35–36, 42, 67, 69,  
   84–86, 91, 93–95, 197, 205  
 IPCC (Intergovernmental Panel on Climate  
   Change), 10–12, 67, 75–76, 86, 89–90,  
   100–102, 103–104, 105–107, 147–149,  
   162–163  
   reports, 36, 43, 76, 103, 104  
 IPF, 189, *see* independence of probability  
   of failure  
  
 Jeffrey, Richard, 132, 133–135, 137  
 jet stream, 16  
 joint weather/climate strategy, 69–70  
  
 Kitcher, Phillip, 222–223  
 Knight, Frank, 117  
  
 Knightian uncertainty, 117–118, 119–120,  
   125–126  
 knowledge production, 209, 216, 219, 225  
 Knutti, Reto, 97, 123, 182, 202  
 Kuhn, Thomas, 10, 209, 222  
  
 labor, 115, 122, 131, 217–219  
 lakes, 23, 39, 133  
   glacial, 88  
 Lambda-CDM model, 30  
 land ice, 20, 47, 51, 142  
 land surface physics, 199  
 lapse rate, 35, 195, 200  
 laypersons, 210, 213–215, 229  
 legitimate dissent, 222  
 Lenhard, Johannes, 53, 140–141, 143, 145, 170,  
   220  
 Leuchner, Anna, 222–225  
 Levins, Richard, 177–181, 183–184, 188  
 likelihood, 36, 75–76, 100, 103–106, 107, 111,  
   135, 137, 166–167, 201  
   expressions of, 75–76  
 linear model, 155, 158  
 Lloyd, Elisabeth, 12, 14–16, 178–179, 183, 184  
 logic, 1, 4–5, 10, 86, 195, 202  
 logistic equation, 70, 72, 242–243  
 long-wavelength radiation, 27, 31  
 Lorenz, Edward, 62, 236  
 Lorenz attractor, 61, 64, 84  
 Lorenz model, 60–67  
 LSE group, 71, 232, 235–236, 239, 241, 244,  
   246  
 Lyapunov exponents, 59, 61–63  
 Lyapunov time, 59–60, 69, 233  
 Lyndon B. Johnson principle, 87  
  
 McMullin, Ernan, 131  
 Madden-Julian oscillations, 139–140  
 manifold, 56–57, 59, 233, 240, 242  
 maps, 56, 59, 60–61, 233, 239, 242–243  
 mass, 20, 30, 45–46, 48–49, 57–58, 118, 156  
   conservation of, 38, 155  
   probability, 118, 126  
 maximum one-step error, 244–246  
 mechanical methods, 97, 100  
 mediating models, 29–33, *see also*  
   idealized models  
 melting, 1–2, 4, 20, 22, 49, 88, 197, 231  
 mental states, 78, 80, 86–87, 106, 215  
 Mertonian norm, 87  
 meteorological stations, 10–11  
 meteorology, 3, 142, 220  
 methodological choices, 135, 138, 143, 220–221,  
   224  
 methods, available, 9, 97–98

- metrics, 21, 99, 104, 105, 164, 172, 234–235, 239, 240, 244  
 of distance, 234–235  
 microwave radiation, 11, 13  
 microwave sounding units (MSUs), 11, 13  
 mitigation strategies, 123–125  
 mixing, 62, 65  
 structural, 72, 234, 239  
 topological, 61, 233–234  
 model equations, 95, 156, 158  
 modelers, 53, 93, 95, 140, 143, 150, 158, 160, 170, 173  
 modeling  
 complex, 14, 136, 228  
 non-linear, 245  
 numerical, 142, 182, 220  
 models, 26–37  
 agreement, 179, 183, 185  
 best, 9, 18, 29, 60, 91, 95, 114, 183, 195  
 climate simulation, 41, 47, 157–158, 161, 228  
 complex, 46, 120, 143–144, 147, 150–151, 220  
 computational, 5, 27, 71, 143, 157  
 computer simulation, 37–38, 40, 156  
 confirmation, 165, 171  
 development, 53, 140, 147, 151, 158  
 downscaling, 47  
 dynamical, 34, 36–37, 47, 163, 241  
 Earth System, 39, *see* ESMs  
 energy balance, vii, *see* energy balance, models  
 equilibrium, 5, 27, 71, 194  
 idealized, 30, 171, 183, *see also* mediating models  
 imperfect, 91–92  
 linear, 155, 158  
 Lorenz, 60–67  
 mediating, 29–33  
 nature, 29–33  
 nearby, 238, 241, 243–245, 246  
 non-dynamical, 35–36, 71  
 non-linear, 70–71  
 perfect, 91–92  
 process-based, 36, 43  
 simple, 2, 34–35, 204  
 simulation, 14–15, 34, 36, 41, 158, 160, 162, 163, 189, 192–193  
 skill, 6, 53, 139, 146, 150, 154, 172–173, 182, 202  
 star-shaped, 51–52  
 toy chaotic, 60–63  
 true, 178, 180, 241  
 tuning, 53–54, 164  
 two-sided, 51–52  
 welfare, 124, 127  
 modularity, 39, 50–53, 92, 142  
 fuzzy, 141, 157, 220  
 software, 51–53, 228  
 motivations, 4, 96–97  
 depraved/grubby/impure, 222–223, 225  
 MSUs (microwave sounding units), 11, 13  
 multimodel ensembles, 96–97  
 Nabergall, Lukas, 72, 244  
 natural forcings, 36, 43  
 natural variability, 24, 37, 42, 68  
 Navas, Alejandro, 72, 244  
 nearby models, 238, 241, 243–245, 246  
 nearby systems, 58–59  
 negatives, false, 109, 135, 150  
 new evidence, 26, 83, 85, 126, 145, 166–167  
 Newton's laws, 38, 45, 155  
 non-deterministic laws of evolution, 81  
 non-economic goods, 127–128  
 non-epistemic values, 131, 145–146, 224  
 non-linear models, 70–71  
 non-linear systems, 161, 235  
 non-linearity, 55, 243  
 nooks and crannies claim, 151  
 null hypotheses, 109–110, 112–113, 120–121  
 numerical approximations, 38, 91–92  
 numerical modeling, 142, 182, 220  
 Obama, Barack, 211  
 objective chances, 79–81, 83–85, 87, 90, 100, 104, 112–113  
 objective probabilities, 77, 79, 100  
 objectivity, 87, 228  
 oceanography, 3, 142, 220  
 oceans, 14, 20, 21–22, 34, 45, 46, 49, 51, 75–76, 86  
 heat, 7, 21  
 sediments, 7, 23  
 old evidence, 168  
 omniscience, 30, 168, 241  
 opportunity, ensembles of, 182, 193, 195, 198, 200–202, 203  
 orbits, 14, 242  
 initial, 13, 15  
 periodic, 61  
 Oreskes, Naomi, 212, 221–222  
 Orzack, Steven, 178, 180, 181, 183, 189  
 oscillations, 58  
 Madden-Julian, 139–140  
 outcomes, 80, 82, 113, 115–120, 121, 123, 170, 171, 228, 230  
 possible, 119–120, 123, 125, 133–134, 228  
 space of, 113, 121  
 outgoing energy, 26–27  
 outgoing radiation, 27–28, 35  
 outputs, 12, 40–41, 47, 50, 124, 158–159, 193  
 overestimation, 196  
 ozone, 29, 43–44, 203–204, 221

- paleoclimate, 22, 50, 141, 190, 203  
 data, 94, 147, 183, 205  
 hypotheses, 192  
 paleoclimatology, 24, 142, 220  
 paradoxes, 115–117, 125  
 parameter values, 53–54, 92, 94–96, 139, 159, 165  
 parameterizations, 39, 47–50, 53, 92, 99, 157, 160, 171, 220  
 cloud, 49, 53, 193  
 sub-grid, 47, 53, 165  
 Paris Agreement, 122, 128  
 Parker, Wendy, 32, 102, 178–183, 184, 189  
 past choices, 145, 147, 151  
 path-dependency, 143, 221  
 payoffs, 115–116, 118, 195  
 peer review, 211–213, 214  
 periodic orbits, 61  
 personal degrees of belief, 84, 87, 89, 113  
 personal probabilities, 78–80, 86, 103, 114, 137, 228  
 perturbations, 35, 42, 67, 82, 245–246  
 perturbed-physics ensemble methods, 96, 99  
 pessimism, 36, 161, 181, 225  
 philosophers, 3–5, 77–80, 86, 132–133, 161–162, 167, 169, 211–212, 216, 226  
 philosophical literature, 55–56, 70, 156, 176–177, 183–184  
 philosophy, 4, 150  
 of climate science, 5, 70, 123, 178, 208, 231  
 of science, 4–5, 30, 32, 132, 134, 164, 176, 208, 209  
 physical independence, 53  
 physical principles, 126, 155, 160  
 accepted, 154–155, 158, 160  
 physical processes, 195, 200  
 emergent, 198, 200  
 single, 200–201  
 physical systems, 155–156, 177, 241, 246  
 physical understanding, 102, 105, 201  
 physics, 10, 85, 156, 171–172, 182  
 atmospheric, 3, 142, 220  
 land surface, 199  
 particle, 30  
 solar, 3, 142, 220  
 PICEF (Probabilistic Initial Condition Ensemble Forecasting), 63–67, 70, 72–73, 241, 244  
 plausible explanations, 191, 198–199, 200  
 policy decisions, 127–128, 211  
 policy makers, 87–89, 105–106, 133, 149, 221  
 pollen, 7, 23  
 polynomials, 57, 126, 245  
 positives, false, 109, 135, 150  
 possible explanations, 190, 192, 196, 201, 205  
 possible outcomes, 119–120, 123, 125, 133–134, 228  
 posterior probabilities, 111, 113, 166–167, 171  
 precipitation, 2, 39, 44, 49, 53, 144, 154  
 predetermined confidence levels, 135–136  
 predictability, 63, 66  
 predictands, 198–200, 201  
 prediction preference, 138–145  
 predictions, 13–14, 32–33, 60, 63–68, 138–139, 150, 162, 179, 182, 232–233  
 fine-grained, 41, 44, 47  
 making, 5, 33, 63, 69, 144, 170  
 novel, 173, 213  
 preferred, 150–151  
 reliable, 67, 177  
 weather, 41–42, 55, 60, 72  
 predictive power, 70, 240  
 predictive reliability, 161, 163  
 predictive skill, 165  
 predictive success, 98, 169–170  
 predictivism, 169  
 strong, 169  
 weak, 169, *see* weak predictivism  
 predictors, 198–200, 201  
 preference bias, 224–225  
 preferences, 79, 115–118, 122, 126–127, 138, 150–151  
 preferred predictions, 150–151  
 priorities, 139–140, 145–146, 151  
 probabilistic claims, 90, 104, 110, 163  
 probabilistic forecasting, 65, 84, 134  
 probabilistic hypotheses, 85, 136  
 probabilistic independence, 188–191  
 unconditional, 188–189  
 Probabilistic Initial Condition Ensemble Forecasting, 63, *see* PICEF  
 probabilities, 75–89, 90, 100–103, 105–107, 109–115, 117–122, 136–138, 151–152, 188–193  
 chances and credences, 78–81  
 distinguished, 81–83  
 climate, 85–87  
 coarse-grained, 120, 125  
 and decision, 120–121  
 determinate, 114, 118  
 imprecise, 147–150  
 and inference, 112–114  
 interpretation for climate science, 76–77  
 objective, 77, 79, 100  
 personal, 78–80, 86, 103, 114, 137, 228  
 posterior, 111, 113, 166–167, 171  
 precise, 114–115, 117, 118, 147–148  
 reporting, 85, 86, 87–88, 89–90, 105, 113

- probabilities (*cont.*)  
 reverse, 110  
 second order, 105, 107, 136  
 subjective, 77–78, 97  
 terms, 76  
 weather, 83–85  
 probability distribution, 63–65, 84, 96–98, 123,  
 125–126, 134, 228, 241  
 coarse-grained, 120, 125  
 probability mass, 118, 126  
 probability terms, 76  
 process understanding, 163, 182, 202, 228  
 projections, 5, 42–43, 44, 67, 69, 72–73, 90,  
 94–95, 100, 149  
 making, 5, 69, 73, 227  
 proxies, climate, 22–24  
 proxy data, 34, 36, 94, 183, 192, 203, 214  
 psychological characteristics of individual  
 agents, 79, 86, 103
- qualitative expressions, 106, 107  
 quantitative hypotheses, 36, 43  
 quantum mechanics, 79–81  
 Quine/Duhem problem, 10
- RA, ix, *see* robustness analysis  
 radiation, 13, 26–29, 31, 38, 42, 47, 49, 67, 198  
 exchange, 45–46  
 incoming, 27–28, 204  
 long-wavelength, 27, 31  
 microwave, 11, 13  
 outgoing, 27–28, 35  
 solar, 10, 27, 33, 44, 54, 94, 197  
 radiation-absorbing particles, 43  
 radiative forcing, 35, 195  
 radiosonde data, 12, 14–15  
 rain, 49, 83–85, *see also* precipitation  
 acid, 221  
 Randall, James, 51–53  
 rationality, 114, 209  
 raw data, 8, 9–10, 12, 14, 24  
 real data, 91, 94–95  
 RealClimate blog, 8, 25, 215  
 reasoning, 2, 5, 8, 9, 24, 30, 33, 149, 198, 200  
 EC, 197–198, 201  
 mathematical, 167, 171  
 observational, 9  
 ordinary, 191, 229  
 records, 1, 8–9, 24, 94, 98, 225  
 glacier, 7, 16  
 instrument, 203  
 temperature, 8, 13, 190  
 reefs, 127  
 regressions, 195  
 Reiss, Julian, 157
- relationships, 12, 14, 22–24, 102, 103, 156, 198,  
 200–201, 227, 229  
 functional, 197, 200, 201–202  
 reliability, 8, 15, 44, 50, 143, 157, 161–162,  
 163–164, 184, 213–214  
 assurance of, 50–51  
 predictive, 161, 163  
 Remote Sensing Systems (RSS), 14, 15  
 reports, 12, 86–87, 103, 105, 106–107, 110, 112,  
 149, 154, 175–176  
 resiliency, 83–84, 85, 102, 105, 206  
 responses, transient, 35–36, 38, 43, 195, 204  
 reverse probabilities, 110  
 risk, 6, 114, 117, 121, 122–123, 125–126, 128,  
 225, 228  
 and uncertainty, 114–120, 125, 228  
 and values, 132–136  
 robust evidence, 179, 194–195, 201–202, 205  
 robustness analysis (RA), 6, 175–186, 188, 189,  
 190, 191, 192, 193, 194, 195–197, 202,  
 205–206  
 beyond model agreement, 183–184  
 in climate science, 178–182, 194–195  
 diversity of evidence, 184–185  
 explanatory robustness, 191–195  
 roughness, 237–239  
 RSS (Remote Sensing Systems), 14, 15  
 Rudner, Richard, 132–137
- salinity, 75, 86  
 samples, random, 97, 99, 182  
 sampling, 95–96, 100, 135, 215  
 methods/techniques, 96, 100, 135  
 Santer, Benjamin, 15–16  
 satellite data, 9, 11–16  
 satellites, 11, 13–14, 15, 22, 29  
 Schmidt, Gavin, 8–9, 150–151, 165, 172  
 Schubach, Jonah, 183–184, 188, 191, 193–195, 202  
 scientific community, 2, 161, 213–214,  
 221, 229  
 scientific dissent, 224–225, 229–230  
 scientific hypotheses, 10, 76–77, 112, 120,  
 131–133, 151, 216  
 scientific practice, 3, 5, 152, 161, 175  
 SDIC (sensitive dependence on initial  
 conditions), 58–61, 65, 232–234, 236,  
 238–239, 240  
 definitions, 58, 233  
 exponential, 59, 233  
 sea ice, 1, 7, 18–22, 39, 51, 231  
 sea levels, 7, 20–22  
 sea surface temperatures (SSTs), 15, 195  
 second-order probabilities, 105, 107, 136  
 self-diffeomorphisms, 239  
 senior apprentice's model, 241, 244

- sensitive dependence on initial conditions, vii,  
*see* SDIC
- sensitive dependence on model structure, 72,  
 234–235, 238–239  
 exponential, 235
- separability claim, 156–157
- Sherwood, Steven, 150–151, 165, 172
- Shewhart, Walter A., 100
- simple models, 2, 34–35, 204
- simplicity, 2, 131, 156, 209
- simplifications, 30, 139, 146, 180
- simulation models, 14–15, 34, 36, 41, 158, 160,  
 162, 163, 189, 192–193  
 complex, 138, 147, 214
- simulations, 34, 38–54, 141–142, 157–160,  
 162–164, 183, 192–193, 227–228  
 computer, *i. see* computer simulations  
 epistemology, 156, 228  
 purposes of climate modeling, 41–44
- skeptics, 10, 18, 25, 180, 224
- skill, 22, 53, 154–173, 182, 219, 227–228  
 alternative picture, 160–163  
 models, 6, 53, 139, 146, 150, 154, 172–173,  
 182, 202  
 predictive, 165  
 and tuning, 163–173  
 verification and validation, 155–160
- small model errors, 72, 245
- Smith, Adam, 218
- Smith, Leonard, 70, 232
- snow albedo, 197–199, 200, 201
- Sober, Eliot, 178, 180, 181, 183, 189
- social characteristics, 214, 228
- social epistemology, 3, 6, 120, 208–226  
 from individuals to groups, 215–221  
 institutional arrangements, 209, 221–225  
 social interaction, 209, 210–215
- social interaction, 209, 210–215
- social values, 6, 131, 134, 135, 146–149, 151
- software  
 architecture, 50–51  
 modularity, 51–53, 228
- soil science, 3, 142, 220
- solar cycle, 203–205
- solar physics, 3, 142, 220
- solar radiation, 10, 27, 33, 44, 54, 94, 197
- Soros, George, 25, 215
- sources of evidence, 105, 106–107, 179, 184, 229
- Spencer, Roy, 13–14
- SSTs (sea surface temperatures), 15, 195
- stable frequencies, 80, 82, 84–85, 87, 112–113
- staining methods, 135–136
- star-shaped models, 51–52
- state space, 56–62, 65, 233–234, 238–239, 241,  
 245–246  
 distance, 235, 239  
 state variables, 56–57, 62
- statistical inference, 3, 5–8, 108–112
- statistical methods, 47, 98–99, 135, 138
- Steele, Katie, 115, 164–165, 166, 171
- Stefan-Boltzmann law, 27, 31
- step-by-step methods, 38, 40, 156
- stratosphere, 12, 43–44
- strong predictivism, 169
- structural analogs, 234–235, 239
- structural instability, 236–238, 240, 243, 246
- structural mixing, 72, 234, 239
- structural stability, 71–72, 232, 235, 236–237,  
 238–240, 242–244  
 absence, 71–72, 236–239, 240–242,  
 243, 246  
 definitions, 237, 243  
 route to hawkmoth effect, 236–240
- structure models, 71, 72, 91–92, 94–95, 97, 99,  
 232, 234–235, 238–239, 240–241
- sub-grid parameterizations, 47, 53, 165
- subjective credences, 78, 86–87
- subjective probabilities, 77–78, 97
- subjectivity, 78, 87, 113
- submodels, 141, 144
- supercomputers, 7, 32
- Suppes, Patrick, 8, 10, 13
- surface temperatures, 9–11, 13, 28  
 global, 34–35, 43, 100, 103, 189  
 local, 7  
 tropical, 13
- TCR, 35, *see* transient responses
- temperature anomalies, 10–11, 17
- temperature records, 8, 13, 190
- temperatures, 1, 8, 12–14, 22, 26–27, 29, 33–35,  
 190, 200, 203–204  
 average, 10, 93, 122, 128  
 effective, 27–28  
 surface, 9, *see* surface temperatures
- tempered weak predictivism, 169–172
- thermodynamic equations, 38, 45
- Thompson, Erica, 70, 71, 232, 236
- three-dimensional grid, 45–46
- time  
 intervals, 47, 204, 245  
 Lyapunov, 59–60, 69, 233
- time-evolution functions, 59, 62, 233–235
- TOA (top-of-the-atmosphere) energy balance,  
 54, 159, 164, 166
- topography, 28, 94
- topological mixing, 61, 233–234
- topology, 70, 234, 239, 242
- toy chaotic models, 60–63
- transient responses, 35–36, 38, 43, 195, 204

270

tree rings, 7, 23–25, 190, 192  
 trigonometric tables, 218  
 tropical troposphere, 13–14, 180  
 troposphere, 12–14, 29, 35, 44, 229  
   tropical, 13–14, 180  
 trust, 8, 161, 179, 181, 215, 228  
 truth, 24, 134, 137, 170, 177, 180, 183, 186, 188,  
   222–223  
 tuning, 53–54, 157, 163–173, 201, 228  
 two-sided models, 51–52  
 type II errors, 109, *see also* false positives

UAH (University of Alabama at Huntsville)  
   group, 13–15  
 UKCIP (United Kingdom Climate Impacts  
   Programme), 68–70  
 UMD (University of Maryland) group, 14, 15  
 unanimity, 2, 211, 213  
 uncertainty, 5–6, 18, 55, 68–69, 92–95,  
   102–104, 114–115, 117, 125, 148–149  
   degree of, 60, 94, 96–97, 103  
   estimates, 11, 96, 102, 135–136, 148–149  
   initial condition, 55, 59, 67–68, 93–95, 241  
   Knightian, 117–118, 119–120, 125–126  
   quantification, 6, 95–102, 132  
   and risk, 114–120, 125, 228  
   sources, 90–95, 205  
 unconditional probabilistic  
   independence, 188–189  
 UNFCCC (United Nations Framework  
   Convention on Climate Change), 12,  
   122, 128  
 unforced equations, 68  
 United Kingdom Climate Impacts Programme,  
   68, *see* UKCIP  
 United Nations Framework Convention on  
   Climate Change, 12, *see* UNFCCC  
 United States, 4, 16, 50–51, 211  
 universality class, 242–243, 246  
 urban heat islands, 10–11

validation, ix, *see* verification and validation  
 value-free ideal of science, 88, 90,  
   106–107, 223  
 value-ladenness, 149–150  
 values, 40, 48, 60–63, 96–98, 124–128, 130–  
   152, 197  
   and biases, 150–151  
   boundary, 91, 94–95  
   and BRAIR, viii, *see* BRAIR

*Index*

correct, 48, 78, 92, 100, 165, 200  
 and imprecise probabilities, 147–150  
 models  
   values and probabilities, 145–147  
   non-epistemic, 131, 145–146, 224  
   parameter, 53–54, 92, 94–96, 99, 139, 159, 165  
   and prediction preference, 138–145  
   and risk, 132–136  
 social, 6, 131, 134, 135, 146–149, 151  
 true, 99, 152, 194, 198, 204, 245  
 variability  
   internal, 22, 35–36, 42, 67, 69, 84–86, 91,  
     93–95, 197, 205  
   natural, 24, 37, 42, 68  
 variables, 26, 38–39, 40, 63–65, 96, 140,  
   151–152, 156, 199–200, 201  
   climate, 7, 24, 42, 44, 67, 85, 154, 197, 199  
   independent, 29  
   state, 56–57, 62  
 variation, 8, 26, 41, 42, 50, 96, 102, 132,  
   197, 209  
   intermodel, 197, 200  
   internal, 43, 204  
   natural, 42, 67–68  
   solar, 42, 67  
 verification and validation, 6, 155, 156–160,  
   173, 228  
 Vienna Circle, 1, 4  
 volcanic eruptions, 36, 43, 190, 203–205

warmest years, 1  
 warming trend, 11, 15, 18–20, 34, 227  
 water vapor, 15, 29, 31, 35, 200  
   feedback, 35, 195  
 wavelengths, 27, 29, 37  
 weak predictivism, 169  
   tempered, 169–172  
 weather, probabilities, 83–85  
 weather balloons, 12, 14–15, 16, 214  
 weather prediction, 41–42, 55, 60, 72  
 Weisberg, Michael, 177, 179, 183–184  
 Wernld, Charlotte, 164–166, 171  
 West Churchman, C., 132  
 Willholt, Torsten, 224–225  
 Wimsatt, William, 143, 189  
 wishful thinking, 132, 151–152, 223  
 Worrall, John, 169

zero-dimensional energy balance models, 26,  
   29, 31, 33