

Index

- ABCD matrix, 63, 66, 68–70, 221
 above-threshold ionization
 electron, 167
 high-energy, 165, 210
 QRS theory, 174
 spectrum, 175
 TDSE, 167, 168, 174
 peak, 101
 SFA, 104
 spectrum, 82, 126
 low-energy, 123, 126, 129
 near-threshold, 115, 116
 TDSE, 123
 ADK rate, 98
 hydrogen, 114
 ADK theory, 96, 97, 120
 as a limit of PPT theory, 106
 in hydrogen, 113, 114
 parameters, 121
 validity, 102, 134
 alignment
 adiabatic, 138
 degree of, 141
 distribution, 141
 impulsive, 138
 revival, 139
 one-dimensional, 139, 141, 142
 revival, 141
 three-dimensional, 143, 144, 146
 degree of, 145
 Ammosov–Delone–Krainov theory,
 see ADK theory
 APT, *see* attosecond pulse, train
 ATAS, *see* attosecond transient absorption,
 spectroscopy
 ATI, *see* above-threshold ionization
 attosecond lighthouse, 307
 attosecond pulse, 297
 application of, 308, 355
 in mapping vibrational wave packet, 381, 383
 in photoionization time delay, 333, 336, 339
 in probing electron correlation, 380, 381
 in probing Fano resonance, 347, 351
 characterization, 312–314
 FROG–CRAB, 314, 316, 317, 319
 PROBP method, 321–323
 PROOF method, 320, 323, 325
 RABITT, 316
 generation, 306
 amplitude gating, 306
 double-optical gating, 307
 generalized double-optical gating, 307
 ionization gating, 308
 multi-color gating, 309
 polarization gating, 306
 synthesized waveform, 310
 water window, 311
 single, 387
 generation, 278
 train, 293, 298
 characterization, 294, 296
 control, 297
 generation, 309
 attosecond transient absorption
 H₂ molecule, 373
 macroscopic, 371
 molecules, 373
 N₂ molecule, 376, 378
 single atom, 356
 spectroscopy, 355, 356
 spectrum, 355, 356, 358
 Helium, 360, 362
 Autler–Townes doublet, 365, 366
 Autler–Townes splitting, 360, 365, 373
 autoionization, 20, 351–353
 dynamics of, 347
 width, 378
 autoionizing state, 362, 364, 376, 378
 depletion, 370
 lifetime, 20, 366, 370

 Bessel beam, 68, 230
 Born approximation, 176
 first, 7, 173, 180
 scattering amplitude, 7
 second, 82
 Born–Oppenheimer approximation, 26, 384

 carrier-envelope phase, 87–89, 306, 309
 retrieval, 197
 stabilization, 89, 176, 309
 central field approximation, 21, 22, 29, 74

- central momentum approximation, 316, 317, 320, 323
 CEP, *see* carrier-envelope phase
 COLTRIMS, 127, 130, 311
 Cooper minimum
 in HHG, 229, 259
 spurious, 255
 in photoionization, 26, 259, 336
 cross-section
 absorption, 9, 347, 353
 generalized, 356, 371
 electron-impact ionization, 196
 generalized, 356
 partial, 6
 photoionization, 10, 14, 19
 differential, 14
 hydrogenic, 383
 molecular frame, 242
 partial, 231
 retrieval, 244
 retrieval of, 223
 subshell, 25, 26, 304
 total, 15
 scattering
 Breit–Wigner form, 7
 Coulomb potential, 5
 differential, 4, 5, 172, 180
 modified Coulomb potential, 6
 Rutherford, 6
 total, 4–6
 defocusing, 229, 231, 275
 density functional theory, 23, 24, 84, 262
 time-dependent, 84, 153, 154, 202, 252
 dipole approximation, 11–14, 139
 dipole moment, 45, 46
 acceleration form, 211
 induced, 201
 factorization, 205, 206
 QO theory, 204, 205
 SFA, 202, 203
 permanent, 50, 51, 139, 152
 transition, 46–48, 51–53
 retrieval, 244, 332, 333
 two-photon transition, 296, 300, 301
 velocity form, 211
 dipole polarizability, 148, 213, 217, 356
 anisotropy, 140
 tensor, 49, 50, 53, 146
 tensor transformation, 37
 dispersion
 free-electron, 217, 272
 geometric, 216, 272
 neutral atom, 217, 218, 272, 273
 Dyson orbital, 252, 341
 electron diffraction
 gas-phase, 180, 181
 aligned molecules, 192
 ultrafast, 181, 194
 laser-assisted, 196
 laser-induced, 165, 182, 184
 aligned molecules, 192, 193
 bond-breaking imaging, 188, 190
 bond-length retrieval, 184, 185, 187, 188
 electron wave packet, 346
 dynamics, 385, 387
 Fano resonance, 348, 350
 extracted by FROG–CRAB, 330, 333
 spreading, 204
 temporal, 315
 ellipticity, 306, 307
 factorization
 in HATI, 196
 in HHG, 206, 209, 210
 Fano resonance, 19, 305, 306, 347, 349, 367
 build-up, 352–354
 formulation, 19
 in rare gas, 19
 lineshape, *see* Fano resonance, profile
 parameters, 354, 363
 profile, 7, 348–350
 Lorentzian, 369
 time-dependent, 351, 352
 time-dependent, 352
 Feshbach resonance, 19
 Floquet method, 84, 108, 357
 Floquet state, 84, 357
 Franck–Condon factor, 49, 53, 375
 Franck–Condon principle, 48, 49, 53
 free-electron laser, 181, 194, 200
 Freeman resonance, 116, 117
 FROG method, 91–93, 313, 316
 FROG–CRAB method, 316–320, 330–333
 full width at half maximum, 87, 312, 313
 FWHM, *see* full width at half maximum
 Gaussian beam, 58, 59, 213, 214
 properties, 59
 truncated, 68
 genetic algorithm, 278, 279, 320, 323
 Gouy phase, 62, 214, 216
 group delay, 87, 297, 313, 330–334
 Wigner, 339, 340
 group delay dispersion, 87, 298, 313
 Hartree–Fock energy, 40
 Hartree–Fock equation, 29
 Hartree–Fock method, 22–24, 39, 40, 84, 85
 Hartree–Fock theory, *see* Hartree–Fock method
 HATI, *see* above-threshold ionization, high-energy
 HHG
 experimental setup, 200
 far-field, 220, 221

- hollow waveguide, 222
 keV region, 276
 macroscopic, 213, 223
 buildup, 226
 phase, 226
 wavelength scaling, 225, 226
 molecules
 alignment-averaged, 241
 angle dependence, 241
 angular scan, 241
 multiple orbitals, 246
 QRS theory, 240, 241
 SFA, 238
 time-delay scan, 241
 near-field, 220
 numerical TDSE, 201
 optimization by waveform synthesis, 278–282
 phase matching, 213, 214
 high-ionization, 273
 low-ionization, 272
 one-dimensional, 214
 polarization, 248
 polyatomic molecules
 QRS theory, 254–256
 SFA, 253, 254
 propagation, 219, 220
 QRS theory, 210, 211
 quantum orbits theory, 204, 205
 single atom, 225
 spectrum, 201
 strong-field approximation, 202, 204
 three-step model, 200
 water window, 276–278
 wavelength scaling, 209
 HHG spectroscopy, 236, 237, 249
 charge migration, 267
 dynamically evolving molecules, 261, 262, 266
 polyatomic molecules, 252
 HHS, *see* HHG spectroscopy
 high-order harmonic generation, *see* HHG
 HOMO, *see* molecular orbital, highest occupied
- ionization
 electron impact, 20, 196
 excessive, 182, 229, 231, 273, 274
 multiphoton, 102, 107
 multiple, 187
 over-the-barrier, 97, 117
 single photon, 299, 314
 static, 113
 strong-field, 100
 subcycle, 278
 tunnel, 96, 98, 128
 two-photon, 298
 ionization probability, 97, 100, 120, 121
 SFA theory, 171
 ionization probability amplitude, 81, 100, 102, 103
 SFA theory, 169
 ionization rate, 95
 angle-dependent, 151, 153–156
 retrieval, 146
 cycle-averaged, 96, 106, 150
 definition, 10
 differential, 101
 static, 96, 151
 molecules, 149, 150
 subcycle, 106, 134
 total, 106, 107, 113
 ionization saturation, 128, 229
 ionization suppression, 118, 119
 ionization yield, *see* ionization probability
 isolated attosecond pulse, *see* attosecond pulse,
 single
- Keldysh parameter, 102, 106, 128, 130
 Kerr effect, 217
- LAED, *see* electron diffraction, laser-assisted
 laser pulse
 chirped, 86
 envelope, 86
 Gaussian, 86
 sine-squared, 113
 transform-limited, 87, 113
 Lewenstein model, *see* strong-field approximation,
 high-order harmonic generation
- Maxwell equation, 219, 357
 MO, *see* molecular orbital
 MO-ADK theory, 149–153
 calibration, 154, 155, 157
 inner orbitals, 156
 structure parameters, 149, 154
 MO-SFA, *see* strong-field approximation, molecular
 molecular orbital, 29–31, 39–41
 degeneracy, 153, 259
 highest occupied, 40, 41, 156
 imaging, 250–252
 momentum transfer, 7, 8, 180
- nonsequential double ionization, 154, 164, 188, 196
 NSDI, *see* nonsequential double ionization
 nuclear wave packet
 distribution, 147
 rotational, 138, 140, 143
 evolution, 140
 field-free evolution, 141
 vibrational, 146–148, 263
 control, 147, 148
 dynamics, 148
 imaging, 196
 probing, 264, 266
 retrieval, 373, 375, 376, 382, 383

- optical parametric amplification, 89–91, 277, 278
 optical parametric chirped pulse amplification, 91, 277, 278
- paraxial approximation, 55, 56, 58, 62, 63, 65, 66
 parity, 13, 17, 22, 30
 Perelomov–Popov–Terentev theory, *see* PPT theory
 PES, *see* potential energy surface
 phase matching, 213, 214, 273
 defocusing-assisted, 273, 278
 quasi, 274–276
 phase mismatch
 in HHG, 214–219, 272–274
 in OPA, 90
 phase shift, 6, 327
 background, 6
 Coulomb, 2, 3, 328
 short-range potential, 3, 4, 14, 326
 photo-recombination, 210, 236, 240
 photoelectron energy spectrum, 77
 low-energy, 123, 129
 QRS, 174
 SFA, 171
 streaking, 303
 TDSE, 167
 photoelectron momentum distribution
 alignment-averaged, 178
 Coulomb-corrected SFA, 105
 Coulomb–Volkov approximation, 104
 low-energy, 123, 125, 126, 128
 low-energy side lobe, 133
 low-energy structure, 129–131
 SFA, 104
 high-energy, 171
 TDSE, 77, 167
 high-energy, 166, 167
 photoelectron momentum spectrum, *see* photoelectron momentum distribution
 photoelectron spectroscopy, 135, 283
 photoelectron streaking
 attosecond, 314, 327, 330
 experiment, 314, 336, 338–340
 spectrogram, *see* photoelectron streaking, trace
 trace, 293, 314
 in FROG–CRAB method, 314, 315
 in PROBP method, 321
 in PROOF method, 324
 simulated, 327–330, 333
 photoionization, 10
 gauge dependence, 211
 laser-dressed, 314
 molecular, 211, 236
 rare gas atoms, 25
 subshell, 231, 329, 333
 photoionization group delay, 339
 plane wave approximation, 210, 238, 252, 315
 in scattering theory, 7
 in strong-field approximation, 202, 239
 ponderomotive energy, 75, 102, 164
 potential
 Coulomb, 1, 3, 5, 6
 influence on low-energy photoelectron, 123, 129, 131
 influence on time delay, 328
 modified Coulomb, 6
 short-range, 3–6, 326
 Yukawa, 327
 potential energy surface, 27–29, 41
 countour plot, 262
 degeneracy, 29
 electronic ground state, 147
 excited state, 147
 laser-dressed, 146, 148
 near equilibrium, 44, 45
 PPT theory, 105–108, 120, 121, 156, 157
 improved, 106
 in hydrogen, 113
 molecular, 150, 151
 calibration, 157
 inner orbitals, 156
 parameters, 121
 PROOF method, 320, 323, 325
- QRS, *see* quantitative rescattering theory
 quantitative rescattering theory
 in HATI, 174, 175
 molecules, 178
 in HHG, *see* HHG, QRS theory
 in NSDI, 196
 quantum orbit, 105, 107, 205
 quantum orbits theory, 172, 196, 204, 206, 207, 209, 210
- RABITT method, 244, 294, 298, 299
 Raman excitation, 50, 146, 147, 264
 Raman scattering, 49, 53
 Raman transition, 49, 50, 141
 Rayleigh range, 59, 61
 Rayleigh scattering, 49, 50
 returning electron wave packet
 HATI, 165, 172–174
 macroscopic, 176, 178
 HHG, 206, 209–211, 240, 241
 gauge dependence, 212
 macroscopic, 223
 phase, 255
 rotating wave approximation, 353
- saddle-point approximation, 103, 104, 170, 203–205
 selection rule, 46, 47, 49, 50, 52
 self-phase modulation, 89
 Sellmeier equation, 217

- semiclassical theory, 10, 95, 133
- sequential double ionization, 188
- SFA, *see* strong-field approximation
- sideband, 294–296, 298, 300, 305
- single-active-electron approximation, 3, 300, 315
- SPIDER method, 91, 93, 313
- split-operator method, 77
- Stark shift
 - AC, 84, 359, 360, 363
 - second-order, 140, 146
 - static, 147, 148, 152
 - subcycle, 359
- Stark state, 2
- strong-field approximation, 81, 100, 102
 - Coulomb-corrected, 105
 - high-order harmonic generation, 202, 203, 210–212
 - molecular, 238, 253
 - modified, 103
 - molecular, 151, 156
 - second-order, 169–174
 - validity, 104, 123
- TDSE, *see* time-dependent Schrödinger equation
- three-step model, 164, 165, 200, 203, 210
- time delay
 - Coulomb-laser-coupling, 328–331, 334, 336, 338
 - dipole-laser coupling, 330
 - IR-induced continuum–continuum, 302, 303, 329
 - photoionization, *see also* Wigner time delay, 333, 338, 339, 341
 - in argon, 304
 - in neon, 330
 - validity, 336
 - two-photon, 299
- Wigner, 302, 336, 338, 339
 - in long-range Coulomb potential, 329
 - in short-range potential, 326, 327
 - interpretation, 326
 - retrieval, 302, 328, 333, 336
- time-dependent Schrödinger equation, 74
 - acceleration gauge, 75
 - length gauge, 75
 - numerical solution, 82
 - velocity gauge, 75
- time-independent Schrödinger equation, 77
- tomographic imaging method, 210, 238, 251, 252
- trajectory
 - complex, *see* quantum orbit
 - long, 280, 282
 - classical theory, 100
 - in HATI, 172
 - in HHG, 207, 280
 - multiple returns, 207
 - short, 280–282
 - classical theory, 100
 - in HATI, 172
 - in HHG, 207, 223, 280
 - with Coulomb correction, 105
- two-electron wave packet, 379
 - dynamics, 380, 381
- Volkov state, 76, 81, 202
 - wavefunction, 76, 100, 169
- waveform synthesis, 278, 309, 310
- weak-field asymptotic theory, 98, 151, 152
- WFAT, *see* weak-field asymptotic theory