

INDEX

- advance care planning (ACP), 82–83
 advance directive, for euthanasia,
 42–43, 308–310
 autonomy and, 211, 214
 Belgian Act on, 20–22
 care-oriented relational approach to,
 211–212
 communication and, 214–216
 dementia and, 202–203, 207–208,
 210–216
 Dutch Act on, 22
 by elderly people, 207
 future forecasting and, 213–214
 interpretation of, 212–213, 215–216
 of patient, 20–22, 108
 principles-oriented autonomy
 approach to, 210–211
 validity of, 21
 Aesculapian power, 62
 Alexander, Leo, 233–234
 altruism, 120
 ASD. *See* autism spectrum disorder
 assisted suicide. *See also* euthanasia;
 euthanasia/assisted suicide;
 physician assisted suicide
 in Belgian Act, 9–11
 in Luxembourg Act, 9
 in Switzerland, 238–239
 autism spectrum disorder (ASD), 166
 autonomy. *See also* principles-oriented
 autonomy approach
 advance directive and, 211, 214
 Belgian Act for, 271
 decriminalisation and, 47
 of elderly people, 209
 in euthanasia, 101, 109, 153,
 192–193, 225–226, 237
 in law, 47
 libertarianism and, 253
 of minor, 184
 of patient, 265
 of physician, 104
 psychiatric disorders and, 255
 Aviv, Rachel, 264
 Batavia, Andrew, 243–245
 Belgian Act, 7–8, 24–25, 37–38, 201,
 271. *See also* Federal Control and
 Evaluation Commission on
 Euthanasia (FCECE)
 on advance directive, 20–22
 assisted suicide in, 9–11
 for autonomy, 271
 conscience clause of, 38–40
 control mechanism for, 27–30
 data from, 239–240
 dementia in, 203–204
 disability and, 148
 ethical principles in, 261
 euthanasia defined in, 9, 151
 exceptions to, 197, 199
 expansion of, 197, 199
 extension of, 229
 Hippocratic oath and, 271
 lessons of, 282–283
 on mentally incompetent, 42–43
 minors in, 18–19, 41, 136, 173–174,
 185–186, 230, 254–255
 on newborns, 43
 on non-terminally ill patients,
 23–24
 organ donation in, 115–117
 on PAS, 9–11, 35–37, 151, 260–261
 patient in, 13–18, 263

- physician in, 9–12, 15–18, 23–24, 262, 272
- psychiatric disorder in, 33, 151, 274–275
- on reporting procedure, 22–24
- requirements of, 70
- on suffering, 137, 166
- value, of human life and, 224–225
- The Belgian Act on Euthanasia of 28 May 2002, full text of, 305–315
- Belgium
- continuous sedation in, 86–87, 91–92, 96–97, 247, 280
- death in, 23–24, 86–87
- dementia in, 203–204
- disabled people in, 146–149
- end-of-life care in, 72
- ERVO in, 130
- euthanasia in, 12, 26, 43–44, 47–48, 67–68, 70–71, 78–84, 101–102, 113, 127, 135–136, 154–155, 165, 169–172, 175, 223, 246–247, 251, 281
- execution in, 127
- extension in, 227, 230
- family members in, 229–230
- intention in, 95–96
- LAWER in, 241
- legalisation in, 222–223
- normalisation in, 219–221, 224, 230, 232–233
- ODfE in, 123
- opposition in, 232–233
- organ transplantation in, 114
- palliative care in, 71–73, 106, 112–113, 248–249
- PAS in, 60–61
- prohibition in, 231–232
- proportionality in, 94
- psychiatric patient in, 259–260
- psychiatrist in, 270
- request, of euthanasia in, 170, 206, 252
- suicide in, 231, 261
- ‘tired of life’ in, 189–190
- beneficence, 193
- Benelux countries, 7–8, 11, 19, 24, 221
- brain development, 180–181, 184
- Brongersma, Edward, 188
- Campbell, Jane, 145
- capacity, to judge. *See also* decision-making capacity
- euthanasia and, 180
- of minor, 173–174, 177–178, 182–184
- parenting in, 183
- capital punishment (CP), 126. *See also* execution
- care-oriented diagnostics, 205
- care-oriented relational approach, to advance directive, 211–212
- caregivers, for dementia, 205, 211–212
- children. *See* minor
- choice, 255
- Claus, Hugo, 35
- cognitive development, 179, 181
- Commission. *See* Federal Control and Evaluation Commission on Euthanasia
- communication
- advance directive and, 214–216
- with family members, 169
- in oncology, 111
- compassion
- euthanasia and, 196
- for ‘tired of life,’ 196–197
- conscience clause, of Belgian Act, 38–40. *See also* refusal, of euthanasia
- consultation, by physician, 17–20, 29, 107, 269–270
- continuous sedation
- in Belgium, 86–87, 91–92, 96–97, 247, 280
- death after, 88, 279–280
- defined, 86
- double-effect reasoning for, 95
- euthanasia and, 87–89, 93, 95–97, 100
- family members and, 97
- guidelines for, 88
- intention of, 94–96, 99
- labelling, 91–92, 99
- monitoring, 88–89

- continuous sedation (cont.)
 in palliative care, 86–87
 patient choosing, 98
 physician and, 97
 practical reasons for, 98
 practice of, 98–99
 proportionality in, 93–94, 99
 for suffering, 94–95
 in United Kingdom, 87, 92, 280
- control mechanism
 in Belgian Act, 27–30
 in FCECE, 29
 physician and, 28
- Cosyns, Marc, 104
- countertransference
 in PAS, 53–54
 patient and, 53
 in patient-physician relationship,
 153–159
 physician and, 53–54, 62
- couples, euthanasia for, 80, 199
- CP. *See* capital punishment
- DBS. *See* deep brain stimulation
- DCD. *See* Donor after Circulatory
 Death
- dead donor rule (DDR), 126
- death
 after continuous sedation, 88,
 279–280
 in Belgium, 23–24, 86–87
 depression and, 50
 ERVO causing, 124
 euthanasia and, 84–85, 112
 foreseen, 251–252
 minor and, 182
 time of, 45
 ‘tired of life’ and, 200
 trivialisation of, 143–144
- death penalty. *See* capital punishment;
 execution
- death wish
 depression and, 156–157, 265
 euthanasia and, 156, 159–160
 mimetic behaviour in, 273
 of patient, 267, 273
 death-with-dignity, 194
- decision-making capacity
 in psychiatric disorder, 152–156
 in request, for euthanasia, 156–157
- decision-making process, 184–185
- decriminalisation
 autonomy and, 47
 of euthanasia, 28, 30, 37, 47, 72
- deep-brain stimulation (DBS), 163–164
- Degnin, Francis Dominic, 55–56
- dementia
 advance directive and, 202–203,
 207–208, 210–216
 in Belgian Act, 203–204
 in Belgium, 203–204
 caregivers for, 205, 211–212
 communication and, 214–216
 demographics of, 202
 diagnosis of, 202, 204–205
 end-of-life decisions and, 205–207
 euthanasia and, 42–43, 80, 280
 hospice care for, 207
 in Netherlands, 204, 207–208, 215
 palliative care for, 207
 progression of, 209, 211
 suffering in, 207
 in United Kingdom, 208
- depression
 death and, 50
 death-wish and, 156–157, 265
 ECT for, 165–166
 PAS and, 50–51
 of patient, 108
 referral and, 51–59
 refractory, 164
 suicide and, 50–51
- development. *See also* brain
 development; cognitive
 development; faith development;
 moral development; personality
 development
 doctrine of sevens in, 183
 of minors, with disorders, 181–182
 parenting in, 183
- diagnosis, of dementia, 202, 204–205
- diagnostics
 care-oriented, 205
 disorder-oriented, 204–205

- dignity
 death with, 194
 defining, 194
 euthanasia and, 237
 inherent, 194
 as liability, 195
 loss of, 50
 of patient, 195
 physician and, 195
 as recognition, 194–195
 ‘tired of life’ and, 195–196
 value and, 194, 234
- disability
 Belgian Act and, 148
 euthanasia and, 139–140, 142, 145, 148–149, 282
 Rhees on, 139–140
 visceral reaction to, 140–144, 146
- disabled people, in Belgium, 146–149
- disabled people organisations (DPOs), 146–147
- discernment, of minor, 116
- disorder, incurable. *See also* multiple disorders; psychiatric disorders
 FCECE on, 30–32
 of patient, 16–17, 30–32
- disorder-oriented diagnostics, 204–205
- Distelmans, Wim, 190–191, 229
- doctor. *See* physician
- Doctrine of Double Effect, 88, 99
- doctrine of the sevens, 183
- Donor after Circulatory Death (DCD), 118–119, 124
- double effect
 for continuous sedation, 95
 in palliative care, 112–113
- DPOs. *See* disabled people organisations
- dual-track approach
 recovery in, 161
 to request, of euthanasia, 160–161
- Dutch Act, 7–8, 25
 on advance directive, 22
 euthanasia defined in, 9
 PAS in, 9
 patient in, 14–15, 18
 physician in, 11–12, 18
 on reporting procedure, 23–24
- EAS. *See* euthanasia/assisted suicide
- ECT. *See* Electroconvulsive Therapy
- elderly people, 30–31
 advance directive by, 207
 autonomy of, 209
 euthanasia requests by, 189–190
 fears of, 199–200, 209
- Electroconvulsive Therapy (ECT), 165–166
- empirical data
 ethical principles and, 243–246
 euthanasia and, 235, 243–246
 in public policy, 243–244
- end-of-life care. *See also* Forum for End-of-Life Information
 in Belgium, 72
 euthanasia in, 37–38
 instrumentalisation in, 76–77
 legalism, proceduralism in, 73–74
 polarisation in, 81–82
- end-of-life decision
 dementia and, 205–207
 euthanasia as, 206–207
 palliative sedation as, 206
 treatment withdrawal as, 205–206
- End-of-Life Doctors (EOL), 29
- ERVO. *See* euthanasia for removal of vital organs
- ethics. *See also* principles, ethical
 in euthanasia, 73
 in execution, 126–129
 of Levinas, 55–56
 medical, 191–193, 198
 of ODfE, 120–123
 of organ transplantation, 115
- eugenics, 235–236
- Eurotransplant, 114, 118–119, 121, 130
- euthanasia. *See also* advance directive, for euthanasia; refusal, of euthanasia; request, of euthanasia
 accompaniment, 67–68
 advance directive for, 308–310
 for ASD, 166

- euthanasia. (cont.)
 autonomy in, 101, 109, 153, 192–193, 225–226, 237
 in Belgian Act, defining, 9, 151
 in Belgium, 12, 26, 43–44, 47–48, 67–68, 70–71, 78–84, 101–102, 113, 127, 135–136, 154–155, 165, 169–172, 175, 223, 246–247, 251, 281
 choice in, 255
 compassion and, 196
 continuous sedation and, 87–89, 93, 95–97, 100
 for couples, 80, 199
 death and, 84–85, 112
 death wish and, 156, 159–160
 decriminalisation of, 28, 30, 37, 47, 72
 defined, 305
 dementia and, 42–43, 80, 280
 dignity and, 237
 disability and, 139–140, 142, 145, 148–149, 282
 DPOs against, 146–147
 Dutch Act, defining, 9
 empirical data and, 235, 243–246
 end-of-life care and, 37–38
 as end-of-life decision, 206–207
 ethics in, 73
 eugenics and, 235–236
 experiences in, 82–84
 expertise in, 167–168
 extension of, 74–76, 227–229
 facts in, 79–82
 family members and, 109–110, 264–265, 268–269
 figures on, 78–79
 FPCF on, 69, 78
 guidelines for, 83–84
 hard cases in, 133–134
 Hippocratic oath and, 246, 256
 in history, 238
 increases in, 102–103, 117, 223, 230–231, 242, 251–252, 270, 278–279
 instrumentalisation in, 76–77
 judgment capacity and, 180
 jurisdictions permitting, 240
 law and, 44, 46–47, 74–76, 135
 legalism, proceduralism in, 73–74
 legalisation of, 44, 201, 222–223, 238, 278–279
 in libertarianism, 253, 256
 Luxembourg Act, defining, 9
 of mentally incompetent, 42–43
 mercy of, 275–276
 for minor, 79–80, 109, 136, 173–174, 177, 280
 for multiple disorders, 30–32
 for multiple pathologies, 191
 in Netherlands, 12, 154–158, 239
 for newborns, 43
 normalisation of, 219–220, 223, 232–233, 279
 nursing homes and, 249
 in oncology, 102–104
 organ donation and, 117–119, 125, 280
 palliative care and, 68–71, 77–79, 81, 105–106, 112–113, 248–249, 266–267, 279
 PAS and, 10, 35–37, 151–152, 273
 patient in, 8, 13–18, 154, 305–307
 in patient-physician relationship, 104–105
 for physical reasons, 101
 physician in, 8, 11–13, 15, 103, 213, 215, 248, 262–263, 305–307
 prohibition of, 231–232
 psychiatric disorders and, 34, 101–102, 116, 135–136, 150–152, 154–155, 157, 170–172, 258–259, 266–270
 psychiatrist and, 150–154, 263
 Rhees on, 133–135
 as right, 37–38, 40–41, 83, 230, 272
 solidarity and, 110
 strict conditions for, 32
 suffering and, 75, 104, 136, 138–139, 163, 227–228, 272–273
 suicide and, 144–146, 231, 261
 survival and, 107–108
 time of death and, 45
 for ‘tired of life,’ 188–189, 197, 281–282

- tolerance for, 201
 utilitarianism and, 249–253, 256
 without request, 43
- euthanasia/assisted suicide (EAS), 261
- euthanasia for removal of vital organs (ERVO)
 in Belgium, 130
 DDR and, 126
 death caused by, 124
 death from, 124
 execution and, 126–129
 family members and, 124–125
 neuro-euthanasia and, 123–124
 ODfE and, 130
 organ donation and, 123–126
 Wilkinson, Savulescu on, 123–126
- evaluation
 of euthanasia request, 159–162, 167–170
 expertise in, 167–168
- execution
 in Belgium, 127
 ERVO and, 126–129
 ethics in, 126–129
 physician in, 126–127
- expertise
 in euthanasia, 167–168
 in evaluation, 167–168
- exploration. *See* evaluation
- extension
 of Belgian Act, 229
 in Belgium, 227, 230
 of euthanasia, 74–76, 227–229
 of law, 74–76
 in Netherlands, 228
 normalisation and, 227–229
- faith development, 179–180
- familiar care environment, 68–69
- family members
 in Belgium, 229–230
 communication with, 169
 continuous sedation and, 97
 ERVO and, 124–125
 euthanasia and, 109–110, 264–265, 268–269
 in euthanasia request evaluation, 169–170
- informing, 109–110
 mourning of, 109
 PAS and, 56–57
 psychiatric disorders and, 169
 solidarity between, 110
- Federal Control and Evaluation Commission on Euthanasia (FCECE), 310–314
 Belgian Act and, 26–27
 in control mechanisms, 29
 on disorders, 30–32
 on mental suffering, 34–35
 on PAS, 36–37
 on psychiatric disorders, 33–35
 on registered euthanasia cases, 44–46
 reports by, 26–29
 on suffering, 32–33
 on unbearable suffering, 190–191
- Federal Evaluation and Review Committee, 167
- Federation of Palliative Care Flanders (FPCF)
 on euthanasia, 69, 78
 on suffering, 75
- Final Exit* (Humphry), 57
- foreseen death, 251–252
- Forum for End-of-Life Information (*LevensEinde* Information Forum), 29, 76
- FPCF. *See* Federation of Palliative Care Flanders
- freedom, 40–41
- future forecasting, 213–214
- Golding, William, 233
- happiness, liberty and, 257
- hard cases
 in euthanasia, 133–134
 Rhee on, 136–137
 ‘tired of life’ as, 196–197
- health care
 cost of, 58–59
 physician and, 58–59
 in social environment, 58–59
 in United States, 58
 utilitarianism and, 250

- health care institutions, 40–41
 heart
 in neuro-euthanasia, 123–124
 in ODfE, 120
 Hippocratic oath
 Belgian Act and, 271
 euthanasia and, 246, 256
 palliative care and, 248–249
 PAS and, 54–56, 62, 64, 274
 hospice care, 207
 human life, value of, 224–225, 234
 Humphry, Derek, 57
- illness, irremediable, 157–158,
 163–164
 implicit content, of euthanasia request,
 158–159
 impulsiveness, 184–185
 informed consent, 183
 instrumentalisation, 76–77
 integrity, professional, 197–199
 intention. *See also* Doctrine of Double
 Effect
 in Belgium, 95–96
 of continuous sedation, 94–96, 99
 in UK, 95
 interpretation
 of advance directive, 212–213,
 215–216
 of patient, 212
- JAMA Psychiatry*, 258, 260–261, 265,
 274–275
 judgment. *See* capacity, to judge
- Kamisar, Yale, 236–238, 249
 Keown, John, 225–230, 256
- labels, for continuous sedation, 91–92,
 99
 law. *See also* Belgian Act; Dutch Act;
 Luxembourg Act
 autonomy in, 47
 dynamics of, 46–47
 euthanasia and, 44, 46–47, 74–76,
 135
 extension of, 74–76
 for vulnerable patients, 108
- LAWER. *See* Life-terminating Acts
 Without Explicit Request
 legal representative, of minor, 117
 legalism, 73–74
 legalisation. *See also* decriminalisation
 in Belgium, 222–223
 of euthanasia, 44, 201, 222–223, 238,
 278–279
 normalisation and, 221–223,
 226–227
 of PAS, 63
 LevensEinde Information Forum
 (LEIF), 29, 76
 Levi, Primo, 141
 Levinas, Emmanuel, 55–56
 liability, 195
 libertarianism
 autonomy and, 253
 choice in, 255
 euthanasia in, 253, 256
 on LAWER, 253–254
 liberty, happiness and, 257
 life-shortening actions, 11
 Life-terminating Acts Without Explicit
 Request (LAWER)
 in Belgium, 241
 decline in, 241–242
 libertarian perspective on, 253–254
 in Rimmelink report, 240–241, 254
 in slippery slope argument, 241
Lord of the Flies (Golding), 233
 love. *See* mercy
 Luxembourg Act, 7–8, 24–25
 assisted suicide in, 9
 euthanasia defined in, 9
 patient in, 13
 physician in, 9–12, 18
- mental suffering, 33–35, 102. *See also*
 psychiatric disorders
 euthanasia and, 104, 136, 272–273
 FCECE on, 34–35
 mentally incompetent, 42–43
 mercy
 of euthanasia, 275–276
 in patient-physician relationship, 276
 of physician, 275–276
 of psychiatrist, 275–276

- mimetic behaviour, 273
- minor
- autonomy of, 184
 - in Belgian Act, 18–19, 41, 136, 173–174, 185–186, 230, 254–255
 - death and, 182
 - discernment of, 116
 - with disorders, development of, 181–182
 - euthanasia for, 79–80, 109, 136, 173–174, 177, 280
 - impulsiveness of, 184–185
 - informed consent by, 183
 - judgment capacity of, 173–174, 177–178, 182–184
 - legal representative of, 117
 - in Netherlands, 174
 - ODfE of, 116–117
 - palliative care for, 185–186
 - patient as, 13–15
 - request by, 18–19, 117, 173
 - suffering of, 19, 41
- Montero, Etienne, 230–232
- moral development, 179
- morality
- traditions, 245, 255–257
 - universal systems of, 134–135
- mourning, 109
- multiple disorders, 30–32
- multiple pathologies, 191
- Netherlands. *See also* Dutch Act
- dementia in, 204, 207–208, 215
 - euthanasia in, 12, 154–158, 239
 - extension in, 228
 - minors in, 174
 - PAS in, 60, 160–164
 - physicians in, 208
 - sedation in, 93
 - ‘tired of life’ in, 190–191, 201
- neuro-euthanasia
- ERVO and, 123–124
 - heart in, 123–124
- New Yorker*, 264–265, 269
- newborns, 43
- non-terminally ill patient, 23–24
- nonmaleficence, 193
- normalisation
- in Belgium, 219–221, 224, 230, 232–233
 - defining, 219–220
 - of euthanasia, 219–220, 223, 232–233, 279
 - extension and, 227–229
 - future of, 224, 233
 - legalisation and, 221–223, 226–227
 - location and, 221
 - physicians and, 233
 - of suicide, 231
 - timeframes and, 220–221
 - value and, 221–222
- notification, 310
- now self, 210–214
- nurse, 262
- nursing homes, 249
- ODE. *See* organ donation euthanasia
- ODfE. *See* organ donation following euthanasia
- oncology
- communication in, 111
 - euthanasia in, 102–104
- Oregon Death With Dignity Act, 56–57, 239
- organ donation, 128
- in Belgian Act, 115–117
 - ERVO, 123–126
 - euthanasia and, 117–119, 125, 280
 - shortage of, 123, 125, 130
- organ donation euthanasia (ODE), 115
- organ donation following euthanasia (ODfE), 116
- altruism of, 120
 - in Belgium, 123
 - conflict of interest in, 121–122
 - ERVO and, 130
 - ethics of, 120–123
 - heart in, 120
 - of minors, 116–117
 - ODE and, 115
 - patient in, 120
 - procedure of, 119–120
- organ transplantation
- in Belgium, 114
 - ethics of, 115

- pain, 137, 139, 206. *See also* mental suffering; suffering
- palliative care. *See also* Federation of Palliative Care Flanders
 in Belgium, 71–73, 106, 112–113, 248–249
 continuous sedation in, 86–87
 for dementia, 207
 double effect in, 112–113
 euthanasia accompaniment in, 67–68
 euthanasia and, 68–71, 77–79, 81, 105–106, 112–113, 248–249, 266–267, 279
 Hippocratic oath and, 248–249
 for minors, 185–186
 patient in, 68, 77, 105–106
 solidarity in, 110
 teams, 69–70
 for terminally ill, 105
 for ‘tired of life,’ 200
- palliative sedation, 80–81, 112
 as end-of-life decision, 206
 pain control as, 206
- parenting
 in development, 183
 in judgment capacity, 183
- Parker, Malcolm, 243–244
- PAS. *See* physician assisted suicide
- patient. *See also* dementia
 ACP by, 82–83
 advance directive of, 20–22, 108
 autonomy of, 265
 in Belgian Act, 13–18, 263
 in continuous sedation, 98
 countertransference and, 53
 death wish of, 267, 273
 depression of, 108
 dignity of, 195
 disorder of, 16–17, 30–32
 in Dutch Act, 14–15, 18
 in euthanasia, 8, 13–18, 154, 305–307
 in familiar care environment, 68–69
 interpreting wishes of, 212
 in Luxembourg Act, 13
 as minor, 13–15
 non-terminally ill, 23–24
 in ODfE, 120
 in palliative care, 68, 77, 105–106
 with personality disorder, 157
 with psychiatric disorder, 150–151, 153–154, 259–260
 request by, 15–16, 103–104, 156–160, 307–308
 suffering of, 13–17
 survival of, 108
 terminally ill, 105
 vulnerable, 108
- patient–physician relationship
 countertransference in, 153–159
 euthanasia in, 104–105
 mercy in, 276
 in PAS, 55–56, 64
 power in, 62
 in psychiatric disorders, 269
 in ‘tired of life,’ 198
- Pauwels, Emiel, 35
- paediatric oncologists, 175–176
- persistent vegetative state (PVS), 21
- personality development, 178
- personality disorder, 157
- personality type, 51–58, 64
- personhood, 140
- pharmacist, 308
- physician. *See also* patient–physician relationship; physician assisted suicide
 Aesculapian power, 62
 autonomy of, 104
 in Belgian Act, 9–12, 15–18, 23–24, 262, 272
 consultation by, 17–20, 29, 107, 269–270
 continuous sedation and, 97
 control mechanism and, 28
 countertransference and, 53–54, 62
 dignity and, 195
 in Dutch Act, 11–12, 18
 in euthanasia, 8, 11–13, 15, 103, 213, 215, 248, 262–263, 305–307
 in execution, 126–127
 health care and, 58–59
 independence of, 119
 Luxembourg Act on, 9–12, 18
 mercy of, 275–276
 in Netherlands, 208
 normalisation and, 233

- professional integrity of, 197–199
- psychiatric disorders and, 260, 262–265, 268
- psychology of, 52–53, 64, 266
- refusal of, 12–13, 38–39
- reporting by, 22–24, 28–29, 278
- suffering and, 186
- in team, 69–70, 266–268
- training for, 266–267
- physician assisted suicide (PAS), 262
 - in Belgian Act, 9–11, 35–37, 151, 260–261
 - in Belgium, 60–61
 - countertransference in, 53–54
 - depression and, 50–51
 - in Dutch Act, 9
 - euthanasia and, 10, 35–37, 151–152
 - family members and, 56–57
 - FCECE on, 36–37
 - health care cost and, 58–59
 - Hippocratic oath and, 54–56, 62, 64, 274
 - legalisation of, 63
 - loss of dignity and, 50
 - in Netherlands, 60, 160–164
 - in patient–physician relationship, 55–56, 64
 - personality type and, 51–58, 64
 - power and, 62–63
 - for psychiatric disorders, 59–64, 160–164
 - psychology of, 49, 52–53
 - PTSD in, 52, 56–57, 64
 - social environment of, 57–59
 - suicide and, 274
 - suicide contagion and, 57
 - in United States, 59, 64
- polarisation, 81–82
- post-factum review, of euthanasia request, 167
- Post-Traumatic Stress Disorder (PTSD), 52, 56–57, 64
- power
 - PAS and, 62–63
 - in patient-physician relationship, 62
- principles, ethical
 - in Belgian Act, 261
 - empirical data and, 243–246
- principles-oriented autonomy
 - approach, to advance directives, 210–211
- prior review, of euthanasia request, 166–167
- prisoners, 33
- proceduralism, 73–74
- professional integrity, 197–199
- prohibition
 - in Belgium, 231–232
 - of euthanasia, 231–232
- proportionality
 - in Belgium, 94
 - in continuous sedation, 93–94, 99
 - in United Kingdom, 93–94
- psychiatric disorders. *See also* depression; referral, psychiatric autonomy and, 255
 - in Belgian Act, 33, 151, 274–275
 - decision-making capacity in, 152–156
 - euthanasia and, 34, 101–102, 116, 135–136, 150–152, 154–155, 157, 170–172, 258–259, 266–270
 - family members and, 169
 - FCECE on, 33–35
 - PAS for, 59–64, 160–164
 - in patient–physician relationship, 269
 - patient with, 150–151, 153–154, 259–260
 - physician and, 260, 262–265, 268
 - request, of euthanasia for, 165–166, 259–260, 265
- psychiatrist
 - in Belgium, 270
 - euthanasia and, 150–154, 263
 - mercy of, 275–276
- psychology
 - of PAS, 49, 52–53
 - of physician, 52–53, 64, 266
- PTSD. *See* Post Traumatic Stress Disorder
- public policy, empirical data in, 243–244
- PVS. *See* persistent vegetative state

- rational suicide. *See* physician assisted suicide
- recognition, dignity as, 194–195
- recovery, 161
- referral, psychiatric, 51–59
- refusal, of euthanasia
 by health care institutions, 40–41
 by physician, 12–13, 38–39
- registered euthanasia cases, 44–46
- registration, of palliative sedation, 80–81
- relatives. *See* family members
- Rommelink report
 data in, 240–242
 LAWER in, 240–241, 254
- reporting procedure
 Belgian Act on, 22–24
 Dutch Act on, 23–24
 of physician, 22–24, 28–29, 278
- request, of euthanasia, 43, 45–46
 in Belgium, 170, 206, 252
 decision-making capacity in, 156–157
 dual-track approach to, 160–161
 by elderly people, 189–190
 evaluating, 159–162, 167–170
 family members in, 169–170
 implicit content of, 158–159
 by minor, 18–19, 117, 173
 by patient, 15–16, 103–104, 156–160, 307–308
 post-factum review of, 167
 prior review of, 166–167
 for psychiatric disorders, 165–166, 259–260, 265
 for ‘tired of life,’ 189–190, 192–193
- Rhees, Rush
 on disability, 139–140
 on euthanasia, 133–135
 on hard cases, 136–137
 on suffering, 137
 on universal systems, of morality, 134–135
 on visceral reactions, 141
- right, euthanasia as, 37–38, 40–41, 83, 230, 272
- Rights of the Terminally Ill Act (1995), 239
- The Sanctity of Life and the Criminal Law* (Williams, G.), 235–236
- Savulescu, Julian, 123–126
- sedation. *See also* continuous sedation; palliative sedation
 in Netherlands, 93
 for suffering, 93
- self. *See* now self; then self
- Shaw, David, 117–118
- Singer, Peter, 194
- slippery slope argument, 236–237, 241
- social environment
 health care costs in, 58–59
 of PAS, 57–59
- solidarity
 euthanasia and, 110
 between family members, 110
 in palliative care, 110
- “Some Non-Religious Views against Proposed ‘Mercy Killing’ Legislation” (Kamisar), 236
- speciesism, 194
- standards of care, 72
- Steinberg, Laurence, 183
- strict conditions, for euthanasia, 32
- suffering. *See also* unbearable suffering
 Belgian Act on, 137, 166
 continuous sedation for, 94–95
 in dementia, 207
 euthanasia and, 75, 104, 138–139, 163, 227–228
 FCECE on, 32–33
 FPCF on, 75
 mental, 33–35, 102, 104, 136, 272–273
 of minor, 19, 41
 of patient, 13–17
 physician and, 186
 Rhees on, 137
 sedation for, 93
 in utilitarianism, 250
- suicide, 49
 in Belgium, 231, 261
 contagion, 57
 depression and, 50–51
 euthanasia and, 144–146, 231, 261
 harm of, 56

- normalisation of, 231
 PAS and, 274
- survival
 euthanasia and, 107–108
 of patient, 108
- Sutorius, Philip, 188
- Switzerland, 238–239
- syndrome of the sponge, 183–184
- team, of physicians, 69–70, 266–268
- terminally ill patient, 105
- then self, 210–212
- therapy, 158. *See also* Electroconvulsive Therapy
- Thienpont, Lieve, 145–146, 165
- ‘tired of life’
 in Belgium, 189–190
 beneficence and, 193
 compassion for, 196–197
 death and, 200
 defining, 190
 dignity and, 195–196
 euthanasia for, 188–189, 197, 281–282
 in euthanasia requests, 189–190, 192–193
 as hard case, 196–197
 in Netherlands, 190–191, 201
 nonmaleficence and, 193
 palliative care for, 200
 in patient-physician relationship, 198
 professional integrity and, 198–199
 regulations for, 199
 unbearable suffering and, 188, 191
 treatment, withdrawal of, 205–206
- UK. *See* United Kingdom
- unbearable suffering, 137–139, 144
 FCECE on, 190–191
 ‘tired of life’ and, 188, 191
- United Kingdom (UK)
 continuous sedation in, 87, 92, 280
 dementia in, 208
 intention in, 95
 proportionality in, 93–94
- United States
 health care in, 58
 PAS in, 59, 64
- utilitarianism
 euthanasia and, 249–253, 256
 health care and, 250
 suffering in, 250
- value
 dignity and, 194, 234
 of human life, 224–225, 234
 normalisation and, 221–222
- van Den Bleeken, Frank, 127, 129
- Van Esbeen, Amelie, 190
- Verbessem, Eddy and Marc, 35, 143–144
- visceral reaction
 to disability, 140–144, 146
 Rhees on, 141
- Wilkinson, Dominic, 123–126
- Williams, Bernard, 250–251
- Williams, Glanville, 235–238, 249
- Wittgenstein, Ludwig, 139