

Index

Locators in italics refer to figures and plates. Place names followed by (A) are listed in the Appendix and are towns unless indicated otherwise. Where there is a direction to *see/see also* specific towns, the reader should refer to the Appendix for relevant towns of that category.

- Abanades, Castilla y La Mancha, Spain, *8f1.3*, 138, 485
- abandoned railways, 50, 309
- abandoned stores, *121f4.9*, 126
- abandoned/ghost towns, 15
- abandonment, land, *see* land abandonment
- abandonment, population, *see* villages: population abandonment
- adaptability, of ecological systems, 85
- adjacent zone, 32, 282–284, 396–397, 400–404, *406–407*, *437f11.15*
- desert, 434–435, *435f11.14*
- forest, *see* forest: adjacent zone
- road density, 411, *412f11.4*
- water table, 408
- advection, 53
- aesthetics of towns, 116, 492, *493f13.8*
- architecture, 117–119, 120
- agricultural parks, 379
- agriculture
- agricultural land, *see* farmland
- agricultural pollutants, *see* pollution: agricultural
- intensification, 381, *381f10.4*, 386
- alternatives to, 382, 388, *see also* farmland: cropland (mixed cropping)
- livestock farming, *see* livestock farming
- and town soil, *143f5.2*
- and wetland, 212
- rice fields, 109, *110f4.3*, *210f6.7*, 212, 388
- agro-biodiversity, 293, 383
- air movement, 53–54, *see also* breezes and winds
- air pollution, 160, *167f5.10*, 180–182, 281, 360–361
- and air movement and temperature, 53
- dispersal distance and patterns, 64
- indoors and inside vehicles, 167–168
- and lichens, 249, 254, 358–359
- from mining and smelting, *160f5.8*, 360–361, *362f9.7*
- from solid waste (processing), 168, 169
- and trees, *181f5.14*
- air temperature
- and air movement, 53–54, 228, 433
- and breezes/winds, 174, 178–179
- coastal region, 241
- and greenspaces, 57, 179, 281
- heat islands, 178–179
- summer, 57, 172–173, 228, 281
- aircraft noise, 187, 421, 437
- airports, as habitats, 284, 315
- Akumal, Mexico (village) (A), 60, 146, 194, 243, 455
- algae, 254, 255
- Alice Springs, Australia (A), 16, 27, 146, 193, 196, 232, 238, 251, 258, 262, 264, *269f7.10*, 279, 289, 346, 362, 436, 438, 440, 458, 465
- allotments and community gardens, 288, *289f7.15*
- Alofi, Niue, Pacific Ocean, 275
- amphibians
- communication, and noise pollution, 187
- gene flow and genetic change, 312, *313f8.10*
- movement of, 222
- and roads, 222, *307f8.7*, 312, *313f8.10*, 451
- species mix and diversity, and town area, 299
- and vernal ponds, 221–222
- anaerobic decomposition, 168, 169, 224
- animal dispersal, 42, 294–295, *see also* home range
- antelope, *391f10.9*
- Anthropocene, 73
- anthropogenic patterns, in landscape ecology, 36
- Antigua, Guatemala, *90f3.9*
- Antoniowka, Lublin, Poland (village), 80–82
- ants, 157, 305–306
- aquaculture, 204, 223
- arable weeds, 149, 273, 380, 382
- arboreta and botanical gardens, 264
- archaeophytes, vs. neophytes, 94
- architecture, and town/village aesthetics and character, 117–119, 120
- aridland, *see* desert
- Askim, Norway (A), 50, 95, 278, 308, 349, 351, 366, 439

- Astoria, Oregon, USA (A), 21, 43, 192, 203,
 206*f*6.6, 207, 243, 245, 279, 350, 364, 458
- ATVs (all-terrain vehicles), *see* off-road vehicles
- bacteria, in soil, 147, 153–154
- baobab (*Adansonia digitata*), 253*f*7.3
- basins, constructed, *see* constructed basins
- bats, and artificial lights, 336–337, 425
- bear (*Ursus* sp.), 69, 70*f*2.14, 232, 311, 314, 352
 home range, 295
- beaver (*Castor* sp.), 215, 221
- bees, 385–386, 385*f*10.6, 395, 413, 443
- beetles
 and building density, 366
 and farmland, 380, 403
 and industrial areas, 356
- Berteheide, Germany, 26*f*1.12
- biodiversity, 366, *see also* habitats and
 microhabitats; plants: species mix and
 diversity; town ecology; trees: species mix
 and diversity; *under specific habitats*
 definitions and indicators, 293, 295
 agro-biodiversity, 293, 383
 and building density, 97–98, 366
 and climate change, strategies, 84–85
 and complex topography, in Italian Alps, 34–35
 and economic return (“efficiency frontier”), 35
 and habitat area and fragmentation, *see* habitat
 area and fragmentation: and biodiversity
 and habitat design/maintenance, 28, 285
 and habitat/microhabitat clusters, 288–289
 “hotspots,” defined, 294
 as income source, 34, 103, 212, 408
 and industrial waste, 356–357
 local vs. “scientific” knowledge, 297–298
 low, as interesting, 289–290
 and plant diversity, 266
 principles of, in towns, 477
 and town shape, 18, 38–39, 97
- bird feeders, 290, 304, 305*f*8.6, 369
- bird strikes
 planes, 315
 pylons, 443
 towers and tall buildings, 337, 338
 vehicles, 306–307, 338
 wind turbines, 461
 windows, 332
- birds, *see also specific species*
 and artificial lights, 334, 337–338, 352
 building use, 302
 cat predation, 328–330, 331, 365–366,
 365*f*9.10
 characteristic, by continent, 298–299, 300*f*8.4
 coastal areas, 301
 competition, 295–296
 desert, 436
 dumps (landfill), 314–315
 edges, 45–47, 299, 372
 farmland, 376, 379, 393–394, 395
 foraging behaviors, 29, 304, 413
 forest, 406*f*11.1, 409
 genetic divergence, 312, 314*f*8.11
 house plots, 298, 302, 304, 365–366,
 365*f*9.10
 and (human) community population size, 12–13
 industrial areas, 356
 movement of, 46–47, 48, 54, 465
 between farmland habitats, 57–58, 379, 395
 migratory, *see* migratory movement: of birds
 nest predation, 296, 301, 372
 and noise pollution, 186, 188–189, 188*f*5.16,
 190–191
 picnic areas, 422
 powerlines and powerline corridors, 315, 443
 residential areas, 23, 25, 365–366, 365*f*9.10
 riparian corridors, 309, 311
 and roads, *see* road ecology: birds
 scavenging, 314–315, 347–348, 348*f*9.3, 352
 seed dispersal by, 267, 268–269, 395, 418
 and soil characteristics, 156
 and walkers/dogs, 323, 324
 wetland, 214, 215–216
 and wind turbines, 461
- birdsong, adaptations to noise, 190–191
- boats, 245
- botanical gardens and arboreta, 264
- breezes and winds, 173–176
 desert, 433
 hurricanes, 89*f*3.8, 90–91, 275
 and pollen dispersal, 269
 sandstorms, 429, 433
 and seed and spore dispersal, 267–268
 windstorms, and succession, 274
- bridges, 36, 232, 233, 241, 278, 462
- brownfield sites, 162, 358
- buildings
 apartments, 364*f*9.9
 farm buildings, *see* farm buildings
 as habitats, 301–302, 347, 356, 376
 heterogeneity, and birds, 299
 in neighborhoods, 363–364, 364*f*9.9
 in town centers, 299, 346–347
 warehouses, 356
- butterflies
 habitat enhancement for, 371, 395
 movement of, 48, 54
 number and diversity, and urbanization, 270
 and roads, 453
- Capellades, Catalunya, Spain (A), 21, 60, 146,
 147–148, 192, 195, 198, 224, 263, 347
- car parks
 ecological planning goals, 488
 edge-of-town, 350–351
 underground, 347
 unpaved, 272, 347

- Carson, Rachel, *Silent Spring*, 103, 421
- Casablanca, Chile (A), 16, 60, 64, 77, 145, 149, 161, 189, 195, 196, 205, 238, 284, 348, 388, 439, 458
- Castilla, Pampas Plain, Argentina, 11f1.5.
- cats, domestic (*Felis catus*), 325–331, 326f8.14, *see also* wildcat (*Felis silvestris*)
- abundance and density, 325, 327
 - and diseases, 331
 - home range, 295, 327–328, 477f13.2
 - predation by, 325–326, 328–330, 331, 365–366, 365f9.10
 - stray and feral, 327
- cattle, *see* livestock farming
- cattle/sheep towns, 15f1.7, *see also* specific towns
- cemeteries, 134f4.13, 266, 272, 278, 313–314, *see also* gravestones
- central place theory, 6, 128
- central plazas, 21, 116, 346, 348, 483f13.5
- cesspools, 109, 144, 148, 201
- Chacabuso, Pampas Plain, Argentina, 11f1.5.
- Chamusca, Portugal (A), 145, 147–148, 161, 198, 212, 231, 254, 284, 376, 382, 405, 413
- charcoal burning, 419
- Charlottesville, Virginia, USA (small city), 120f4.8
- chemical and mineral reserves, 170–172
- chemical contaminants and pollution, 145, *see also* pollution
- in buildings, 166–167
 - dispersal and transport, 358, 359
 - from motor vehicles, 164–165, 164f5.9, 180, 245
 - pharmaceuticals, 236
 - from roads, 163–164, 164f5.9, 180, 206
 - in soil, *see* soil, town: chemical contaminants
 - in water supply, 163, 196
- chemical elements, flow of, through household, 167, 167f5.10
- chemical storage, town-level, 168
- Chimayo, New Mexico, USA, 92, 162, 425–426
- cities
- early, 76
 - size
 - author's definition, 14
 - small, characteristics, 18–19, 19f1.8
 - vs. town size, 12
 - “swallowing” towns and villages, 138
- Clay Center, Kansas, USA (A), 21, 50, 161, 196, 207, 231, 263, 272, 364, 377f10.2, 458, 485
- cliffs, as habitats, 312
- climate change, 82–85
- and biodiversity strategies, 84–85
 - and coastal region, 244–245
 - effects on towns and villages, 82–83, 245
- Ice Age, 72
- and population abandonment, 86f3.7
 - town effects on, 82
 - and town planning, 136
 - and wetland, 216–217
 - and woodland regeneration, 88
- coastal region
- and climate change, 244–245
 - characteristics of, 241–243
 - degradation of, 243–244, 245
 - pollution, 245–246
- coastal towns, 14–15, 25, 206f6.6, 242f6.16, 243–244, 244f6.17, *see also* specific towns
- birds, 301
- breezes and winds, 174
 - geology and soil, 146, 150
 - salt pollution, 182
 - shapes and layout, 17, 243
 - water supply, 194
- cockroach, 287, 297, 298, 349, 352, 356
- and diseases, 302
 - and garbage, 301, 314, 352
- commercial centers
- ecological planning goals, 488–489
 - town centers, *see* town centers
- common magpie (*Pica pica*), 25
- common pigeon (*Columba* sp.), 347–348, 348f9.3
- communities, defined, 10
- community gardens and allotments, 288, 289f7.15
- commuter towns, 15f1.7, *see also* specific towns
- compaction, of soil, 144, 148, 150
- companies, large, and town economics, 124–126
- company towns, 14–15, 108, 125, 360–362, *see also* specific towns
- “benevolent” conditions and policies in, 361–362
- competition and other species interactions, 295–296
- composting, 154, 169
- Concord, Massachusetts, USA (A), 43, 44f2.2, 50, 63, 75–76, 92, 99, 116, 131, 196, 203, 205, 211, 212, 215, 217, 220, 221, 222, 240, 252, 263, 264, 273, 297, 298, 307, 308, 312, 343, 396, 439, 440, 449, 454, 465, 467
- greenspaces in (case study), 282, 283f7.14
 - and “Scratch Flat” study, 75–76
 - stream (case study), 239–240
- constructed basins, 222–227
- detention basins, *see* detention (catch) basins
 - vegetation, 227
- coppicing, 418, 419f11.7
- Corner Brook, Canada, 360–361
- corridors, 36–38, 48–52, 49f2.5, 52f2.6, 442–446, *see also* networks; wildlife corridors
- back line corridors, 252
 - corridor density, 451
 - and edges, 442, 443
 - green, 480–481, 481f13.4
 - powerline, 315, 443–444, 444f12.3
 - railway, *see* railways: corridors
 - river, *see* rivers and river corridors/floodplains
 - shapes of, 442–443
 - stability of, in farmland, 100, 101f3.13
 - stream, *see* streams and stream corridors
- coyote (*Canis latrans*), 45–46, 64, 67, 309, 314

- Cranborne, Australia (A), 16, 168, 193, 263, 264, 278, 362, 467
- cricket, 34–35, 304, 314, 356, 376
- cropland, *see* farmland: cropland
- crow (*Corvus* sp.), 321, 347–348, 348*f*9.3, 352, 356, 366
- cruise ships, as towns, 16
- cultivation, early ('Scratch Flat' study), 75
- culture, 111–115
 and nature, 111–115
 and place-branding, 130–132
 and tradition, 115
- culverts, 233–235, 234*f*6.14, 462–463
 and animal movement, 222, 462, 465
 and fish movement, 234–235, 421, 462–463
- cyclones, *see* hurricanes
- dams and small reservoirs, 235–236, 428, 429*f*11.10
- dead wood, 248, 253
- deer, 308*f*8.8, 314, 409
 and airports, 315
 and dogs, 318, 323–324
 hunting, 136, 320
 movement of, 45, 46*f*2.3, 48–50, 51, 311, 320
 and roads, 67
 vehicle collisions, 189, 308
- degradates, 159, 170
- densification, 97–98
- desert
 biodiversity, 427, 429, 430–431, 431*f*11.12, 437–438
 characteristics of, 426
 ecological planning goals, 497–498
 effects on town, 433–435
 farming in, 430–432
 food gathering in, 438
 as habitat, 429
 pollution, 436–438
 recreational use, 431–432, 436
 town effects on, 435–438
 water, 427–429, 433
 oases, 426–427, 427*f*11.9, 428
 streams, 232, 437–438
 wind, 433
- desert towns and villages, 6–7, 7*f*1.2, 14–15, 16, 126, 430*f*11.11, *see also* specific towns
 air movement, 433
 edges and adjacent zones, 434–435, 435*f*11.14
 Ejina, Inner Mongolia, China (case study), 428–430
 geology and soil, 150, 158
 humidity, 173
 oasis villages, 427*f*11.9
 plants and trees, 258
 water supply, 193, 426–427, 428–429
 wildlife, from desert, 433–435
- desertification, 432
- detention (catch) basins, 223–224, 490
 and pollution removal, 224–227, *see also* wetland(s): pollution removal by
- Dexter, Maine, USA, 264*f*7.8
- direct-connection impervious area (DCIA), 198–199, *see also* pipe systems
- dirt roads, 141–142, 446
- disasters, 274–275
 defined, vs. hazards and threats, 89
 human-caused, 91, 109, 275
 natural, *see* natural disasters
- disease, transmission of, 302, 347
 and dogs, 319, 320
 and domestic cats, 331
 and wastewater, 245
- dispersal
 of animals, 42, 294–295, *see also* home range
 of fungal spores, 268
 of seeds, *see* seed dispersal
- dispersal patterns
 and land mosaic, 57
 negative-exponential model, 64, 409–410
- disturbance, and ecological systems, *see* ecological systems, response to disturbance
- ditches, 207, 222, 233, 378, 386–387, 448
 ditch banks, 395
- dogs
 and diseases, 319, 320
 domestic (*Canis familiaris*), 316, 317–318, 317*f*8.12, 477*f*13.2
 free-ranging and feral, 318
 waste and urine from, 318–320
 wildlife disturbance by, 320–322, 321*f*8.13, 323–325, 477*f*13.2
- dog-walking, 322–325
- domestic animals, 316
 cats, *see* cats: domestic (*Felis catus*)
 dogs, *see* dogs: domestic (*Canis familiaris*)
- Donald, Victoria, Australia, 485
- drainage pipes, *see* pipe systems
- drainage, of soil, 152
- droughts
 and population abandonment, 83, 83*f*3.6, 95
 recurring, 95
 and streams, 232
 and succession, 274
- dumps (landfill), 163, 169, 285
 as habitats, 285, 314–315
 pollution from, 168, 225
- Dusseldorf, Germany (small city), 28, 285
- earthquakes, 91
- earthworm, 147, 151, 157, 382
- Easter Island, *see* Isla Pascua (Easter Island), Chile
- eastern bluebird (*Sialia sialis*), 190
- eastern chipmunk (*Tamias striatus*), 58*f*2.8
- Easton, Maryland, USA (A), 439, 457

- ecological footprint, 503
 ecological succession, 249, 263, 272–274, 440*f*12.1,
 see also spontaneous species
 and ex-industrial sites, 357–358
 and natural disasters, 274
 in wetlands, 215
 ecological systems, response to disturbance, 85–88
 disasters, 90–91
 legacy effect, 88–89
 economic modeling, 35, 93
 economics of towns and villages, 122–126
 attractions and festivals, 129–130
 employment, 126–127, 130, 345
 government and policy influences, 128–129,
 135–137
 and inter-town linkages, 129
 ecosystem services, 132, 503–504, 504*f*13.13
 ecosystems, novel, 263
 eco-villages, 135
 edge-of-town areas, 23–25, 24*f*1.11, 44–48, 124,
 350–353
 desert towns, 434–435, 435*f*11.14
 greenspaces in, 352
 industrial centers, *see* industrial centers
 edges, in landscape ecology, 38
 as corridors, 442, 443
 hard vs. soft, 45–46, 46*f*2.3
 and wildlife movement, 39, 45–48, 46*f*2.3,
 47*f*2.4, 403
 Ejina, Inner Mongolia, China, 428–430
 elephant, 61*f*2.10, 301, 421
 elk (*Cervus* sp.), 45, 46*f*2.3, 67, 74, 311, 413, 451
 emerald network, 51–52, 280, 484, *see also*
 networks; wildlife corridors
 employment, in towns and villages, 126–127, 130, 345
 Emporia, Kansas, USA (A), 145, 193, 196, 205,
 240, 251, 263, 278, 279, 369, 382
 energy balance/budget, 178
 Euclidian geometric patterns, in landscape ecology, 36
 hybrid nature–Euclid patterns, 37*f*1.14
 eutrophication, 171*f*5.11, 203, 205, 208, 219, 229
 evapotranspiration, 200, 429

 fairgrounds, 284
 Falun, Sweden (small city) (A), 27, 160, 227, 238,
 254, 263, 273, 278, 347, 354, 419, 421, 440,
 455, 465
 farm buildings, 329*f*8.15, 376, 378*f*10.3, 392
 aesthetics of, 116, 119–120
 grain stores, 348–349, 377*f*10.2
 as habitats, 376
 and wildlife movement, 383
 farm-crop towns and villages, 15*f*1.7, 485, *see also*
 specific towns
 Peterson, Iowa, USA (case study), 114–115
 sites of, 27
 water supply and risk of flooding, 193

 farmer's markets, 388
 farming, *see* agriculture
 farmland, *see also* agriculture
 biodiversity, 34–35, 376, 378, 382–383
 birds, 376, 379, 393–394, 395
 changes over time, 380
 and livestock, 390, 393–396, 394*f*10.10
 role of woodland, 379
 building on, 103, *see also* farm buildings
 characteristics of, 33, 376, 391–392, 399*f*10.12,
 400–404
 cropland, 374–388, 378*f*10.3, 401
 crop genetic variation, 293, 383
 in desert, 431, 432
 ecological planning goals, 492–494
 fire, 380
 irrigation, 222, 223*f*6.11, 388, 401, 428,
 429*f*11.10, 431
 mixed cropping, 386, 388
 pollination, 385–386
 public use (and misuse) of, 379–380
 rice fields, 109, 110*f*4.3, 210*f*6.7, 212, 388
 streams, characteristics of, 231–232
 weeds, 149, 273, 380, 382
 and global population growth, 500–501
 grassland, 388–392, 393–396
 habitats in, 376, 382–383, 393–396, 402–403
 historical, 374, 375*f*10.1
 patches and corridors in, stability of, 100, 101*f*3.13
 soil, 386–388, 387*f*10.7, 401
 and wildlife movement, 57–58, 58*f*2.8, 383
 fertilizers, 161, 379, 387–388, *see also* agriculture:
 intensification
 sewage as, 201, 223
 festivals, 130, 131*f*4.12
 fill, in soil, 142–143, 144, 151, 151*f*5.5, 152, 159
 firewood collection, 416*f*11.6, *see also* forestry
 operations
 distance from town, 64–65, 416–417
 environmental degradation, 67, 294*f*8.2, 416–417
 protected forests, 69, 417
 fish, 239
 movement of, 234–235, 239, 462–463
 fishing towns, 15*f*1.7, 25, 231, 243, 244*f*6.17,
 see also specific towns
 Flam, Norway (village) (A), 60, 148, 193, 236, 238,
 245, 254, 457, 458, 502*f*13.12
 flamingo, 244, 296*f*8.3
 floodplains, *see* rivers and river corridors/floodplains
 floods, 95, 236–237, *see also* wetland(s)
 desert, 428
 risk reduction strategies, 199–200, 207, 209,
 223–224, 236–237, 237*f*6.15, 350
 risk, and town location, 192–194, 228, 232,
 236, 245
 and stream corridors, 208, 232–233, 309–310
 and succession, 274

- flows and movements around towns, 40–52, 397–398
 air, *see* air movement
 corridors, *see* corridors
 curved vs. straight routes, 43–44
 and heterogeneity, 43–44
 into and out of towns, 5–6, 42–43
 between towns, 454
 between towns and villages, 454–456
 to/from farmsteads, 392–393, 398–399
 land mosaics, *see* land mosaics
 market towns, 124
 and planning, 480–481
 pollutants *see* pollution
 principles and definitions, 40–42
 rate of flow, 60–62
 and social interactions, 133–134
 species dispersal patterns, 57, 64
 and town edges, 44–48, *see also* edges, in
 landscape ecology: and wildlife movement
 and town shape, 17–18, 27
 transportation, *see* transportation
 water, *see* groundwater: flows; rivers and river
 corridors/floodplains; streams and stream
 corridors; surface water flows
 and wider environment, 27–28
 wildlife, *see* wildlife movement
 zones of influence (plumes), 60, 62–64
 flushing, of wildlife by walkers and dogs, 320–321,
 321f8.13, 323, 409, 422
 food and food packaging, 166, 347–348, 348f9.3, 352
 footpaths and trails, 100, 148, 422, 440, 452f12.8
 effect on biodiversity, 409, 422
 forest, *see also* rainforest
 adjacent zone, 408–414
 effects on town, 412–414
 town effects on, 408–409
 and trash/rubbish disposal, 410–411
 biodiversity, 395, 406f11.1, 409, 414–415, 416, 424
 plants, 282, 409, 411
 dispersal pattern into, 409–410
 dispersed “family forests” in, 422, 423f11.8
 ecological planning goals, 495–496
 forest edges, 44–45, 408–409
 forest gap patterns, 149f5.4
 future scenarios, 104
 land patterns, 420
 outer surrounding land, 414–426
 effects on town, 424–426
 town effects on, 414–424, 425
 pollution, 410–411
 as a resource, 422–424
 game, 417–418, 421
 wood, *see* firewood collection; forestry operations
 streams, characteristics of, 231
 forest (and forestry/logging) towns and village, 15f1.7,
 94f3.10, 113, 405, 408, *see also specific towns*
 sites of, 27
 water supply, 418
 wildlife, from forest, 412–414, 425
 “forest bathing” (*shimrin-yoku*), 281, 405, 409
 forest fires, 149f5.4, 405, 411–412, 413, 420, 425
 forestry operations, 414–416, 418–419, 419f11.7,
 see also firewood collection
 and biodiversity, 414–416
 fortifications, towns based on, 78–79
 fox (*Vulpes* sp.), 299, 309, 314f8.11, 324
 movement of, 207, 301, 304, 309
 fracking, 91
 frogs *see* amphibians
 Frome, Somerset, UK (A), 43, 60, 205, 263, 347
 frontier towns, 345f9.2
 fuelwood collection, *see* firewood collection
 fungi, 154, 155, 213, 254, 255, 268, 347
 as food/medicine, 158, 408
 spore dispersal, by wind, 268
 and trees, 29, 272
 Ganyesa, South Africa, 259, 370–371, 370f9.13
 gardens
 botanical, 264
 domestic, *see* house plots
 Garding, Germany, 26f1.12
 Gavle, Sweden (small city) (A), 232, 346
 gene flow and genetic change, 56, 235, 270–271,
 312, 313f8.10, 314f8.11
 genetically modified crops (GMCs), 383
 geological eras, 72–73
 geological landforms, 457–459
 geology
 and soil, 145–146
 chemicals in rocks, 159–160
 ghost towns, 15
 giant panda (*Ailuropoda melanoleuca*), 294f8.2, 417
 ginkgo (*Ginkgo bilobata*), 269–270
 glaciation, effect on landscape, 74–75
 globalization, 501
 golf courses, 284
 grain stores, 348–349, 377f10.2
 Grande Riviere, Trinidad (village) (A), 68, 204,
 229, 233, 242f6.16, 254, 258f7.6, 272, 273,
 306, 366, 409, 455
 grassland, 388–392, 393–396
 gravestones, 254, *see also* cemeteries
 grazing/overgrazing, and biodiversity, 393–394,
 394f10.10
 great tit (*Parus major*), 25, 184, 302, 306, 334
 green corridors, 480–481, 481f13.4
 green roofs, 273f7.11, 286, 502f13.12
 green walls, 286, 301–302
 greenbelt, 484
 greenspaces, 276–285
 adjacency effects, 279–280
 in the adjacent zone, 282–285, *see also*
 adjacent zone

- in Concord, USA (case study), 282, 283*f*7.14
 in edge-of-town areas, 352
 functions of, 372
 in neighborhoods, 364
 and patch-corridor-matrix model, 276–278
 in town centers, 348
 as valuable to humans, 280–281
 in villages, 276
 greenways, 48, 50, 309
 ground squirrel (*Spermophilus beecheyi*), 186
 groundwater, 194–196
 desert, 428
 emergence zone, 241–243
 flows, 195, 196, 428, 461
 water table, 194–195, 195*f*6.2, 196, 199, 408
 wetland, 211–212
 gull (*Larus* sp.), 305, 314–315, 347–348, 348*f*9.3, 352
 habitat affinity, 295
 habitat area and fragmentation
 and biodiversity, 35, 266, 429
 national parks, 102–103
 town parks, 279*f*7.13
 and bird nest predation, 301
 and pollen dispersal, 270
 habitats and microhabitats, *see also specific habitats*
 definitions and concepts, 287–288
 clusters, 288–289, 298
 design/maintenance, and biodiversity, 28, 285
 town as a habitat, 290–291, 299
 types, in towns, 285–286, 288
 Halifax, Nova Scotia, Canada, 90–91, 169
 hamlets, 11, 12, 31
 Hanga Roa, Isla Pascua (Easter Island), Chile (A),
 134*f*4.13, 182, 194, 204, 233, 243, 275, 278,
 372–373, 440, 505*f*13.14
 hawk, 45, 302, 304, 305*f*8.6, 314–315
 and airports, 315
 and wind turbines, 461
 hazards, 91–92, *see also* disasters
 defined, vs. disasters and threats, 89
 in industrial centers, 359
 health benefits, of greenspaces, 180, 181*f*5.14, 247,
 280–281
 heat islands, 178–179
 heavy metals, 161, 164–165, 236
 hedgehog (*Erinaceus europaeus*), 156, 304,
 372, 465
 hedgerows, 50, 51, 57–58, 58*f*2.8, 382, 403
 as windbreaks, 176
 herbicides, 304–305, 308–309
 high-income towns, *see specific towns*
 hill/mountain towns, 14–15, 15*f*1.7, *see also*
 specific towns
 cool air drainage, 174
 geology and soil, 146
 shapes of, 17
 hills and mountains, and flows/movements, 53–54
 holiday homes, *see* weekend/holiday homes
 home range
 definitions, 294–295
 of domestic cats, 295, 327–328, 477*f*13.2
 of humans, 64, 65
 and land mosaic use, 54
 of rats, 384*f*10.5
 homegardens, 102, 255–257, 257*f*7.5, 261, 371,
 see also house plots
 horse riding, 293*f*8.1, 379
 horsepower in towns, 138, 141, 142*f*5.1
 house plots, 302–304, 367–371, *see also*
 homegardens
 birds, 298, 302, 304, 365–366, 365*f*9.10
 impervious surface cover, 198, 199*f*6.4
 invertebrates, 297, 302–304, 371
 irrigation, 369, 372
 mammals, 297, 413
 plants, 257–259, 258*f*7.6, 270, 368*f*9.12, 370–371,
 370*f*9.13
 single garden studies, 297, 302–304, 371
 trees, 251–252, 365–366, 365*f*9.10, 368*f*9.12
 house sparrow (*Passer domesticus*), 25, 290, 299
 and bird feeders, 304
 building use, 304, 347
 cat predation, 326, 328, 331
 and garbage, 347–348, 348*f*9.3, 352
 housing density
 and bird edge crossings, 46–47
 house-plot size, 102
 low, and sprawl, 101, 102
 housing development, and protected areas, 102–103
 hub-and-spokes model, 18
 human-caused disasters, 91, 109, 275
 humidity, 173, 200, 424, 436
 humus, 153
 hunting, 113, 136, 409, 410*f*11.3, 417–418, 421, 466
 of “pest” wildlife, 413–414
 Huntingdon/Smithfield, Pennsylvania, USA (A),
 146, 203, 232, 240, 241, 251, 263, 298, 350,
 418, 421, 465
 hurricanes, 89*f*3.8, 90–91, 275
 Icod de los Vinos, Tenerife, Canary Islands, Spain (A),
 23, 145–146, 236, 252, 254, 279, 346, 455, 458
 impervious surface cover, 9, 21, 144, 198–199,
 205–207, *see also* porous/permeable pavements
 increase over time, 198, 199*f*6.4
 runoff, *see* stormwater
 and solar reflection/absorption, 179–180
 industrial centers, 353–360, *see also* manufacturing/
 industrial towns
 after industry closure, 357–358, *see also*
 brownfield sites
 ecological planning goals, 488–489
 hazard mitigation strategies, 359–360

- industrial centers (*Cont.*)
 as hazard sources, 359
 interdependent industries in, 354
 lighting, 333
 locations of, 355f9.5
 Alabama, USA (case study), 354–356
 as wildlife habitats, 356–357
 industrial towns, *see* manufacturing/industrial towns
 industrial waste and pollution, 225, 357f9.6
 and biodiversity, 356–357
 and coastal region, 245
 from paper mill, 415f11.5
 infiltration, water, 152, 153, 194, 199, 207
 insecticides, *see* pesticides
 insects, *see also* invertebrates; *specific insect groups*
 abundance of groups, and habitat, 335–336, 453
 aquatic, 336
 and artificial lights, 334–336, 335f8.16, 409
 beneficial, and corridors, 50–51
 pollinating, 270, 304, 385–386, 393
 roads, 453
 vehicle collisions, 449
 intensive agriculture, *see* agriculture: intensification
 invasive species, 262
 invertebrates, *see also* insects; *specific invertebrate groups*
 buildings and walls, 301, 315
 farmland, 380, 382, 403
 industrial areas, 356
 parkland, 305–306
 ponds, 222
 soil, 156–159
 streams, 238
 trees, 305
 irrigation, *see also* ditches
 cropland, 222, 223f6.11, 388, 401, 428, 429f11.10, 431
 desert, 428, 429f11.10, 431, 436
 house plots, 369, 372
 Isla Pascua (Easter Island), Chile, 73f3.1
 Hanga Roa, *see* Hanga Roa, Isla Pascua (Easter Island), Chile
 island towns, *see specific towns*
 Issaquah, Washington, USA (small city) (A), 169, 193, 194, 227, 236, 239, 254, 263, 273, 279, 309, 343, 354, 363, 405, 439, 465, 467

 Jakubowice Koninskie, Lublin, Poland (village), 80–82
 Jasper, Alberta, Canada, 232, 311, 413

 Kaihsienkung, Jiangsu, China (village) (A), 110f4.3, 455
 Kalundborg, Denmark, 354
 kangaroo, 393–394, 413, 424, 425
 and airports, 315
 vehicle collisions, 189

 kite, 304
 koala (*Phascolarctos cinereus*), 60, 322
 Krasne, Lublin, Poland (village), 80–82
 Kutna Hora, Czech Republic (A), 23, 99, 146, 180, 195, 235, 251, 254, 266, 419, 440, 455, 465, 484
 Kyoto, Japan, 275

 Lake Placid, Florida, USA (A), 69–71, 70f2.14, 189, 194, 204, 205, 211, 212, 217, 220, 223, 228, 230, 231, 251, 252, 257, 262, 263, 264, 273, 295, 297, 311, 347, 411, 457, 465
 lakes, 227–231
 biodiversity, 229–231
 pollution, 228–229
 lakeshore towns, 14–15, 194, 227–231, 228f6.12, 230f6.13
 land abandonment, *see also* abandoned/ghost towns
 and distance from roads, 68
 ecological succession, *see* ecological succession
 Kutna Hora, Czech Republic, 99
 railways, 50, 309
 land mosaics, 52–60, 61, 467–469
 fluctuation stabilizing effect of, 87
 land surrounding towns, 31–35, 184
 adjacent zone, *see* adjacent zone and biodiversity, 34
 ecological planning goals, 491–498
 farmland, *see* farmland
 landscape changes, 100, 101f3.13
 natural land, 33–34
 outer surrounding land, 20f1.9, 32–33, 437f11.15
 forest, *see* forest: outer surrounding land
 spatial models, 34–35
 land use change
 and distance effects, 67–69
 future scenarios, 103–104
 in Hiroshima Prefecture, Japan, 98–99
 landfill sites, *see* dumps (landfill)
 landscape ecology, 377
 corridors, *see* corridors
 patches, *see* patch-corridor-matrix model; patches, in landscape ecology
 spatial patterns, 35–39, 278, 279–280, 377
 landscape genetics, 56, 235, 270–271, 312, 313f8.10, 314f8.11
 landslides, 91
 lawns, 304–305
 legacy effect, 88–89
 Leicester, UK, 297
 lichens, 249, 254, 255f7.4, 358–359
 light(s) and light pollution
 dark patches and corridors, 333
 dispersal distance, 64–65
 effect on plants, 59, 337
 effect on wildlife, 334–338, 349–350, 353
 bats, 336–337, 425
 birds, 334, 337–338, 352

- insects, 334–336, 335*f*8.16, 349–350, 409
- mammals, 338
- reptiles, 306, 307*f*8.7, 338, 350, 465
- mitigation strategies, 335, 336, 339
- sources and characteristics, 332–334
- litter layer, of soil, 153
- Littleton, Massachusetts, USA, 74–76, 75*f*3.2
- liverworts, 254, 416
- livestock farming, 388–390, 389*f*10.8, 402*f*10.14
 - in desert, 430–431, 432
 - ecological planning goals, 495
 - environmental impact, 216, 225, 389, 390, 430–431, 432
 - in protected (tiger) reserve, 418
- lizards, 306, 307*f*8.7, 350, 465, *see also* reptiles
 - movement of, 38–39, 372–373, 465
- local extinction, 55*f*2.7, 270, 271
- low-income towns, 15, *see also specific towns*
- Lujan, Pampas Plain, Argentina, 11*f*1.5.
- lynx (*Lynx canadensis*), 421
- maintenance
 - of greenspace, 267
 - of trees, *see* trees: maintenance
- mammals, *see also specific mammals*
 - and artificial lights, 336–337, 338, 425
 - characteristic, by continent, 298–299
 - and dogs, 323–324
 - forest, 409, 414–415
 - genetic divergence, 312, 314*f*8.11
 - movement of, 61*f*2.10, 69–70, 70*f*2.14, 383
 - between habitats, 55–56, 57, 58*f*2.8, 395
 - dispersal distance, 64
 - edges and corridors, 39, 45, 50, 232, 309
 - migratory, 56
 - road use/avoidance, 67, 448, 453, 464*f*12.14, 465
 - town avoidance, 48, 54, 301
 - nuisance, *see* wildlife, nuisance
 - predation by domestic cats, 328–330, 331
 - road avoidance, 67, 307*f*8.7, 424, 451
- mangrove (*Rhizophora* sp.), 85, 91, 241, 244, 245, 296*f*8.3
- Manhattan, Kansas, USA, 249–250, 250*f*7.2
- manufacturing/industrial towns, 15*f*1.7, 360–361, *see also specific towns*
 - and human-created habitats, 262–263
- Marcus Hook, Pennsylvania, USA, 359
- market towns, 12, 15*f*1.7, 123, 124, *see also specific towns*
- marketplaces, 77–79
- marsh, 211, 217
- medicinal plants, 417
- megalopolis, 466
- Mercedes, Pampas Plain, Argentina, 11*f*1.5.
- mesh size
 - and biodiversity, 403, 441
 - and wildlife movement, 441
- metapopulation
 - definitions, 54, 295
 - dynamics, 54–55, 55*f*2.7
- mice, *see* rodents: mice
- microclimate, 172–180
 - air temperature, *see* air temperature
 - coastal, 241
 - town center, 349
- microorganisms, in soil, 147, 153–155
- migratory movement
 - of birds
 - and artificial lights, 337, 338
 - and building development and density, 101, 366
 - and desert irrigation, 436
 - and green roofs, 286
 - navigational cues, 463
 - and noise pollution, 189
 - of mammals, 56
- Millstone/East Millstone, New Jersey, USA (village) (A), 50, 237
- mining operations, 159–160, 160*f*5.8, 354
 - pollution from, 160, 160*f*5.8, 225–226
- mining towns, 15*f*1.7, 160, 354, 360–361, *see also specific towns*
 - sand mining, 152
- mites, 158, 301
- Mnisek Pod Brdy, Czech Republic, 413–414
- mollusks, 157
- mosaics, *see* land mosaics
- mosses, 211, 213*f*6.8, 254, 255*f*7.4
 - and air pollution, 249
 - and forestry operations, 416
- moths, 29, 301, 356, 453
- Mount Ida, Queensland, Australia, 360–361
- mountain lion (*Puma concolor*), 45, 311
- mountain towns, *see* hill/mountain towns
- mulch, species introduction by, 305
- museums, villages as, 80
- Nabla, India (small city), 133–134
- nanoparticles, 169–170
- national parks, *see* protected areas
- native people towns, 14–15
- natural disasters, 89–91
 - adaptation to, in village (Kaihsienkung, China, case study), 111
 - as devastating to towns and villages, 109
 - earthquakes, 91
 - floods, *see* floods
 - human contributions to, 91
 - hurricanes, 89*f*3.8, 90–91, 275
 - landslides, 91
 - and succession, 274
 - tsunamis, *see* tsunamis
 - volcanos, 90*f*3.9
- natural land, characteristics of, 33–34

- natural patterns, in landscape ecology, 36
 hybrid nature-Euclid patterns, *37f1.14*
 towns, 36–37
- nature land-use arrangement (NLA) model,
468f12.15, 469
- neighborhoods, 362–366, *363f9.8*
- nematodes, 158, 301
- neophytes, 94, 260, 264
- nest predation, 296, 301, 372
- nesting sites, in towns, 302, 315
- netway-and-pods transport, 498–499, *500f13.11*
- networks, 51–52, *52f2.6*, 280, 441, 442, 451–453,
see also corridors
 emerald network, 51–52, 280, 484
- nitrogen, 161, 168, 387, *see also* fertilizers
 flow of, through household, 167, *167f5.10*
- noise pollution, 182–184, 185–189, *see also*
 soundscapes
 aircraft, 187, 421, 437
 and birds, 186, 188–189, 190–191
 dispersal and attenuation, 64–65, 187, 188,
188f5.16, 189
 railways, 186–187, 445–446
 road traffic, *see* traffic noise
 and wildlife communication, 184, 186, 187
 wind turbines, 186
- non-native species, 9
 birds, 50, 290
 dispersal distance, 64–65
 and housing density, 69, 411
 plants, 50, 262, 263–264, 411
 sources of, 231, 262, 264
- off-road vehicles, *127f4.11*, 379, 421, 436, 440
- oil and gas exploration, 460–461
- organic matter, in soil, 145, 147, 148–149, 153–154,
154f5.6
 sewage, *see* sewage (treatment) and wastewater:
 pollution from
- outer surrounding land, *20f1.9*, 32–33, *437f11.15*
 forest, *see* forest: outer surrounding land
- outward urbanization models, 96–97, *97f3.12*
- Ovcary, Czech Republic (village) (A), 60, 149, 161,
 254, 458
- ovenbird (*Seiurus aurocapilla*), 157
- overgrazing, and biodiversity, 393–394, *394f10.10*
- owls, 298, 337–338, 403
- Page, Arizona, USA (A), 146, 180, 207, 258, 434
- Palmerton, Pennsylvania, USA (A), 21, 27, 354,
 361, *362f9.7*, 410, 489
- panther (*Puma* sp.), 69–71, *70f2.14*
- parks, 278–279, *279f7.13*, 304–306, 333, 490
- patch-corridor-matrix model, 54, 276–278, 467–468,
see also corridors
- patches, in landscape ecology, 38, 276–278, 402, 453
 patch boundaries, 54
 stability of, in farmland, 100, *101f3.13*
 patches, soil, 149, *149f5.4*
- patterns of stability, in ecological systems, 87–88
- pavements (sidewalks), 209, 254
- peat and peatland, 211, 213, *213f6.8*, 217
- peregrine falcon (*Falco peregrinus*), 302, 315
- periurban (exurban) zone, 467
- permeability, 152
- persistence, of ecological systems, 85–87
- pesticides, 103, 161, 182
 and pollination, 385
 resistance to, 298, 381
 and streams, 232
- pests and diseases, *see also* wildlife, nuisance
 desert, 426
 disease transmission, *see* disease, transmission of
 dispersal, 271
- Petersham, Massachusetts, USA (village) (A),
24f1.11, 29, 43, *79f3.4*, 192, 204, 212, 221,
 263, 277, 297, 311
- Peterson, Iowa, USA (village) (case
 study), 114–115
- pets, *see* domestic animals
- pH elevation, of soil, 144
- phosphorus, *see also* fertilizers
 in cropland, 387
 demand for, 170
 flow of, through household, 167, *167f5.10*
 pollution (eutrophication), *171f5.11*, 203, 205,
 208, 219, 229
 recycling from urine, 170
- picnic areas, and birds, 422
- pigeon (*Columba livia*), 290, 299, 304
 and airports, 315
 building use, 302, 309, 347
 as nuisance, 347, *348f9.3*
- Pinedale, Wyoming, USA (A), 145, 168, 232, 264,
 278, 297, 309, 388, 457
- pipe systems, 198–199, 203, 207, 443, 461
 routes of, 453
 and wildlife movement, 207, 349, 443, 461
- place-branding, 130–132
- planned towns, 15, 480–483, *483f13.5*, *see also*
 company towns
- planning
 for global population growth, 499–503
 goals, 92–93
 for sustainability, *see* sustainability planning
- plants, *see also* forest; hedgerows; trees; woodland
 constructed basins, 227
 desert, 427, 428, 430–431, *431f11.12*
 farmland, 378, 379, 393–394, *394f10.10*,
 395–396
 flowering, 254, 269–270, 378, 385–386
 in house plots, 258, *258f7.6*, *264f7.8*, 270
 forest, 282, 409, 411
 genetic divergence, 312, *314f8.11*

- house plots, 257–259, 258f7.6, 270, 368f9.12, 370–371, 370f9.13
- industrial areas, 356
- invasive, 262
- pollen and pollination, *see* pollen and pollination
- ponds, 217, 221
- powerline corridors, 443
- rare species, 264, 306
- roots, 155–156
- seed dispersal, *see* seed dispersal
- species mix and diversity
- after disasters, 275
 - and community population size, 12
 - and habitat types, 261
 - and human-created habitats, 262–263
 - and human-dispersed plants, 260–261
 - and nutrients, 273
 - and overall biodiversity, 266
 - and park characteristics, 278
- spontaneous species, 263, 264f7.8, 270
- stream corridors, 232, 237, 264–266
- successional species, *see* ecological succession
- tree-base species, 262
- weeds, *see* weeds
- wetland, 214–215, 224
- Plymouth, North Carolina, USA (A), 23, 50, 307, 352, 376, 382, 410, 440, 449, 465
- pollen and pollination
- and breezes/winds, 269
 - and habitat area and fragmentation, 270
 - and insects, 270, 304, 385–386, 393
- pollution, 415f11.5
- agricultural, 71, 143f5.2, 225, 229, *see also* soil, town: agricultural effects on
 - air, *see* air pollution
 - chemical, *see* chemical contaminants and pollution
 - desert, 436–438
 - distance effects of, 64–65
 - forest, 410–411
 - heavy metals, 161, 164–165, 236
 - from horses, 77
 - industrial, *see* industrial waste and pollution
 - light, *see* light(s) and light pollution
 - from mining, 160, 160f5.8, 225–226
 - from motor vehicles, 164–165, 164f5.9, 180, 245
 - noise, *see* noise pollution
 - radioactive, 91, 92, 162, 275
 - from roads, 163–164, 164f5.9, 180, 206
 - sewage, *see* sewage (treatment) and wastewater: pollution from
 - water, *see* water pollution
- Pompeii, Italy (A), 112f4.4, 142f5.1, 362
- ponds, 217–221, 218f6.10
- biodiversity, 217, 220, 221–222, 309
 - and dogs, 323
 - as habitats, 217, 220, 221, 222, 311–312
 - pollution, 219
 - pond margins, 217, 323
 - types of, 220–221
 - vernal (temporary), 221–223, 282, 312
- population centers
- defined, 10
 - patterns of, 6–8
 - outside cities, 101–102
 - outward urbanization models, 96–97, 97f3.12
 - sizes, characterizing
 - by ecological or bioassay measures, 12–13
 - by grid and mathematical measures, 10
 - by population size, 11–14
- population growth, global, planning for, 499–503
- population, animal, 295, *see also* metapopulation
- porous/permeable pavements, 209
- port towns, 15f1.7, 25, *see also specific towns*
- powerlines and powerline corridors, 315
- primates, 306, 414–415, 497f13.10
- and ecotourism, 306
 - hunting, 410f11.3, 417–418
- protected areas, 69, 459
- and development, 102–103, 103f3.14, 244, 405, 406f11.1, 408
 - and fires, 411
 - and livestock, 418
- quarries, 312–313, *see also* mining towns
- raccoon (*Procyon lotor*), 299, 309, 347
- movement of, 207, 349, 383
 - scavenging, 314, 326, 347–348, 352
- radioactive pollution, 91, 92, 162, 275
- railways, 445f12.4
- abandoned, 50, 309
 - and birds, 309
 - corridors, 349, 373, 403, 444–446
 - as dark routes, 333
 - as habitats, 308–309
 - pollution, 444–445
 - noise, 186–187, 445–446
 - stations, 441f12.2
 - and wildlife mortality, 445
 - and wildlife movement, 445, 463
- rainforest, 86f3.7, 88, 301, 409, 418
- case study, 496, 497f13.10
 - as a resource, 409, 410f11.3, 417, 418, 496, 497f13.10
- Rangeley, Maine, USA (village) (A), 10f1.4, 29, 194, 227, 228, 231, 292, 421
- rare species
- in cemeteries, 266
 - in Concord, Massachusetts, USA (case study), 282
 - and habitat characteristics, 290, 306
 - plants (native), 264, 306
 - predation by domestic cats, 331
 - protection of, 215, 297, 306
 - in wetlands, 214, 215

- rats, *see* rodents: rats
 Rawson, Pampas Plain, Argentina, *11f1.5*
 Reeves, Francois, 247
 remote areas, and access roads, 459
 reptiles, *396f10.11*, *see also* lizards; snakes
 and artificial lights, 306, *307f8.7*, 338, 350, 465
 genetic divergence, 312, *314f8.11*
 movement of, 214, 222, *see also* lizards:
 movement of
 roads, 222, *307f8.7*
 rock outcrops, 395
 stream corridors, 238
 vernal ponds, 221–222
 reservoirs, 197, 235–236
 residential areas, 362–371
 air temperature, 362
 ecological planning goals, 488
 habitats, 298
 house plots, *see* house plots
 neighborhoods, *see* neighborhoods
 newer, 23, 298
 older, 23
 resilience
 of ecological systems, 85, 87, 88–89
 social, 88, 93–94
 resistance, of ecological systems, 85
 resort towns, *see* tourist/resort towns
 retirees, preferences of, 98
 retirement towns, 14–15, *see also specific towns*
 Reykjanesbaer, Iceland (A), 363
 rice (paddy) fields, 109, *110f4.3*, *210f6.7*, 212, 388
 Rivas, Pampas Plain, Argentina, *11f1.5*
 river towns, 14–15, 241, *see also specific towns*
 shapes of, 17, 25
 water supply and risk of flooding, 193
 rivers and river corridors/floodplains, *7f1.2*, *63f2.11*,
 240–241, *see also* streams and stream
 corridors
 biodiversity, 311
 bridges, 241, 453
 desert, 428–429
 pollution, 241, *see also* water pollution
 road ecology, *68f2.13*, 189–190, 306–308, 435–436,
 446–451, *456f12.10*
 amphibians, 222, *307f8.7*, 312, *313f8.10*, 451
 birds, 67, *307f8.7*, 436, *447f12.5*, 465
 breeding success, 184, 187–189
 traffic noise, 187–189, *188f5.16*, 449
 crossing structures, 449–450, 453
 culverts, *see* culverts
 underpasses and overpasses, 50, 56, 307, 440,
 450f12.7
 insects, 453
 intersections, 453
 mammals
 road avoidance, 67, *307f8.7*, 424, 451
 road use, 448, 453, 463, *464f12.14*, 465
 road avoidance, 56, 67, *307f8.7*, 424, 451
 road density, 411, 451, 452
 road use, 56, 448, 453, 463, *464f12.14*, 465
 roadkill and collisions with wildlife, 56, 189,
 306–307, 308, 448–449, 451
 bird strikes, 306–307, 338
 mitigation strategies, 189, 449, 460, *460f12.12*
 railways, 445
 roads, 347, *412f11.4*, 446–451, *494f13.9*, *see also*
 vehicles, motor
 access roads, and remote areas, 459
 by-passes, 450–451
 ecological planning goals, 492
 maintenance, 435–436
 pollution from, 163–164, *164f5.9*, 180, 206
 noise, *see* traffic noise
 vehicles, *see* vehicles, motor: pollution from
 traffic speed, *407f11.2*, 460, *460f12.12*, *481f13.4*
 unpaved, 141–142, 446
 and wildlife, *see* road ecology
 robin, European (*Erithacus rubecula*), 190, 366
 rock outcrops, 395, *396f10.11*
 Rock Springs, Wyoming, USA (A), 17, 23,
 150, 160, 236, 278, 346, 363, 366, 421,
 437, 439
 Rocky Mount, North Carolina, USA (village) (A),
 196, *197f6.3*, 251, 254, 363
 rodents
 mice, *58f2.8*, 302, 326, *329f8.15*, 348–349
 cat predation, 328, 331
 rats, 297, 328, 347–348, 349, 352, 383, *384f10.5*
 movement of, 383, *384f10.5*
 voles, 39, 448, 453
 Rolim de Moura, Brazil, *345f9.2*
 roots, 155–156
 rotifers, 301
 Rumford/Mexico, Maine, USA (A), 43, 161, 193,
 207, 231, 251, 333, 354, 414, *415f11.5*
 runoff, *see* stormwater
 rural towns, 14–15

 SA de Giles, Pampas Plain, Argentina, *11f1.5*
 Salamanca, Spain (small city), 190
 sand, demand for, 151–152
 sand dunes, *147f5.3*, *434f11.13*
 sandstorms, 429, 433
 Sandviken, Sweden (A), 23, 43, 194, 224, 230, 253,
 254, 263, 278, 279, 346, 361
 Sant Llorenç d’Hortons Catalunya, Spain (village)
 (A), 238, 264
 Scappoose, Oregon, USA (A), 16, 195, 263, 439
 “Scratch Flat,” study of, 74–76, *75f3.2*
 screw-pine (*Pandanus* sp.), 85, 121
 seed dispersal
 genetic changes in, 271
 by people and vehicles, 268
 by water, 268

- by wildlife, 267, 268–269, 395, 403, 418
- by wind, 267–268
- seed rain, 50, 272–273, 378–379
- seedbank, 273–274
- Selborne, East Hampshire, UK (village) (A), 29, 204, 239, 252, 292, 311, 346, 455
- septic systems, 146, 150, 202, 203
- settlement, informal (Kenya), 33, 80
- sewage (treatment) and wastewater, 201–205
 - aquaculture, 204, 223
 - cesspools, 109, 144, 148, 201
 - and community size, 204–205
 - as fertilizer, 201, 223
 - grey- and wastewater recycling, 204
 - phosphorus recycling, 170
 - pit latrines, 201–202, 202f6.5
 - pollution from, 163, 205, 245, 311, 437–438, *see also* cesspools; septic systems
 - raw sewage, 203, 274
 - septic systems, 146, 150, 202, 203
 - sewage treatment facilities, 203, 204–205
 - as habitats, 203
 - and soil, 161, 205
 - treatment by wetlands, 204
- Shanghai, China, 19f1.8
- sheep, *see* livestock farming
- shopping, 124–125, 125f4.10, 345, 358
 - edge-of-town areas, 350–352
 - farmers' markets, 388
 - shopping, 123
- shopping centers and malls, 350–352
- shopping towns, *see* market towns
- sidewalks (pavements), 209, 254
- Siem Reap, Cambodia (small city), 344f9.1
- skyglow and skydome, 332, *see also* light(s) and light pollution
- slugs and snails, 157
- snakes, 156, 209–210, 296, 297, 302, 309, *see also* reptiles
 - and roads, 67, 465
 - and taboo, 306
- social character and norms, 133–135
- social networks, 133–134
- social resilience, 88, 93–94
- Socorro, New Mexico, USA (A), 6–7, 7f1.2, 16, 145, 189, 196, 224, 232, 233, 236, 251, 258, 263, 325, 352, 364, 388, 428, 436, 439, 440, 465
- soil, constructed basin, 226–227
- soil, farmland, 386–388, 387f10.7, 401, *see also* fertilizers
- soil, town
 - agricultural effects on, 143f5.2
 - air-related properties, 152–153
 - characteristics of, vs. urban soil, 144–145
 - chemical contaminants, 145, 147–148, 161
 - industrial and brownfield, 162, 358, 478
 - radioactive, 162
 - chemicals in, 160–162
 - clay, 145, 146, 150, 161, 458
 - compaction, 144, 148, 150
 - defined, 142–143
 - drainage, 152
 - erosion (by water/wind), 146, 147f5.3
 - fill, 142–143, 144, 151, 151f5.5, 152, 159
 - gases in, 161, 162
 - and geology, 145–146
 - loam, 150
 - nutrients, 161
 - organic matter, 145, 147, 148–149, 153–154, 154f5.6
 - organisms in
 - invertebrates, 156–159
 - microorganisms, 147, 153–155
 - roots, 155–156
 - vertebrates, 156
 - patches, 149, 149f5.4
 - permeability, 152
 - pH elevation, 144
 - sandy, 145–146, 150, 457–458
 - silty, 145–146, 150, 458
 - stratification (vertical profiles), 148–149
 - structural attributes, 150–152
 - texture, 149–150
 - types of, 142–143, 149
 - water infiltration, 152, 153, 194, 199, 207
 - and water table, 194
- soil, urban, and chemical pollution, 145
- soil, wetland, 211, 213–214, 216
- solar panels, 177f5.13, 461
- solar radiation, reflection/absorption of, 172–180, 349
- solid waste, 168–169
 - discarded, and forest, 410–411
 - dumps, *see* dumps (landfill)
 - and scavenging wildlife, 326, 327, 347–348, 348f9.3, 352
- Sooke, BC, Canada (A), 17, 146, 150, 205, 231, 236, 239, 245, 262, 263, 278, 309, 363, 405, 440, 465
- Sorrento/Sant' Agnello, Italy (small city) (A), 248f7.1
- soundscapes, 184–185, *see also* noise pollution
- spatial models and patterns, 419–420
 - of forest land, 420
 - of land surrounding towns, 34–35
 - local and broad scale models, 138
 - nature land-use arrangement (NLA) model, 468f12.15, 469
 - patch-corridor-matrix model, 54, 276–278, 467–468
 - of population centers, *see* population centers: patterns of
 - for sustainability, 473–474, 474f13.1
- species, characteristic, by continent, 298–299, 300f8.4
- species “rain,” 371, 378–379, 413

- spiders, 157, 295, 301, 302, 356, 433
 split-flow theory, 209
 spontaneous species, 263, 264*f*7.8, 270
 sprawl, 96–97, 101, 102
 springtails, 157, 158, 301
 St. George's, Grenada (small city) (A), 5*f*1.1, 87, 89*f*3.8, 198, 201, 236, 243, 245, 254, 263, 272, 274, 289, 325, 363, 369
 St. Malo, Bretagne, France, 107*f*4.2, 117*f*4.6
 stabilizing forces, in ecological systems, 87
 starling (*Sturnis vulgaris*), 290, 298, 299, 302, 347–348, 348*f*9.3, 352
 house plots, 302
 Stenasa, Oland, Sweden (village), 30*f*1.13
 Stonington, Maine, USA (village) (A), 145–146, 150, 182, 192, 220, 263, 421
 stormwater, 205–210, 206*f*6.6, *see also* floods
 distribution networks, 207
 flows, 58–59, 59*f*2.9
 pollutants, 208–209, 224–225, 233, 353, 359
 split-flow theory, 209
 and streams, 208, 232–233, 309–310
 streams and stream corridors, 193*f*6.1, 239–240, 279*f*7.13, 309–311, 349, *see also* rivers
 and river corridors/floodplains; surface water flows
 animals, 232, 236, 238, 309, 349, 403
 predictors of diversity, 240
 armored, 52*f*2.6, 212, 238, 309, 310*f*8.9
 base flow, 236, 437
 birds, 311
 bridges, 36, 232, 233, 278, 453, 462
 characteristics of, 62–63, 231–233, 238
 culverts, *see* culverts
 dams and small reservoirs, 235–236
 as dark routes, 333
 desert, 232, 437–438
 and dry periods, 408
 fish, 238–239
 as habitats, 231–232, 238–239, 437–438
 plants, 232, 237, 264–266
 pollution, 235–236, *see also* water pollution
 recreational use, 50, 232
 in representative case town, 20
 and runoff/flooding, 208, 232–233, 309–310
 and seed dispersal, 268
 stream networks, 51, 235
 streets, 486*f*13.6
 pedestrianized, 479*f*13.3
 trees, *see* trees: street
 unpaved, 141–142, 446
 streetscape, and town/village character, 120–122
 strip (ribbon) development, 24, 99–100, 352, 456
 adjacent residential areas, 364, 456
 in representative case town, 20
 as wildlife barrier, 353, 403, 456
 subsurface flow, 461
 suburban towns, *see specific towns*
 succession, *see* ecological succession
 Sudbury, Ontario, Canada, 354, 361
 Suipacha, Pampas Plain, Argentina, 11*f*1.5
 Superior, Arizona, USA (A), 16, 60, 147–148, 150, 160, 193, 196, 262, 264, 289, 430*f*11.11, 433, 436, 437, 440
 surface water flows, 58–59, 59*f*2.9
 sustainability planning, 136–137, 138, 377, 505–506, 505*f*13.14
 desert, 497–498
 farmland, 492–494
 forest, 495–496
 land patterns, 473–474, 474*f*13.1
 livestock farming, 495
 parks, 490
 town planning, 487–491
 Swakopmund, Namibia (small city) (A), 146, 150, 182, 196, 215, 232, 240, 362, 435*f*11.14, 440
 swamp, 215
 system adaptability, of ecological systems, 87
 taboos, and wildlife, 306
 Tavistock, West Devon, UK (A), 76, 146, 193, 254, 279
 temperature, *see* air temperature
 termites, 157, 298, 302
 territory, defined, 294
 Tetbury, Gloucestershire, UK (A), 16, 27, 50, 149, 253, 254, 266, 279, 440, 455, 465
 threats, 89, 92
 tiger, 418, 425
 Tikal, Peten, Guatemala, 86*f*3.7
 toads, *see* amphibians
 Tomar, Portugal (A), 17, 27, 41*f*2.1, 232, 237, 362, 382, 388, 410, 411, 424
 topsoil, 148–149, 154*f*5.6
 tourist/resort towns, 15*f*1.7, 25, 129–130, *see also specific towns*
 towers, 315, 332, 337
 town centers, 21–22, 123, 124, 126, 343–350, 344*f*9.1
 buildings, 299, 346–347
 characteristics of, 345–346
 historical, 343–345
 ecological planning goals, 487–488
 ecology, 299
 greenspaces, 348
 lighting, 333
 microclimate, 349
 relocation of, 60
 town ecology, *see also* biodiversity; habitats
 and microhabitats
 defined, 5
 across different areas of town, 22*f*1.10
 factors affecting, 9, 16
 planning goals, 487–491
 principles of, 476–480

- town centers, 299
- and town components and layouts, 28–29
- town edges, 24–25, 299
- town edges, *see* edge-of-town areas
- town living
 - desirability of, 98, 105–108, 127, *see also*
 - aesthetics of towns
 - disadvantages of, 108–109
- town planning, 483–484, *see also* towns, planned
 - ecological goals, 487–491
 - and shrinkage, 485–486
- town-centered regions, 63, 454
- towns
 - areas of influence, *see* zones of influence
 - attributes of, representative cases, 20–25, 20f1.9, 475–476
 - central plazas, 21, 116, 346, 348, 483f13.5
 - character of, 120–122
 - aesthetics, 116, 492, 493f13.8
 - architecture, 117–119, 120
 - festivals, 130, 131f4.12
 - social, 133–135
 - topographic features, 120
 - characterizations, 14–15
 - by affluence, 15
 - by ecological or bioassay measures, 12–13, 29
 - by location, 14–15
 - by major economic activity, 15f1.7
 - edges, *see* edge-of-town areas
 - flows/movements, *see* flows and movements
 - around towns
 - government and policy influences, 136
 - importance of, 4, 6–9
 - layout of, 15–16, 77–79, 292
 - company towns, 360
 - planned, 15, 480–483, 483f13.5, *see also*
 - company towns
 - population (human) changes, 98, 108–109, 127–128, 134–135
 - residential areas, *see* residential areas
 - response to disturbance, 93–94
 - shapes of, 16–18
 - and biodiversity, 18, 38–39, 97
 - growth patterns, 96–97, 97f3.12
 - and human activity, 17, 27
 - and natural features, 17, 25–27
 - sites of
 - early, 17, 76
 - relocation, 60
 - size, *see also* population centers: sizes,
 - characterizing
 - author's definition, 14
 - early, New England (USA), 62
 - growth, 12–13, 13f1.6, 95, 96–98, 101, 129, 285
 - influence of surrounding communities, 95, 96f3.11
 - shrinkage, 94–95, 128, 137–138, 484–486
 - vs. city size, 12
 - vs. village size, 12
 - spacing of, USA, 14
 - town centers, *see* town centers
 - trajectories of, *see also* land use change
 - as stable, 93
 - swallowing by cities, 138
 - typical, 76–79, 78f3.3, 99
 - types, 474–475, *see also specific town types*
 - traffic, *see* vehicles, motor
 - traffic noise, 56, 66–67, 183f5.15, 187–189, 449
 - mitigation strategies, 449
 - traffic speed, 407f11.2, 460, 460f12.12, 481f13.4
 - trails, *see* footpaths and trails
 - transportation
 - aircraft, 187, 421, 437
 - netway-and-pods, 498–499, 500f13.11
 - road, motor vehicles, *see* vehicles, motor
 - road, other, 66f2.12, 440f12.1
 - trains, *see* railways
 - tree-base species, 262
 - trees, *see also* forest; plants; rainforest; woodland
 - abundance, 249–250, 252, 276, 277f7.12
 - and birds, 365–366, 365f9.10, 373, 377–378, 403
 - dead, 248, 253
 - desert, 429
 - ecological roles, 250
 - farmland, 377–378
 - fruit trees, 261
 - as habitats, 253
 - for animals, 29, 305, 373, 403
 - for other plants, 29, 249, 403
 - health, 249–250
 - house plots, 251–252, 365–366, 365f9.10, 368f9.12
 - maintenance, 248, 249, 251–252, 253
 - indirect, from house plot irrigation, 372
 - protection of venerable or sacred trees, 252, 253
 - old and “venerable” or sacred, 29, 252–253, 306
 - and pollution reduction, 181f5.14
 - remnant, 271
 - residential areas, 23, 91, 248, 251
 - seed dispersal, *see* seed dispersal
 - species mix and diversity, 247–248, 249–250, 251–252
 - and community population size, 259–260, 260f7.7
 - street, 248f7.1, 249–250, 250f7.2, 251, 269–270, 349
 - fruit trees, 261
 - and house plot irrigation, 372
 - town centers, 21, 121, 251
 - and VOCs, 180, 181f5.14, 247, 281
 - tropical towns, 254, 347, *see also* Grande Riviere, Trinidad
 - tsunamis, 85, 91, 243
 - protection from, 243, 275, 505f13.14
 - Tulear, Madagascar, 253f7.3
 - typhoons, *see* hurricanes

- underpasses and overpasses, 50, 56, 307, 440, *450f12.7*
 universal patterns, in landscape ecology, 35–36,
see also corridors; edges, in landscape
 ecology; patches, in landscape ecology
 university campuses, *120f4.8, 177f5.13*
 university/college towns, 15f1.7, *see also specific towns*
 unpaved roads and streets, 141–142, 446
 urban region, 467
- Valladolid, Yucatan Mexico (small city) (A), 21,
 220, 251, 263, 346, 418
- vehicles, electric, *502f13.12*
 vehicles, motor, 66, *448f12.6, 480–481*
 boats, 245
 buses, 439, *455f12.9, 489f13.7*
 farm, 398–399, *400f10.13*
 off-road, *127f4.11, 379, 421, 436, 440*
 pollution from, 164–165, *164f5.9, 180, 245*
 noise, *see* traffic noise
 vernal pools, 221–223, 282, 312
 Vernonia, Oregon, USA (A), 50, 148, 193, 207, 236,
 264, 292, 405, 413, 424
- village greens, *79f3.4*
 village living
 desirability of, 108, 127
 disadvantages of, 109
- villages
 changes in, and living conditions (case study,
 Poland), 80–82
 compact, *367f9.11*
 government and policy influences, 135–136
 importance of, 6–9
 layout of, 29–31, 292
 links with towns, 454–456
 medieval, *375f10.1*
 as museums, 80
 population abandonment, 95, *121f4.9*
 due to drought, 83, *83f3.6, 95*
 representative cases, 109–111, *110f4.3, 114–115*
 sites of, 31, 80
 size
 author's definition, 14
 growth, 101, 129
 historical, 12
 shrinkage, 128, 138
 vs. town size, 12
 swallowing by cities, 138
 tree abundance in, 276, *277f7.12*
- VOCs (volatile organic compounds)
 beneficial, from trees, 180, *181f5.14, 247, 281*
 harmful, 166, 167, 168
- volcanos, *90f3.9*
- voles (*Microtus* sp.), 39, 448, 453
- von Thunen bands, 6, 62–63
- walking, *see also* footpaths and trails
 dog-walking, 322–325
 flushing of wildlife, 320–321, *321f8.13, 323,*
 409, 422
- walls
 green, 286, 301–302
 as habitats, 301–302, 309
- warehouses, as habitats, 356
- waste
 food and food packaging, 347–348, *348f9.3, 352*
 industrial, *see* industrial waste and pollution
 sewage and wastewater, *see* sewage (treatment)
 and wastewater
 solid, *see* solid waste
- water cycle, 192, 200
- water flows, 461–463
 culverts, *see* culverts
 floods, *see* floods
 groundwater, 195, 196, 428, 461
 rivers, *see* rivers and river corridors/floodplains
 streams, *see* streams and stream corridors
 subsurface, 461
- water infiltration, *see* soil, town: water infiltration
- water pollution, 25–27, 71, 76, 77
 coastal, 245–246
 dispersal distance, 64
 lakes, 228–229
 from livestock, 390
 ponds, 219
 risk reduction strategies, 350, *see also* wetland(s):
 pollution removal by
 rivers, 241
 from sewage and wastewater, *see* sewage
 (treatment) and wastewater: pollution from
 stormwater, 208–209, 224–225, 233, 353, 359
 streams, 235–236
- water supply, 197
 and drought, 198
 reservoirs, 197, 235–236
 of towns, and town location, 192–194
 treatment and contamination of, 163, 196
- water table, 194–195, *195f6.2, 196, 199, 408*
- water towers, 196, *197f6.3*
- water use, 197
 irrigation, *see* irrigation
- Wausau/Weston, Wisconsin, USA (small city) (A),
 205, 235, 241, 251, 263, 362, 414
- weeds
 allotments and community gardens, 288, *289f7.15*
 aquatic/riparian, 231, 235
 and dumps (landfill), 285
 farmland, 149, 273, 380, 382
 genetic changes in, 271
 non-native, 50, 231, 273
 prohibited, 259
- weekend/holiday homes, 34, 80, 101, 138, 457,
458f12.11
 and habitat degradation, 33–34, 414
 and outdoor activities, Sweden, 116–117, *118f4.7*

- Westbrook, Maine, USA (A), 263, 350
- wetland (s), 88, 209–217, *213f6.8*, 458
- biodiversity, 214, 215–216
 - coastal, 241, 245
 - and greenhouse gases, 216–217
 - as habitats, 214–215
 - locations of, 212
 - management/exploitation of, 212, 215–216, *216f6.9*, 232
 - peatland, 211, 213, *213f6.8*, 217
 - pollution removal by, 204, 214, 224–227
 - soil, 211, 213–214
 - and livestock, 216
 - types of, 211
 - water inflows and outflows, 212–213
- White Haba, Altay Xinjiang, China, *367f9.11*
- white-crowned sparrow (*Zonotrichia leucophrys*), 190–191
- wild boar (*Sus scrofa*), 413–414
- wildcat (*Felis silvestris*), 465, 468
- wildfire, 380, 456, *see also* forest fires
 - and succession, 274
- wildlife corridors, 51–52, 252, 270, 309, 349, 369, 403, *see also* corridors
 - in Denmark, 100
 - stream corridors as, 311
 - wide, and road crossing, 453
- wildlife entanglement, 245–246
- wildlife movement, 42, *464f12.13*
 - across towns, 48
 - amphibians, 222
 - animal dispersal, 42, 294–295
 - bats, and artificial lights, 337
 - birds, *see* birds: movement of
 - and corridors, 48–51, 62, 403, 413, *see also* wildlife corridors
 - avoidance, 62, 403, 443–444, 445, 465
 - stream corridors, 232
 - and curved routes, 43
 - and dog scent marks, 321
 - and edges, 39, 45–48, *46f2.3*, *47f2.4*, 403
 - and farm buildings, 383
 - fish, 234–235, 239, 462–463
 - flushing, by walkers and dogs, 320–321, *321f8.13*, 323, 409, 422
 - hedgehogs, 372, 465
 - and housing development, 102–103
 - and land mosaics, 54–56, 61, 278–279
 - lizards, 38–39, 372–373, 465
 - mammals, *see* mammals: movement of
 - and networks, 51, 441
 - preferred routes, 463–465
 - and railways, 445, 463
 - rate of flow, 60–62
 - reptiles, 214, 222
 - and roads, *see* road ecology
 - and seed dispersal, 267, 268–269, 395, 403, 418
- wildlife, nuisance, 347, *see also* rodents
 - bear, 69, 232, 311, 425
 - big cats, 418, 425
 - elephant, 301
 - elk, 311, 413
 - wild boar, 413–414
- wind turbines, 174, *175f5.12*, 186, 461
- windbreaks, 174–176
- winds, *see* breezes and winds
- woodland
 - in agricultural landscape, 378–379, 402
 - decline of, 378
 - maintenance, 274, 418, *419f11.7*
 - regeneration, and climate change, 88
 - streams, characteristics of, 231
- yellow wagtail (*Motacilla flava*), 156
- zones of influence, 60, 62–64
 - von Thunen bands, 6, 62–63