

Index

- 24 hour light–dark cycle, 12, 62, 70
- abdominal pain, 67
- achondroplasia, 66, 120
- actigraphy, 25, 133
- active sleep, 10
- actometry, 55, 124
- adenoids, enlarged, 16, 39
- adenotonsillar hypertrophy, 17
- adenotonsillectomy, 39
- ADHD. *See* attention deficit hyperactivity disorder
- adolescent insomnia, 34
 clinical scheme for diagnosis, 34
 reasons for, 36
- adolescents. *See also* delayed sleep–wake phase disorder
 body clock change, 13, 15, 19
 depression and, 75
 excessive daytime sleepiness, 37
 sleep changes in, 14
 sleep disturbance
 prevalence, 18
 sleep requirements, 14
- adult sleep disturbance
 characteristics, 15–16
- advanced sleep–wake phase disorder, 33
- aetiology of sleep disorders, 15, 19–20
 multifactorial, 54
- alcohol, 20, 40
- alcohol related neurodevelopmental disorder (ARND), 91
- alpha agonists, 29
- amphetamines, 121
- Angelman syndrome, 63, 95–8
 sleep assessment, 97
 sleep disorder factors, 96
 sleep disorder management, 97
 sleep disorder occurrence, 96
 sleep disorder types, 96
- anticholinergics, 41
- antidepressants, 19, 29
- anti-epileptics, 19, 29, 65, 97, 112
- antihistamines, 29
- antipsychotics, 29, 88, 116, 132, 145
- antisocial behaviour, 76–7
- anxiety disorders, 74–5, 107
 ADHD, 140
 NF-1, 114
 TBI, 151
 Williams syndrome, 115, 116
- anxiolytics, 116
- Apert syndrome, 119
- Arnold–Chiari malformation, 120
- arousal disorders, 17, 19, 43, 44, 130, 144, 145
- aspartylglucosaminuria, 128
- Asperger syndrome, 134
- atomoxetine, 146
- attention deficit hyperactivity disorder, 4, 16, 19,
 76, 137–42
 autism and, 131, 134
 excessive daytime sleepiness and, 37
 FASD and, 92
 fragile X syndrome and, 88
 sleep assessment, 140–1
 sleep disorder factors, 139–40
 sleep disorder management, 141–2
 sleep disorder occurrence, 139
 sleep disorder types, 139
 SLOS and, 126
 Tourette syndrome and, 144, 145, 146
 Williams syndrome and, 115, 116
- audiovisual recordings, 25, 43
- autism spectrum disorders, 4, 128–34
 ADHD, 140, 142
 Angelman syndrome, 97
 CDC, 123
 CdLS, 122
 challenging behaviour and, 76, 77
 deafblindness, 118

- fragile X syndrome, 88
- melatonin and, 54, 131, 133
- Rett syndrome, 107
- sleep assessment, 132
- sleep disorder factors, 130–2
- sleep disorder management, 133–4
- sleep disorder occurrence, 129
- sleep disorder types, 130
- sleep questionnaires, 55
- SLOS, 126
- SMS, 109
- Tourette syndrome, 145
- TSC, 111
- automatic behaviour, 41
- autosomal dominant disorders, 111, 113, 117, 119
- autosomal recessive disorders, 102, 118, 124, 125
- babies
 - insomnia, 31
 - sleep requirements, 14
- barbiturates, 29
- Batten disease, 76, 124
- BEARS instrument, 22
- bedtime problems, 32
- bedtime routines, 24, 26, 132
- bedtime settling difficulties, 130, 132
- behavioural insomnia of childhood, 18, 19, 27, 32
- behavioural problems
 - antisocial and challenging, 76–7
 - autism, 131
 - CDC, 123
 - MPS, 104
 - PWS, 100
 - SMS, 108, 109
- behavioural treatments, 27–8
 - ADHD, 141
 - Angelman syndrome, 97
 - autism, 133
 - lack of response to, 28
 - neurodevelopmental disorders, 56
 - night-time fears, 33
- benzodiazepines, 19, 29, 57, 65
- beta adrenergic antagonists, 110
- bimodal sleep, 12
- biorhythms, 12–14
- bipolar disorder, 75
- body temperature fluctuations, 12
- Boke of Chyldren* (Phaire), 1
- brain damage, 62
- bruxism, 154
- caffeine, 40
- carbamazepine, 112
- cataplexy, 40, 41, 126
- CDC. *See* Cri du Chat syndrome (CDC)
- CdLS. *See* Cornelia de Lange syndrome (CdLS)
- central apnoea, 83, 100, 103, 120
- central disorders of hypersomnolence, 20
- central sleep apnoea disorders, 66
- cervical junction disorders, 66
- cerebral palsy, 67, 154–6
 - sleep disorder factors, 155–6
 - sleep disorder management, 156
 - sleep disorder types, 154
- CFS. *See* chronic fatigue syndrome
- CGG segment, 87
- challenging behaviour, 76–7
- CHARGE syndrome, 117–18
- CHD7 gene, 117
- checking method, 27
- childhood
 - 24 hour sleep–wake pattern, 23
 - sleep changes in, 14
 - sleep requirements, 14
- childhood insomnia. *See* paediatric insomnia
- childhood onset insomnia, 33
- childhood sleep disturbance. *See also* specific neurodevelopmental disorders, sleep disorders
 - anxiety disorders and, 74
 - characteristics, 15–16
 - child development and, 16–17
 - into adult life, 17–18
 - prevalence, 18
 - screening, 22–3
- Children's Chronotype Questionnaire, 22
- Children's Report of Sleep Patterns, 23
- Children's Sleep Habits Questionnaire, 22, 55, 91
- chloral hydrate, 29
- cholesterol synthesis, 125
- chromosome 15q 11–13, 95, 99
- chronic fatigue syndrome, 147–8
 - sleep disorders, 147
- chronotherapy, 30, 34, 134
- chronotype, 22
- circadian melatonin rhythm, inverted, 109, 110
- circadian sleep phase delay, 139
- circadian sleep–wake cycle disorders, 30
 - FASD, 92
 - hearing impairment and, 72
 - SMS, 109
 - visual impairment, 70
- circadian sleep–wake pattern, 12–13, 23, 62
- clinical history, 23
- clonazepam, 45, 97
- clonidine, 29, 57, 134, 141, 146
- Coffin–Lowry syndrome, 128
- coma, 9

162 Index

- combined ADHD, 138, 139
- communication problems, 54
- comorbidity. *See also* psychiatric comorbidities, physical comorbidities
 - definition, 61
 - epilepsy, 65
 - hearing impairment, 71
 - visual impairment, 70, 71
- conditioned insomnia, 18, 33
- conduct disorder, 76, 140
- confusional arousals, 44, 45
- continuous positive airway pressure, 39
- Cornelia de Lange syndrome (CdLS), 122
- cortisol, 12
- CP. *See* cerebral palsy
- craniofacial syndromes, 119–20
 - sleep disorder aspects, 119
- craniosynostosis, 120
- Cri du Chat syndrome (CDC), 123–4
- Crouzon syndrome, 119
- crying, 106
- cyclic alternating pattern (CAP) sleep, 131, 133, 150

- Daytime Sleepiness Scale, 22
- deafblindness syndromes, 72, 117–19
 - sleep disorder aspects, 117, 118
- deep sleep, 10, 12, 17
- delayed sleep–wake phase disorder, 17, 18, 20, 27, 34, 37
 - diagnostic features, 37
- depression, 75–6, 114
 - ADHD, 140
 - TBI, 151
- developmental coordination disorder, 157
- Dickens, Charles, 21, 36
- diphenhydramine, 57
- discomfort, 67–8, 71, 107, 155
- dissociative states, 46
- divided sleep, 12
- dopamine receptor antagonists, 33
- Down syndrome, 18, 81–5
 - craniofacial syndromes, 120
 - obstructive sleep apnoea, 39, 82, 83, 85
 - sleep architecture, 63
 - sleep assessment, 84
 - sleep disorder factors, 82–4
 - sleep disorder management, 85
 - sleep disorder occurrence, 82
 - sleep disorder types, 82
 - sleep disturbance study, 123
- Down, John Langdon, 81
- dreaming, 11
- dreaming sleep, 10

- drug withdrawal, 40
- DSM, 21
- DSM-5, 4, 129, 134, 138
- DSM-IV ADHD Rating Scale, 141
- Duchenne muscular dystrophy, 121
- dyskinetic CP, 154
- dysmorphic facial appearance, 115, 122, 125
- dysthymic disorder, 75

- early bedtime, 13, 33
- early childhood insomnia, 35
- early morning waking, 32, 33, 75
- EDS. *See* excessive daytime sleepiness
- education
 - medical students, 3
 - parents, 2, 3, 26, 133
 - sleep disorders and, 17
- Ehlers–Danlos syndrome, 128
- electroencephalography, 96, 109
- emotional state and behaviour, 16
- environmental sleep disorder, 20
- epilepsy, 64–5
 - ADHD, 139, 142
 - Angelman syndrome, 96, 97
 - autism, 131
 - cerebral palsy, 155
 - FASD, 92
 - fragile X syndrome, 88
 - nocturnal, 45
 - NP-C, 126
 - Rett syndrome, 106, 107
 - Sanfilippo syndrome, 103
 - SMS, 109
 - TSC, 111, 112
- ethosuximide, 97
- evening chronotype, 37
- evidence base, 4, 25
- excessive daytime sleepiness, 20, 36–41
 - cerebral palsy, 154
 - clinical scheme for diagnosis, 42
 - Down syndrome, 82
 - epilepsy, 64
 - myotonic dystrophy, 121
 - PWS, 99, 100
 - TBI, 150, 152
 - Tourette syndrome, 144
- excessive eating, 99, 100
- extinction methods, 57

- Fabry disease, 128
- facial appearance
 - dysmorphic, 115, 122, 125
 - mid-face deformities, 119
- faded bedtime with response cost, 27

- FASD. *See* foetal alcohol spectrum disorders
 ferritin levels, 131, 140
 fibromyalgia, 148
 first sleep, 12
 FMR1 gene, 87
 foetal alcohol spectrum disorders, 90–3, 131
 sleep disorder factors, 92
 sleep disorder management, 93
 sleep disorder occurrence, 91
 sleep disorder types, 91
 foetal alcohol syndrome (FAS), 91, 95
 fragile X-associated tremor/ataxia syndrome (FXTAS), 87
 fragile X syndrome, 63, 69, 87–9
 sleep disorder factors, 88
 sleep disorder management, 89
 sleep disorder occurrence, 87
 sleep disorder types, 88
 fragmentation of sleep, 64, 83
 full-term babies
 sleep requirements, 14
- gabapentin, 33
 gastro-oesophageal reflux, 46
 general reinforcement measures, 27
 genetic disorders, 19, 95, 99, 102, 119
 neuromuscular, 120, 124
Gin Lane (Hogarth), 95
 glycosaminoglycans, 102, 103
 graduated extinction methods, 27, 57
 growth deficiency, 125
 growth hormone, 17, 101
- headaches, 67, 145, 151
 headbanging, 16, 17, 44, 123
 hearing impairment, 71–2
 hemiplegia, 156
 herbal supplements, 29
 hibernation, 9
 Hoffman, Dr Heinrich, 137, 138
 Hogarth, William, 95
 Hunter syndrome, 102, 104
 Hurler syndrome, 102
 hyperkinetic disorder, 138, 139, 140
 hyperkinetic-impulsive ADHD, 76, 138, 139
 hypersomnia, 20, 36
 depression and, 75
 idiopathic, 41
 menstruation related, 41
 neurological diseases, 41
 psychiatric disorders and, 74
 hypnagogic hallucination, 40, 44
 hypnopompic hallucination, 44
 hypnotics, 28
- hypo-arousal, 139
 hypocretin, 40, 126, 151
 hyponogram, 11
 hypopnoea, 38
 hypothalamic abnormality, 100
 hypothyroidism, 66
 hypotonia, 120
- ICD, 21
 ICD-10-CM, 20
 ICSD-2, 21
 idiopathic hypersomnia, 41
 idiopathic insomnia, 18, 33
 imipramine, 57
 impaired intelligence, 4
 impaired social functioning, 4
 inattentive ADHD, 138, 139, 140
 indeterminate sleep, 10
 infantile floppiness, 120
 infantile NCL, 124
 infants. *See* babies, toddlers
 insomnia, 20. *See also* adolescent insomnia, paediatric insomnia
 ADHD, 139, 140
 Angelman syndrome, 96
 Asperger syndrome, 134
 autism, 130, 131, 132
 behavioural treatments, 27, 57
 CdLS, 122
 cerebral palsy, 154
 CFS, 147
 conditioned, 18, 33
 epilepsy, 64
 fragile X syndrome, 87
 idiopathic, 18, 33
 intellectual disability, 63
 JNCL, 125
 medication for, 28, 29
 MPS, 103
 pharmacological treatments, 57
 psychiatric disorders, 73
 SLOS, 125
 SMS, 108
 TBI, 149, 150
 Williams syndrome, 115
 insufficient sleep, 37
 intellectual disability, 4, 54, 58, 62–3. *See also*
 fragile X syndrome, Down syndrome
 autism, 131
 CDC, 123
 challenging behaviour and, 76, 77
 deafblindness, 118
 non-syndromic, 69
 obesity and, 69

164 Index

- intellectual function and sleep disorders, 17
inter-hemispheric sleep, 9
International Classification of Sleep Disorders (ICSD-3), 2, 20
 SRBDs, 66
iron deficiency, 145
iron supplements, 33, 134
irregular sleep–wake patterns, 27
irregular sleep–wake rhythm disorder, 13
isolated or primary snoring, 39
Itard, Jean Marc Gaspard, 129
- Jacobsen syndrome, 123, 127
jactatio capitis nocturna, 44
jactatio corporis nocturna, 44
jet lag, 13
Joe the Fat Boy, 36
Joubert syndrome, 128
juvenile neuronal ceroid lipofuscinosis (JNCL), 124–5
- Kleine–Levin syndrome, 41
- larks, 14
laryngospasm, 66
late-infantile NCL, 124
laughing, 106
learning disability, 4
Lesch–Nyhan syndrome, 127
levetiracetam, 65
light sleep, 10, 12
light therapy, 134
- major depressive disorder, 75
mandibular hypoplasia, 120
maternal alcohol abuse, 95
maternal factors, 58
maternal mental health problems, 131
maturational factors, 19
MECP2 gene, 105, 106
medical factors, 19
medical students, health education, 3
medications. *See* pharmacological treatments
melatonin, 13, 29
 abnormal secretion, 38
 ADHD, 139, 141
 Angelman syndrome, 97
 autism, 54, 131, 133
 FASD, 93
 fragile X syndrome, 88
 MPS, 104
 Rett syndrome, 107
 SMS, 109, 110
 TSC, 112
mental retardation. *See* intellectual disability
- methylphenidate, 146
middle childhood insomnia, 35
mid-face deformities, 119
mirtazepine, 57
modafinil, 41, 121, 152
monostage sleep, 62
mood disorders, 126
Morquio syndrome, 103
motivated sleep phase delay, 38
motor coordination, 157
motor vehicle accidents, 150
MPS. *See* mucopolysaccharidoses
mucopolysaccharidoses, 76, 102–4
 sleep assessment, 104
 sleep disorder factors, 103
 sleep disorder management, 104
 sleep disorder types, 103
multidisciplinary treatment, 5, 16, 159
multifactorial aetiology of sleep disorders, 54
Multiple Sleep Latency Test, 25
muscular dystrophy, 67
musculoskeletal pain, 155
myalgic encephalomyelitis (ME), 147
myotonic dystrophy type 1, 121
- narcolepsy, 18, 25, 40, 41, 126
 excessive daytime sleepiness and, 40
 sleep paralysis and, 44
 types 1 and 2, 40
neurocutaneous disorder, 111
neurodevelopmental disorders, 4, 19, *See also*
 specific disorders
 aetiology of sleep disorders, 54
 parental factors and, 54, 58
 sleep assessments, 55
 sleep disorder misdiagnosis, 58
 sleep disorders and, 54, 159
 sleep issues in, 53
 sleep treatment principles, 56–7
neurofibromatosis type 1, 113–14
 sleep disorder types, 113
 sleep disturbance factors, 113
neuromuscular disease, 120–1, *See also specific diseases*
 sleep disorder aspects, 121
neuronal ceroid lipofuscinosis, 124
neuropathic pain, 114
neuropsychiatric disorders, 4, 73, 128, *See also*
 autism spectrum disorders, attention deficit hyperactivity disorder
 TSC, 111
NF-1. *See* neurofibromatosis type 1
Niemann–Pick disease type C (NP-C), 126
night shift work, 13, 14
night waking problems, 32, 130

- nightmares, 11, 18, 28, 32, 43, 45, 150
 night-time fears, 17, 32, 74
 nocturnal asthmatic attacks, 46
 nocturnal enuresis, 45
 nocturnal epileptic seizures, 45
 nocturnal frontal lobe epilepsy, 46
 non-24 hour sleep–wake rhythm disorder, 13
 non-rapid eye movement (NREM) sleep, 10, 11
 non-syndromic intellectual disability, 79
 Norrie disease, 126
 NP-C. *See* Niemann–Pick disease type C (NP-C)
- obesity, 16, 39, 68–9, 157
 PWS, 99, 100, 101
 obsessive compulsive disorder, 74, 145
 obstructive sleep apnoea, 16, 17, 20, 25, 38
 children vs adults, 83
 craniofacial syndromes, 120
 deafblindness syndrome, 117
 Down syndrome, 39, 82, 83, 85
 epilepsy, 65
 excessive daytime sleepiness, 38
 MPS, 103
 physical treatment, 30
 PWS, 101
 SRBDs, 66
 treatment, 39
 old age body clock shift, 13
 oppositional defiant disorder, 76, 131, 140
 optic nerve disease, 70
 orthodox sleep, 11
 Osler, Sir William, 39
 owl chronotype, 37
 owls, 14
- paediatric insomnia, 31, *See also* insomnia
 babies, 31
 clinical scheme for diagnosis, 34
 early childhood, 35
 middle childhood, 35
 school-age children, 32–3
 toddlers and pre-school children, 31
 pain, 67–8, 114, 151, 155
 panic attacks, 46, 74
 paradoxical sleep, 11
 parasomnias, 20, 25, 43–6
 autism, 130
 clinical scheme for diagnosis, 46
 diagnosis, 43
 DS, 83
 excessive daytime sleepiness, 40
 medication for, 30
 primary, 44–5
 secondary, 44, 45–6
 simulated, 46
 TBI, 150
 Tourette syndrome, 144
 parental factors
 ADHD, 140
 autism, 132
 cerebral palsy, 155
 deafblindness syndrome, 118
 early childhood insomnia, 35
 epilepsy, 65
 FASD, 92
 insomnia, 28
 MPS, 104
 neurodevelopmental disorders, 54, 58
 neuromuscular disease, 121
 Rett syndrome, 107
 sleep disorders, 15, 16, 17, 19, 22, 23
 SMS, 109
 TBI, 151
 Tourette syndrome, 145
 parents
 health education, 2, 3, 26, 133
 infant sleep guidelines, 31
 sleep quality, 58
 partial foetal alcohol syndrome, 91
 pathophysiology
 ADHD, 139
 Angleman syndrome, 96
 autism, 130
 cerebral palsy, 155
 Down syndrome, 82
 FASD, 92
 fragile X syndrome, 88
 MPS, 103
 NF-1, 113
 PWS, 100
 Rett syndrome, 106
 SMS, 109
 TBI, 150
 Tourette syndrome, 144
 TSC, 111
 Pediatric Sleep Questionnaire, 22
 peer-reviewed articles, 79
 periodic limb movement disorder, 40
 periodic limb movements in sleep, 33, 40, 45
 Pfeiffer syndrome, 119
 Phaire, Thomas, 1
 pharmacological treatments, 19, 28–30
 ADHD, 140, 141
 autism, 132, 133
 fragile X syndrome, 89
 neurodevelopmental disorders, 57
 Tourette syndrome, 145
 phenobarbitone, 65

166 Index

- phenytoin, 65
- phobias, 116
- photosensitive ganglion cells, 13, 70
- physical comorbidities
 - ADHD, 139
 - Angleman syndrome, 96
 - autism, 131
 - cerebral palsy, 155
 - Down syndrome, 83
 - FASD, 92
 - fragile X syndrome, 88
 - MPS, 103
 - Rett syndrome, 107
 - SMS, 109
 - TBI, 151
 - Tourette syndrome, 145
 - TSC, 111
 - Williams syndrome, 131
- physical effects of sleep disorders, 17
- Pierre-Robin syndrome, 120
- polysomnography, 25, 37, 43, 55
 - autism, 132
 - Down syndrome, 84
 - intellectual disability, 62
 - Tourette syndrome, 144
 - TSC, 111
- poor quality sleep, 38, 123
- post-traumatic stress disorder, 18, 32, 46, 74, 150, 151
- Practice of Physick* (Willis), 2
- practice pathway, 132
- Prader–Willi syndrome, 99–101
 - sleep disorder factors, 100
 - sleep disorder management, 101
 - sleep disorder occurrence, 99
 - sleep disorder types, 99
- premature babies
 - sleep requirements, 14
- pre-school children, 31
- primary parasomnias, 44–5
- primary snoring, 39
- pseudoephedrine, 19
- psychiatric comorbidities
 - ADHD, 140
 - Angelman syndrome, 97
 - autism, 131
 - CdLS, 122
 - cerebral palsy, 155
 - CFS, 148
 - Down syndrome, 84
 - FASD, 92
 - fragile X syndrome, 88
 - JNCL, 125
 - MPS, 104
 - NF-1, 114
 - PWS, 100
 - Rett syndrome, 107
 - SMS, 109
 - TBI, 151
 - Tourette syndrome, 145
 - TSC, 111
 - Williams syndrome, 116
- psychiatric disorders, 73–7
- psychological factors, 19
- psychotropics, 73, 101, 132
- pubertal body clock change, 13, 15, 19
- PWS. *See* Prader–Willi syndrome
- quiet sleep, 10
- ramelteon, 30, 57
- rapid eye movement (REM) sleep, 10, 11, 20
 - intellectual disability and, 62, 63
 - rebound, 20
- rapid eye movement sleep behaviour disorder, 46
- rebound hyperactivity, 140
- research methodology, 80
- research, limitations of, 4, 6, 53, 56, 80
- respiratory problems, 103
- restless legs syndrome, 20, 33, 40, 45, 145
- Rett syndrome, 105–7
 - sleep disorder factors, 106
 - sleep disorder management, 107
 - sleep disorder occurrence, 106
 - sleep disorder types, 106
- rhythmic movement disorders, 17, 44
- Rubenstein–Taybi syndrome, 128
- Sanfilippo syndrome, 102, 103, 104
- scheduled waking, 27, 133
- school-age children, insomnia, 32–3
- scoliosis, 107
- screaming, 106, 130
- screening, 22–3
- screening questionnaires, 22
- seasonal affective disorder, 76
- second sleep, 12
- secondary parasomnias, 44, 45–6
- segmented sleep, 12
- self-injuries, 76, 100, 108, 109, 127
- sensory overload, 93
- sensory processing deficits, 92, 96, 118, 131
- sickle cell disease, 66
- Simonds and Parraga Sleep Questionnaire, 22, 55
- simulated parasomnias, 46
- sleep
 - biorhythms affecting, 12–14
 - duration of, 9

- fragmentation, 64, 83
- functions of, 10
- nature of, 9
- pattern of overnight, 11
- requirements at different ages, 14
- stages in, 11
- types of, 10–11
- sleep assessment
 - ADHD, 140–1
 - Angelman syndrome, 97
 - autism, 132
 - Down syndrome, 84
 - MPS, 104
- sleep assessments, 55
- sleep attacks, 40
- sleep behaviour, 20, 53
- sleep debt, 37
- sleep diary, 25
- sleep disordered breathing, 119, 121
 - ADHD, 141
 - PWS, 99
- sleep disorders, 20. *See also* specific
 - neurodevelopmental disorders, childhood
 - sleep disturbance
 - aetiology of, 15, 19–20, 54
 - basic treatment principles, 25–6, 56–7
 - behavioural treatments, 27–8, 56
 - children vs adults, 15–16
 - classification, 20–1
 - diagnosis, 23–5, 141
 - misdiagnosis, 58
 - multifactorial aetiology, 54
 - neurodevelopmental disorders and, 54, 159
 - patterns, 15
 - pharmacological treatments, 28–30, 57
 - screening for, 141
 - Sleep Disturbance Scale for Children, 22
 - sleep disturbance, definition, 20
 - sleep drunkenness, 41
 - sleep efficiency, 144
 - sleep hygiene, 23, 26, 27, 141
 - sleep paralysis, 40, 44
 - sleep phase preference, 22
 - Sleep Physiology and Respiratory Control Disorders in Childhood (SPARCDIC) report, 85
 - sleep problems, 20
 - sleep quality, 58
 - sleep questionnaires, 22, 55, 91
 - sleep related breathing disorders (SRBDs), 20, 39, 66
 - cerebral palsy, 155, 156
 - sleep related breathing problems (SRBDs), 128
 - sleep related hypoventilation disorders, 66
 - sleep related hypoxaemia disorders, 66
 - sleep related medical disorders, 20
 - sleep related movement disorders, 20, 43–6
 - sleep related neurological disorders, 20
 - sleep related rhythmic movement disorder, 44
 - sleep settling difficulties, 130, 132
 - sleep spindle activity, 62
 - sleep talking, 20
 - sleep terrors, 16, 28, 43, 44, 45, 113
 - sleeping environment, 26
 - sleeplessness. *See* insomnia
 - sleepwalking, 10, 16, 17, 19, 20, 28, 43, 44, 113
 - SLOS. *See* Smith–Lemli–Opitz syndrome
 - Smith–Lemli–Opitz syndrome, 125–6
 - Smith–Magenis syndrome, 54, 108–10
 - sleep disorder factors, 109
 - sleep disorder management, 110
 - sleep disorder types, 108
 - SMS. *See* Smith–Magenis syndrome
 - snoring, 39, 42, 115, 123, 127
 - social anxiety disorder, 131
 - social effects of sleep disorders, 17
 - sodium oxybate, 41
 - spastic quadriplegic CP, 154
 - special educational needs, 5
 - SRBDs. *See* sleep related breathing disorders
 - standard extinction, 27, 133
 - stimulants, 19, 101, 116, 121, 134, 140
 - stimulus control, 27
 - Story of Fidgety Philip* (Hoffman), 137, 138
 - substance-induced sleep disorders, 20
 - sudden infant death syndrome (SIDS), 31
 - suprachiasmatic nucleus, 12, 29, 70
 - TBI. *See* traumatic brain injury
 - theophylline, 19
 - tinnitus, 72
 - tobacco, 40
 - toddlers
 - insomnia, 31
 - sleep requirements, 15
 - tonsils, enlarged, 16, 39
 - Tourette syndrome, 144–6
 - sleep disorder factors, 144–5
 - sleep disorder management, 146
 - sleep disorder occurrence, 144
 - sleep disorder types, 144
 - traumatic brain injury, 149–52
 - sleep disorder factors, 150–1
 - sleep disorder management, 151
 - sleep disorder occurrence, 149–50
 - sleep disorder types, 150
 - trazodone, 57

Cambridge University Press

978-1-107-40220-1- Sleep and its Disorders in Children and Adolescents with a Neurodevelopmental Disorder: A Review and Clinical Guide

Gregory Stores

Index

[More information](#)**168** Index

- Treacher Collins syndrome, 120
TSC. *See* tuberous sclerosis complex
tuberous sclerosis complex, 111–12
 sleep disorder management, 112
 sleep disorder types, 111
 sleep disturbance factors, 111
- ultradian rhythms, 14
unconsciousness, 9
upper airway obstruction, complete or partial, 38
Usher syndrome, 118–19
- valproate, 65, 97
Victor of Aveyron, 129
visual impairment, 70–1
 cerebral palsy, 155
- wakefulness, biorhythms affecting, 12–14
weight reduction, 39, 85
Williams syndrome, 115–16
 sleep disorder factors, 131
 sleep disorder management, 116
 sleep disorder types, 115
- Willis, Thomas, 1
Willis–Ekbom disease, 33
Wolf–Hirschorn syndrome, 128
- X-linked recessive disorders, 102, 126, 127
- young babies, sleep requirements, 15
- zeitgebers, 12, 62, 70
zolpidem, 19, 29, 57