

Index

Page numbers set in italics refer to figures.

- acantharians, 75
Acanthoceras, 151
Acanthocircus dicranocanthos, 75
 acanthodians, 192
Acaste, 161
 downingiae, 156
 accommodation space, 297
 acids, preparation of fossils, 16
Acompoceras, 151
 acritarchs, 44, 45
 biostratigraphy, 45–6
 Palaeozoic, 47
 Proterozoic, 46
 Proterozoic/Palaeozoic, 46–7
 palaeobathymetry, 44, 45
 palaeobiogeography, 44
 palaeobiology, 44
Acritosia, 114
Acropora, 105
Actiniscus, 20
Actinocamax plenus, 154
Actinomma, 71
 actinopterygians, 193
Actinostroma tyrelli, 101
Actinostromarianina lecompti, 101
 preasalvensis, 101
Actostroma damesini, 101
 adhesives, conservation of fossils, 16
Aequipecten opercularis, 122
Ageleodus, 198
 agglutinating foraminiferans, 55
 aggradation, 297
Aglaiocypris, 170
 agnathans, 192
 agnostides, 158
Agnostus, 161, 162
Agoniatites, 148
Ajacyathus, 100
Akidograptus, 186
Alcyonidium diaphanum, 116
Aldamicyathus, 100
Alethopteris, 82
 serli, 80
 algae, 13
 acritarchs, 44
 Bolboforma, 47
 calcareous algae (rhodophytes, chlorophytes and charophytes), 38
 calcareous nannoplankton (haptophytes), 30
 diatoms (bacillariophytes), 26
 dinoflagellates, 20
 silicoflagellates (chrysophytes), 25
Alnipollenites verus, 130
Alveolinella quoyi, 52
Alveosepta, 69
Amaltheus margaritatus, 146
 amber, 6
Ambulocetus, 210, 212
Ammobaculites exiguus, 54
Ammodiscus, 54
 anguillae, 52
Ammolagena clavata, 52
 ammonites, 141, 145
 ammonoids, 139
 biology, 139
 biostratigraphy, 143, 146, 147, 148, 148
 Mesozoic, 149–51
 Palaeozoic, 148–9
 classification, 140–1
 morphology, 139–40, 140
 palaeobathymetry, 141
 palaeobiogeography, 141–3
 palaeobiology, 141
 amphibians, 14, 199
 biology, 199
 biostratigraphy, 201
 classification, 200
 morphology, 199, 199
 palaeobiogeography, 201
 palaeobiology, 200
 palaeoclimatology, 201
Amphicoryna scalaris, 52
 amphiesmenopterans, 173
Ampyx, 159
 linleyensis, 156
Anabarites, 93, 95
 trisulcatus, 96
Anadara, 131
Anagymnotoceras varium, 149
Anancus arvernensis, 360
 anapsids, 202
 anarcestids, 145
Anathyris, 114
Anchispirocyclina, 69
Ancylus fluviatilis, 374
Andromeda, 75
Angelina sedgwickii, 162
 angiosperms, 13, 85
 animals, 13–14
Annularia, 81
 stellata, 80
 anomalodesmatans, 124
Anorthopygus orbicularis, 183
Anostylostroma, 101
Antedon, 176
 anthracosaurs, 200
Antiguastrea flandrini, 107
 antilipterans, 173
Apectodinium, 23
 apes, 213
 apterygotes, 173
Aquilapollenites, 87
Arca biangula, 122
Archaealveolina, 69
 archaeocyathans, 98, 98, 99
 biostratigraphy, 99–100
 palaeobiology, 99
 archaeognaths, 173
Archaeolithoporella, 43
 archaeology, 356–7
 archaeostratigraphy, 357, 358
 case histories
 Black Sea, 378–9
 Boxgrove (Sussex), 373, 374, 375, 376
 Doggerland (North Sea), 377–8
 Goat's Hole (Paviland, Gower), 377
 Littleton (Co. Tipperary, Ireland), 379, 379, 380
 London, City of, 380–1
 Massawa (Eritrea), 375
 Mount Sandel (Co. Derry, Ireland), 378
 Skara Brae (Orkney), 380
 Tyrolean Alps, 380
 Westbury Cave (Somerset), 372–3
 conventional biostratigraphy
 optically stimulated luminescence (OSL), 360
 palynology, 357
 vertebrate palaeontology, 357, 359, 360
 environmental archaeology, 362, 362
Archaeopteryx, 203, 205
Archeolithophyllum, 42
 archosaurs, 204
Arctostroma contextum, 101

422 Index

- Ardipithecus*, 274
 ramidus, 213, 274
 arenaceous foraminiferans, 55
Arenicolites, 219
Areoligera, 23
Areostrophia, 114
 armoured fish, 192
Arnioceras semicostatum, 146
 arthropods, 13, 14, 155
 insects, 171
 ostracods, 162–3
 trilobites, 155
 artiodactyls, 212
 asaphides, 159
Asteriacites, 219
Asteroceras obtusum, 146
Asterophyllites, 81
 equisetiformis, 80
 athyrids, 112
Athyris, 114
Atrypa, 115
 reticularis, 110
 atrypids, 112
Auriculatella, 168
Australopithecus, 274, 276
 afarensis, 210, 214, 275
 anamensis, 214, 274
- Bachmannocena, 25
 bacillariophytes *see* diatoms
 bacteria
 biology, 18
 biostratigraphy, 19–20
 Mesozoic, 20
 Palaeozoic, 20
 Proterozoic, 20
 Proterozoic/Palaeozoic, 20
 classification, 18
 classification of fossils, 13
 cyanobacteria and stromatolites, 18
 morphology, 18, 18
 palaeobiology, 19
Baculites, 151
Bairdia omanensis, 169
Bakunella, 170
Baltisphaeridium
 cerinum, 46
 ciliosum, 46
 pilosiusculum, 46
 primarium, 46
 strigosum, 46
 Banded Limestone Formations (BLFs),
 19
Barkerina, 69
Basilosaurus, 210, 212
 basin analysis, 314
 bathymetry, 224
Bathysiphon, 54
 batrachomorphs, 200
 bats, 211
Belemnitella mucronata, 154
 belemnites, 151
 biology, 151
 biostratigraphy, 153, 154
 classification, 152
 morphology, 152
 palaeobathymetry, 153
 palaeobiogeography, 153
 palaeobiology, 153
 palaeoclimatology, 153
Belgrandia marginata, 374
Beltanella, 46
 benthic foraminiferans associated with
 hydrocarbon seeps, 228
 study materials and methods, 228
 study results
 abundance, diversity, dominance and
 equitability, 229
 proportion of epifaunal and infaunal
 morphotypes, 230
 similarity index matrix, 229
 taxonomic composition, 229–30
Bergeroniellus, 162
 Bering land bridge, 262, 263
Beyrichoceras, 148
 obtusum, 144
Billingsella, 114
Bilotina yanagidai, 114
 biogeography, 230
 biosteering, 342
 biostratigraphy, 282
 see also chemostratigraphy; stratigraphy
 correlation, 284, 285
 definition, 1
 petroleum exploration, 318
 determination of casing, coring and
 terminal depths, 318
 monitoring stratigraphic position
 while drilling, 318
 post-well analysis and auditing, 319
 petroleum systems analysis, 307
 resolution, 285
 technologies, 285
 graphic correlation, 285–6, 286
 ranking and scaling, 286
 zonation, 282, 284
 biozonation, 282
 birds, 14, 201
 biology, 201
 biostratigraphy, 207–8, 208
 characterisation, 205
 classification, 202–6
 morphology, 202, 202, 203
 palaeobiogeography, 206
 palaeobiology, 206
 palaeoclimatology, 207
Biscutum, 32
Bithynia tentaculata, 374
 bivalves, 119
 biology, 119–21
 biostratigraphy, 127, 128, 129, 132
 Cenozoic, 129, 131
 Mesozoic, 129
 Palaeozoic, 129
 classification, 121–4
 epifaunal, 125
 morphology, 120, 121, 122
 palaeobathymetry, 126
 palaeobiogeography, 127
 palaeobiology, 125–6, 126
 palaeoclimatology, 127
 blooms of dinoflagellates, 20
 body fossils, 5
Bohemograptus, 186
Bolboforma, 47, 47
 biostratigraphy, 47
 palaeobiology, 47
Bolbozoe, 168
 bony fish, 193
Borelis melo, 52
 melo curdica, 71
 boring or cryptic bivalves, 125
Bos primigenius, 360
Bositra, 129
Bothriolepsis, 192
Botryococcus, 41
Braarudosphaera, 31, 32
 brachiopods, 108
 biology, 109
 biostratigraphy, 113–14, 115
 Mesozoic, 114
 Palaeozoic, 114
 calciate, 111
 classification, 111–12
 morphology, 109, 109, 110
 palaeobathymetry, 113
 palaeobiogeography, 113
 palaeobiology, 112–13
Brachiosaurus, 205
 bradoriids, 166
Brizalina mexicana, 52
Bronchocarina, 113
 bryophytes, 13, 77
 bryozoans, 114
 biology, 116
 biostratigraphy
 Cenozoic, 118
 Mesozoic, 118
 Palaeozoic, 118
 classification, 117
 morphology, 116, 116

- bryozoans (*cont.*)
 palaeobiogeography
 palaeobiology, 117, 118
Buccella tenerrima, 52
Buccinum, 135
Buliminia marginata, 52
 buliminids, 59
Bumastus barriensis, 156
 Burgess shale, 6
Burgundia
ramosa, 101
trinorchii, 101
Bythoceratina, 166
- Caenohlectypus serialis*, 184
Calamites, 78, 81
suckowi, 80
Calamostachys, 81
 calcareous algae, biology, 38
 calcareous microfossils, 10
 calcareous nannofossils, 11
 calcareous nannoplankton (haptophytes), 30
 biology, 30
 biostratigraphy, 32, 33, 35, 36, 37, 38
 Cenozoic, 34–7
 Mesozoic, 32–4
 classification, 31
 morphology, 30–1, 31
 palaeobathymetry, 31
 palaeobiogeography, 32
 palaeobiology, 31
Calcarina spengleri, 52
Calcioidinellum
elongatum, 22
levantinum, 22
 calcispheres, 21, 22
Calocyclus bandyca, 76
 calpionellids, 72, 76
 biostratigraphy, 77
 palaeobiology, 76
Calyculus, 32
Calymene, 156, 161, 161
blumenbachi, 156
Cambria, 168
 Cambrian evolutionary diversification, 6
 camerates, 177
Candona, 170
Candoniella, 170
Caracomia arctica, 22
Caridosuctor, 193
Carinaknightina braccinii, 169
 carnivores, 211
Carpocanistrum azyx, 76
Caspiolla, 170
- Cassidulina*
subglobosa, 52
teretis, 52
Caulostrepsis, 219
Cavellina
boomeri, 169
gerryi, 169
huqfensis, 169
Cavitatus rectus, 30
Celyphus rallus, 20
 Cenozoic key events, 259
 End-Eocene mass extinction, 259
 End-Palaeocene mass extinction, 259
 evolution of grasses and grassland animals, 259
 evolution of humans, 259
 Holocene mass extinction, 260
 Pleistocene mass extinction, 260
- Cepaea nemoralis*, 374
Cephalidiscus, 184
Cerastoderma edule, 120, 122
 ceratites, 141, 145
Ceratocyrtis, 71
Ceratostraeon flabellatum, 129
Cervus elaphus, 360
 cetaceans, 212
Chamishella, 168
 charophytes, 13, 38, 41
Chasmops, 159
extensa, 156
Cheirurus, 161
Cheloniceras, 151
 chemostratigraphy
see also biostratigraphy; stratigraphy
 carbon isotope stratigraphy, 286
 oxygen isotope stratigraphy, 286
 strontium isotope stratigraphy, 286–7
 trace element stratigraphy, 287
- Chengjiang fauna, 7
 chiropterans, 211
 chitinozoans, 187–9, 190
 biostratigraphy, 190
 palaeobiology, 189
Chlamys recondita, 122
 chlorophyll, 13
 chlorophytes, 13, 38, 39
Choffatella, 69
 chondrichthyans, 192
Chonetes, 115
 chrysophytes *see* silicoflagellates
Chuanbeiella, 168
Chuangia, 162
Chuangshania kursteni, 162
Chuaria, 46
Cibicoides wuellerstorffi, 52
 cidaroids, 182
Cirroceras, 151
- Cisalveolina*, 69
 cladiids, 177
 cladistic analysis, 11–12, 12
Cladocoropsis, 101
Cladophora caespitosa, 106
Claraia, 127
aurita, 129
 classification of fossils, 11
 algae, 13
 animals, 13–14
 bacteria, 13
 cladistic analysis, 11–12, 12
 fungi, 13
 plants, 13
 protozoans, 13
Cleistosphaeridium diversispinosum, 23
Cleothyridina, 113
Climacograptus, 186
wilsoni, 188
 climate leaf analysis multivariate program (CLAMP), 87
Closspollis, 87
Cloudina, 93, 95, 96
Clydoniceras discus, 147
 clymeniids, 145
Clypeaster martini, 182
Clypeina jurassica, 43
 cnidarians, 13
 corals, 101
 coal mining, 349–51, 352, 353
 coccolithophores, 30
Cochlearites, 127
Coelodonta antiquitatis, 360
Coelosporella, 42
Coenohlectypus lartei, 183
 cold seeps, 19, 228
 benthic foraminiferans, 228
 abundance, diversity, dominance and equitability, 229
 proportion of epifaunal and infaunal morphotypes, 230
 similarity index matrix, 229
 study materials and methods, 228
 taxonomic composition, 229–30
- coleopterans, 173
Collenia, 19–20
Colpophyllia stellata, 108
Composita, 113, 115
ambigua, 110
 condensed sections (CSs), 298
 conodonts, 193, 194
 consolidation of samples and specimens, 9
 consolidants, 16
Conulus, 183
Conus, 134
Cooksonia, 78
Copodus, 198

424 Index

- Coquimba congestocostata*, 171
 coral reefs, 102, 103
 corals, 101
 biology, 101–3
 biostratigraphy, 106, 107, 108
 Cenozoic, 108
 Mesozoic, 107
 Palaeozoic, 106
 classification, 103–5
 morphology, 103, 104
 palaeobathymetry, 105
 palaeobiogeography, 106
 palaeobiology, 105
 palaeoclimatology, 106
Corbiculopsis, 129
Corbula regulbiensis, 122
Cordaitanthus, 82
Cordaites, 79
 angulostriatus, 80
Cornuproteus, 160
Cornuspira foliacea, 52
Cornutella, 71
 corynexochides, 158
Corymoides, 187
Coskinolina balsillei, 71
Coskinolinella, 69
Coskinolnoides, 69
Cosmoraphe, 219
Costistricklandia lirata, 110
Crania, 115
Crendonites gorei, 148
Crepidolithus crassus, 31
 crinoids, 175
 biology, 176
 biostratigraphy, 178, 179, 180, 181
 Mesozoic, 181
 Palaeozoic, 181
 classification, 176–7
 morphology, 176, 177, 178
 palaeobathymetry, 178
 palaeobiogeography, 178
 palaeobiology, 177–8
 crocodilians, 204
Crocota crocota spelaea, 360
Crucidentacula
 kanayae, 30
 sawamurae, 30
Cruziana, 218
 cryptodonts, 124
Cryptolucina, 125
Cryptophyllus diatropus, 169
Cryptoprora ornata, 76
 cyanobacteria
 biology, 18
 biostratigraphy, 19–20
 Mesozoic, 20
 Palaeozoic, 20
 Proterozoic, 20
 Proterozoic/Palaeozoic, 20
 classification, 18
 morphology, 18
 palaeobiology, 19
 cycads, 82
Cycladophora, 71
Cyclamina cancellata, 52
Cyclocypeus carpenteri, 52
Cyclocypris, 170
Cyclopyge, 161
 cyclostratigraphy, 287
Cypraea, 134
Cypria, 170
Cyprideis, 165, 170
 pascagoulensis, 171
 subquadraregularis, 171
Cyrtograptus, 186
 murchisoni, 189
Cyrtoptera, 71
Cyrtospirifer, 115
Cytherella, 167
Cytherissa, 170
Cytherapteron, 166
Cytherura, 165
Cytrospirifer extensus, 110

Daghanirhyncia, 114
Dalmanites
 myops, 156
Dama clactoniana, 360
Daonella, 129
 de Geer land bridge, 262, 263
 deep infaunal bivalves, 125
 deep marine environments, 226
 hydrothermal vents and cold
 (hydrocarbon) seeps, 226–7
 oxygen minimum zones (OMZs),
 226
 submarine fans, 226–7
Dehornella crustans, 101
Delops, 160
Deltodus, 198
Dendrograptus, 187
 dendroids, 185
Dendrophyra erecta, 54
Dentalina flinti, 52
Denticulopsis praelauta, 30
 depositional model, 348
Derbyia diversa, 114
Deshayesites forbesi, 148
Desmophyllum cristagalli, 103
Dhrumaites, 149
Diabolepsis, 193
 diagnosis, 14
 diapsids, 204
 diatoms (bacillariophytes), 10
 biology, 26
 biostratigraphy, 28, 29
 Cenozoic, 28
 Mesozoic, 28
 classification, 28
 morphology, 26, 27, 28
 other applications, 30
 palaeobathymetry, 28
 palaeobiogeography, 28
 palaeobiology, 28
 palaeoclimatology, 28
Dibunophyllum, 105
Dicarinella, 59
Dicellograptus, 186
 anceps, 188
Dickinsonia, 92
Dicranograptus, 186, 187
 clingani, 188
Dicranurus, 161
Dicroidium, 87
Dictyoclostus, 115
Dictyonella, 115
Dictyonema, 186
 flabelliforme, 188
Didymograptus, 186, 187
 bifidus, 188
 extensus, 188
 hirundo, 188
 murchisoni, 188
Dielesma, 114
Dilatispharera laevigata, 44
Dimetrodon, 202
 dinoflagellates, 20
 biology, 20–1
 biostratigraphy, 23–4
 Cenozoic, 24–5
 Mesozoic, 24
 classification, 22
 morphology, 21, 21, 22
 other applications, 25
 palaeobathymetry, 23
 palaeobiology, 22–3
 palaeoclimatology, 23
 palaeogeography, 23
 dinosaurs, 205
 dinoxanthin, 13
Diploceras, 151
Diploceroides, 193
Diplocraterion, 219
Diplodoselache, 198
Dipterus, 193
 disaster biota, 19
 distress codes, 8
Dithecodendrum, 187
 divergence, 12
Donazella, 43
Dorypygella, 162

- Douvilleiceras mammillatum*, 148
Durania borealis, 133
- Echinoconchus*, 113
- echinoderms, 13, 14, 174
 crinoids, 175
- echinoids
 biology, 181
 biostratigraphy, 179, 180, 183
 Cenozoic, 184
 Mesozoic, 183–4
 classification, 182
 morphology, 177, 178, 181
 palaeobathymetry, 182
 palaeobiogeography, 182
- Echinotiara*, 183
- Echioceras raricostatum*, 146
- ecological evolutionary units, 242
- edentates, 209
- ediacarans, 6, 91–2, 92, 249
 biostratigraphy, 93
 palaeobiology, 92–3
- Eggerella bradyi*, 52
- Ekman transport, 308
- elephants, 212
- Elobiceras*, 151
- Elphidiella arctica*, 52
- Elphidium crispum*, 52
- engineering geology, 353
 case histories, 354–7
 Channel tunnel site investigation
 (England), 354, 354
 Project Orwell (Suffolk, England), 355
 Thames barrier site investigation
 (England), 354, 355
- Entobia*, 219
- Entomis*, 168
- entomopalynology, 18
- environmental science, 355
 environmental impact assessment, 355
 environmental monitoring, 356
- environmental stress gradient, 348
- Eocoelia*, 114
- Eodiscus*, 161
- Eoplectodonta*, 115
- Ephedra*, 83
- ephemopterans, 173
- Epistacheoides*, 42
- Eponides repandus*, 52
- Equus*, 210
- Eucypris*, 170
- euechinoids, 182
- Euhoplites lautus*, 148
- Euhystrihoceras*, 151
- eukaryotes, 13, 248
- Eulepidina elephantiana*, 71
- Euplectella aspergillum*, 96
- Euradagnostus*, 162
- eustacy, 297
- eutrophic conditions, 22
- even-toed ungulates, 211
- Everticyclammina*, 69
kelleri, 70
- evolution, 241–2
 Cambrian evolutionary diversification,
 250
 complex life, 248
 evolution of flight, 253
 evolution of flowering plants, 257
 evolution of forests, 253
 evolution of grasses and grassland
 animals, 259
 evolution of humans, 259
 evolution of life on land, 252
 evolutionary biotas, 242, 242
 Cambrian, 242
 Mesozoic–Cenozoic, 243
 Palaeozoic, 243
 evolutionary events, 242
 Mesozoic evolutionary diversification,
 256
 multicellular life, 248–9
 Ordovician evolutionary diversification,
 251
 reefs, 250–1
 vertebrates, 251
- Exogyra latissima*, 122
- extinction, 241
 see also mass extinction events
- Farsia*, 162
- Fascistropheodonta*, 114
- Faujasia*, 183
- Favosites*, 103
- Favusella washitensis*, 63
- feeding strategy, 223–4
- Ferestromatopora parksi*, 101
- Fermoria*, 46
- first appearance datums (FADs), 282
- fish, 14, 191
 biology, 191
 biostratigraphy, 196–7, 197
 Cenozoic, 198
 Mesozoic, 198
 Palaeozoic, 198
 classification, 191
 morphology, 191, 192
 palaeobiogeography, 195–6
 palaeobiology, 194–5
 palaeoclimatology, 196
- Fissurina laevigata*, 52
- Flemingites*, 81
- Flexicalymene*, 159
- Flosculinella bontangensis*, 71
- foraminiferans, 13, 48, 67, 245
 see also benthic foraminiferans; larger
 benthic foraminiferans (LBFs)
 biology, 48–9
 biostratigraphy, 62–3, 64
 Cenozoic, 63–7
 Mesozoic, 63
 classification, 49–60
 diversity trends through time, 245, 246,
 247
 applicability, 247
 Cenozoic, 247
 Mesozoic, 246
 Palaeozoic, 246
 morphology, 49, 49, 52, 54
 palaeobathymetry, 61
 palaeobiogeography, 62
 palaeobiology, 54, 60–1
 palaeoclimatology, 62
- Forbesiceras*, 151
- forensic palynology, 17
- forensic science, 30
- Forresteria*, 151
- fossils and fossilisation, 5
 classification of fossils, 11
 algae, 13
 animals, 13–14
 bacteria, 13
 cladistic analysis, 11–12, 12
 fungi, 13
 plants, 13
 protozoans, 13
 collection of fossils, general principles,
 7–8
 codes of conduct, 8
 equipment, 8
 safety considerations, 8–9
 conservation of fossils, 16
 curation of fossils, 16
 derivation of term, 5
 description of fossils, 14–15
 naming problems, 14–15
 exceptional preservation of assemblages,
 6
 Cenozoic, 7
 Mesozoic, 7
 Palaeozoic, 6–7
 Proterozoic, 6
 fossilisation process (taphonomy), 5–6
 likelihood of fossilisation, 5
 preservation of fossils, 5
 identification of fossils, 14
 illustration of fossils, 15
 museology, 15
 preparation of fossils, 15
 chemical methods, 15–16
 mechanical methods, 15

426 Index

- fossils and fossilisation (*cont.*)
 principal groups, 17
 micropalaeontology and palynology, 17–18
 representativeness of record, 6
 surface collection for microfossil
 analysis, 9
 contamination issues, 11
 lithology, 9–10
 sample size, 9
 sampling for specific microfossil
 groups, 10–11
 surface collection of macrofossils, 9
 trace fossils, 217–18
 biostratigraphy, 219–20
 palaeobiology, 218–19, 219
- Frechites lacqueatus*, 149
- fucoxanthin, 13
- fungi, 13, 90, 90, 91
 biostratigraphy, 91
 palaeobiology, 91
- Gallowayan genetic stratigraphic
 sequence, 297
- gamma logs, 316
- Garwoodia*, 19
- Gastrioceras carbonarium*, 144
- Gastrochaenolites*, 219
- gastropods, 134
 biology, 134
 biostratigraphy, 137–8, 138
 Cenozoic, 139
 Mesozoic, 138
 Palaeozoic, 138
 classification, 134–6
 morphology, 134, 135, 136
 palaeobiogeography, 136
 palaeobiology, 136
 palaeoclimatology, 137
- Gauthiericeras*, 151
- Gemellitheca*, 89
- 'geological fieldwork code', 8
- geotopes, 8
- Geragnostus*, 159
- Gerronostroma*, 101
- Gervilleioperma*, 127
- Gigantoproductus giganteus*, 110
- Ginkgo*, 82
biloba, 79
huttoni, 80
- Girvanella*, 19–20
- global cooling, 253
- global stratotype sections and points
 (GSSPs)
 Cenozoic, 289–97
 Mesozoic, 289
 Palaeozoic, 288–9
- global warming, 253
- Globator*, 183
- Globigerina bulloides*, 54
- globigerinides, 59
- Globosobucina*, 114
- Globotruncana ventricosa*, 63
- Glomospira*, 54
- Glossifungites*, 218
- Glossopteris*, 79, 86, 87
- Glycymeris*, 125
glycymeris, 122
- Glyphoneustes*, 183
- Glyptodon*, 210
- Glyptograptus*, 186, 187
teretiusculus, 188
- gnetophytes, 83
- Gnetum*, 83
- goniatites, 140, 145
- goniatitids, 144
- Goniopygus*, 183
- Goniot euthis quadrata*, 154
- Gonipygus*, 183
- Gorgonia*, 101
- Granomarginata*
prima, 46
squamacea, 46
- graptolites, 184
 biology, 184
 biostratigraphy, 186–7, 187, 188, 189
 classification, 185
 morphology, 184, 184
 palaeobathymetry, 185–6
 palaeobiogeography, 186
- graptoloids, 185
- Graviacypris*, 170
- gravity surveying, 314
- greenhouse effect, 255
- Grimsdalea magna clavata*, 130
- Guembeltria*, 59
- Gussov's principle, 307
- gymnolaemates, 117–18
- gymnosperms, 13, 81–4
- Halkieria*, 94, 95
- Halobia*, 129
parthanensis, 129
- Halyphysema*, 54
tumanowiczii, 54
- Halysites*, 103
- Hamipollenites*, 89
- haptophytes *see* calcareous nannoplankton
- hares, 211
- Harpes*, 161
- Harpoceras falciferum*, 146
- Hattopsis*, 183
- heavy mineral stratigraphy, 287
- Hedbergella planispira*, 59
- Heliolites*, 103
- Helix*, 139
- Helminthoidea*, 219
- Hemipneustes*, 183
- Hesperorthis*, 115
- Heteraster*
musandamensis, 183
oblonga, 183
- heterodonts, 124
- Heterostegina depressa*, 52
- high-stand systems tract (HST), 297, 304–5
- Hildoceras bifrons*, 146
- Hindeodus excavatus*, 198
- Hippocrepina*, 54
- Hippopotamus amphibius*, 360
- Hoeglundina elegans*, 52
- Holaster planus*, 183
- Hollinella benzartii*, 169
- holotype, 14
- hominids, 213
- Homo*, 214, 276, 279
erectus, 210, 214, 277, 278, 279
ergaster, 214, 279
 evolution of humans, 259
floresianus, 214, 281
habilis, 210, 214, 276, 276
heidelbergensis, 214, 277, 278, 279, 280
neanderthalensis, 210, 214, 277, 278, 279, 280
rudolfensis, 214
sapiens, 210, 214, 277, 278, 280
- Homoceras diadema*, 144
- Homolomites bojarkensis*, 151
- Hoplites dentatus*, 148
- horizontal variation, 226–7
- Hormosina globifera*, 52
- Horridonia horrida*, 110
- Hunsruck slate, 6
- hyaline foraminiferans, 58
- Hyalinea balthica*, 52
- Hybonotoceras beckeri*, 149
- hydrocarbon seeps *see* cold seeps
- hydrogen peroxide, preparation of fossils,
 15
- hydrothermal vents, 227–8
- Hygromia hispida*, 374
- Hylonomus*, 202, 202
- hymenopterans, 173
- Hyperammina friabilis*, 52
- Hyraotherium*, 210, 212
- Hysterocheras*, 151
- Hysterolenus*, 162
- Hysterolites*, 114
- Hystrichosphaeropsis obscura*, 23
- Icaronycteris*, 210
- ichthyoliths, 194, 195

- ichthyosaurs, 206
Ichthyostega, 193
Ilyocypris, 170
Impagidinium, 23
Indricotherium, 212
Inoceramus labiatus, 128
 insectivores, 211
 insects, 171, 174
 biology, 171
 biostratigraphy, 174, 175
 classification, 173
 morphology, 172, 173
 palaeobiology, 173
 palaeoclimatology, 174
 International Code of Botanical Nomenclature (ICBN), 14
 International Code of Zoological Nomenclature (ICZN), 14
 invertebrates, 91
 arthropods, 155
 insects, 171
 ostracods, 162–3
 trilobites, 155
 chitinozoans, 187–9, 190
 cnidarians, 101
 echinoderms, 174
 crinoids, 175
 echinoids, 181
 ediacarians, 91–2
 graptolites, 184
 lophophorates
 brachiopods, 108
 bryozoans, 114
 molluscs
 ammonoids, 139
 belemnites, 151
 bivalves, 119
 gastropods, 134
 tentaculitids, 154
 palaeobiology, 91
 poriferans
 archaeocyathans, 98, 98, 99
 sponges, 96, 96, 97
 stromatoporoids, 100, 100
 small shelly fossils (SSFs), 93–4, 94
Irania, 162
Isograptus, 185, 187
Isoxys, 168
Izhella, 19

Jaculella obtusa, 54
Jadammina macrescens, 54
 jawed fish, 192
 jawless fish, 192

Jordanites lordi, 169
Juresania omanensis, 114

Kamaenella, 42
Kameana, 42
Karangatites evolutus, 149
Karrerulina conversa, 52
 key biological events, 241
 evolution and extinction, 241
Knemiceras dubertreti, 150
Koninckopora, 42
 Konservat-Lagerstätten, 6
 Konzentrat-Lagerstätten, 6
Kootenia, 161
Krithe, 166
Krotovoa, 113
 K-strategy, 221
Kurnubia, 69
 jurassica, 70

Labechia palliseri, 101
Labrospira jeffreysi, 54
Labyrinthina, 69
Lacazina, 69
Lagena sulcata, 52
 Lagerstätten, 6
 lagomorphs, 211
Lamarmorella, 69
Langaia hornei, 169
Larcopyle, 71
 larger benthic foraminiferans (LBFs), 67–8
 see also benthic foraminiferans;
 foraminiferans
 biostratigraphy, 69–70
 Cenozoic, 71
 Mesozoic, 70–1
 Palaeozoic, 70
 palaeobathymetry, 69
 palaeobiogeography, 69
 palaeobiology, 69
 last appearance datums (LADs), 284
Laticarinina pauperata, 52
Latimeria, 193
Laveineopteris, 82
 leaf margin analysis (LMA), 87
Leioceras opalinum, 147
Leiospheridia
 gigantea, 46
 pellucida, 46
 simplex, 46
Lejeuncysta, 23
Lenotropites caurus, 149
Lenticulina anaglypta, 52
Leonaspis deflexa, 156
Leonella granifera, 22
 leperditicopides, 166

Lepidocyclus, 71
Lepidodendron, 78, 78
 aculeatum, 80
 sternbergi, 80
 lepidosaurs, 206
Lepidosiren, 193
Lepidostrobus, 81
Leptagonia, 113
Leptocycas gigas, 79
Libycoceras, 151
 lichides, 159
Lilliputianella globulifera, 168
Limnocythere, 170
 line of correlation (LOC), 285, 286
Lingula, 115
 lingulate brachiopods, 111
 lingulinides, 111
Lingulodinium machaerophorum, 23
Linoproductus kaseti, 114
Lipmanella, 71
 lissamphibians, 200
Lissodus, 198
Lithiosperma, 127
Lithiotis, 127, 129
 lithographic limestone, 6
Lithophyllum fasciculatum
Lithothamnium corallioides,
Lobatopteris, 78
 lobe-finned fish, 193
Loganellus, 162
Lophelia, 103
 lophophorates, 13, 14
 brachiopods, 108
 bryozoans, 114
Lorenzina, 219
Lotagnustus trisectus, 156
Lotharingus, 32
 low-stand fan (LSF), 297
 low-stand prograding complex (LPC), 297
 low-stand systems tract (LST), 297, 302–3
 low-stand wedge (LSW), 297
Lucina concinna, 122
Ludwigia murchisonae, 147
Lycopodium, 81
Lymnaea peregra, 374
Lymnocythere, 165

Macanopsis, 219
Macrocephalites macrocephalus, 147
Macroneuropteris, 82
 maerls
 magnetic surveying, 314
 magnetostratigraphy, 287–8
Magniplicatina, 114
Magnolia lobata, 80

428 Index

- mammals, 14, 208
 biology, 209
 biostratigraphy, 215, 216, 217
 classification, 209–14
 dispersal across northern North
 Atlantic, 261, 261, 262
 Bering land bridge, 263
 de Geer land bridge, 263
 Thulean land bridge, 262, 263–5
 evolution and dispersal in
 Oligocene–Holocene Old World,
 265, 266
 Burdigalian–Langhian land mammal
 evolution and dispersal, 269
 Burdigalian–Langhian palaeoclimate,
 268–9
 Burdigalian–Langhian
 palaeogeography, 268, 269
 Chattian–Aquitainian land mammal
 evolution and dispersal, 268
 Chattian–Aquitainian palaeoclimate,
 267–8
 Chattian–Aquitainian
 palaeogeography, 266, 268
 early–middle Serravallian land
 mammal evolution and dispersal,
 270
 early–middle Serravallian
 palaeoclimate, 270
 early–middle Serravallian
 palaeogeography, 270, 270
 late Serravallian–Tortonian land
 mammal evolution and dispersal,
 272
 late Serravallian–Tortonian
 palaeoclimate, 271–2
 late Serravallian–Tortonian
 palaeogeography, 271, 271
 Messinian land mammal evolution
 and dispersal, 273
 Messinian palaeoclimate, 273
 Messinian palaeogeography, 273, 273
 Piacenzian land mammal evolution
 and dispersal, 275–6
 Piacenzian palaeogeography and
 palaeoclimate, 275, 276
 Pleistocene–Holocene land mammal
 evolution and dispersal, 279–81
 Pleistocene–Holocene
 palaeogeography and
 palaeoclimate, 276, 277, 278, 279
 Rupelian land mammal evolution and
 dispersal, 266
 Rupelian palaeoclimate, 265
 Rupelian palaeogeography, 265, 267
 Zanclean land mammal evolution and
 dispersal, 274–5
 Zanclean palaeoclimate, 274
 Zanclean palaeogeography, 274, 274
 morphology, 209, 210, 211
 palaeobiogeography, 215
 palaeobiology, 214
 palaeoclimatology, 215
Mammuthus, 210
 primigenius, 360
Mangashtia, 69
Marattia, 82
 marginal marine environments, 225
Marginopora vertebralis, 52
 marine environments, 224
Mariopteris, 82
 nervosa, 80
Marsipella arenaria, 54
 marsupials, 209
Marsupites, 178
 testudinarius, 179, 180
Marthasterites furcatus, 32
 mass extinction events, 242, 243–4
 causes
 extrinsic, extra-terrestrial causes, 244
 intrinsic, Earth-bound causes, 244
 Cenozoic events
 End-Eocene, 259
 End-Palaeocene, 259
 Holocene, 260
 Pleistocene, 260
 effects
 recovery, 244
 selectivity, 244
 Late Precambrian, 249
 Mesozoic events
 End-Cretaceous, 258–9
 End-Triassic, 256–7
 Late Cretaceous, 257
 Palaeozoic events
 Early Cambrian, 251
 End-Ordovician, 251–2
 End-Permian, 254–5
 Late Cambrian, 251
 Late Devonian, 252–3
 periodicity, 245
Mawsonia, 193
 maximum flooding surface (MFS), 297, 304
Mecaster, 183
 medical palynology, 18
Megaceros giganteus, 360
 melissopalynology, 18
Melonis pompilioides, 52
Menabites, 151
Merlina, 159, 161
Merriline praedivergens, 198
Mesorbitolina
 subconca, 70
 texana, 70
 Mesozoic key events, 255
 End-Cretaceous mass extinction,
 258–9
 End-Triassic mass extinction, 256–7
 evolution of flowering plants, 257
 evolutionary diversification, 256
 Late Cretaceous mass extinction, 257
Metalegoceras, 149
 metazoans, 13
Micracanthoceras microcanthum, 150
Micraster
 coranguinum, 180, 183
 cortestudinarium, 180, 183
Michrhystridium tornatum, 46
Microdictyon, 94, 95
 microgranular foraminiferans, 58
Micromitra, 115
 micropalaeontology, 17–18
 microsaurs, 200
Microtus gregalis, 376
Miliammina fusca, 54
Mimiosalenia, 183
 mineral exploration and exploitation,
 348
 case histories
 East Grimstead quarry (Wiltshire,
 England), 349, 351
 La Troya mine (Spain), 348, 349
 Pitstone quarry (Hertfordshire,
 England), 349, 350
Minythyra, 113
Miogypsina globulina, 71
Miogypsinoidea complanatus, 71
Miohippus, 210
Miraspis, 160
Mirifusus, 75
Mitrolithus jansae, 32
 molluscs, 13
 ammonoids, 139
 belemnites, 151
 bivalves, 119
 gastropods, 134
 tentaculitids, 154
 monkeys, 213
Monograptus, 184, 186, 187
 leintwardinensis, 189
 sedgwickii, 189
 turriculatus, 189
Monotis, 127
 monotremes, 209
Mortoniceras, 151
 motile epifaunal bivalves, 125
 multicellular life, 248–9
Multiplicisphaeridium pilaris, 45
Multispinula, 23
Munstericeras, 148
Murgella, 69

- museology, 15
 conservation of fossils, 16
 curation of fossils, 16
 preparation of fossils, 15–16
Mya truncata, 122
Mylodon, 210
 myodocopides, 167
Myophorella clavellata, 122
Myriophyllia rastelliana, 107
Mytiloperna, 127
Mytilus edulis, 122
- Namacalathus*, 96
 naraoides, 158
 nasselarians, 73
 natural selection, 242
Nautellipsites, 148
 nectrideans, 200
Neitheia dutrigei, 129
 nektobenthic bivalves, 125
Nemagraptus, 186
 gracilis, 188
Nematosphaeropsis, 23
Neoceratodus, 193
Neochonetes arabicus, 114
Neoharpoceras, 151
Neoiraqia, 69
 neopterans, 173
Neorbitolinopsis, 69
Neosyringostroma logansportense, 101
Neotlingaster, 183
Neotollia, 151
Neoverghachium carminae, 45
Nereites, 218
Nerinea, 139
Nesuretus, 159
 neuropteridans, 173
Neuropteris, 82
 gigantea, 80
Nisusia, 162
Nitzschia porteri, 30
 nodosariides, 59
 non-marine environments, 224
Normapolles, 87
 North American land mammal ages
 (NALMAs), 215
Nothofagus, 87, 88
Notodendroides antarctikos, 54
Nucula similis, 122
Nummuloculina, 69
Nummulites
 fichteli, 71
 gizehensis, 48
 globulus, 71
- obstruction upwelling, 309
 odd-toed ungulates, 212
- odonatanans, 173
Offaster pilula, 183
Ogygiocaris, 161
Olenellus lapworthi, 156
Olenus, 161
 gibbosus, 156
 oligostegnids, 21
 oligotrophic conditions, 22
Omphalocyclus macroporus, 70
Onnia gracilis, 156
 operation likely to damage (OLD) sites of
 interest, 8
Operculina complanata, 52
Operculinella cumingi, 52
Operculodinium
 centrocarpum, 23
 israelianum, 23
Ophiomorpha, 219
 opisthobranchs, 135
 opokas, 26
 optically stimulated luminescence (OSL),
 360
Orbitolina sefini, 70
Orbitolinopsis, 69
Orbitopsella, 69
Orbulina universa, 49, 67
 Ordovician evolutionary diversity, 7
 organic-walled microfossils, 11
Oridorsalis umbonatus, 52
 origin of life, 247–8
Origmatosphaeridium rubiginosum, 46
 orthides, 112
Orthograptus, 187
Orthonotocythere, 168
Orthoretiolites, 187
Orthotetes, 115
 osteichthyans, 193
 ostracods, 162–3
 biology, 163, 164, 166
 biostratigraphy, 168–9
 Cenozoic, 170–1
 Mesozoic, 169–70
 Palaeozoic, 169
 classification, 166–7
 morphology, 165, 166, 166
 palaeobathymetry, 167–8
 palaeobiogeography, 168
 palaeobiology, 167
 palaeoclimatology, 168
Ostrea
 edulis, 122
 lunata, 128
 otoliths, 194, 195
Ovalveolina, 69
 oxygen minimum zones (OMZs), 226
Oxynotoceras oxynotum, 146
Oxytropidoceras, 151
- Pachycyrtella omanensis*, 113
Pachydiscus neubergicus, 150
Paedumias, 161
Paladin, 161
Palaeoaplysina, 42, 43
 palaeobathymetry, 224, 239
 interpretation of extant species, 224
 interpretation of extinct species, 225
 palaeobiogeography, 230, 239–40
 Cenozoic, 236–7
 Mesozoic, 234, 234, 235, 236
 Palaeozoic, 222, 231, 231, 232, 233, 234, 234
 palaeobiology, 221
 definition, 1
 discrimination between environments
 deep marine environments, 226
 marginal marine environments, 225
 marine environments, 224
 non-marine environments, 224
 shallow marine environments, 225,
 226
 life strategy, 221
 quantitative and other techniques, 239
 palaeobathymetry, 239
 palaeobiogeography and
 palaeoclimatology, 239–40
 palaeoclimatology, 237, 239–40
 Cenozoic, 238
 Mesozoic, 238
 Palaeozoic, 237
 palaeocopides, 166
Palaeodictyoconus, 69
 arabicus, 70
Palaeodictyon, 219
 palaeoecology, 221
 interpretation on basis of analogy, 221
 uniformitarianism, 221
 interpretation on basis of functional
 morphology, 223
 life position and feeding strategy,
 223–4
 palaeoenvironmental interpretation of
 Pleistocene–Holocene British Isles,
 363
 bathymetric distribution data, 363
 biogeographic distribution data, 363
 study results
 Anglian, 365
 Beestonian, 364
 Cromerian, 364, 364
 Devensian, 369, 371
 Flandrian, 372
 Hoxnian, 365, 366
 Ipswichian, 369, 370
 Pastonian, 363
 Saalian, 365, 367, 368
 palaeoheterodonts, 124

430 Index

- Palaeoloxodon antiquus*, 360
 palaeontology, relationship to biology and geology, 2
Palaeotachya, 81
 palaeotaxodonts, 124
 Palaeozoic key events, 249
 Cambrian evolutionary diversification, 250
 Early Cambrian mass extinction, 251
 End-Ordovician mass extinction, 251–2
 End-Permian mass extinction, 254–5
 evolution of flight, 253
 evolution of forests, 253
 evolution of life on land, 252
 evolution of reefs, 250–1
 evolution of vertebrates, 251
 Late Cambrian mass extinction, 251
 Late Devonian mass extinction, 252–3
 Ordovician evolutionary diversification, 251
Palorbitolina, 69
 lenticularis, 70
 palynology, 17, 18
 entomopalynology, 18
 forensic palynology, 17
 medical palynology, 18
 melissopalynology, 18
 palynomorphs, 11
Parabolina spinulosa, 162
Paracambria, 168
Paracoskinolina, 69
Paradoxides, 161, 162
 dauidus, 156
Paradoxostoma, 166
Paraepiphyton, 19
Parafissurina lateralis, 52
Paragloborilus, 95
Paraglossograptus, 187
Parahoplites nutfeldensis, 148
Parallelostroma, 101
Paramys, 210
 paraneopterans, 173
Parascutella, 182
Parastromatopora libani, 101
Paratrochammina challengeri, 52
 paratype, 14
Paripterus, 82
Parkinsonia parkinsoni, 146
Parodicerias, 148
 parsimony analysis, 12
Parurgonia, 69
Parvincingula, 75
 haeckeli, 76
 jonesi, 76
 papulata, 76
 vera, 76
Patella, 134
Pavlovia pallasioides, 148
Pecopteris, 78
 polymorpha, 80
Pecten duplicatus, 122
Pectinatites pectinatus, 148
Pediastrum, 41
Pelosina, 54
 arborescens, 54
Peltoceras athleta, 147
 pelycosaurs, 204
Peneroplis planulatus, 52
 pentamerides, 112
Pentamerus, 115
 oblongus, 110
Pericyclus, 148
 peridinin, 13
Perigeyerella raffaetae, 114
Peripatus, 94
Peripyramis, 71
Perisphinctes plicatilis, 149
 perissodactyls, 211
 permeability, 310
Pernambugia tuberosa, 22
Peronicerias, 151
Petalobrissus, 183
Petrianna, 168
 petroleum exploration case histories
 Middle East
 biostratigraphy, 337–8
 cap-rocks, 337
 geological setting, 333, 334, 335, 336
 integrated studies, 338, 340, 341, 341, 342, 343, 344, 345, 346
 palaeoenvironmental interpretation, 338, 339
 petroleum geology, 336
 reservoir-rocks, 336
 source-rocks, 336
 North Sea
 biostratigraphy, 321, 323, 324, 325, 326, 327, 328, 329
 cap-rocks, 320
 geological setting, 319, 320
 integrated studies, 326, 330, 331, 332, 333
 palaeoenvironmental interpretation, 326, 330
 reservoir-rocks, 320, 321
 source-rocks, 319
 petroleum geology, 306
 exploration techniques, 313
 chronostratigraphy and palaeoenvironmental interpretation, 318
 drilling technologies, 314–15, 315
 geological techniques, 313
 geophysical techniques, 313–14
 integrated techniques, 314
 operational biostratigraphy, 318
 petrophysical logging technologies, 315–16
 health, safety and environmental issues, 316
 environmental impact assessment, 317–18
 environmental monitoring, 317
 pressure prediction, 317
 site investigation, 316–17
 well-site operations, 317
 micropalaeontological characterisation
 of mudstone cap-rocks, 311, 312
 study results, 311, 311, 312
 palaeontological inputs
 biostratigraphy and chronostratigraphy, 307
 lithological prediction, 308
 palaeobathymetry, 307–8
 palaeobiogeography, 308
 palynofacies, 309, 309
 thermal maturity indication, 309, 310
 play components, 306
 cap-rocks, 310
 reservoir-rocks, 310
 source-rocks, 306, 308
 systems, 306, 307
 systems analysis, 306, 307
 traps, 312
 reservoir exploitation, 316
 biosteering, 342
 integrated reservoir description, 341–2
 testing, 316
 source-rock depositional modelling, 308
 Black Sea model, 309
 Indian Ocean model, 309
 upwelling models, 308
 stratigraphic control, 312
 cap-rocks, 313
 reservoir-rocks, 313
 source-rocks, 312
 petroleum reservoir exploitation case histories, 343
 Andrew field (North Sea), 346–7
 Cusiana field (Colombia), 343
 Sajaa field (Sharjah, United Arab Emirates), 347
 Valhall field (North Sea), 347–8
Pfenderina, 69
 phacopides, 159
Phacops accipitrinus, 156
 Phaeodarians, 75
Pharciceras, 148

- Phillipsia gemmulifera*, 156
 phosphatic microfossils, 10
Phycodes, 219
 pedum, 95
 phycoerythrin, 13
 phylactolaemates, 117, 118
Phyllacanthus, 182
Phyllograptus, 187
 phylogenetics, definition, 1
Phymatolithon calcareum
Phymechinus, 183
 phytoliths, 85
Pictonia baylei, 148
Pierolapithecus catalunicus, 213
Pinna affinis, 122
 placental mammals, 209
 placoderms, 192
Plagiostoma hoperi, 129
Planolites, 219
Planorbis planorbis, 374
Planorotalites pseudomenardii, 67
 plants, 13
 biology, 77
 biostratigraphy, 88
 Cenozoic, 89–90
 Mesozoic, 89
 Palaeozoic, 88–9
 classification, 77, 78, 79, 80, 83
 angiosperms, 85
 bryophytes, 77
 gymnosperms, 81–4
 phytoliths, 82, 85
 pteridophytes, 78
 morphology, 77
 palaeobiology, 86
 palaeoclimatology, 87–8
 palaeogeography, 86–7
 spores and pollen, 85–6
 platycopides, 167
Platysolenites, 62
 play fairway analysis, 314
Plectonotus derbyi, 138
Plectostroma salairicum, 101
 plesiosaurs, 206
Pleuroceras spinatum, 146
Pleurograptus, 186
 linearis, 188
Pleurostomella acuminata, 52
Pleurotomia, 148
Plicirhynchia, 115
 podocopides, 167
Poecilozontes, 137
 polycystines, 73
Polymorphopterus, 78
Polysphaeridium zoharyi, 23
 porcelaneous foraminiferans,
 58
 poriferans, 13
 archaeocyathans, 98, 98, 99
 sponges, 96, 96, 97
 stromatoporoids, 100, 100
 porosity, 310
Posidonia, 129
Potamius conicus, 139
Praealveolina, 69
 tenuis, 70
Praeparvicingula, 75
Praerhapidionina delicata, 71
Preaglobotruncana, 59
 primates, 213
Pristiograptus, 186
 proboscideans, 212
Proconsul, 210
 productives, 112
Productus productus, 110
 proetides, 159
 progradation, 297
 prokaryotes, 13, 247–8
Promillepora pervinquieri, 101
Proraster, 183
 prosobranchs, 134
 proteinaceous foraminiferans, 71
 Proterozoic key events
 evolution of complex life, 248
 evolution of multicellularity,
 248–9
 Late Precambrian mass extinction,
 249
 origin of life, 247–8
Proteus
 protists *see* algae; protozoans
Protohertzina, 95
 protozoans, 13
 calpionellids, 72, 76
 foraminiferans, 48
 radiolarians, 71
Psammospaera parva, 54
Psaronius, 79, 82
Pseudochoffatella, 69
Pseudocyclammina, 69
Pseudofrenolepsis, 82
Pseudogibbithyris arabica, 114
Pseudohalorites arabicus, 149
Pseudomonotis ovata, 129
Pseudorotalia schroeteriana, 52
Pseudosternocyprina, 170
Pseudunio, 125
Psiloceras planorbis, 146
Psilonichnus, 218, 219
 pteridophytes, 13, 78
 pteriomorphs, 124
Pteroperus, 193
 pteropods, 135
 pterosaurs, 205
Pterotrionia, 129
 pterygotes, 173
Ptilograptus, 187
 ptychoperiides, 158
 pulmonates, 136
Punctospirifer, 113
 punctuated equilibrium, 137
Pupilla muscorum, 374
Purella antiqua, 96
Pycnoctenion, 198
Pyrgo murrhina, 52
 pyrophytes, 13
Pyxidinospis psilata, 25

Qasimia, 89
Quadracythere, 166
 quaternary dating methods, 288
Quenstedtoceras lamberti, 147
Quinqueloculina seminulum, 52

 rabbits, 211
Radimella
 confragosa, 171
 wantlandi, 171
 radiolarians, 10, 13, 71
 biology, 71
 biostratigraphy, 75–6
 Cenozoic, 76
 Mesozoic, 76
 classification, 71–5
 morphology, 71, 72
 palaeobathymetry, 75
 palaeobiogeography, 75
 palaeobiology, 75
 palaeoclimatology, 75
 radiometric dating, 288
Radnorina, 160
 Rancho La Brea tar pit, 6
Rangifer tarandus, 360
Raphiophorus
 ray-finned fish, 193
 red tides, 20
Redlichia, 162
 redlichiides, 158
 reefs, evolution of, 250–1
 Reginaites, 151
 relative humidity, conservation of fossils,
 16
Remopleurides, 159
 girvanensis, 156
Renalcis, 19
Reophax subfusiformis, 54
 reptiles, 14, 201
 biology, 201
 biostratigraphy, 207–8, 208
 classification, 202–6
 morphology, 202, 202, 203, 204

432 Index

- reptiles (*cont.*)
 palaeobiogeography, 206
 palaeobiology, 206
 palaeoclimatology, 207
- reptiliomorphs, 200
- resistivity logs, 316
- Reticuloceras*
bilinigue, 144
reticulatum, 144
- Retispora lepidophyta*, 89
- retrogradation, 297
- Rhabdammina* faunas, palaeoenvironmental interpretation, 57
 dynamic factors, 58
 geological age, 57
 geological setting, 57
 other physico-chemical factors, 58
 sedimentary regime, 58
 water depth, 57
- Rhabdinopora*, 187
- Rhabdopleura*, 184, 184
- Rhamphorhynchus*, 203
- Rhaxella*, 97
- Rhipidomella*, 113
- Rhizocorallium*, 219
- rhodophytes, 13, 38, 39
- rhynchonellides, 112
- Ristola*, 75
- robertinides, 59
- Rocella*
gelida, 30
vigilans, 30
- rodents, 211
- Rosalina bradyi*, 52
- rotaliides, 59
- r*-strategy, 221
- rudists, 121, 131
 biostratigraphy, 133
 palaeobathymetry, 131–3
 palaeobiogeography, 133
- rugose corals, 103, 104
- Rugosochonetes*, 113
hardrensis, 110
- Saccamina*
alba, 54
sphaerica, 52, 54
sphaerica var. *anglica*, 54
- Saccocoma*, 178, 178
- Saccodendron*, 54
- Sahelanthropus tchadensis*, 213
- sarcopterygians, 193
- Sargentina woutersi*, 169
- Satorina*, 69
- Schizophoria*, 113, 114
resupinata, 110
- Schizosphaerella*, 31
- scleractinian corals, 104, 105
- Scrippsella regalis*, 22
- Scutellum*, 161
constatum, 156
- sea chervil, 116
- sediment compaction, 297
- sediment supply, 297
- seismic surveying, 313
- Selaginella*, 81
- Selenopemphix*, 23
- Selenoplitis*, 159
- Septirhynchia*, 114
- sequestrants and chelating agents,
 preparation of fossils, 15
- Seriocrinus*, 178
- seymouriamorphs, 200
- shallow infaunal bivalves, 125
- shallow marine environments
 carbonate environments, 226
 clastic environments, 225
- Shangsiella*, 168
- sharks and allied forms, 192
- Sharpeiceras*, 151
- shelf-margin systems tract (SMST),
 297
- shelf-margin wedge (SMW), 297
- Shumardia*, 159
pusilla, 162
- Shuqiaia*
hudsoni, 101
zuffardi, 101
- Sigaloceras calloviense*, 147
- Sigillaria*, 81
mamillaris, 80
persica, 89
- Sigmoilopsis schlumbergeri*, 52
- siliceous microfossils, 10
- silicoflagellates (chrysophytes)
 biology, morphology and classification,
 25, 25
- biostratigraphy, 26, 43
 Cenozoic, 26, 44
 Mesozoic, 43–4
 Palaeozoic, 43
 classification, 39–41
 morphology, 39, 40, 41
 palaeobathymetry, 41–2
 palaeobiogeography, 26, 42
 palaeobiology, 26, 41
 palaeoclimatology, 42
- Simeonella brotzenorum*, 167
- Simplorbitolina*, 69
- Sinograptus*, 187
- Siphonochites*, 95
- Sites of Special Scientific Interest (SSSIs),
 8
- Skolithos*, 218, 219
- small shelly fossils (SSFs), 93–4, 94
 biostratigraphy, 95
 Palaeozoic, 96
 Proterozoic, 95–6
 palaeobiology, 95
- Smilodon*, 210
- snowball Earth, 19
- Sobolewia*, 148
- Solenoparia*, 162
- Solenopleura*, 162
- Solenopleuropsis*, 162
- Solenopora*, 97
- Solgerites*, 151
- Somalirhynchia*, 114
- sonic logs, 316
- Soom shale, 7
- South American land mammal ages
 (SALMAS), 215
- Speetonicerus inversum*, 151
- Spenobaiera paucipartita*, 79
- Sphenodiscus*, 151
- sphenodontids, 206
- Sphenophyllum*, 81
emarginatum, 80
- Sphenopteris*, 82
alata, 80
- Spiniferites*, 23
cruciformis, 25
mirabilis, 23
- spiny sharks, 192
- Spiralocnolus*, 69
- Spirifer striatus*, 110
- Spiriferellina*, 113
cristata, 110
- spiriferides and spiriferinides, 112
- Spirillina vivipara*, 52
- Spirocyrtis*, 71
- Spirophthalmidium acutimargo*, 52
- Spiroplectella earlandi*, 52
- Spiroraphe*, 219
- sponges, 96, 96, 97
 biostratigraphy, 97
 Cenozoic, 98
 Mesozoic, 97
 Palaeozoic, 97
 palaeobiogeography, 97
 palaeobiology, 97
 palaeoclimatology, 97
- Spongodiscus*, 71
- Sporogonites*, 78
- Spriggina*, 92
- spumellarians, 73
- Stacheoides*, 42
- Stegosaurus*, 203, 205
- Steinera somaliensis*, 101
- stenolaemates, 117–18
- Stephanoceras humphresianum*, 147

- Sternotaxis planus*, 180
Stichocapsa, 75
Stichocorys delmontensis, 75
Stictostroma, 101
Stigmara, 81
 ficoides, 80
Stiphrothyris, 115
Stoliczkaia, 151
 storage and display cabinets, conservation
 of fossils, 16
 stratigraphy
 see also biostratigraphy;
 chemostratigraphy
 cyclostratigraphy, 287
 heavy mineral stratigraphy, 287
 magnetostratigraphy, 287–8
 petroleum exploration
 biostratigraphy and
 chronostratigraphy, 307
 chronostratigraphy and
 palaeoenvironmental
 interpretation, 318
 operational biostratigraphy, 318
 quaternary dating methods, 288
 radiometric dating, 288
 sequence stratigraphy, 297
 carbonate, 298, 300, 303, 304, 305
 general and clastic, 298, 299
 mixed sequence, 298, 303, 304, 305
 seismic facies analysis, 298
 sequences, definitions, 297
 systems tracts, definitions, 297–8
 timescales, 288
 Cenozoic, 289, 296, 297
 Mesozoic, 289, 294, 295
 Palaeozoic, 288–9, 289, 290, 291,
 293
Streblodus, 198
Striatopodocarpus fusus, 88
 stromatolites
 biology, 18
 biostratigraphy, 19–20
 Mesozoic, 20
 Palaeozoic, 20
 Proterozoic, 20
 Proterozoic/Palaeozoic, 20
 classification, 18
 morphology, 18
 palaeobiology, 19
Stromatopora, 101
Stromatoporella perannulata, 101
 stromatoporoids, 100, 100
 biostratigraphy, 100–1
 Mesozoic, 101
 Palaeozoic, 101
 palaeobathymetry, 100
 palaeobiogeography, 100
Strophomena grandis, 110
 strophomenides, 112
Stylodictyon sinense, 101
 submarine fans, 226–7
Succinea onlonga, 374
Sulcathyris arabica, 114
Sulcella arabica, 169
 synapsids, 204
 synonymy, 14
 syntypes, 14
 systematic palaeontology, 1, 11
 algae, 13
 animals, 13–14
 bacteria, 13
 cladistic analysis, 11–12, 12
 fungi, 13
 plants, 13
 protozoans, 13
 systems tracts, 297–8
 carbonate sequences, 303, 304, 305
 high-stand systems tracts (HSTs),
 304–5
 low-stand systems tracts (LSTs),
 302–3
 maximum flooding surfaces (MFSs),
 304
 mixed sequences, 303, 304, 305
 palaeontological characterisation, 301,
 301, 302
 sequence boundaries (SBs), 301
 transgressive surfaces (TSs), 303
 transgressive systems tracts (TSTs),
 303
 tabulate corals, 103, 104
 taphonomy, 5–6
 likelihood of fossilisation, 5
 preservation of fossils, 5
Taphrhelminthopsis, 219
Tasmanites tenellus, 46
 taxonomy *see* systematic
 palaeontology
Tectatodinium, 23
 tectonism, 297
Teichichnus, 219
 temnospondyls, 200
 tentaculitids, 154
 biostratigraphy, 155
 palaeobiology, 154
Terebratula
 maxima, 110
 sella, 114
 terebratulides, 112
Terebratulina lata, 110
Teredolites, 218, 219
Tetragraptus, 187
 tetrapods, 14
Tetrrarhynchia tetraedra, 110
Texanites, 151
Thalassinoides, 219
Thalassiosira
 fraga, 30
 praefraga, 30
 sira, 30
Thamnastraea, 105
Thecidea, 115
 therapsids, 204
Thoracosphaera, 24
 heimii, 22
 Thulean land bridge, 262, 262, 263–5
Thylacosmilus, 210
 thysanurans, 173
Timulocypathus, 100
Tissotia, 151
Titanites giganteus, 148
Tornoceras, 148
Torquatisphinctes, 149
 trace fossils, 217–18
 biostratigraphy, 219–20
 palaeobiology, 218–19, 219
 transgressive surface (TS), 297, 303
 transgressive systems tract (TST), 297,
 303
 traps, 6
Tretaspis, 159
Triceratops, 205
Trigonia
 clavellata, 122
 costata, 122
Trigonocarpus, 80, 82
 trilobites, 155
 biology, 155
 biostratigraphy, 160, 161, 162, 162
 classification, 158–9
 morphology, 156, 156, 158
 palaeobathymetry, 159–60
 palaeobiogeography, 160
 palaeobiology, 159
Triloculina trigonula, 52
Trimerus delphinocephalus, 156
Trinucleus, 161
 fimbriatus, 156
Triplesia, 115
Tritaxis challengeri, 52
Trochammina
 inflata, 54
 pacifica, 54
Trochurus, 161
Trupetostroma saintjeani, 101
Trypanites, 218, 219
Tsvetkovites varius, 149
Tuberculodinium vancampoe, 23
Tubiphytes, 42, 43
Tubipora, 101

434 INDEX

- Tulites subcontractus*, 147
Turrilites, 151
Turritella, 134
Tylothyris, 113
Tyrannosaurus, 203, 205
- Uintacrinus*, 178
socialis, 179, 180
Ungdarella, 42
 uniformitarianism, 221
Unio, 125
Uptonia jamesoni, 146
 upwelling, 308
Ursus deningeri, 360
Uvigerina bradyana, 52
- Vailian sequence, 297
Valdanchella, 69
- Valserina*, 69
Valvata antiqua, 374
Vediproductus, 114
Vekshinella stradneri, 32
Vellamo, 115
Venericardia borealis, 126
Venus casina, 122
- vertebrates, 190
 amphibians, 199
 evolution, 251
 fish, 191
 mammals, 208
 palaeobiogeography, 190
 palaeobiology, 190
 palaeoclimatology, 191
 reptiles and birds, 201
 vertical variation, 227–8
Virgatixioceras, 149
- Virgulinella fragilis*, 48
Viviparus diluvianus, 374
- Warburgella*
 water, preparation of fossils, 15
 Waulsortian mounds, 19, 42
Weichselia, 89
Welwitschia, 84
Wetzeliella, 23
 whales and dolphins, 212
Whiteinella archaeocretacea, 63
Wondersella athersuchi, 63
- Yoldia*, 129
- Zaphrentis*, 105
Zonocypris, 170
Zoophycos, 218, 219