

## Index

- abnormal labor. *see* dystocia  
 acceleration of labor 59. *see also*  
   amniotomy; oxytocin  
   clinical practices 18, 107–8, 114,  
   120–1, 142  
   fetal trauma 25–6  
   importance of 117, 141–2  
   vs. induction 59–60, 116  
 active labor, definition 73–4  
 active management 81–3  
 adrenalin release 9, 51  
 America. *see* United States  
 American College of Obstetricians and  
   Gynecologists (ACOG) 5–6, 37, 97  
 amniotic fluid 169, 172  
 amniotomy 107–8, 114–16, 161  
 animal labors 49  
 artificial rupture of membranes  
   (AROM) 116, 161, 172  
 asynclitism 143, 152  
 audits, labor experience 86, 189, 191,  
   192, 197  
   dystocia 149  
   induction of labor 162–3  
   mechanical disorders 154  
   medical intervention 193–6  
   mothers' feedback 126, 191, 192  
   peer reviews 189–90  
   perinatal outcomes 190–1  
   and safety 196–7  
 augmentation of labor. *see* acceleration  
   of labor  
 biochemistry 54  
 biology, comparative 49  
   pain in labor 49–50  
   psycho-vegetative regulation 50–1  
 biophysics 2, 53  
   acceleration vs. induction of labor  
   59–60  
   effective labor 56–8  
   expert care 60  
   fetal oxygenation 58–9  
   first-stage labor 70–2  
   nulliparous vs. multiparous labor  
   58, 89  
   onset of labor 55–6  
   parity and resistance-to-force  
   ratios 74  
   pre-labor 53–5  
   second-stage labor 76–80  
   transition from first- to second-stage  
   labor 72–4  
 birth canal 71–2, 76–8  
 birth care practices 3. *see also* fetal care;  
   maternal care  
   continuous vs. discontinuous  
   support 16, 24–5, 31, 84, 110–13  
   inconsistency 15–17  
   organization 86  
   proactive support of labor 142  
   time of day 15–16, 86, 179  
 birth disorders. *see* dystocia  
 birth educators 124–5, 126  
 birth environment 50, 129  
 birth injuries. *see* safety  
 birth partners 113  
 birth plans 2–3, 84  
 Bishop score 161  
 bloody show 95, 96, 98  
 bonding, mother-child 50  
 Braxton Hicks contractions 55, 94  
 breech presentation 146  
 brow presentation 154  
 CAPs (contraction associated proteins)  
   116  
 cardiotocography (CTG) 166, 171–2,  
   173–4  
 care providers. *see* professionals  
 catheters 120  
 cephalic presentation 83–4, 146  
 cephalo-pelvic disproportion (CPD)  
   150–1  
 cervical accessibility 63  
 cervical priming 100, 161–2  
 cervical resistance 56–7  
 cervical ripening 54–5, 59–60, 156  
 cervical sweeps 22, 100  
 cervix. *see also* dilatation  
   effacement 54, 63, 64, 94–5  
   and induction of labor 59–60, 156,  
   161–2  
   pre-labor 54–5  
   role in diagnosing labor 63  
 cesarean sections  
   adverse effects of 7–10, 23  
   and audit 194–5  
   classification of 90  
   and induction of labor 42–4, 157–8,  
   162–3  
   long term harm 8, 9, 37  
   reasons for 5–6, 21–2, 34, 115, 120  
   statistics 5  
 clinical ambiance 23–5  
 clinical evidence. *see* evidence-based  
   medicine  
 coaching 85, 97  
 Cochrane Database 114–15, 117,  
   118, 159  
 comparative biology 49  
 complicated pregnancy  
   hospital births 21  
   and oxytocin 121  
 confirmation bias 69–70  
 connexons 59  
 consultants. *see* obstetricians  
 consumerism 35–6  
 contraction associated proteins  
   (CAPs) 116  
 contractions  
   Braxton Hicks 55, 94  
   definition 62–3  
   diagnosis of labor 93–4  
   effect-criterion 65–6  
   and oxytocin 118–19, 120  
 cord compression 120, 167, 168, 174  
 CPD (cephalo-pelvic disproportion)  
   150–1  
 CTG (cardiotocography) 166, 171–2,  
   173–4  
 cultural differences 3  
   cesarean sections 10  
   evidence-based medicine 41  
   maternal care 29–30, 31–3  
   professionals 183–4  
 deceleration phase of labor 67, 68–9  
 definitions  
   abnormal labor 15, 62, 104  
   acceleration vs induction 59  
   active labor 73–4  
   cervical accessibility 63  
   contractions 62–3, 65–6  
   dilatation 63–4  
   duration of labor 103  
   dystocia 15, 62  
   effacement of cervix 63, 64  
   good childbirth 104

## Index

- definitions (cont.)  
 importance of clarity 62, 65  
 labor pains 62–3  
 mechanical disorders 150, 154  
 normal labor 15, 62  
 nulliparous labor 90  
 onset of labor 64–5  
 passive labor 73–4  
 transition, first to second-stage 73–4
- dehumanization of labor 1, 109
- delivery units 96–7, 178–9
- diagnosis  
 dystocia 15, 65–6, 150–1, 152  
 fetal distress 170  
 overdiagnosis 36, 150–1  
 second-stage labor 72–4, 78
- diagnosis of onset of labor 84, 93, 101  
 clarity vs indecision 96–8  
 clinical symptoms 94–6  
 errors in diagnosis 98–9  
 false starts 99–101  
 professional responsibility 93–4
- dilatation of cervix  
 definition 63–4  
 and descent 72  
 induction of labor 59  
 long labors 18, 106–7  
 partogram 104  
 secondary arrest 142–3  
 transition to 64  
 use as diagnostic 94–5, 141–2
- disorders. *see* dystocia
- doctors. *see* obstetricians
- documentation 96–7
- doulas 112–13
- due dates 100–1
- duration of labor. *see also* long labors  
 comparative biology 49  
 definition 103  
 normal duration 69–70, 77–8, 103–4  
 nulliparous vs multiparous labor 89, 90–1  
 and pain 128  
 partogram 104–5
- dynamic dystocia 14–15, 139  
 hypertonic dystocia 57–9, 91–2, 148–9  
 nulliparous vs multiparous labor 58, 90–2, 145–7  
 primary ineffective labor 57–8, 139–42  
 refractory uterus 148  
 secondary arrest 71, 79–80, 142–5  
 spectrum of disorders 139
- dystocia (dysfunctional labor) 14–19,  
 139. *see also* mechanical disorders  
 cesarean sections 5–6, 14  
 definition 15, 62, 104  
 diagnosis of 15, 36, 65–6  
 duration of 69–70, 115
- fetal care 167, 168  
 iatrogenic 2, 14, 22  
 nulliparous vs multiparous labor 89  
 wedging phase 71
- economic costs of intervention 9, 35,  
 158, 181
- education, medical 38–9, 158–9,  
 189–90
- education and preparation, pre-labor  
 85, 96, 106–7, 123–6, 159
- effacement of cervix 54, 63, 64, 94–5
- electromechanical coupling 56
- electronic fetal surveillance  
 (cardiotocography) 166, 171–2,  
 173–4
- emotional impact of childbirth 1,  
 49–50, 128–9, 184
- endorphins 49–50
- environmental conditions (labor)  
 50, 129
- epidurals 78, 125, 129, 131–5
- epinephrine release 9, 51
- evidence-based medicine (EBM)  
 38–45, 160
- exhaustion of mother 19, 146
- expulsion dynamics 73, 77–8
- expulsion stage. *see* second-stage labor
- failure to progress. *see* dystocia
- false diagnosis of labor 98–9
- false starts 99–101
- family practitioners 4. *see also*  
 midwives
- fathers 113
- FBS (fetal scalp blood sampling) 170,  
 172–3
- feminism 35
- fertility, effect of cesarean section 9
- fetal care 166–9  
 fetal distress 89, 120, 167–8, 170  
 induction of labor 163  
 litigation 175  
 and maternal care 25–6, 166  
 medical intervention 8–9, 21, 174–5  
 monitoring during labor 169–74  
 neonatal morbidity/mortality 8–9,  
 21, 25–6
- fetal heart rate (FHR) 171–2, 174–5
- fetal macrosomia 151–2, 153
- fetal oxygenation 58–9, 166–9, 174–5
- fetal scalp blood sampling (FBS) 170,  
 172–3
- fetus  
 adaptations for birth canal 71–2  
 malposition for birth 150, 151  
 placental reserve capacity 58  
 rotation of head 76–7, 79, 152–3
- fever, intrapartum 132
- FHR (fetal heart rate) 171–2, 174–5
- financial costs of intervention 9, 35,  
 158, 181
- first labor. *see* nulliparous labor
- first-stage labor 3  
 biophysics 70–2  
 duration of 69–70  
 dystocia 56–8, 139–42  
 mechanics-oriented view 17–18  
 medical intervention 5  
 pain 128  
 parity and resistance-to-force  
 ratios 74  
 poor management of 16  
 subdivisions of 67–9, 70–1  
 transition to second-stage labor  
 72–4
- floating fetal head 151
- forceps delivery 6
- Friedman, E. A. 67–9
- gap junctions, myometrial 55–6, 58, 59
- gatekeepers 30–1
- gender and professionals 24, 182–3
- good childbirth, definition 104
- guideline culture 39
- gynecologists 16, 182
- head-to-cervix force (HCF) 57
- home births  
 case selection 185–6  
 and emotions 184  
 the Netherlands 29, 30  
 professional care 16  
 transfers to hospital 30–1  
 United States 29, 184
- hormones, role of 9, 51, 54, 55. *see also*  
 oxytocin
- hospital births 21, 184. *see also*  
 management of labor
- husbands/ partners 113
- hyperstimulation 120
- hypertension 160
- hypertonic dystocia 57–9, 91–2,  
 148–9
- hypotension 132, 174
- hysterectomies 8
- iatrogenic dystocia 2, 14, 22
- induction of labor 85, 156  
 adverse effects of 17, 22–3, 42, 58–9,  
 156–7, 158–9  
 and audit 162–3  
 and cesarean section 42–4, 157–8  
 evidence-based medicine 42–5  
 nulliparous vs multiparous labor 91  
 reasons for 159–62  
 techniques available 161, 162  
 uterine resistance 148  
 vs acceleration 59–60, 116
- inflation (medical intervention) 37–8

- instrumental delivery 6  
 epidurals 133  
 multiparous labor 147–8  
 safety 25–6, 79  
 vs spontaneous delivery 79–80
- interns 4
- intervention. *see* medical intervention
- intrapartum maternal fever 132
- intrauterine gauges 120
- intrauterine pressure 66
- intrauterine resuscitation 174–5
- isolation of mother 24, 111
- labour. *see* acceleration of labor;  
 first-stage labor; induction of  
 labor; management of labor;  
 multiparous labor; monitoring  
 during labor; normal labor;  
 nulliparous labor; onset of labor;  
 second-stage labor
- labor disorders. *see* dystocia
- labor pains, definition 62–3. *see also*  
 contractions; pain in labor
- labor room nurses 4, 133, 180
- laborists 4, 182
- language. *see* terminology
- late pregnancy. *see* pre-labor
- latent phase of labor 1, 64–5, 73–4  
 fallacy of 67–8, 97–8
- latest date of delivery 100–1
- leadership, clinical 179, 189
- length of labor. *see* duration of labor
- liability 36–8, 181
- litigation 175
- long labors 16–17, 107–8  
 exhaustion of myometrium 57  
 mechanics-oriented view 18–19  
 philosophical and cultural  
 approaches 17–18, 29  
 prevention of 59, 103–8, 114, 117,  
 141–2
- macrosomia 151–2, 153, 161
- management of labor 178, 181–4  
 cross-cultural 31–3  
 delivery wards 178–9  
 early labor 101, 141  
 false starts 99–100  
 first-stage labor 16  
 during labor 86  
 professional cooperation 179–81  
 terminology 81–3  
 woman-centered care model 184–6
- maternal care  
 cultural differences 29–30, 31–3  
 and discontinuous care 16, 24–5, 31  
 and fetal care 25–6, 166  
 risk factors 22–3, 88, 153, 185  
 role of professionals 183–4  
 woman-centered care model 184–6
- maternal exhaustion 19, 146
- maternal morbidity 5, 7–8, 185
- maternal mortality 5, 7–8, 21
- maternal position 77
- mechanical disorders 72, 150  
 audits 154  
 definition 150, 152–3, 154  
 diagnosis of 150–1  
 exceptional cases 153–4  
 expert approach 151–2  
 shoulder dystocia 153  
 vs spontaneous delivery 79–80
- mechanics-oriented approach 17–19
- meconium 168–9, 172
- medical education 38–9, 158–9, 189–90
- medical intervention 1, 5, 6–7, 21.  
*see also* cesarean sections;  
 instrumental delivery  
 adverse effects of 7–10, 23  
 and audit 190, 193–6  
 consumerism 35–6  
 fetal care 174–5  
 and liability 36–8  
 and psychology 7, 34, 83  
 remuneration practices 35  
 second-stage labor 6, 18
- medicalized countries 29, 31–3
- midwife-centered systems 29–33
- midwives  
 continuous vs discontinuous  
 support 16, 24–5, 31, 84, 110–13  
 philosophical and cultural  
 approaches 28–31  
 pre-labor education 124  
 role of 3–4, 16, 30–1, 180  
 tolerance of long labors 16–18
- mindset. *see* psychology of childbirth
- monitoring during labor 105–6.  
*see also* vaginal examinations  
 cardiocography 166  
 fetal care 169–74  
 use of oxytocin 119–20
- Montevideo units (ME) 66
- morbidity. *see* maternal morbidity;  
 neonatal morbidity
- mortality. *see* maternal mortality;  
 neonatal mortality
- mother-child bonding 50
- mothers. *see also* maternal care;  
 psychology of childbirth  
 diagnosis of own labor 93–4  
 personal feedback 191, 192  
 pre-labor preparation 123, 124
- multiparous labor 88  
 audits 193–6  
 dilatation 63–4  
 epidurals 133–4  
 induction of labor 91, 157  
 long labor 91  
 pre-labor education 126
- secondary arrest 143–4, 152  
 vs nulliparous labor 58, 88–92
- myometrial gap junctions 55–6, 58,  
 59, 156
- myometrium 55, 57, 148, 156
- natural birth 1, 8–9, 79–80, 83
- negative psychology 19, 22–3, 190
- neonatal morbidity 8–9
- neonatal mortality 8, 21, 25–6. *see also*  
 fetal care
- nesting impulse 49
- Netherlands 29–31
- nitrous oxygen inhalation 137
- non-pharmacological techniques (pain  
 relief) 137
- normal (uncomplicated) pregnancy 21,  
 83–4
- normal labor 84  
 definitions 15, 62  
 duration of 69–70, 103–4  
 medical excess 5–10  
 the Netherlands 29  
 role of obstetricians 183  
 vs good labor 104
- nulliparous labor 84, 88  
 audits 193–5  
 definition 90  
 diagnosis of labor 95  
 dilatation 63–4  
 duration of 89, 90–1  
 dystocia 58, 89, 145–7  
 epidurals 133–4  
 and induction of labor 157  
 medical intervention 5–6, 90  
 the Netherlands 30–1  
 secondary arrest 143–4, 152  
 vs multiparous labor 58, 88–92  
 nurses (labor room nurses) 4, 133, 180
- OB-hospitalists 4, 182
- obstetricians  
 patient-doctor relationships 181–2  
 philosophical and cultural  
 approaches 28–31, 182–3  
 role of 3, 179, 180–1, 183
- obstructed labor. *see* mechanical  
 disorders
- occiput posterior 79, 151–2
- O'Driscoll, Kieran 63, 64, 81–2, 94,  
 108, 135–6
- onset of labor 55–6. *see also* diagnosis  
 of onset of labor  
 biochemistry 54  
 biophysics 55–6  
 definition 64–5  
 fetal trigger 53  
 opioids 131, 135  
 long-lasting 135–6  
 short-lasting 136

## Index

- organization. *see* management of labor
- osseous tissue 76–8
- overdiagnosis 36, 150–1
- oxytocin 116–17
- avoiding long labor 59, 107–8, 114, 117, 141–2
  - dosage schemes 118, 119
  - exhaustion of myometrium 57
  - induction of labor 59–60, 156, 161
  - nulliparous vs multiparous labor 89, 152
  - and pain 118–19
  - safety 117–18, 119–20
- pain in labor 127–9
- biological functions 49–50
  - coping with 85, 126
  - definitions 62–3
  - and oxytocin 118–19
  - pre-labor preparation 125–6
  - use as diagnostic 93–4
- pain relief 18, 129, 131. *see also*
- epidurals; opioids
  - vs sedation 100
- paramedical techniques (pain relief) 137
- parasympathetic system of labor 50
- parous labor. *see* multiparous labor; nulliparous labor
- partners/ husbands 113
- partogram 104–5, 106
- passive labor. *see* latent phase of labor
- patient–doctor relationships 181–2
- peer reviews 189–90
- pelvic deformity 154
- pelvic floor 35–6, 73
- pelvic planes 78–9
- pelvis 71–2, 73, 76
- perinatal outcomes 21, 190–1, 196–7
- personal attention 109
- continuous vs discontinuous support 16, 24–5, 31, 84, 110–13
  - and duration of labor 16, 108
  - lack of supportive care 109–10
  - and perception of pain 127, 128–9, 137
  - pre-labor 185
- PGE<sub>2</sub> (prostaglandin E<sub>2</sub>) 55–6, 141–2
- philosophical approaches 6–7, 28, 34, 45
- physics. *see* biophysics
- placental blood flow 132, 168
- placental reserve capacity 58, 166–7
- post-modern trends 109
- post-term pregnancy 159
- post-traumatic stress disorder (PTSD) 7, 127
- pre-eclampsia 160
- pre-labor
- biophysics 53
  - comparative biology 49
  - personal care 185
  - preparation/education 85, 96, 106–7, 123–6, 159
  - symptoms 93
- pre-labor rupture of membranes (PROM) 95
- pregnancy, normal (uncomplicated) 21, 83–4
- preparation for labor. *see* education/preparation, pre-labor
- primary ineffective labor 57–8, 139–42
- priming, cervical 100, 161–2
- proactive support of labor 1, 2–3, 142
- terminology 83
- professionals *see also individually named roles e.g. midwives*
- classification of 3–4
  - continuous vs discontinuous support 16, 24–5, 31, 111–13
  - cultural differences 29–30, 183–4
  - and gender 24, 182–3
  - home births 16
  - lack of interest 15–16, 24
  - leadership 179, 189
  - mechanical disorders 151–2
  - philosophical approaches 6–7, 28, 34, 45
  - proactive support of labor 1, 2–3
  - and psychology 34
  - responsibilities in diagnosing labor 93–4, 97–8
  - woman-centered care model 184–6
  - working relations 28, 31–3, 86, 120–1, 179–81
- progression of labor 62, 65–6, 95–6, 104–5
- prostaglandins 55–6, 100, 141–2, 161–2
- protracted labors. *see* long labors
- provider-caused (iatrogenic) dystocia 2, 14, 22
- psychology of childbirth
- continuous vs discontinuous support 16, 24–5, 31, 84, 110–13
  - exhaustion of mother 146
  - intervention vs spontaneous delivery 7, 83
  - isolation of mother 24, 111
  - negative psychology 19, 22–3, 190
  - nulliparous vs multiparous labor 91–2
  - obstructed labor 151–2
  - place of birth 184
  - pre-labor education 106–7, 125–6
  - stress during labor 22, 92, 99
- psycho-vegetative regulation 50–1
- pulsoximetry 173–4
- pushing reflex 73, 146
- pushing techniques 146–7
- quality of labor experience 10, 86, 184–6, 189, 191
- RCTs (randomized controlled trials) 42
- fetal monitoring 173–4
  - and induction of labor 156, 157–8, 160
- refractory uterus 148
- remifentanyl 136
- remuneration practices 35
- residents 4, *see also* obstetricians
- retraction phase of labor 71, 72, 74
- rotation of fetal head 76–7, 79, 152–3
- ruptured membranes 95
- artificial rupture 116, 161, 172
- safety
- audits 196–7
  - comparative biology 50
  - epidurals 132–3
  - instrumental delivery 79
  - mother and baby 26, 85–6, 89
  - use of amniotomy and oxytocin 115–16, 117–19
- screening. *see* monitoring during labor
- secondary arrest 71, 79–80, 142–5, 150
- second-stage labor
- biophysics 76–80
  - diagnosis of 72–4, 78
  - dystocia 71, 142–7
  - medical intervention 6, 18
  - pain 128
  - parity and resistance-to-force ratios 74
  - safety 26, 79, 89
  - spontaneous delivery 79–80
- sedation 99, 100
- shoulder dystocia 153
- sigmoid curve 68–9
- slow labors. *see* long labors
- societal context 3, 9–10, 182–3. *see also* cultural differences
- sonography 22–3
- spontaneous delivery 1, 8–9, 79–80, 83
- S-shaped reference curve 68–9
- standard practices. *see* birth care practices
- stillbirths 8, 159, 196–7
- stress during labor 22, 50–1, 99
- ST-segment analysis of the fetal electrocardiogram (STAN) 173–4
- students, medical 38–9
- subsequent labors. *see* multiparous labor
- surveillance. *see* monitoring during labor
- sweep of membranes 22, 100
- sympathetic arousal 92

Cambridge University Press

978-1-107-42658-0 - Proactive Support of Labor: The Challenge of Normal Childbirth:

Paul Reuwer, Hein Bruinse and Arie Franx

Index

[More information](#)

## Index

- tachysystole 120  
 technology 21–2, 28  
 terminology 62, 65. *see also* definitions  
   active management 81–2  
   birth professionals 3–4  
   due dates 100–1  
   proactive support of labor 83  
 The Netherlands 29–31  
 third world 10  
 time of day, effect on labor 15–16,  
   86, 179  
 training, medical 38–9, 158–9, 189–90  
 transcutaneous electrical nerve  
   stimulation (TENS) 137  
 transition (first- to second-stage labor)  
   72–4, 146  
 transverse arrest 79  
 trauma, of childbirth 1  
   mother and baby 89, 166
- O’Driscoll, Kieran 81  
 post-traumatic stress disorder 7  
 recognition of 24  
 rupture of uterus 89–90  
   and subsequent labor 126
- ultrasound scans 22–3  
 umbilical cord compression 120, 167,  
   168, 174  
 uncomplicated pregnancy 21, 83–4  
 United States (USA)  
   caregivers roles 29, 30, 183–4  
   cesarean sections 5, 8, 9  
   home births 29, 184  
   uterine coordination 56  
   uterine force 57, 147, 152  
   uterine hypertonia 58–9  
   uterine relaxation 58–9, 174–5  
   uterine rupture 89–90
- uterine scars 90  
 uterus, biophysics of 53–4, 56, 57–8,  
   148. *see also* intrauterine
- vacuum delivery 6  
 vaginal birth after cesarean  
   (VBAC) 5  
 vaginal examinations 22  
   and avoiding long labor 105–7  
   and false starts 100–1  
   ruptured membranes 95  
 VBAC (vaginal birth after cesarean) 5
- wedging phase of labor 71, 72, 74  
*Wehen* 62–3  
 western societies 10, 29–31, 182–3. *see*  
   *also* United States  
 woman-centered care model  
   184–6