

Cambridge University Press

978-1-107-44259-7 - Cause and Correlation in Biology: A User's Guide to Path Analysis, Structural Equations and Causal Inference with R: Second Edition

Bill Shipley

Index

[More information](#)

Index

- approximate fit, 177
- attributes of causal relationships, 4
- basis set, 62
 - basiSet function, 78
 - Judea Pearl's, 62
 - Shipley's, 62, 84
- Bentler–Weeks model, 94
- Bernard, Claude, 11
- causal conditioning. *See* control of variables: statistical
- causal homogeneity, 188
- causal inference algorithm, 241, 243
- causation implies correlation, 7
- causes
 - ancestor, 22
 - as distinct from correlation, 59
 - child, 21, 26
 - common, 21
 - decomposition of, 105
 - descendant, 22, 24
 - direct, 21, 56, 105
 - independence, 22
 - indirect, 21, 22, 56, 105
 - parents, 21
- CFI. *See* comparative fit index
- chi-square statistic. *See* maximum likelihood
- chi-square test. *See* maximum likelihood
- choke point, 246
- collider, 22
 - shielded, 23
 - unshielded, 23, 234
- comparative fit index, 180
 - obtaining in lavaan, 181
- concentration matrix, 75
- conditioning
 - on a collider, 33
 - statistical, 15, 23, 24, 127
- conditioning set, 24
- control of variables, 13
 - difference between physical and statistical control, 14
 - physical, 13, 45, 47
 - statistical, 14, 35
- controlled experiment, 12, 46, 54
- convergence. *See* maximum likelihood
- correlation
 - partial, 72, 75
 - pcor function, 74
- covariance
 - algebra, 93
 - between-groups covariance matrices, 191
 - cov function, 79
 - definition, 64, 93
 - fixing to zero in sem function, 118
 - multilevel covariance matrices, 210
- cyclic causal discovery algorithm, 268
- DAG. *See* graphs
- DAG function, 26, 78
- definite non-collider, 237
- degrees of freedom
 - d-sep tests, 63
 - ML chi-square test, 99, 102
 - multigroup SEM, 191
 - nested models, 190
- discovery algorithms, 261
- d-sep. *See* d-separation
- dsep claim. *See* d-separation
- dSep function of R, 27
- d-sep tests, 61, 78
 - generalisation, 81
 - including phylogenetic corrections, 202
- d-separation, xii, 20, 24, 25, 26, 27, 32, 33, 35, 41, 47, 51, 56, 63, 79, 226, 237, 241, 242, 243, 273
 - and feedback loops, 36, 264
 - and probabilistic independence, 32
 - and selection bias, 36
 - and unfaithfulness, 39, 47
 - counter-intuitive consequences, 33
- effect
 - decomposition of, 105
 - direct, 106
 - indirect, 107

- effect (*cont.*)
 - measurement units, 107
 - spurious, 108
- equivalent models, 55, 242
- experimental control, 2, 43, 54, 59
- experimental unit, 10, 11
- factor scores, 138
 - in lavaan, 138
- Fisher, 5, 6, 7, 12, 13, 17, 28, 37, 44, 45, 46, 57, 59, 60, 81, 84, 85, 276, 291
- Fisher's C test, 63, 79
- Fisher's genius. *See* Fisher
- fixed.x argument in sem function, 118
- fixing scale of latent variables, 134, 140
- generalised additive models, 68
- ggm library of R, 26
- graphs
 - acyclic, 21
 - causal, 24
 - cyclic, 37
 - DAG, 21
 - directed, 5, 20
 - partial ancestral graph (PAG), 265
 - partially directed, 235
 - undirected dependency graph, 226, 228, 231
- hierarchical data, 201
- independence
 - conditional, 29, 30, 63, 71
 - context sensitivity, 41
 - permutation tests, 68
 - probabilistic, 24, 25, 29
- indicator variables, 132
 - reliability, 138
- inductive causation algorithm, 225
- intraclass correlation, 200
- lavaan package, 91, 105
 - installing, 114
- logical positivism, 42, 58
- manipulation theorem, 48, 49
- Mardia's coefficient, 112, 172
- Markov condition, 4, 31
- maximum likelihood
 - and non-normality, 169, 172
 - and small sample sizes, 165, 168
 - bootstrapped estimates, 176
 - chi-square statistic, 98, 99, 116, 190
 - convergence, 116, 121, 122
 - estimation, 95
 - function, multivariate normal data, 98
 - measurement error, 126, 128
 - meaning of, 130
 - measurement models, 131, 153
 - fitting in lavaan, 140
 - missing data, 183
 - mice package in R, 183
 - missing argument in sem function, 184
 - mixed models, 206
 - multigroup SEM. *See* structural equation modelling
 - multilevel SEM. *See* structural equation modelling
 - non-collider, 23
 - non-independence of observations, 188, 200
 - number of iterations
 - changing default value in sem function, 121
 - over-identifying constraints, 88
 - parameters
 - confidence intervals, 120
 - constraining free parameters, 123
 - multigroup models, 197
 - fitting, 102
 - fixed/free, 89, 91, 95
 - fixing, 123
 - naming, 123, 197
 - parameterEstimates function, 120
 - specifying starting values, 121
 - standard errors, 104
 - standardizedSolution in lavaan, 105
 - parTable function, 117
 - path
 - blocked, 24
 - decomposition of. *See* causes
 - definite discriminating path, 240
 - directed, 22, 232
 - inducing, 233
 - undirected, 22, 24, 232
 - path analysis, xii, 2, 40, 56, 57, 58, 59, 60, 87, 89, 98, 245, 293, 294, 295, 296
 - and multiple regression, 109
 - path coefficients
 - and measurement error, 130
 - estimation. *See* parameters
 - path diagrams
 - conventions, 185
 - Pearl, Judea, xii, 19, 224
 - Pearson, Karl, 57
 - phylogenetic generalised least squares (PGLS), 201
 - phylogenetic signals, 201
 - phylogenetically independent contrasts (PICs), 201
 - R²
 - obtaining from inspect function, 120

Cambridge University Press

978-1-107-44259-7 - Cause and Correlation in Biology: A User's Guide to Path Analysis, Structural Equations and Causal Inference with R: Second Edition

Bill Shipley

Index

[More information](#)

- randomisation, 2, 6, 7, 8, 50
 randomised experiment. *See* randomisation
 regression, 15
 form-free, 69
 residuals, 16
 RMSEA. *See* root mean square error of approximation
 root mean square error of approximation, 182

 Satorra–Bentler chi-square statistic, 147, 176
 saturated pattern, 243
 SEM. *See* structural equation modelling
 sem function, 116
 shadows, 1, 3, 16, 18, 33, 55, 95, 100, 224, 260
 shipley.test function, 79
 simulating data in R, 115
 Spearman correlation, 66
 Spearman partial correlation, 74
 statistical power, 120, 178, 250
 structural equation modelling, 61, 88, 153
 multigroup models, 190
 fitting in lavaan, 196
 multilevel models, 210
 nested models, 189

 TETRAD II, 225
 tetrad representation theorem, 247
 trek, 246

 under-identification, 134, 137, 154
 rules for avoidance, 155
 structural versus empirical, 155

 vanishing tetrad algorithm, 247
 sampling variance, 257
 test statistic, 257
 vanishing tetrad equations, 245
 vanishing tetrads, 144, 245
 variables
 centred, 91
 endogenous, 90
 error, 90, 99
 exogenous, 62, 90, 99, 118
 latent, 61, 90, 126
 composite, 163
 exploratory methods, 257
 formative, 163
 reflective, 163
 manifest, 89
 standardised, 113
 variance
 definition. *See* covariance
 unique/common in measurement models, 133

Wayang Kulit. *See* shadows
 Wright, Sewell, 2, 56, 85, 87, 104, 146, 294