

Index

- abscess, 1, 8, 97, 159
 ACCMME mnemonic, 40t
 acetylcholine, 68
Actinomyces, 166
 adult respiratory distress syndrome (ARDS), 141, 142f
 Advanced Cardiac Life Support (ACLS), 59
 AFB. See autofluorescence bronchoscopy (AFB)
 AIDS patients, 119
 airbronchograms, 142f
 airway anatomy, 45–54
 Boyden surgical classification, 45, 47t
 computed tomography, 52–53, 53f, 54f
 Jackson-Huber classification, 45, 47t
 lower, 48–52
 carina, 48f, 49
 left bronchial tree, 51f, 52f, 50–52, 53f
 right bronchial tree, 50f, 49–50, 51f
 trachea, 48–49
 neuroanatomy, 55
 upper, 45–48
 hypopharynx, 46–47
 larynx, 47–48
 nasopharynx, 45–46
 oropharynx, 46–47
 airway anesthesia, 55–57
 local anesthetic techniques, 55–57
 lower, right bronchial tree, 49f
 neuroanatomy, 55
 airway complications, in lung transplant patients, 167
 airway obstruction, 182t, 181–182
 airway stenosis
 balloon dilation, 186
 cryotherapy, 185
 imaging of, 23
 inflammatory bowel disease and, 24f
 multidetector computed tomography, 22–23
 post-lung transplant, 168
 virtual bronchoscopy, 23
 airway trauma, 149
 Albrecht, 7, 8, 9
 alveolar hemorrhage, 106t, 110
 American Cystoscope Makers, 12
 American Society of Anesthesiologists, sedation guidelines, 58–59
 American Thoracic Society, 13, 129
 amiodarone toxicity, 111
 amnesia, anterograde, 65
 amyloidomas, 187
 amyloidosis, 24f
 analgesia, 58
 anastomosis, 167
 anastomotic dehiscence, 169
 anastomotic infections, 169–170
 anatomy, 45–54
 Boyden surgical classification, 45, 47t
 of bronchoscope(s), 73–75
 control section, 74
 insertion tube, 74–75
 universal cord, 75
 computed tomography, 52–53, 53f, 54f
 of endobronchial ultrasound (EBUS), 156–157
 Jackson-Huber classification, 45, 47t
 of larynx, 35, 47f
 lower airway, 48–52
 carina, 48f, 49
 left bronchial tree, 51f, 52f, 50–52, 53f
 right bronchial tree, 50f, 49–50, 51f
 trachea, 48–49
 lung transplant patients and, 163
 neuroanatomy, 55
 transbronchial needle aspiration and, 130–131
 upper airway, 45–48
 hypopharynx, 46–47
 larynx, 47–48
 nasopharynx, 45–46
 oropharynx, 46–47
 anesthesia, 4–5, 55–70
 airway anesthesia, 55–57
 curare, 9
 general, 59
 local, 55–57
 sedation, 58–70
 succinylcholine, 9
 topical, 47–48, 58, 140
 angioedema, 44
 ankylosis, 35
 anterograde amnesia, 65
 antibiotic therapy, 144
 anticholinergics, 58
 anticoagulants, 121–122
 antiemetics, 67–68
 antiplatelet agents, 121–122
 anxiolysis, 58
 aortic valve disease, 62t
 aortic-pulmonary window, 130
 arginine vasopressin, 120–121
 argon plasma coagulation, 184–185
 arthritis, 35
 arytoids, 35–36, 37, 39, 42f, 47–48
 asbestosis, 111
Aspergillus, 107, 166
 aspirin, 121
 atelectasis, 98
 atropine, 58
 autofluorescence bronchoscopy (AFB), 15
 auto-focus, 80
 automatic brightness control, 80
 autopsy, 3
 Avicenna of Bukhara, 1
 axial imaging (MDCT), 20f, 19–22
 BAL. See bronchoalveolar lavage (BAL)

Index

- balloon dilation, 186
 benzocaine, 57, 57t, 58
 benzodiazepines, 64–65, 140
 berylliosis, 111
 Bf-NAVI System, 175
 biopsy
 computed tomography and, 52–53
 core, 133
 endobronchial, 105t
 alligator forceps, 113f
 angular side wall approach, 114f
 straight-on approach, 113f
 forceps, 124, 125f
 lung, transbronchial. *See* transbronchial lung biopsy (TBB)
 of pleural space, 92
 yield, 124–125
 bismuth powder, 8
 bite blocks, 82–83, 138–139
Blastomyces dermatitidis, 107
 bleeding. *See* anticoagulants
 Boyden surgical classification, 45, 47t
 Bozzini, Philipp, 3
 brachytherapy, 186–187
 brightness control, automatic, 80
 bronchial brush, 105t
 bronchial fistulae, 169
 bronchial tree, 46f, 49f, 50f, 51f, 52f, 49–52, 53f, 169
 bronchial washings (BW), 102–103, 105t
 bronchiolitis obliterans syndrome (BOS), 165
 bronchoalveolar lavage (BAL), 105t, 141, 144
 asbestosis, 111
 berylliosis, 111
 cell contents of, normal, 104
 complications of, 103
 described, 103–105
 diffuse alveolar hemorrhage, 110
 disease associations, 106t
 drug induced lung diseases, 111
 eosinophilic lung disease, 110
 fungal pneumonias, 107
 hypersensitivity pneumonitis, 111
 immunocompromised host, 108–109
 interstitial lung disease, 109–110
 Langerhans cell histiocytosis, 110
 overview, 103
 pulmonary alveolar proteinosis, 109f, 109
 role of, in disease, 104–105
 role of, in infectious disease, 105t
 role of, in noninfectious diseases, 106t
 sarcoidosis, 110
 specimen collection and handling, 104
 tropical pneumonias, 108
 ventilator associated pneumonia, 106–107
 vs. transbronchial lung biopsy, 119
 wedge position, 104f, 103–104
 yield, 166
 bronchogenic carcinoma, 129
 broncholith, 96f
 bronchomalacia, 168
 bronchoscope(s), 73–84
 anatomy of, 73–75
 control section, 74
 insertion tube, 74–75
 universal cord, 75
 basic requirements, 73
 care of, 81, 82
 intra-procedure, 82–83
 post-procedure, 83
 pre-procedure, 82
 damage to, 83–84
 postdamage considerations, 84
 prevention of, 84
 diagnostic, 139–140
 flexible, 74f
 function of, 75
 hybrid, 78
 non-video, 77–78
 physiology of, 75–77
 electrical system, 76, 76f
 imaging system, 77f, 76–77
 mechanical system, 76f, 75–76
 plumbing system, 75f, 75
 scope size, 79
 size, 139t
 specialization, 80
 EBUS, 80
 peripheral access scopes, 80
 portable scopes, 80
 video processor, 80–81
 technological advances in, 78–79
 ease of use, 79
 imaging, 78–79
 navigation, 79
 patient safety, 79
 therapeutic, 139–140
 types of, 77–78
 video, 78
 bronchoscopy
 anesthesia for, 55–70
 definition of, 45
 diagnostic. *See* diagnostic bronchoscopy
 in extubated patients, 138–139
 febrile neutropenic patients and, 143–145
 flexible, 13, 14–16, 183t
 history of, 1–16
 intensive care patients. *See* intensive care bronchoscopy
 in intubated patients, 139–140
 invention of, 5–9
 physiologic responses to, 55
 rigid techniques, 9–13, 182–183
 safety of, 141–142
 therapeutic. *See* therapeutic bronchoscopy
 ultrathin, 175–177
 virtual, 22f, 175–177
 vs. multidetector computed tomography, 29–33
 bronchoscopy unit, 92
 endoscopy assistants, 91
 equipment, 91–92
 family conference rooms, 93
 fluoroscopy, 92
 intake and recovery area, 87f, 88f, 86–88
 pleural disease diagnosis and management, 92
 procedure room, 89f, 88–89, 90f, 91f
 starting and managing, 86–93
 workstations, 91

- bronchotomy, 1
 Broyles, E., 11
 Brubaker, 11
 Brünings, 8, 9
 Brunn, 7
Burkholderia pseudomallei, 108
- cancer, 9
 bronchial brushing, 112f, 111–112
 bronchogenic carcinoma, 129
 central airway neoplasms, 25–26
 detection of, 14, 15
 early history, 9
 lung, 14, 15, 96, 98, 130, 130f
 screening, 14
 staging, 131, 153, 156–157
 staging of, 96, 129
 treatment of, 187
 vocal cord, 43f
- carbon dioxide monitoring, 63
 carcinoma. See cancer
 cardiovascular depression, 69
 carina, 48f, 49
 cartilage, larynx, 35–37
 CD4+ cells, 110
 CD8+ cells, 110
 central airway imaging, 22
 airway stenoses, 22–23, 24f
 axial, 19–22
 congenital airway disorders, 26–27
 3D reconstruction, 19–22
 2D multiplanar, 19–22
 central airway neoplasms, 25–26
 central airways obstruction, 182t, 181–182
 charge-coupled device (CCD) chip, 78
 Charrière, 2–3
 chemoreceptor trigger zone (CTZ), 67
 chemotherapy, high-dose, 144
 chest radiograph, 96, 96f, 125–127
 chronic obstructive pulmonary disease (COPD), 20f, 61t
 chronic pain, 62t
 Churg–Strauss syndrome, 46
 clopidogrel, 121
 cocaine, 5, 57t, 57–58
Coccidioides immitis, 107
 color adjustment, 80
 comorbidity, sedation and, 61, 62t
 complications
 bronchoalveolar lavage, 103
 endobronchial ultrasound, 159
 flexible fiberoptic bronchoscopy, 99–100, 101
 local anesthesia, 57–58
 sedation, 62t, 69–70
 stents, 189
 transbronchial lung biopsy, 125–127, 167
 transbronchial needle aspiration, 134
 computed tomography (CT)
 airway anatomy, 52–53, 53f, 54f
 CT fluoroscopy, 90f, 92
 electromagnetic navigational bronchoscopy, 124, 177–179
 hemoptysis, 145
 lymph node staging, 153
 cone beam computerized tomography, 92
 congenital airway disorders, 26–27
 conscious sedation, 58
 consent, 100
 Continuum of Depth of Sedation Scale (CDSS), 63
 contraindications
 bronchoalveolar lavage, 103
 flexible fiberoptic bronchoscopy, 98–99, 138–139
 intensive care bronchoscopy, 141t
 laser therapy, 183–184
 photodynamic therapy, 187
 rigid bronchoscopy, 182–183
 transbronchial lung biopsy, 120
 control section, 74
 conus elasticus, 37
 Coolidge, A., 9
 COPD. See chronic obstructive pulmonary disease (COPD)
 corniculate cartilage, 36
 cough method, transbronchial needle aspiration (TPA), 133
 cough reflex, 166, 167, 169–170
 Courad grading system, 168
 cricoarytenoids, 35–36
 cricoid cartilage, 35
 cricothyroid joint, 36
 cricothyroid muscles, 37
 critically ill bronchoscopy. See intensive care bronchoscopy
 cryotherapy, 185–186
Cryptococcus neoformans, 108
 CT imaging. See computed tomography (CT)
 cuneiform cartilage, 36
 curare, 9
 Cushing, H., 11
 cyclooxygenase-1, 67
 cytochrome P-450, 65, 66
 CytoLyt, 133
 Czermak of Budapest, 2–3
- damage, to bronchoscope(s), 83–84
 postdamage considerations, 84
 prevention of, 84
 de Monternaud, Dubois, 12–13
 debridement, 187
 deep sedation, 59
 dementia, 62t
 Desault, Pierre-Joseph, 1
 Desormeaux, Antonin, 3
 dexamethasone, 68
 diagnostic bronchoscopy
 intubated patients, 139–140
 lung transplant patients, 165–167
 Dieffenbach, 8
 Diff-Quik, 108
 diffuse alveolar hemorrhage, 110
 digital pulse fluoroscope, 92
 direct fluorescent antibody (DFA), 108
 direct oral anticoagulants (DOACs), 121
 dopamine, 68
 drug induced lung diseases, 111
 malignancy, 111
 drugs
 anesthesia. See anesthesia; sedation
 antibiotics, 144
 anticholinergics, 58
 anticoagulants, 121–122
 antiemetics, 67–68

Index

- drugs (*cont.*)
 antiplatelet agents, 121–122
 aspirin, 121
 atropine, 58
 benzocaine, 57, 57t, 58
 benzodiazepines, 64–65, 140
 clopidogrel, 121
 cocaine, 5, 57t, 57–58
 enoxaparin, 121
 epinephrine, 125–127
 fentanyl, 64t, 65–66
 flumazenil, 63, 68–69
 glycopyrrolate, 58
 heparin, 121
 immunosuppressant
 therapy, 165, 166f
 ketorolac, 64t, 67
 midazolam, 64t, 64–65
 naloxone, 63, 68, 69
 propofol, 64t, 66–67
 remifentanyl, 64t, 66
 succinylcholine, 9
 Dumon, J.F., 13, 15
- EBBX. See endobronchial biopsies (EBBX)
- EBUS. See endobronchial ultrasound (EBUS)
- Echinococcus*, 108
- Edison, Thomas E., 4
- Einhorn, 10
- electrical system, 76, 76f
- electrocautery, 184–185
- electroencephalogram (EEG), 63
- electromagnetic navigational bronchoscopy (ENB), 124, 177–179
- emergency bronchoscopy. See intensive care bronchoscopy
- ENB. See electromagnetic navigational bronchoscopy (ENB)
- endobronchial biopsies (EBBX), 105t
 alligator forceps, 113f
 angular side wall approach, 114f
 straight-on approach, 113f
- endobronchial blockers, 146, 146f
- endobronchial brushing, 111–112
- endobronchial carcinoid tumor, 25f
- endobronchial endometriosis, 187
- endobronchial laser therapy, 181, 183–184
- endobronchial ultrasound (EBUS), 15, 80, 153–160
 anatomy, 156–157
 complications of, 159
 Doppler mode, 155f
 fluoroscopic guidance, 175
 gauge needles, 160
 guide sheath, 173–175
 learning curve, 159
 literature review, 159–160
 lymph node staging, 156–157, 158f
 mediastinal lymphadenopathy, 160
 needle within lymph node, 155f
 for peripheral lesions, 172–175
 rapid on-site evaluation, 156
 scope, 154f, 153–156
 sensitivity and accuracy of, 159
- endoscopy
 development, 2–4
 laryngeal mirror, 2–3
 light sources, 3–4
 pre-endoscopic era, 1
- endoscopy assistants, 91
- endotracheal tube (ETT), 139t, 140f, 139–140, 149
- enoxaparin, 121
- eosinophilic lung disease, 110
- epiglottic cartilage, 37
- epiglottis, 37, 38, 38f
- epinephrine, 125–127
- esophagoscopy, 3–4
- ethylene diamine tetraacetic acid (EDTA), 66
- European Respiratory Society, 129
- European Society of Cardiothoracic Surgery, 129
- extubated patients, 138–139
- extubation, failed, 149
- family conference rooms, 93
- febrile neutropenia, 143–145
- fentanyl, 64t, 65–66
- fiberscope, 13–14
- film documentation, 12–13
- fistula, 187
- fistulas of bronchial tree, 169
- flexible bronchoscope(s), 74f
 care of, 81, 82
 intra-procedure, 82–83
 post-procedure, 83
 pre-procedure, 82
 integration with other components, 80, 81–83
- flexible bronchoscopy, 13, 14–16
 definition of, 45
 foreign body removal, 147–149
 major advantages of, 45
 vs. rigid bronchoscopy, 183t
- flexible fiberoptic bronchoscopy, 95–101
 complications of, 99–100, 101
 consent, 100
 contraindications to, 98–99
 hazards of, 99–100
 indications for, 96f, 97f, 95–98, 99f
 informed consent, 100–101
 pre-screening, 100
- flumazenil, 63, 68–69
- fluoroscopy, 90f, 92
- forceps biopsy, 124, 125f
- foreign bodies, removal of, 97, 147–148
- Fraenkel, 8
- Freitag, L., 13
- Freud, Sigmund, 5
- fungal pneumonias, 107
- galactomannan, 105t, 107
- gamma-amino-butyric acid (GABA), 65, 66, 68, 69
- Garcia, Manuel, 2–3
- general anesthesia, 59
- Gibb, G.D., 3
- Glossokatochon, 2
- glossopharyngeal nerve, 56
- glottis, 43–44
- glycopyrrolate, 58
- goiter, 23f
- Graham, 7
- granulation tissue, 169
- granuloma, 42f
- Green, Horace, 1
- guide sheath, 173–175
- Haight, Cameron, 7
- hamartomas, 25–26
- Hayata, Y., 15

- Health Insurance Portability and Accountability (HIPAA), 86–88
- heliopictor, 12–13
- hematoporphyrin derivatives, 14
- hemoptysis, 98, 147f, 145–147, 187
- heparin, 121
- high-definition resolution, 78–79
- high-dose chemotherapy, 144
- high-dose radiation therapy, 15
- Hirschowitz, Basil, 12
- histamine, 68
- Histoplasma capsulatum*, 107
- history, 1–16
 anesthesia, 4–5
 endoscopy, development, 2–4
 laryngeal mirror, 2–3
 pre-endoscopic era, 1
- HIV/AIDS patients, 119
- Hoflehner, 9
- Hollinger, P., 11, 12–13
- hub against the wall method, transbronchial needle aspiration (TPA), 133
- Huzly of Stuttgart, 9
- hyaline cartilage, 37
- hyoid, 37
- hypersensitivity pneumonitis, 111
- hypertension, 62t
- hypopharynx, 46–47
- hypoventilation, 70
- hypoxemia, 70, 121
- iced saline, 125–127
- ICU bronchoscopy. See intensive care bronchoscopy
- Ikeda, Shigeto, 11, 11f, 12f, 13–14
- illuminator, 3
- image color adjustment, 80
- imaging
 axial, 20f, 19–22
 central airway, 22
 multidetector computed tomography (MDCT), 19–22
 3D reconstructed, 21f, 19–22
 2D multiplanar, 21f, 19–22
 video processor, 80–81
- imaging system, 77f, 76–77, 78–79
- immunocompromised host, 108–109
- immunosuppressant therapy, 165, 166f
- indications
 flexible fiberoptic bronchoscopy, 96f, 97f, 95–98, 99f
 intensive care bronchoscopy, 139t
 lung cancer, 96
 transbronchial lung biopsy, 118, 119t
- infectious diseases, 119
- inferior cornu, 36
- inflammatory bowel disease, 24f
- informed consent, informed consent, 100–101
- innervation, 38
- insertion tube, 74–75
- instrumentation
 of flexible bronchoscopy, 45
 flexible bronchoscopy, 13, 14–16, 147–149, 183t
 flexible fiberoptic bronchoscopy, 96f, 97f, 99f, 95–101
 Glossokatochon, 2
 laryngeal mirror, 2–3
 rigid bronchoscopy, 9–13, 183t, 182–183
 video bronchoscope, 76, 78
 virtual bronchoscopy, 22f
- intake and recovery area, 86–88
- intake area, 87f, 88f
- intensive care bronchoscopy, 138–151
 airway trauma, 149
 contraindications to, 141t
 emerging technology, 151
 in extubated patients, 138–139
 extubation failure, 149
 febrile neutropenic patients and, 143–145
 foreign body removal, 147–148
 hemoptysis and, 147f, 145–147
 indications for, 139t
 in intubated patients, 139–140
 overview of, 138
- percutaneous dilatation tracheostomy, 149–150
 route of, 138
 safety of, 141–142
 secretions and, 142f, 143f, 142–143
 sedation and, 140
 in trauma, 149
 ventilator associated pneumonia and, 145
- interstitial diseases, 118
- interstitial lung disease, 109–110
- interventional pulmonology, 86, 181
- intra-procedure care, for bronchoscopes, 82–83
- intubated patients, 139–140
- iris settings, 80
- ischemic heart disease, sedation and, 62t
- jabbing method, transbronchial needle aspiration (TPA), 133
- Jackson, Chevalier, 7, 10f, 11, 138
- Jackson-Huber classification, 45, 47t
- Jellinek, 5
- Kato, H., 15
- ketorolac, 64t, 67
- Killian, Gustav, 4, 6f, 147
 on anesthesia, 4
 as bronchoscopy inventor, 5–9
 inventions of, 7, 8–9
 lectures of, 7–8
 publications, 8
- Killian, Hans, 7
- Kirstein, 3, 5
- Kirstein laryngoscope, 147
- Kleinsasser, 8, 9
- Koller, 5
- Kollofrath, O., 6
- Kubo, Inokichi, 11
- Kussmaul, Adolf, 3
- lactic acidosis, 67
- Lam, S., 15
- lamina propria, 38
- Lamm, Heinrich, 12
- Langerhans cell histiocytosis, 110
- laryngeal anatomy, 47f

Index

- laryngeal depressors, 37
 laryngeal elevators, 37
 laryngeal mirror, 2–3
 laryngeal mobility, 41–43
 laryngeal nerves, 38, 40–41
 laryngoscopy, 55
 larynx, 36f, 35–44, 47–48
 anatomy, 35
 anatomy of, 47f
 cartilage, 35–37
 cross section, 36f
 endoscopy, examination, 40t, 40–44
 endoscopy, landmarks, 38–40
 functions of, 35
 innervation, 38
 membranes, 37
 mobility, 41
 mucosa, 37–38, 40
 mucosal abnormalities, 41t
 muscles, 37
 normal, 39f
 laser therapy, 183–184
 lateral cricoarytenoid muscles, 37
 leak testing, 83
 left bronchial tree, 51f, 52f, 50–52, 53f
Legionella, 166
 Leister, Josef, 3
 leukoplakia, 40
 Lexer, 8
 lidocaine, 56, 57t, 57–58
 Lilienthal, 7
Listeria monocytogenes, 166
 local anesthesia, 55–57
 complications of, 57–58
 maximum dose, 57t
 toxicity, 57t
 lower airway anatomy, 48–52
 carina, 48f, 49
 left bronchial tree, 51f, 52f, 50–52, 53f
 right bronchial tree, 49f, 50f, 49–50, 51f
 trachea, 48–49
 lung parenchyma, 21f
 lung abscess, 97
 lung cancer
 bronchial brushing, 111–112
 bronchogenic carcinoma, 129
 central airway neoplasms, 25–26
 detection of, 14, 15
 early history, 9
 indications for, 96
 screening, 14
 staging of, 96, 129, 131, 153, 156–157
 treatment of, 130, 130f, 187
 lung transplant patients, 163–170
 airway complications in, 167
 airway stenoses, 168
 anastomosis, 167
 anastomotic dehiscence, 169
 anastomotic infections, 169–170
 anatomy inspection, 163
 assessment of potential lung donors, 163
 bacterial infections, 166
 bleeding in, 167
 bronchial fistulae, 169
 clinical deterioration of, 165–167
 diagnostic bronchoscopy, 165–167
 granulation tissue, 169
 immunosuppressant therapy, 165, 166f
 microbiologic samples, 163–164
 surveillance bronchoscopy, 164f, 164–165
 tracheobronchomalacia, 169
 lung transplant surveillance, 120
 LungPoint System, 175–177
 lymph node staging, 153, 156–157, 158f
 lymph nodes. *See* transbronchial needle aspiration (TBNA)
 lymphadenopathy, 25
 lymphoma, 160
 Maassen, 9
 Machida, 14
 Mackenzie, Morel, 10
 major advantages, of flexible bronchoscopy, 45
 malignancy, 111
 Mallampati classification, 60, 100
 Marconi, Guglielmo, 12
 Marsh, B., 11
 Mayo Clinic, 14
 MDCT. *See* multidetector computed tomography (MDCT)
 MDS grading system, 168
 mechanical system, 76f, 75–76
 mediastinal lymph node, 153
 mediastinal lymphadenopathy, 160
 mediastinoscopy, 15, 129, 153, 159, 160. *See also* transbronchial needle aspiration (TBNA)
 medications. *See* anesthesia; drugs; sedation
 metabisulfite, 66
 metabolic acidosis, 67
 metallic stents, 188, 188t
 methemoglobin, 58
 methemoglobinemia, 58
 methenamine silver, 108
 midazolam, 64t, 64–65
 Mikulicz, Johann von, 3
 mobility, laryngeal, 41–43
 moderate sedation, 58
 mortality rate
 anastomotic dehiscence, 169
 anesthesia, 61
 flexible fiberoptic bronchoscopy, 99–100
 foreign bodies, 7
 mediastinoscopy, 153
 tracheotomy, 1
 ventilator associated pneumonia, 145
 Morton, 5
 Mountain-Dresler lymph node map, 156, 157f
 Muckulicz-Rosenhiem esophagoscope, 147
 mucormycosis, 46
 mucosa, laryngeal, 37–38
 multidetector computed tomography (MDCT), 19–33, 52–53
 advantages of, 19
 airway stenoses and, 22–23, 24f
 axial, 20f, 19–22
 central airway neoplasms, 25–26
 central airway pathology, 22
 congenital airway disorders, 26–27
 imaging, 19–22
 prestant and poststant evaluation, 31–33

- 3D reconstruction, 21f, 19–22
 tracheobronchomalacia, 27–29
 2D multiplanar, 21f, 19–22
 vs. bronchoscopy, 29–33
 Mündernich, 9
 muscles, laryngeal, 37
Mycobacterium tuberculosis, 107–108
 naloxone, 63, 68, 69
 narrow band imaging (NIB), 15
 nasopharynx, 45–46
 nausea and vomiting, antiemetics, 67
 navigation, 79
 navigational bronchoscopy, 172–179
 electromagnetic, 177–179
 overview of, 172
 peripheral lesions, 172–175
 ultrathin, 175–177
 virtual, 175–177
 Nd:YAG laser, 13, 15, 184
 nebulizer, 56
 neoplasms, central airway, 25–26
 neoplastic diseases, 119
 nervous system
 anesthesia and, 57
 central, 57
 sympathetic, 68, 69
 Nissen, 7
 nitrous oxide, 185–186
 Nitze of Dresden, 4
Nocardia, 166
 non-small cell lung cancer, 130f
 nonsteroidal antiinflammatory drugs (NSAIDs), 67
 nucleic acid amplification testing (NAAT), 107–108
 nurses. See support staff
 obesity, 62t
 Observers Assessment of Alertness/Sedation Scale (OAAS), 63
 obstruction, airway, 182t, 181–182
 O'Dwyer, Joseph, 1
 Oho, 129
 Olympus Medical System, 175
 omohyoid muscles, 37
 ondansetron, 68
 opiates, 140
 opioids, 65–66
 oropharynx, 46–47
 oversedation, 62t, 63, 69
 pachydermia, 40
 pain, chronic, 62t
 panelectroscope, 3, 12
 papillomas, 43f, 187
 paradoxical vocal cord motion (PVCM), 47–48
 patient assessment
 American Society of Anesthesiologists sedation guidelines, 58–59
 intake and recovery area, 86–88
 lung transplant, 163
 Observers Assessment of Alertness/Sedation Scale (OAAS), 63
 preprocedure assessment, 60–61
 presedation, 60–61
 patient safety, 79
 percutaneous dilatation
 tracheostomy, 149–150
 periodic acid-Schiff (PAS), 109f, 109
 peripheral access scopes, 80
 peripheral lesions, 172–175
 pharyngeal crowding, 39
 photodocumentation, 12–13
 photodynamic therapy, 187
 piggyback method, transbronchial needle aspiration (TPA), 133
 Pillings, 10
 piriform sinuses, 40–41
 pleural disease diagnosis and management, 92
 pleuroscopy, 8, 92
 plicae ventricularis, 44
 plumbing system, 75f, 75
Pneumocystis carinii, 166
Pneumocystis jirovecii, 108, 108f, 119
 pneumomediastinum, 149
 pneumonia
 fungal, 107
 tropical, 108
 ventilator associated, 106–107, 112, 113–114
 pneumoscopy, 8
 polyps, 42f
 portable scopes, 80
 Porter, 2
 postanesthesia discharge (PAD) score, 64
 postanesthesia recovery (PAR) score, 63–64
 post-procedure care, for bronchoscopes, 83
 posttracheoplasty surgery, 30f
 pregnancy, 62t
 preprocedure assessment, 60–61
 pre-procedure care, for bronchoscopes, 82
 pre-screening, 100
 pre-tracheoplasty surgery, 30f
 procedure room, 89f, 88–89, 90f, 91f
 propofol, 64t, 66–67
 propofol infusion syndrome, 67
 prostaglandins, 68
 protected specimen brush (PSB), 111–112, 141
 for ventilator associated pneumonia, 112
 yield, 166
 pulmonary alveolar proteinosis (PAP), 109f, 109
 pulmonary hypertension, 120
 pulmonary toilet, 142–143
 pulse oximeter, 70
 quadrangular membrane, 37
 radial probe endobronchial ultrasound (radial EBUS), 124–125
 radiation therapy, high-dose, 15
 Ramsay score, 63
 rapid on-site evaluation (ROSE), TBNA, 133–134, 156
 recovery area, 87f, 88f
 recurrent laryngeal nerve, 38
 reflux, 42f
 Reinke's edema, 44
 relapsing polychondritis, 20f
 remifentanyl, 64t, 66
 respiratory depressants, 70
 reversal agents, 68–69
 reverse Trendelenburg position, 69
 Riecker, 9
 right aortic arch, 27f

Index

- right bronchial tree, 49f, 50f, 49–50, 51f
- rigid bronchoscopy, 9–13, 183t, 182–183
- risk factors
 for bacterial infections, 166
 for hemoptysis, 187
 for lung cancer, 98
 for myocardial disease, 100
- Roentgen, K., 8
- Rosenheim, 3
- saber-sheath trachea, 20f
- sarcoidosis, 97f, 110, 160
- Schiepatti, E., 9
- screening
 cancer, 14
 flexible fiberoptic
 bronchoscopy, prior to, 100
 foreign body removal, 97
 secretions, 142f, 143f, 142–143
- sedation
 ASA physical status, 61, 61t
 in bronchoscopy, 58
 comorbidity, 62t
 complications of, 62t, 69–70
 deep, 59
 definitions of, 58–59
 equipment and monitoring, 62t, 61–63, 64
 guidelines and oversight for, 58–60
 intensive care bronchoscopy
 and, 140
 Mallampati classification, 60
 medications, 64–69
 antiemetics, 67–68
 benzodiazepines, 64–65
 dosing schedules, 64t
 nonsteroidal
 antiinflammatory drugs, 67
 opioids, 65–66
 propofol, 66–67
 reversal agents, 68–69
 moderate, 58
 preprocedure assessment, 60–61
- Seiffert, 7, 8, 9
- Seldinger method, 186
- self-expanding bronchial stent, 144f
- serotonin, 68
- side effects. *See* specific drugs
- silicone stents, 188, 188t
- silicone Y-stent, 144f
- sleep apnea, 62t
- solitary pulmonary module (SPN), 172
- spray-as-you-go method, 57
- squamous cell carcinoma, 26f
- stenosis, airway
 inflammatory bowel disease
 and, 24f
 multidetector computed
 tomography, 22–23
 post-lung transplant, 168
- stents, 188t, 187–189
 complications, 189
 metallic, 188, 188t
 removal of, 189
 self-expanding bronchial,
 144f
 silicone, 188, 188t
 Y-stent, 144f
- sternohyoid muscles, 37
- sternothyroid muscles, 37
- Storz, K., 9, 12
- stratified squamous epithelium (larynx), 37–38
- stridor, 43, 98
- Strongyloides*, 108
- subglottic intubation airway
 injury, 150f
- substance abuse, 45
- succinylcholine, 9
- Superdimension system, 177–179
- superior cornu, 36
- superior laryngeal nerve, 56
- support staff, 86, 132
- supraglottitis, 44
- surveillance bronchoscopy, 164f, 164–165
- suspension-laryngoscopy, 8
- swallowing reflex, 37
- Syngamus laryngeus*, 108
- systolic cardiac dysfunction, 62t
- TBB/TBLB. *See* transbronchial lung biopsy (TBB)
- TBNA. *See* transbronchial needle aspiration (TBNA)
- TEGLA grading system, 168
- tetracaine, 57
- T-helper cells, 110
- therapeutic bronchoscopy, 181–190
- argon plasma coagulation, 184–185
- balloon dilation, 186
- brachytherapy, 186–187
- central airways obstruction, 182t, 181–182
- cryotherapy, 185–186
- electrocautery, 184–185
- in intubated patients, 139–140
- laser, 183–184
 photodynamic therapy, 187
- stents, 188t, 187–189
- therapeutic endoscopy
 equipment, 92
- 3D reconstructed imaging (MDCT), 21f, 19–22
- thrombocytopenia, 120, 144
- thyroarytenoid muscles, 37
- thyroid cartilage, 36
- tongue base, 38, 38f
- tools. *See* instrumentation
- topical anesthesia, 47–48, 58, 140
- trachea, 48–49, 54f
- tracheobronchial tree, 46f
- tracheobronchomalacia, 27–29, 32f, 169
- tracheomalacia, 28f, 31f
- tracheostomy, 149–150
- transbronchial lung biopsy (TBB), 118–127
 adjunctive techniques, 124–125, 126f
 anticoagulants, 121–122
 antiplatelet agents, 121–122
 biopsy yield, 124–125
 complications of, 125–127, 167
 contraindications for, 120
 forceps, 124, 125f
 hypoxemia, 121
 indications for, 118, 119t
 infectious diseases, 119
 interstitial diseases, 118
 lung transplant surveillance, 120
 neoplastic diseases, 119
 overview of, 118
 procedure, 123f, 122–124
 after procedure care, 125
 pulmonary hypertension, 120
 surveillance, 164–165
 thrombocytopenia, 120
 uremia, 120–121

- vs. bronchoalveolar lavage, 119
- transbronchial needle
 - aspiration (TBNA), 129–136
 - anatomy overview, 130–131
 - aortic-pulmonary window, 130
 - bronchogenic carcinoma, 129
 - complications of, 134
 - equipment, 131
 - golden rule of, 132
 - limitations of, 130
 - overview of, 129
 - peripheral, 130
 - rapid on-site evaluation (ROSE), 133–134
 - sensitivity of, 129
 - specimen processing and interpretation, 133–134
 - techniques, 132f, 131–133
 - cough method, 133
 - hub against the wall method, 133
 - jabbing method, 133
 - piggyback method, 133
 - yield, 129, 134–135
- traumatic injuries, 97
 - bronchoscopy in, 149
- “Treatise on the Diseases of the Air Passages” (Green), 1
- Trendelenburg position, reverse, 69
- tropical pneumonias, 108
- T-suppressor cells, 110
- tuberculosis, 160
- Tucker, G., 11
- Türk. Ludwig, 2–3
- “Türkenkrieg” (Turks war), 2–3
- TVC. See vocal cords
- 2D multiplanar imaging (MDCT), 21f, 19–22
- Tyndall, John, 12
- ultrathin bronchoscopy, 175–177
- universal cord, 73–75
- upper airway anatomy, 45–48
 - hypopharynx, 46–47
 - larynx, 47–48
 - nasopharynx, 45–46
 - oropharynx, 46–47
- uremia, 120–121
- urgent care bronchoscopy. See intensive care bronchoscopy
- vagus nerve, 38, 47–48
- vallecula, 38, 38f, 40–41, 47
- Valsalva maneuver, 35
- VAP. See ventilator associated pneumonia
- vasodilators, 69
- ventilator associated pneumonia, 106–107, 112
 - intensive care bronchoscopy and, 145
- Vesalius, Andreas, 1
- vestibule, 40–41
- video bronchoscope, 76, 78
- video documentation, 12–13
- video processor, 80–81
- virtual bronchoscopy, 22f, 175–177
- visualization. See bronchoscopy; multidetector computed tomography (MDCT)
- vocal cords
 - edema, 44
 - endoscopy, landmarks, 38–40
 - hemorrhage, 41
 - paralysis, 41–43
 - submucosal layers of, 38
 - true vs. false, 38f, 39f
- voice, abnormal, 41–43
- von Bruns, Victor, 3, 5
- von Eicken, Carl, 8, 9
- von Mikulicz, Johann, 3, 4
- von Schrötter, 12
- Wang, Ko Pen, 14, 129, 130
- warfarin, 121
- wedge maneuver, 122
- Wegener’s granulomatosis, 45
- white balance control, 80
- Wolf, 9
- working channel, 74–75, 79, 80, 92, 139–140, 177–179, 186
- workstations, 91