

SUBJECT INDEX

Numbers in Clarendon refer to the second volume.

- Absorption spectra, 68
 rare earths, **81**
 X-rays, 193
- Alkaline earths, arc and spark spectra, 46
 inter-system lines, 57
 interval rule, 63
 isoelectronic spectra, 212
 jj coupling, **142**
 singlets and triplets, 47
- Alkalis, doublet series, 23, 31–2
 doublet intensities, **107**
 forbidden lines, **215**
 isoelectronic spectra, 212
- Alternating intensities, **200–2**
- Aluminium, **22–4**
 absorption spectrum, 68
 displaced terms, 7
 displacement law, Al III, 177
 Landé's doublet formula, 215
 perturbed series, 151
- Analysis, hyperfine, **189**
 multiplet, **48**
 series, 18
 Zeeman, 99
- Angstrom unit, 5
- Anomalous Zeeman effect, 85, **144**
- Antimony, **28–32**
 fluorescence, 80
- Arc spectra, 46
- Argon, **39–44**
 ionized, **38, 145**
 level diagram, **40**
 nebular lines, **218**
- Arsenic, **28–32**
- Atomic magnetism, atomic rays, 129
 electronic theory, 129
 paramagnetic ions, 135
- Atomic rays, 129
 nuclear spin, **201**
 velocity selector, **200**
- Atomic volumes, 161
- Auroral line, **35, 215–17**
- Balmer series, 2, 5, 7, 9
 fine structure, 41
 reversal, 69
- Band spectra, 172
 nuclear spin, **201**
- Bands, anti-Stokes, **233**
 in phosphores, **233**
- Barium, 46–58, **50**
 abnormal intensities, 135
- Bergmann series, 22
- Beryllium, 46–58
 displaced terms, **6**
 Moseley diagram, 204
- Bismuth, **28–32**
 hyperfine structure, **169–70, 181–3, 185**
 magnetic moment, 133
 X-ray spectrum, 197–8
- Bohr magneton, 87, 128, 130
- Boltzmann distribution law, 70, 85, **234**
- Boron, **22–4**
- Bromine, **36–9**
- Cadmium, 46–58
 displaced terms, 7
 hyperfine structure, **170–1, 207**
 ionised, **67**
 magnetic moment, 132
- Caesium, 18–39, **50**
 doublet structure, 30
 intensities, **107–8**
 level diagram, 39
 series, 39
- Calcium, 46–58, **50**
 diffuse triplets, 56
 displaced terms, 1
 doublet limit, **158**
 effective quantum numbers, 51
 intensities, **102**
 ionised, 178, 205
 level diagrams, 50, 52, 2
 perturbed series, 151
 series, 48
- Carbon, **24–8**
- Catalysts, 188
- Centroid of a multiplet, 65
- Cerium, **53, 78**
- Chlorine, **36–9**
 hyperfine structure, **207**
 level diagram, 37
- Chromium, 57–8
 g factors, **125**
 intensities, **106**
 intervals, **148–9**

- Chromium (*cont.*)
 phosphores, 229–32
 Zeeman patterns, 117
- Cobalt, 61, 63
 intensities, 106
 magnetic moment, 134
- Coloured ions, 188
- Columbium, 54, 57
 Zeeman patterns, 103
- Column III, 22–4
 „ IV, 24–8, 140–2
 „ V, 28–32
 „ VI, 33–4
- Combination of electrons, energy rules, 15
 equivalent electrons, 11
 inverted terms, 17
 unlike electrons, 9
- Combination principle, 21, 24
- Configurations, 179–93
 elements tabulated, 194–5
- Copper, 66–9
g factors, 155
 level diagram, 69
 magnetic moment, 132
 perturbed series, 151–4
 Zeeman patterns, 103–4, 118
- Correspondence principle, 13, 36, 93
- Coupling, deviations from Russell-Saunders, 43–4, 122
jj, 28, 136–43
 Russell-Saunders, 3–5, 22
- Covalency, 167, 172
- Crystals, energy levels, 228
- Deutonic nuclei, 205, 214
- Diamagnetism, 127
- Diffuse series, 18
 doublets, 31, 34, 37
 formula, 23
 Stark effect, 158
 triplets, 54–6
 Zeeman types, 83
- Displaced terms, alkaline earths, 1
 Be and Mg, 6
 Zn, Cd and Hg, 7
- Displacement law for spectra, 175–8
- Displacements, atomic, 19, 128, 133
 electronic, 19, 128–33, 147–50
 in electric field, 145, 157–60
 in magnetic field, 112, 124
 sum rule, 124, 126
- Distribution law, Boltzmann's, 70, 85, 234
- Doublet formulae, irregular, 206
 Landé's, 212–16
 regular, 208
- Doublet formulae (*cont.*)
 screening, 206
 Sommerfeld's, 210–11
 spin, 208
- Doublet series, 23, 31–2
- Earth metals, 22–4
- Effective nuclear charge, 203
- Effective quantum number, 22
- Electric field, see Stark effect, 144
- Electron, in nucleus, 209–10
 magnetic moment of, 96
 mass of, 14, 44, 84
- Electron impact, 76
- Electron orbits, 10–13, 26–8, 207
- Electron theory of magnetism, 127
- Electronic angular momentum, see *J*, 34
- Electronic displacements, 147–50
- Electronic structures, 179–95
- Electrovalency, 167
- Energy of interaction of two vectors, orbital and spin vectors, 65
 in strong magnetic field, 112
 in weak magnetic field, 97
- Energy rules, multiplet, 15
- Enhanced lines, 46
- Equivalent electrons, 11
- Erbium phosphores, 242
- Erect terms, 35
- Europium, hyperfine structure, 199
 phosphores, 236
 valency, 78
- Excitation, by electron impact, 76
 by monochromatic light, 78
 potentials, 73
- Exclusion principle, periodic system, 201
 combination of electrons, 11, 17
- Fine structure, constant, 210
 of helium, 44–5, 60–1
 of hydrogen, 40–4
- Fluorescence, in crystals, 228
 hyperfine, 192
 in vapours, 80
- Fluorescent crystals, chromium phosphores, 229
 energy levels, 228
 Lenard phosphores, 245
 platino-cyanides, 246
 rare earth phosphores, 236
 uranyl salts, 241
- Fluorine, 36–9
- Fluorite, 236
- Forbidden lines, 27, 151, 215
- Frame elements, 184

SUBJECT INDEX

227

- Fundamental series, 22
 doublets, 32, 37
 formula, 23
 triplets, 57
- g*, see Magnetic splitting factor, 90
- Gadolinium, 83
- Gallium, 22–4
 nucleus, 211
- Γ , see Displacement
- Germanium, 24–8
- Gold, 66–7
 magnetic moment, 132
- Ground terms, 68
 elements tabulated, 194
 long periods, 187, 45–7
 rare earths, 192, 80
 short periods, 183
- Hafnium, 53–4
- Halogens, 36
- Heavy hydrogen, 15, 167
 nucleus, 206, 214
- Helium, 59–62
 ionised, 14, 44–5
 level diagram, 59
 Stark effect, 151–4
- Hydrogen atom, Bohr's theory, 10
 electron orbits, 28
 magnetic moment, 132
 mechanical moment, 11
 wave mechanics, 15
- Hydrogen spectrum, Balmer's series, 2,
 5, 13
 fine structure, 40–3
 series, 5
 Stark effect, 145–51
- Hyperfine structure, empirical, 166
 intensities, 183
 isotope displacement, 187
 nuclear mass, 167
 Paschen-Back effect, 173
 vector model, 168
 Zeeman effect, 173
- Indium, 22–4
 absorption spectrum, 69–70
- Inert gases, 36–41
 diamagnetism, 139
g factors, 146–7
 intervals, 127
- Inner quantum number, see *J*, 34
- Intensities, alkali doublets, 107
 experimental, 90
 hyperfine, 183–7
 iron-frame elements, 104
jj coupling, 150
- Intensities (*cont.*)
 normal multiplet, 35, 91
 quadripole, 227
raies ultimes, 120
 sum law, 93, 135
 super multiplet, 101
 tables, 95–9
 X-ray, 196
 Zeeman, 98, 108
 Zeeman tables, 112–15
- Intermediate magnetic fields, 116
- Inter-system lines, 57
jj coupling, 28
 Zeeman effect, 116
- Interval quotient, 65
- Interval rule, 63
 hyperfine, 173
 hyperfine perturbed, 197–9
 perturbation, 155
- Invariance, of *g* sum, 123, 123–6
 of Γ sum, 124, 126
- Inverted terms, 35, 16–20
- Iodine, 36–9
jj coupling, 142
- Ionisation potentials, from electron im-
 pact, 72
 from series limit, 20–1
 long periods, 187, 189
 rare earths, 192, 74
 short periods, 182–3
- Iron, 59–61
 magnetic moment, 132
- Iron-frame elements, ground terms,
 46
 compared with other frames, 70–4
 paramagnetic ions, 140–3
- Irregular doublet law, 206
- Isoelectronic sequences, Moseley law,
 203–5
 screening doublets, 206–8
 spin doublets, 211–12
- Isotope displacement, 187–97
- J*, definition, 34
 orientation in magnetic field, 88, 129–
 31
 series limit, 159
- jj* coupling, 28, 136–43
 intensities, 150
- Krypton, 39–44
- Landé's doublet formula, 212
- Lanthanum, 50, 53
g factors, 155
- Lead, 24–8
 fluorescence, 79

- Lead (*cont.*)
 isotope displacements, **197**
 magnetic moment, **133**
- Lenard phosphores, **245**
- Level diagrams, optical, **11, 24**
 X-ray, **197–8**
- Limit, calculation of series, **20**
 displaced, **3**
 multiplet, **31, 42, 159**
- Lithium, **18–39**
 hyperfine structure, **166, 168**
 level diagram, **25**
 Moseley diagram, **204**
 nucleus, **214**
 series, **19**
 Zeeman patterns, **105**
- Long periods, analysis, **48**
 configurations, **48**
 ground terms, **45**
 individual spectra, **49–70**
 in periodic system, **183–7**
 three rows compared, **70–4**
- Lorentz unit, **84**
- Lutecium, **50, 53**
 hyperfine structure, **199**
- Magnesium, **46–58**
 displaced terms, **6**
 intensities, **218**
 intervals, **150**
 ionised, **177**
 Paschen-Back effect, **115, 117**
 Zeeman effect, **105, 119**
- Magnetic field, see Zeeman effect, **82**
- Magnetic moment, of atoms, **132–4**
 of electrons, **96**
 of ions, **135–43**
 of nucleus, **203**
- Magnetic splitting factor, atomic rays,
131
 definition, **90**
 sum law, **123**
 tabulated, **92–3, 100–1**
- Magnetism, **187**
- Manganese, **58–9**
 intensities, **100, 106**
 Zeeman effect, **116**
- Mass effect in hyperfine structure, **167**
- Matching strong and weak terms, **118**
- Mercury, **46–58**
 absorption spectrum, **70–2**
 displaced terms, **7**
 excitation potentials, **75**
 forbidden line, **215**
 hyperfine intervals, **197–9**
 hyperfine structure, **190–2**
 intensities, **101–3**
- Mercury (*cont.*)
 ionised, **67**
 isotope displacements, **193–5**
 level diagram, **53**
 magnetic moment, **132**
 quadripole radiation, **222**
 resonance radiation, **79**
 Zeeman effect, **118**
- Molecules, symmetrical, **201–2**
- Molybdenum, **57–8**
 intervals, **148–9**
- Moseley's law, optical, **199**
 X-ray, **203–5**
- Multiplets, **62**
 analysis, **48**
 intensities, **94–9**
- Multiplicities in iron row, **175**
- Nebular lines, **217**
- Neodymium phosphores, **242**
- Neon, **39–43**
 absorption spectrum, **69**
 hyperfine structure, **168**
 intervals of s terms, **134**
 jj coupling, **141**
 series limits, **43, 159–60**
 Stark effect, **155**
- Neutronic nuclei, **205, 212–13**
- Neutrons in nucleus, **209–10**
- Nickel, **63–5**
 g factors, **155**
 intensities, **105–6**
 magnetic moment, **134**
 Stark effect, **158–60**
- Nitrogen, **28–32**
 inverted terms, **20**
 level diagram, **29**
 nebular lines, **218**
 nucleus, **206–7, 214**
 triplet limit, **32**
- Normal Zeeman triplet, **134**
- Notation in complex spectra, **49**
- Nucleus, electric field of, **200**
 magnetic moment of, **203–6**
 spin of, **200**
 structure, **208**
 types of, **204–5, 208**
- One line spectra, **76**
- Orbits, exclusion principle, **201**
 general atom, **26–8**
 hydrogen, **10–13**
- Orbital vector, **26**
- Oxygen, **33–5**
 auroral line, **216–17**
 intensities, **101**
 level diagram, **33**

SUBJECT INDEX

229

- Oxygen (*cont.*)
 magnetic moment, 134
 nebular lines, **218**
 Paschen-Back effect, 106, 115
- Palladium, **63–5**
 Palladium frame elements, 188
 ground terms, **47**
 paramagnetism, 143
- Paramagnetism, classical theory, 136–8
 frame elements, 140–3
 gases, 138
 Langevin's theory, 127
 rare earths, 138–40
- Partial Paschen-Back effect, 115
 intensities, **118–19**
- Paschen-Back effect, empirical, 105
 hyperfine structure, **173**
 intermediate fields, 117
 invariance of g sum, 123
 invariance of Γ sum, 125
 matching strong and weak terms, 119
 partial effect, 115
 quadripole, **225**
 vector model, 111
- Penetrating orbits, 27
- Periodic system, 161–202
 displacement law, 175
 electronic structures, 179
 exclusion principle, 201
 rare earths, 75
 valency, 166
- Periodic table, 163, 165
- Perturbation, 150–7
 hyperfine, **197–8**
- Phosphores, chromium, **229**
 Lenard, **245**
 rare earth, **236**
- Phosphorescence, **228–9**
- Phosphorus, **28–32**
 hyperfine structure, **207**
- Photometry, **90**
- Platino-cyanides, **246**
- Platinum, **66**
- Platinum frame elements, 189
 ground terms, **47**
 paramagnetism, 143
- Polarisation in, Paschen-Back effect, 112–13
 quadripole radiation, **220**
 Stark effect, 148, 154
 Zeeman effect, 112, **109**
- Potassium, 18–39, **50**
 displacement law, 178
 electron impact, 78
 forbidden lines, **215**
- Potassium (*cont.*)
 g sum, K II, **126**
 hyperfine structure, **207**
 magnetic moment, 132, 138
 Moseley diagram, 205
 quadripole line, **222–5**
 Stark effect, 178
- Praseodymium phosphores, **238, 240, 243**
- Principal series, 18
 doublets, 31, 36
 formula, 23
 triplets, 51, 55
 Zeeman types, 83
- Protonic nuclei, **204, 210–12**
- Protons in nucleus, **209–10**
- Quadripole radiation, forbidden lines, **215**
 intensities, **227**
 polarisation rule, **221**
 quantum mechanics, **219**
 selection rules, **220**
 Zeeman effect, **221**
- Quantum mechanics, hyperfine perturbation, **199**
 Paschen-Back effect, 117
 quadripole radiation, **219**
 valency, 172
 Zeeman effect, 97
- Quantum of action, 10
- Radium, 46–58, **50**
Raies ultimes, **120**
- Raman spectra, **228, 235**
- Rare earths, 75–89
 absorption spectra, **81**
 arc and spark spectra, **79**
 configurations, 190–2
 in periodic system, **75**
 ionisation potentials, 192
 paramagnetism, 138
 phosphores, **236, 242–3**
 valency, 77
- Regular doublets, 208
- Resonance potentials, 72
- Resonance radiation, 78
- Rhenium, **59**
- Rhodium, **63**
- Rubidium, 18–39, **50**
 electron impact, 78
 g sum, Rb II, **126**
 nucleus, **209**
- Russell-Saunders coupling, 3–5, **22**
 deviations from, **122**
- Ruthenium, **59, 61**
 Γ sum, **132**

- Rydberg constant, 2
 for helium, 14
 for hydrogen, 12
 for other atoms, 19
- Samarium, 85–9
 phosphores, 236–40, 243
 valency, 78
- Scandium, 50–3
 ionised, 178, 205
- Screening, constant, 203
 doublet, 206
- Selection rules, displaced terms, 4
 for J , 57
 for L , 26
 Paschen-Back, 112–13
 quadripole, 220
 Stark, 148, 154
 X-ray, 196
 Zeeman, 89
- Selenium, 33–5
- Self-reversal, 18, 69
- Serial number, 19, 23, 49
- Series, 5, 18
 formula, 18–21
 intensities, 104
 limits, 10–11, 21, 158–65
- Sharp series, 18
 doublet, 31, 36
 formula, 21–3
 Stark effect, 158
 triplet, 54–5
 Zeeman types, 83
- Short periods, 181–3
 deep terms, 14
 elements, 21
 ground terms, 16–18
 irregularities, 22
- Silicon, 24–8
 doublet limit, 160
 ionised, 177
 level diagram, 25
- Silver, 66–7
 hyperfine structure, 207
 magnetic moment, 130–2
- Singlet spectra, 47
- Sodium, 18–39
 absorption spectrum, 68
 controlled electron impact, 77
 D lines in magnetic field, 106–10, 112–13
 displacement law, 177
 fluorescence, 79–81
 forbidden lines, 215
 Landé's doublet formula, 215
 level diagram, 33
 magnetic moment, 132
- Sodium (*cont.*)
 nuclear spin, 201
 Paschen-Back effect, 115
 quadripole lines, 223–5
 Stark effect, 155
 Zeeman patterns, 85
- Spark spectra, 46
- Spectroscopic terms, 62
- Spin doublets, 208
 X-ray, 130
- Spin of nucleus, 200
- Spinning electron, doublet series, 32
 Zeeman effect, 94
- Stark effect, 144–60
 experimental, 144
 forbidden lines, 215
 in crystals, 234
 in hydrogen, 145
 in other elements, 151
- Stationary states, 3, 10
- Statistical weight of a term, 66
- Stripped atoms, 207
- Strong field, 106
- Strontium, 46–58, 50
 intensities, 102
 perturbation, 157
- Sulphur, 33–5
- Sum rules, g sum, 123
 Γ sum, 126
 intensity, 135
- Super multiplet, intensities, 101
- Tellurium, 33–5
- Temperature class, 49
- Terbium, valency, 78
- Terms, 3, 9, 11
- Thallium, 22–4
 absorption, 69–70
 fluorescence, 79
 hyperfine structure, 172–89
 intensities, 108
 isotope displacement, 194
 level diagram, 23
 magnetic moment, 132
 nucleus, 206
- Tin, 24–8
 magnetic moment, 133
- Titanium, 53–4
 g factors, 155
 Γ sum, 132
 intensities, 101, 106
 ionised, 178, 205
- Transition elements, 184
- Triplet terms, 49
- Tungsten, 58
- Uranyl salts, 241

SUBJECT INDEX

231

- Valency, 166–75
 rare earths, 77
- Vanadium, 54, 57
- Vector model, alkali doublets, 29
 combination of several electrons, 9
 displaced terms, 3
 general coupling, 135
 hyperfine intervals, 199
 hyperfine structure, 168, 172
 hyperfine Zeeman effect, 173
 interval rule, 65
 jj coupling, 27–8
 Paschen-Back effect, 111–12
 Stark effect, 157
 Zeeman effect, 88–9
- Wave mechanics, 3
 hydrogen atom, 15
 hyperfine structure, 176, 179
- Wave numbers, 5
- Weak field, 106
- X-rays, 193–200, 228
 spin doublets, 209–11, 130
- Xenon, 39–43
 Stark effect, 156–7
- Ytterbium, phosphores, 236
 valency, 78
- Yttrium, 50, 53
- Zeeman effect, 82–104
 analysis, 99
 anomalous types, 85
 hyperfine, 173
 intensities, 98, 108–20
 magnetic splitting factors, 92–3,
 100–1
 normal triplet, 82
 quadripole, 221
 quantum theory, 86
 spinning electron, 94
 unresolved patterns, 106
- Zinc, 46–58, 67
 displaced terms, 7
 Landé's doublet formula, 215
 magnetic moment, 132
- Zirconium, 53–4
 doublet limit, 161
 g factors, 154, 156
 intensities, 106

Cambridge University Press

978-1-107-50580-3 - Atomic Spectra: And the Vector Model:volume 1: Series Spectra

A. C. Candler

Index

[More information](#)

Cambridge University Press

978-1-107-50580-3 - Atomic Spectra: And the Vector Model: volume 1: Series Spectra

A. C. Candler

Index

[More information](#)

AUTHOR INDEX

Numbers in Clarendon refer to the second volume.

- Albertson, W., 79
 Allen, J. S. V., 106
 Altschuler, S., 213
 Andrade, E. N. da C., 69, 78, 81
 Arnot, F. L., 81
 Aston, F. W., 188, 208

 Bacher, R. F., short periods, 44; long periods, 74; hyperfine structure, 173, 199
 Back, E., Paschen-Back effect, 104–6, 115–18, 126; *g* factors, 147; hyperfine structure, 169, 178, 180, 187
 Bakker, C. J., halogens, 36; *g* sum, 125; quadrupole Zeeman effect, 222–6
 Balmer, J. J., 2, 5
 Barratt, S., 220
 Bartlett, J. H., 150
 Bear, R. S., 85, 88–9
 Bechert, K., 150
 Becker, F., 217, 227
 Becquerel, J., 82–3
 Blair, H. A., 104, 125
 Blaton, J., 227
 Bohr, N., 3; H atom 10f.; He ion, 14; selection rule, 89; Stark effect, 157; periodic table, 163–4, 180–91; rare earths, 75, 79
 Boltzmann, L., 2, 70, 85, 234
 Born, M., 175, 202
 Bourland, L. T., 143
 Bowen, I. S., doublet laws, 204, 207, 212; nebular lines, 217–19
 Boyce, J. C., nitrogen, 20; nebular lines, 217–19
 Brackett, F. S., 7
 Bragg, W. H., 202
 Bragg, W. L., 202
 Breit, G., matching terms, 120; isotope displacements, 194–7; nuclear spin, 201
 Brickwedde, F. G., 167
 Brück, H., 170–1
 Bryden, S. D., 209
 Buoma, T., 106
 Burger, H. C., helium, 60; intensities, 101–4; Zeeman intensities, 108–10; photometry, 121

 Cabannes, J., 228
 Cabrera, P., 139
 Campbell, J. S., 84, 221
 Capel, W. H., 139
 Carter, N. M., 27, 216
 Casimir, H., 199, 200
 Chalk, L., 149, 150
 Charola, F., 80
 Chenault, R. L., 8
 Coelingh, M., 102
 Cohen, V. W., 131, 200–1
 Compton, K. T., 20
 Cotton, A., 84
 Condon, E. U., 158–9
 Crookes, W., 236
 Curie, S., 127
 Curtis, W. E., 7

 Dadiou, A., 228
 Darwin, C. G., Paschen-Back effect, 117; quantum mechanics, 211; Paschen-Back intensities, 118
 Darwin, K., 109–10
 Datta, S., 215
 Davis, B., 74–5
 de Boer, J. H., 167, 172, 202
 de Broglie, L., 15
 de Bruin, T. L., 36, 125
 de Gramont, A., 120
 de Haas, W. J., 139
 Dennison, D. M., 200
 Deutschbein, O., rare earths, 83; chrome phosphores, 230–5
 Dewar, J., 2
 Dickinson, R. G., 201
 Dijkstra, H., 147
 Dirac, P. A. M., 93
 Dobson, G. M. B., 90
 Dorgelo, H. B., 91–3, 109
 du Bois, H., 235

 Eastman, E. D., 209
 Eckart, C., 167
 Ehrenfest, P., 82
 Elias, G. J., 235
 Eliason, A. Y., 95, 150
 Epstein, P. S., 147
 Evans, E. J., 14, 168
 Evans, S. F., 142

- Evert, H., **240**
 Eymers, J. G., **102**
- Fagerberg, S., **240**
 Fermi, E., **108, 203–7**
 Ferschmin, A., **40**
 Filippov, A., **107**
 Fisher, R. A., **104**
 Foote, P. D., **215, 8**
 Fortrat, R., **68**
 Foster, J. S., **149–51, 155**
 Fowler, A., helium, **14**; series laws, **21**;
 doublet series, **31**; Moseley's law,
 205; carbon, **28**
 Fowler, H. W., **27, 216**
 Franck, J., **76, 81**
 Frank, A., **139**
 Fraser, R. G. J., **129–30, 143**
 Fraunhofer, J., **68**
 Frayne, J. G., **218–19**
 Freed, S., **139, 83–5**
 Frerichs, R., intensities, **106, 121**;
 auroral line, **221**
 Fridrichson, J., **76**
 Frisch, S., **40**
 Füchtbauer, C., **71, 107**
- Gale, H. G., **15**
 Gebauer, R., **145**
 Gehreke, E., **84**
 Gerlach, W., **129, 132–3, 138**
 Gibbons, J. J., **197**
 Gibbs, R. C., H_{α} , **43**; He atom, **61**;
 doublet laws, **208, 212–16**; f elec-
 trons, **14**; cerium, **80**
 Götze, R., **23, 1**
 Goucher, F. S., **74–5**
 Goudsmit, S. A., spinning electron, **32–4**;
 fine structure of hydrogen, **40–5**;
 He atom, **58**; Paschen-Back effect,
 111; doublet laws, **209–10, 216**;
 short periods, **44**; long periods, **74**;
 combination of electrons, **20**; g , **126**,
 143; Γ sum, **130–2**; jj coupling,
 142; perturbation, **156**; hyperfine
 structure, **169, 173, 180, 199**; nuclear
 moments, **203–7**; rare earth phos-
 phores, **240**
 Grace, N. S., **43, 197**
 Granath, L. P., **168**
 Grebe, L., **197**
 Green, J. B., Paschen-Back effect, **117**;
 doublet laws, **216**; perturbation,
 155; hyperfine structure, **175–7**,
 183–6
 Griffith, I. O., **90, 121**
 Grotrian, W., hydrogen, **40**; helium, **40**,
 58; aluminium, **68**; indium, **70**;
 Stark effect, **155**; Moseley diagrams,
 205; nebular lines, **217, 227**
- Guthrie, A. N., **143**
- Haberlandt, H., **236**
 Hansen, G., helium, **41, 60**; hyperfine
 structure, **168**
 Harkness, H. W., **156, 160**
 Harrison, D. N., photometry, **90, 121**
 Harrison, G. R., intensities, **106, 135**
 Heard, J. F., **156, 160**
 Heisenberg, W., hydrogen, **40**; helium,
 61; Paschen-Back effect, **117, 120**;
 intensities, **91, 111**; nuclear struc-
 ture, **209**
 Heitler, W., **174**
 Hellmann, H., **202**
 Herlihy, J., **108**
 Hertz, G., **69, 76, 206**
 Hesthal, C. E., **106**
 Hevesy, G. v., **75, 81, 89**
 Hill, E. L., **185**
 Hiyama, S., **145**
 Hoag, J. B., **15**
 Hönl, H., **93, 111**
 Hopfield, J. J., **35**
 Houston, W. V., hydrogen, **41–3**;
 helium, **60**; Lorentz unit, **84**; per-
 turbed g factors, **155, 178**; quadri-
 pole radiation, **215, 219, 226**
- Howes, H. L., **241**
 Hsieh, Y. M., **43**
 Hübner, H. J., **107**
 Huff, L. D., **215, 226**
 Hughes, D. S., **167–8**
 Hund, F., electronic structures, **193**;
 energy rules, **15**; combination of
 electrons, **20**; short periods, **24–36**,
 44; inert gases, **42**; long periods,
 74; series limit, **160–3**
- Idei, S., **200, 206**
 Inglis, D. R., perturbed, terms, **156**;
 nucleus, **210, 212, 214**
 Ishida, Y., **145**
 Iwama, T., **147**
 Iwanenko, D., **210**
- Jack, R., **102**
 Jackson, D. A., **207**
 Janes, R. B., **143**
 Jantsch, G., **236**
 Jenkins, H. G., **120**
 Jevons, W., **174, 202, 201**
 Jog, D. S., **28**
 Johnson, M. H., **106, 135**

AUTHOR INDEX

235

- Jones, E. G., 197–8, 207
 Joos, G., 107, 232
 Jordan, P., hydrogen, 40; energy levels, 81; Paschen-Back effect, 117, 120; Zeeman intensities, 111
 Kalia, P. N., 79
 Kallmann, H., hyperfine structure, 194–6, 210, 214
 Karlik, B., 236
 Karlson, P., 79
 Kassner, L., 147
 Kast, W., 157
 Kayser, H., 214
 Kellogg, J. M. B., 201
 Kent, N. A., 41
 Keyston, J. E., 171, 185–91, 193
 Kiess, C. C., g factors, 90, 100; zirconium, 106; perturbation, 154; series limit, 161
 Kiess, H. K., 106, 154
 King, A. S., 46, 49, 79
 Klemm, W., 236
 Koch, J., 151
 Kohlrausch, K. W. F., 228
 Kohn, H., 107
 Kossell, W., 169, 176, 186
 Kramers, H. A., 147, 154
 Krömer, E., 125
 Kronig, R. de L., intensities, 93, 104, 150; Zeeman intensities, 111
 Kruger, P. G., 61
 Kuhn, H., 207
 Kurt, E. O., 134
 Ladenburg, R., 71, 155
 Landé, A., selection rule, 57; interval rule, 63; g factors, 90; Zeeman effect, 104; Γ sum, 125; doublet formula, 212; oxygen, 35; neon, 41; g sum, 125; nucleus, 210–14
 Lang, R. J., 80, 161
 Langer, R. M., 152
 Langevin, P., 127
 Langstroth, G. O., 135, 156
 Laporte, O., interval rule, 64; paramagnetic ions, 141; *raies ultimes*, 121; g sum, 126; perturbation, 156; selection rule, 220; rare earth phosphores, 240
 Lenard, P., 73, 246
 Leu, A., 132–3
 Lewis, G. N., 170
 Living, G. D., 2
 London, F., 174
 Lorentz, H. A., 82, 84
 Loring, R. A., 155
 Lo Surdo, A., 145
 Lyman, T., 7, 58, 39
 McLennan, J. C., 35, 216, 221
 McLeod, J. H., 221
 Mack, J. E., 162
 Masaki, O., 40
 Meggers, W. F., g factors, 90, 100; intensities, 104; *raies ultimes*, 121; g sum, 125; Γ sum, 132; forbidden lines, 215
 Meissner, K. W., caesium, 38; rubidium, 40; neon, 69; atomic rays, 130
 Mendeléeff, D., 162, 165
 Mensing, L., 117
 Metcalfe, E. P., 70
 Meyer, S., 139
 Milianczuk, B., 225
 Miller, G. R., 126
 Millikan, R. A., doublet laws, 204, 207, 212; displaced terms, 6
 Minkowski, R., 147, 160
 Mishima, T., 168
 Mitchell, A. C. G., 81
 Mohler, F. L., 79, 215
 Moll, W. J. H., 121
 More, K. R., 197
 Moseley, H. G. J., 199, 203
 Mrozowski, S., 192
 Mulliken, R. S., 174
 Murakawa, K., 147
 Murphy, E. J., 167
 Nagaoka, H., 168
 Newman, F. H., 77
 Nichols, E. L., 241
 Nutting, G. C., 84, 232
 Ornstein, L. S., intensities, 101–4, 106; Zeeman intensities, 108–10; photometry, 121
 Paschen, F., hydrogen, 7; serial numbers, 23; helium, 45, 58; Paschen-Back effect, 105–6, 115; oxygen, 35; neon, 39, 42; perturbed series, 151
 Pauli, W., matching terms, 119; g sum, 124; Stark effect, 158; exclusion principle, 201; g sum, 125; hyperfine structure, 166, 168
 Pauling, L., doublet laws, 209, 216; combination of electrons, 20; Γ sum, 132; *jj* coupling, 142
 Pearson, H., 41
 Pflüger, A., 71
 Pfund, A. H., 7

- Phipps, T. E., 134
 Piccardi, G., 192, 75
 Pickering, W. H., 14
 Placzek, G., 228
 Planck, M., 10
 Poetker, A. H., 7
 Pogány, B., 42, 145–7
 Preston, T., 85, 105
 Pringsheim, P., absorption spectra, 69,
 78, 81; fluorescence, 241, 244–6
 Prizibram, K., 236
- Rabi, I. I., atomic rays, 129, 131, 143;
 nuclear spin, 200–1
 Raman, C. V., 228
 Ramb, R., 40
 Ramsauer, G., 155
 Rasetti, F., 107–8, 220
 Rawlins, F. I. G., 232
 Rayleigh, Lord, 80–1, 215
 Ritz, W., 3, 21, 24
 Rolla, L., 192, 75
 Roschdostwenski, D., 107–8
 Rosenthal, A. H., 36
 Rowles, W., 155
 Ruark, A. E., 180, 202
 Rubinowicz, A., 89, 227
 Ruedy, J. E., 221
 Rumer, G., 174
 Rump, W., 79
 Runge, C., 58, 85, 214
 Russell, H. N., series laws, 21; notation,
 34; unresolved patterns, 104;
 matching terms, 120; xenon, 158;
 displaced terms, 1, 5; notation, 4;
 combination of electrons, 10; euro-
 pium, 79; intensities, 93, 104–5;
 g sum, 125; Γ sum, 132; perturbed
 series, 151, 154
 Rydberg, J. R., Rydberg constant, 2;
 series formula, 18; combination
 principle, 21, 24
 Ryde, J. W., 120
 Ryde, N., 156
- Saha, N. K., 83
 Sambursky, S., 108
 Sauer, H., 232–3
 Saunders, F. A., 1, 5, 39
 Sawyer, R. A., 7, 126, 151
 Scheffers, H., 130
 Schlapp, R., 151
 Schmidt, T., isotope displacements,
 195; hyperfine structure, interval
 rule, 199; nuclear structure 209;
 fluorescence, 246
- Schnetzler, K., 232
 Schrödinger, E., 149
 Schüler, H., hyperfine structure,
 lithium, 166; vector model, 170–1;
 intensities, 185–7; isotope dis-
 placement, 189–97; perturbation,
 197–9; nucleus, 204–5, 209–10,
 213–14
 Schuster, A., 2
 Scribner, B. F., 121
 Segré, E., nuclear moments, 203–7;
 quadrupole radiation, 222–6
 Selwyn, E. W. H., 205
 Seward, R. S., 106
 Sexl, T., 200
 Shane, C. S., 15, 43
 Shenstone, A. G., unresolved patterns,
 104; notation, 34, 4; inverted terms,
 19; g sum, 125; Γ sum, 132; per-
 turbation, 151, 154–5; series limit,
 161
 Sherman, A., 202
 Shrum, G. M., 27, 216
 Sidgwick, N. V., 167, 172, 202
 Siegbahn, M., 200, 202, 228
 Slater, J. C., 58, 174, 130
 Smith, D. M., 120
 Snow, C. P., 232
 Sommer, L. A., 221
 Sommerfeld, A., intensity rule, 35; H I
 and He II, 40–5; Paschen-Back
 effect, 115; matching terms, 119;
 paramagnetism, 141; displacement
 law, 176; doublet laws, 210–11,
 216; intensities, 91–3
 Sowerby, A. L. M., 220
 Spedding, F. H., H₂, 15, 43; para-
 magnetism, 139; rare earths, 83–9;
 chromium compounds, 232–4; rare
 earth phosphores, 238
 Spencer, J. E., 89
 Stark, J., 144–5, 150, 160
 Stern, O., 129, 132, 210
 Stevenson, A. F., 220
 Stokes, G. G., 229
 Stoner, E. C., 136, 143
 Stoney, G. J., 2
- Takamine, T., 158–9, 8
 Tamm, I., 213
 Taylor, J. B., 132
 Taylor, L. B., 41
 Temple, G., 209
 Terenin, A., 80
 Terrien, J., 147
 Thomas, E., 168
 Thornton, R. L., 149

Cambridge University Press

978-1-107-50580-3 - Atomic Spectra: And the Vector Model: volume 1: Series Spectra

A. C. Candler

Index

[More information](#)

AUTHOR INDEX

237

- Tomaschek, R., rare earths, **83**; fluorescence, **242–3**, **246**; rare earth phosphores, **236–40**
- Traubenberg, H. R. v., **145**
- Turner, L. A., **34**, **4**
- Twyman, F., **120**
- Uhlenbeck, G. E., spinning electron, **32**; H I and He II, **40–5**; helium, **58**; doublet laws, **210**; *g* factor, **143**
- Unsold, A., **45**
- Urbain, G., **236**
- Urey, H. C., periodic system, **180**, **202**; combination of electrons, **20**; hyperfine structure, **167**
- Van Arkel, A. E., **167**, **172**, **202**
- Van Geel, W. C., **117**, **110**, **116–21**
- Van Lohuizen, T., **87**
- Van Vleck, J. H., **138–9**, **143**, **202**
- Van Wijk, W. R., **101**
- Venkatesachar, B., **70**
- Voigt, W., **105–6**, **108**, **117**
- von Baeyer, A., **84**
- Weiss, P., **84**
- Wentzel, G., **196**, **5**
- West, G. D., **15**
- Weyl, A., **174**
- Whiddington, R., **13**
- White, H. E., doublet laws, **208**, **212**, **216**; combination of electrons, **14**; cerium, **80**; intensities, **95**, **150**; perturbation, **151**; series limit, **163**
- Whitford, A. E., **126**
- Wick, F. G., **244**
- Wiersma, E. C., **139**
- Wilber, D. T., **14**
- Williams, J. H., **43**
- Williams, S. E., **108**
- Wolff, H. W., **107**
- Wood, R. W., **68**, **79**, **228**
- Wrede, E., **132**
- Wulff, J., hyperfine structure, **175–8**, **183–7**
- Zacharias, J. R., **201**
- Zahradnick, J., **211**
- Zeeman, P., Zeeman effect, **82**, **104**; aluminium, **36**; hyperfine structure, **169**, **180**
- Zemansky, M. W., **81**