

INDEX

- afterburner xi, xiv, 144, 222–255, 262–268, 276–278
 air superiority 221, 222
 Airbus Industrie
 A330 and 340 4–6, 11, 20, 21, 311, 332
 A380 vii, 4, 109, 332
 A350 5–12, 332, 341
 angle of attack 22–24
 aspect ratio xi, 22, 127, 128, 131, 132, 134
 atmosphere 16
 attained maximum turn rate 231
 axial compressor 115–123, 129–134, 156–158, 305–307
 axial turbine 115–129, 169–172, 307, 308
- banked turn 231, 232, 241
 blades xi, 64–66, 115–117
 Boeing
 707 3, 4, 9, 326
 747 4, 5, 35, 109, 332
 767 5, 6, 11, 326, 332
 777 5–10, 311, 312, 332
 787 5–14, 19, 24–32, 38, 58, 60, 227, 228
 booster xi, 62, 63, 82–88, 98, 120–122, 197–203
 Breguet range equation 27–32
 bypass ratio xi, 4, 34, 82–99
- CFM-56 167, 332
 choked nozzle 74–76, 103, 145, 169, 170
 chord, blade xi, 116, 118
 climb 28, 30, 31, 46, 79, 80, 235–237, 323–325, 328
 close air support 321, 224
 combat rating 260, 348
 off design 284, 297
 combustor 159–168
 pressure loss 209, 211, 319, 328
 Committee for Aviation Environmental Protection (CAEP) *see* ICAO
 compressor
 bleed 99, 158, 173, 176, 189, 196, 199, 201, 306
 operation off-design 156–158
 overall performance 150–152
 stall – and surge 156–158
 spanwise effect 133, 134
 solidity 131
 Concorde 191, 248, 326
 convergent-divergent nozzle 75, 76, 249, 250
 cooling 51, 52, 64–68, 171, 172, 254, 257, 263–267, 313–318, *see* turbine cooling
- core compressor xi, 129–132, 151–158
 core xi
 corrected mass flow and speed 108, 149
- decibel 335, 338
 deviation 115–117
 diffusion factor 131
 dimensional analysis 99–113
 discharge coefficient 145
 drag xi, xii, 5, 20–33, 36, 91–95, 104, 106, 220, 221, 230–234, 236–239, 311, 312
 coefficient 21, 22, 232–234
 polar 232, 233
 dynamic pressure 70, 71, 116, 125, 126, 230
 dynamic scaling 99–113
 dynamic scaling, practical parameters 103
- efficiency
 combustion 161, 162, 165, 168, 173, 266, 268
 cycle 47–51
 isentropic 45–47, 50, 153–155
 overall 27, 37–39
 polytropic 153–155
 propulsive 34–37, 82–87, 98, 200, 206, 211, 319, 321, 341
 thermal 37, 47–51
 emission regulations 163–168, 173–174
 emissions 163–168
 energy state 235–237
 environmental issues 8–9, 19, 331
 equivalence ratio 8, 144, 160, 247, 329
 ETOPS 5, 7, 331
 Euler work equation 119–120
 Eurofighter (Typhoon) 221, 224, 227, 228
- F-14 221
 F-15 221, 223, 227, 251, 252
 F-16 221, 227, 228, 232, 233, 250–251, 281
 F-22 221, 223, 240
 F-35 220, 221, 227–228, 240
 fan xii, 5, 43, 60–63, 121–123, 131, 137, 148–151, 242, 245, 246
 pressure ratio xii, 78–80, 82–99, 262, 269–273, 305
- Federal Aviation Regulation (FAR) Part 335
 flame speed 161
 flow coefficient 120–123
 fuel consumption
 specific, *see* sfc
 fuel–air ratio 114, 160–161

gas properties
 effect of 51–53, 72, 143–145, 168, 313–329

gas turbine cycle 41–57

General Electric
 CF6 35, 83, 84, 332
 GE90 9, 83, 152
 GEnx 38, 60–62, 83, 84, 152, 167, 197

Griffith, A A 191

high-pressure, HP xi

high-speed civil transport 311, 326

International Civil Aviation Organisation (ICAO)
 9, 164
 Atmosphere 15
 CO₂ 33, 330, 331
 Emissions 165, 173, 174
 Noise 335–338

incidence xi, 22–24, 115–117, 135, 150, 158

inlet for high-speed flight 250–253

inlet stagnation pressure loss 250–253

interception 221, 223, 225, 248

interdiction 221, 223, 248

Intergovernmental Panel on Climate Change (IPCC) 164, 331

intermediate-pressure, IP xi

International Standard Atmosphere (ISA)
 15–18

jet pipe xii, 179

jet velocity 73–75

Joint Strike Fighter (JSF) *see* F-35

lift xii, 10, 21–24, 30, 31, 221–232
 coefficient 22–26, 230–234, 237, 239
 coefficient, optimum 26

lift–drag ratio 12, 23–26, 28, 29, 31, 32, 94, 108, 109, 210, 232, 235, 320, 324

load factor 221, 230–232, 236–238

loss in stagnation pressure 116, 265, 251

loss of thrust at cruise 108–111

loss of thrust at take off 108–111

low-pressure, LP xii

lower calorific value, LCV xii, 27, 28, 37, 43, 47, 102, 103, 168, 178, 206, 266

Mach number 4, 13

maximum-dry rating 260

MIL-E-5007/8 intake loss 251, 252

min fuel consumption (combat) 301, 302

mixed high bypass engine 311–313

mixed military turbofan 245–246

mixing of core and bypass 245, 246, 268

nacelle 91, 92

noise 335–342
 Heathrow quota count 338, 339

lateral
 certification 335–338
 measurement 338
 generation 339–341
 reduction 341, 342

NO_x 163–168, 173, 174

nozzle
 propulsion 145–148
 choking 74–76, 103, 145, 169, 170
 guide vane, NGV 169, 170

payload xii, 3–7, 11, 12, 19–21, 29, 32

Pratt and Whitney
 GTF GT1524 62
 JT8D 60, 100
 JT9D 83, 84

propulsive nozzle xii, 76, 78, 79, 99–105, 145–148, 176, 177, 239, 242, 245, 249–250

pylon xii, 34–36, 94, 99, 101, 342

Quota Count (QC) 338, 339

ram drag xii, 36, 39, 91, 104, 109, 240, 244, 323

ramjet 244, 256, 269

range 6, 12, 20, 21, 23, 27–32, 108–111

rating of combat aircraft engines 260, 348

reheat factor 154

residence time 162, 165, 166

Rolls Royce
 Olympus 38, 58, 59, 191–197
 RB211 83, 84, 311, 332
 Trent 700/800 10, 311, 312
 Trent 1000 38, 61, 62, 83, 84, 197
 Trent XWB 83
 Viper 58, 59, 177–189

rotor 118, 119

shock wave 12, 24, 251–253, 281, 305

sound pressure level (SPL) 338

spaur range SAR 27, 32

specific energy 235, 236

specific excess power, SEP 235, 236

specific fuel consumption (sfc) xii
 bare 93
 effective 93

specific thrust 82, 84, 88, 90–93, 242–245

speed of sound 13

spool xii, 58

staged combustion 167

stagnation conditions, definition 71–73

stall
 aircraft 22–24
 compressor 156–158

static conditions, definition 71–73

stator 118, 119

stoichiometric combustion 144, 145

supercruise 223, 226, 240, 301

Cambridge University Press

978-1-107-51122-4 - Jet Propulsion: A Simple Guide to the Aerodynamics and Thermodynamic Design and Performance of Jet Engines

Nicholas Cumpsty and Andrew Heyes

Index

[More information](#)

Index

351

- surge 115, 132, 135, 150, 156–258
sustained maximum turn rate 234
- take off
civil aircraft 4–7, 11, 12, 21–23, 323, 324, 328
combat aircraft 220, 227, 228, 231, 241, 257, 286
technology standard, combat engine 262, 263
thermodynamics
1st law of 54–57
2nd law of 54–57
- thrust
lapse 244
gross xi, 36, 39
net xii, 36, 39
- tropopause 15, 17, 225, 226, 241, 255
- turbine
choking 74–76, 103, 145, 169, 170
cooling 51, 52, 64–68, 254, 257, 263–267, 313–318, 171, 172
cooling effectiveness 67
creep 65, 68
inlet temperature 65
overall performance 169, 170
- turbofan xi, 60–62
turbojet xi, 59
- units (measurement) 13
- velocity triangles 123, 124
von Ohain, Hans 159
- weight
military aircraft 227
powerplant 93–95
weight, civil aircraft 6, 12
- Whittle, Frank 26, 159
- wing
lift 21–23, 230, 231
loading 21–23, 230, 231
sizing 21–23
- work coefficient 120–122
working line 150–158, 184–196, 206, 209, 212, 213, 293
- zoom 225, 235
Zweifel coefficient 126, 127, 129