

Index

- advection, 97, 251
- advection–dispersion point form
 - one-dimensional discrete, 386
 - one-dimensional simplified, 381
 - dimensionless, 382
 - simplified, 380
 - two-dimensional diffusion only
 - differential form, 391
 - discrete form, 392
 - two-dimensional simplified, 389
- angular velocity vector, 276
- aquifer
 - confined, 353
 - leaky, 353
 - unconfined, 353
- arithmetic, 21
- asymptotic expansion, 1
- balance of internal energy
 - Eulerian form, 308
 - Lagrangian form, 308
 - temperature form, 310
- balance of mechanical energy
 - derivation, 294
 - Eulerian form, 294
 - with gravitational potential, 295
 - general volume, 297, 314
 - with gravitational potential, 297
 - hydraulic routing
 - constant density, 337
 - derivation, 335–337
- Bernoulli equation
 - at a point, 293
 - constant density, 293
 - derivation, 291–293
 - differential, 292
- Biot number, 128
- Bond number, 129
- boundary conditions, 46
- Boussinesq coefficient, 320
- Brownian motion, 92, 97
- Buckingham Pi theorem, 106
- calibration, 40, 61–62
- capillary number, 130
- carrying capacity, 139
- channel slope, 321
- Chezy’s equation, 327
 - two-dimensional, 344
- Chezy coefficient, 327
- closure relations, 46
- complementary error function, 267
- compressibility
 - fluid, 361
 - matrix, 361
- computational molecule, 390
- conduction
 - electrical, 94
 - entropy, 94
 - heat, 94
- conservation of species mass
 - CSTR, 262
- conservation equations, 46
- conservation of angular momentum
 - derivation, 301–302
- conservation of mass
 - CSTR, 226
 - derivation, 225–226
 - discrete equation, 227
 - Eulerian form, 220, 224
 - fixed volume, 216
 - general volume, 215, 314
 - hydraulic routing, 318
 - constant density, 328
 - derivation, 317–318
 - hydrologic routing, 229
 - incompressible fluid, 223
 - Lagrangian form, 222
 - material volume, 216
 - porous medium
 - derivation, 354–358
 - including matrix deformation, 361

- porous medium fluid
 - Eulerian form, 358
 - general volume, 356
- shallow-water flow, 339
 - constant density, 340
- conservation of moles
 - general volume, 248
 - point equation, 248
- conservation of momentum
 - derivation, 276–277
 - Eulerian form, 284
 - fixed volume, 283
 - general volume, 282, 314
 - hydraulic routing, 323
 - constant density, 328
 - derivation, 319–323
 - special form, 324
 - material volume, 283
 - shallow-water flow, 343
 - constant density, 344
- conservation of species mass
 - advection–dispersion form, 262
 - advection–dispersion point form, 263
 - analytic solution, 265–267
 - superposition, 267–268
 - CSTR, 256
 - constant flow solution, 259
 - discrete time solution, 262
 - general solution, 258
 - time derivative form, 257
 - derivation, 238–243
 - fixed volume, 242
 - general dispersion form, 251
 - general volume, 241, 314
 - material volume, 241
 - point dispersion form, 254
 - point form, 243
 - porous medium
 - derivation, 370–373
 - distribution form, 372
 - Eulerian form, 372
- conservation of species moles
 - dispersion form, 255
 - general volume, 244
 - point equation, 244
- conservation of total energy
 - derivation, 304–305
 - Eulerian form, 307
 - with gravitational potential, 308
 - general volume, 305
 - with gravitational potential, 305
 - Lagrangian form, 307
 - with gravitational potential, 308
- continuity equation, 223
- continuous stirred tank reaction, 225
- convection, 97, 251
- Coriolis coefficient, 336
- Coriolis force, 129, 276
- cross product, 177
- CSTR, 225
 - simulation, 399
 - continuous in time, 399
 - discrete in time, 400
 - stability, 400
- Darcy’s law, 362
 - anisotropic system
 - pressure form, 378
 - gradient form, 364
 - original algebraic form, 364
 - pressure gradient form, 365
- Darcy correlation, 125
- Darcy experiment, 362–364
- data
 - correlation, 21
 - dedicated, 57
 - existing, 57
 - large sets, 23
 - processes, 21
 - quality, 22
- daylight savings, 20
- derivative
 - directional, 180
 - Eulerian time, 171
 - material, 172
 - partial, 168
 - partial time, 171
 - total time, 169
- design of experiments (DoE), 56, 61
- determinism
 - perfect, 27
- deterministic process, 27
- diffusion, 92, 97
 - definition, 249
- diffusion wave approximation, 331
- diffusivity, 252
- dimensional analysis, 105, 106
 - partially mixed problem, 111–114
 - pipe flow, 119–121
 - porous media flow, 123–126
 - sedimentation, 115–117
 - stress tensor, 286
 - well-mixed problem, 109–111
- dimensional homogeneity, 106
- dimensionless groups, 102
- discrete approximate derivatives
 - partial first derivative, 383, 390
 - weighted, 390
 - partial second derivative, 384
 - weighted, 390
- dispersion, 92, 97
 - apparent mass, 96
 - defined, 249

- mechanical, 97
- mixing, 95
- momentum, 96
- dispersion coefficient, 252
- dispersion vector
 - mass, 250–252
 - molar, 255
- dispersive flux
 - mass, 251
 - molar, 256
- divergence
 - of a tensor, 279
- divergence operator
 - defined, 187
- divergence theorem, 197
 - derivation, 195–197
 - gradient form, 199
 - interpretation, 197
- dot product, 176, 278
- dynamic wave approximation, 330

- eddy viscosity, 288
- education, 5
- energy
 - demand, 23
 - internal, 304
 - kinetic, 304
 - potential, 304
- energy slope, 337
- enthalpy, 309
- environmental modeling, 2
 - elements, 3
- error
 - observable, 63
- Eulerian approach, 171
- Eulerian description, 172
- experimenters, 64
- extrapolation, 15, 20

- Fick's law, 252
- finance model, 153
- finite difference method, 380
- fluid
 - dynamics, 166
 - kinematics, 166
- flux, 98
- football, 20
- Fourier's law, 310
- friction factor, 121, 326
- friction slope, 323
 - closure, 334
 - dimensional analysis, 325
 - vector form, 344
- Froude number, 128

- Gauckler–Manning n , 327
- Gauckler–Manning equation, 327
 - two-dimensional, 345
- Gompertz model, 142–143
- Google Earth, 32
- gradient, 178–180
 - Cartesian coordinates, 182
 - cylindrical coordinates, 182
 - of velocity, 280
 - spherical coordinates, 182
- gradient operator
 - properties, 181
- gravitational potential, 295
- Groundhog Day, 20
- groundwater flow equation
 - constant density, 368
 - head form, 367
 - pressure form, 366
 - steady state, 369
- guess and check, 156

- Hadamard product, 279, 344
- harvest models, 144–147
- heat capacity, 309
- heat transfer, 303
 - conduction, 303
 - convection, 303
 - radiation, 303
- hurricane, 22
- Hurricane Charley, 22
- hydraulic conductivity, 362
 - tensor, 377
- hydraulic radius, 326
- hydraulic routing, 315
- hydrologic cycle, 32
- hydrologic routing, 228–232
 - defined, 229
- hydrostatic pressure, 321

- ignorance
 - recognized, 27
 - total, 27
- imaginary node, 392
- inner product, 176
- interpolation, 15
- intrinsic permeability, 365
- iteration, 379

- kinematics
 - fixed volume, 207
 - general control volume, 205
 - material volume, 206
- kinematic condition
 - CSTR, 227
 - discrete equation, 228

- Lagrangian approach, 172
- Lagrangian description, 174
- lake

- well-mixed, 399
- lake operation
 - three-step cycle
 - outflow first, 405
 - two-step cycle
 - inflow first, 403
 - outflow first, 401
- Laplace equation, 391
- Laplacian operator, 264
- Latin hypercube sampling, 56
- linear stability theorem, 149, 400
- logistic model, 138–142
 - stability, 151
- macroscale, 79
- Malthusian model, 135–138
 - stability, 149
- Manning's n , 327
- mathematical tools
 - described, 211
 - table, 211
- matrix
 - tridiagonal, 387
- meegascale, 80
- microscale, 69, 78
- model
 - continuous, 164
 - definition, 29
 - deterministic, 41–46
 - discrepancy, 63
 - first order, 134
 - meegascale, 313
 - metered, 134
 - microscale, 313
 - population, 134
 - stable, 147
- model building, 29
- modeling
 - black-box, 51
- modeling objectives, 104–105
- modeling process, 52–53
- modeling steps, 47–49
- models
 - analogue, 32
 - conceptual, 32
 - deterministic, 36–37
 - distributed, 38
 - language, 10
 - lumped, 38
 - mathematical, 33–35
 - mixed-scale, 313
 - physical, 30
 - probabalistic, 35
 - scale, 30, 31
- model development
 - iteration, 35
- modified Puls method, 230
- molecular scale, 78
- Moody diagram, 121, 326
- Muskingum equation, 231
- Navier–Stokes equation
 - incompressible form, 289
- Navier–Stokes equation
 - component form, 289
 - general form, 289
- Newton–Raphson method, 157
- Newtonian fluid, 288
- normal flow, 332
- open channel flow
 - kinematic wave approximation, 332
 - quasi-steady, 330
 - steady, non-uniform, 331
 - steady, uniform, 332
 - unsteady, non-uniform, 330
- parameters
 - tuning, 61
- peak flood dissipation, 232
- Peclet number, 128
- photon transport, 99
- population
 - equilibrium, 139
- porous media flow, 350
- potential
 - energy, 88
- Prandtl number, 127
- problem identification, 103–104
- process
 - description, 22
- processes, 17
 - importance, 15
- Punxsutawney Phil, 20
- radiation, 89, 311
- representative elementary volume (REV), 351
- representative elementary volume (rev), 69
- resemblances
 - superficial, 64
- resolution scale, 79
- Reynolds number, 121, 126, 127, 287
- roots of equations, 155
- Rossby number, 129
- Saint Venant equations, 328
- scalar, 277
- scale
 - characteristic length, 69–71
 - continuum, 69
 - dynamic time, 81
 - governing equation, 75
 - macroscale, 79
 - meegascale, 80

- microscale, 78
- model formulation, 165
- molecular, 78
- observation, 68
- resolution, 79
- spatial, 77–80
- thermodynamic time, 81
- time, 51, 80
- Schmidt number, 128
- sensitivity analysis, 60
- shallow-water equations, 313
 - derivation, 338–346
- similitude, 105
- source
 - body, 86
 - chemical species, 87
 - mass, 87
 - momentum, 87
 - surface, 89–98
 - diffusion, 92
 - dispersion, 92
- specific storage, 366
- stability theorem, 149
- state, 37
- steady state, 38
- stock market, 20
- stress tensor, 280–281
 - Newtonian viscous, 288
 - symmetric, 287, 302
 - turbulent, 288
 - viscous, 286
- superposition, 39
- Super Bowl Sunday, 24
- surface
 - source
 - energy, 94
 - mass, 93
 - momentum, 93
- surface tension, 129
- system
 - defined, 50
 - elements, 28
 - linear, 38
 - non-linear, 38
 - stable, 40
 - unstable, 40
- systems, 28
 - environmental, 29
- table of theorems, 211
- table of tools, 211
- Taylor series, 1
- tensor, 277
 - elements, 278
- thermal conductivity, 310
- thermal expansion coefficient, 310
- threshold population, 147
- time derivative
 - Eulerian, 167
 - general, 167
 - Lagrangian, 167, 174
- time of travel, 232
- training, 4
- transient, 38
- transport theorem
 - Reynolds
 - special form, 223
- transport theorem
 - derivation, 202–205
 - fixed volume, 207
 - general, 205
 - Reynolds, 206
- truth, 64
- uncertainty
 - aleatory, 54, 57
 - epistemic, 54, 57
 - reduction, 56–57
 - scenario, 27
 - sources, 54–55
 - statistical, 27
- uncertainty quantification (UQ), 40, 60, 61
- unit normal vector, 183
- unsaturated zone, 353
- V&V, 40, 58–60
- validation, 34, 59
- values
 - different, 27
 - equal, 27
- variable
 - selection, 108
- variables
 - distributed, 39
 - lumped, 39
 - macroscale, 76
 - microscale, 76
- vector, 277
- velocity, 89
 - advective, 97
 - apparent, 358
 - barycentric, 246
 - Darcy, 359
 - diffusive, 97
 - dispersive, 97
 - molar average, 247
 - settling, 115
 - superficial, 358
- verification, 34, 58
 - code, 59
 - input, 59
 - solution, 59
- viscosity, 93
 - bulk, 288

-
- dynamic, 115, 288
 - kinematic, 289
 - water table, 354
 - waves, 98
 - electromagnetic, 98
 - mechanical, 98
 - compression, 98
 - longitudinal, 98
 - seismic, 98
 - transverse, 98
 - Weber number, 130
 - weighting parameter, 386
 - wetted perimeter, 318