

# Contents

<i>List of Figures</i>	<i>page xv</i>
<i>Preface</i>	<i>xix</i>
<b>1 Philosophy and Approach</b>	<b>1</b>
1.1 Introduction	1
1.2 Elements of environmental modeling	2
1.3 Education vs. training	4
1.4 Principles ensuring education	5
1.4.1 Education and expansion of thought processes	5
1.4.2 Challenge, persistence, critical analysis, and growth	6
1.4.3 Learning through reading, discussion, problems, and critical assessment	7
1.4.4 Increase fundamental and general understanding	7
1.5 Conclusion	7
1.6 Problems	8
<b>2 Thoughts on Use of Data</b>	<b>10</b>
2.1 Introduction	10
2.2 On numbers in elementary education	12
2.3 What's the answer?	13
2.4 Given the process, what's the answer?	16
2.5 Given the answer, what's the process?	19
2.6 Given an answer, is it useful?	21
2.6.1 Given the process, is the proposed answer useful?	22
2.6.2 Given the data, is the answer useful?	23
2.7 Conclusion	24
2.8 Problems	25
<b>3 Models as a Framework for Study of Data</b>	<b>26</b>
3.1 Introduction	26
3.2 Models	29
3.2.1 Physical models	30
3.2.2 Conceptual models	32
3.2.3 Mathematical models	33
3.3 Definitions	37

3.4	Elements of a deterministic model	41
3.4.1	Conceptual model of the mathematical model	44
3.5	Modeling principles	47
3.6	Approaches to modeling	50
3.7	Summary of the modeling procedure	51
3.8	Quantifying the utility of a model	54
3.8.1	How uncertainty gets introduced	54
3.8.2	Reducing uncertainty	55
3.8.3	Verification and validation development	58
3.8.4	Verification	58
3.8.5	Validation	59
3.8.6	Uncertainty quantification	60
3.8.7	Calibration	61
3.8.8	Final thoughts on validation	63
3.9	Conclusion	64
3.10	Problems	64
<b>4</b>	<b>Length and Time Scales</b>	<b>66</b>
4.1	Introduction	66
4.2	Scales of observation	68
4.3	Continuum scale, averaging, and the rev concept	69
4.4	Reflections on measurement of properties of a continuum	73
4.5	Reflections on a general governing equation	75
4.6	Length scales	77
4.7	Time scales	80
4.8	Problems	82
<b>5</b>	<b>Mechanisms of Change</b>	<b>85</b>
5.1	Introduction	85
5.2	Elements of body sources	86
5.2.1	Sources of total mass	87
5.2.2	Sources of chemical species	87
5.2.3	Sources of momentum	87
5.2.4	Sources of energy	88
5.3	Elements of surface sources and transport	89
5.3.1	Velocity	89
5.3.2	Diffusion and dispersion processes	92
5.3.3	Mass, momentum, and energy diffusion	92
5.3.4	Mass, momentum, and energy dispersion	94
5.3.5	Convection, advection, and flux	97
5.3.6	Waves	98
5.4	Conclusion	99
5.5	Problems	100

<b>6</b>	<b>Dimensional Analysis</b>	102
6.1	Introduction	102
6.2	Parameter selection	102
6.2.1	Problem identification	103
6.2.2	Modeling objectives	104
6.3	Dimensional analysis in general	105
6.4	Dimensional analysis of solid–liquid problem	109
6.4.1	Well-mixed solid–liquid problem	109
6.4.2	Solid–liquid problem without mixing	111
6.5	Dimensional analysis of sedimentation	115
6.6	Dimensional analysis of pipe flow	119
6.7	Dimensional analysis of porous media flow	123
6.8	Some important dimensionless numbers	126
6.8.1	Reynolds number	127
6.8.2	Prandtl number	127
6.8.3	Schmidt number	128
6.8.4	Peclet number	128
6.8.5	Biot number	128
6.8.6	Froude number	128
6.8.7	Rosby number	129
6.8.8	Bond and capillary numbers	129
6.9	Conclusion	130
6.10	Problems	131
<b>7</b>	<b>Mathematical Instruments of Change</b>	133
7.1	Introduction	133
7.2	First order discrete time models	134
7.2.1	Malthusian model	135
7.2.2	Logistic model	138
7.2.3	Gompertz model	142
7.2.4	Harvest models	144
7.3	Stability for discrete models	147
7.3.1	Stability theorem	147
7.3.2	Stability for Malthusian models	149
7.3.3	Stability for logistic models	151
7.4	Other contexts	152
7.4.1	Finance	153
7.4.2	Roots of equations	155
7.5	Conclusion	159
7.6	Problems	159
<b>8</b>	<b>Derivatives and Scales</b>	164
8.1	Continuous change in time and space	164
8.2	Preliminary concepts for continuous modeling	164

8.3	Scales in model formulation	165
8.4	Time derivatives	166
8.4.1	General time derivative	167
8.4.2	Eulerian approach	171
8.4.3	Lagrangian approach	172
8.5	Comments on time derivatives	175
8.6	Dot product or inner product	176
8.7	Cross product	177
8.8	Gradient	178
8.9	Comment on coordinate systems	181
8.10	Normal direction to a surface	182
8.11	Normal velocity of a surface	183
8.11.1	Case I: fixed CV with $\mathbf{w} = 0$ at every point on the boundary	184
8.11.2	Case II: the CV is moving with $\mathbf{w} \neq 0$ at some boundary locations	184
8.12	Divergence	185
8.12.1	Divergence in cylindrical coordinates	187
8.13	Conclusion	189
8.14	Problems	190
<b>9</b>	<b>Integral Theorems and Volume Kinematics</b>	<b>194</b>
9.1	Introduction	194
9.2	Divergence theorem	195
9.3	Gradient form of the divergence theorem	199
9.4	Digression	201
9.5	General transport theorem	202
9.5.1	Kinematics of a general control volume	205
9.6	Reynolds transport theorem	205
9.6.1	Kinematics of a material volume	206
9.7	Transport theorem for a fixed volume	207
9.7.1	Kinematics of a fixed volume	207
9.8	Conclusion	208
9.9	Problems	208
<b>10</b>	<b>Mass Conservation</b>	<b>210</b>
10.1	Introduction	210
10.2	Mathematical tools	211
10.3	Integral forms of conservation of mass	213
10.3.1	Conservation of mass for a general volume	213
10.3.2	Conservation of mass for a material volume	216
10.3.3	Conservation of mass for a fixed volume	216
10.4	Point form of conservation of mass	217
10.4.1	Point conservation of mass from a general volume	219

10.4.2	Point conservation of mass from a material volume	221
10.4.3	Point conservation of mass from a fixed volume	224
10.5	Total mass conservation in a stirred tank	225
10.5.1	Differential mass conservation in a CSTR	226
10.5.2	Discrete mass conservation in a CSTR	227
10.6	Hydrologic routing	228
10.6.1	Hydrologic routing for a reservoir	230
10.6.2	Hydrologic routing for a channel	231
10.7	Conclusion	232
10.8	Problems	233
<b>11</b>	<b>Species Mass Conservation</b>	<b>237</b>
11.1	Introduction	237
11.2	General species mass conservation principle	237
11.2.1	Conservation of species mass for a general volume	238
11.2.2	Conservation of species mass for a material volume	241
11.2.3	Conservation of species mass for a fixed volume	242
11.3	Point form of mass conservation for a chemical species	242
11.4	Conservation of moles	244
11.5	On the velocity of a multispecies solution	245
11.5.1	Barycentric or mass average velocity	245
11.5.2	Molar average velocity	247
11.6	Introduction to the diffusion/dispersion vector	249
11.7	Approximate form of the diffusion/dispersion vector	250
11.7.1	Mass dispersion vector	250
11.7.2	Molar dispersion vector	255
11.8	Species mass conservation in a stirred tank	256
11.8.1	General solution for species mass fraction	257
11.8.2	Constant inflow and outflow	258
11.8.3	Discrete solution for species mass fraction	261
11.9	Advection–Dispersion equation	262
11.10	Solution of the advection–dispersion equation	265
11.10.1	One-dimensional analytic solution	266
11.10.2	Superposition for linear ADE solution	267
11.11	Conclusion	268
11.12	Problems	269
<b>12</b>	<b>Statement of Conservation of Momentum</b>	<b>275</b>
12.1	Introduction	275
12.2	Elements of the momentum conservation equation	275
12.3	Second order tensor	277
12.3.1	Mathematical relations	277
12.3.2	Physical meaning of two example tensors	280
12.4	Integral momentum conservation equations	282

12.4.1	Momentum conservation for a general volume	282
12.4.2	Momentum conservation for a material volume	283
12.4.3	Momentum conservation for a fixed volume	283
12.5	Point form of the momentum conservation equation	284
12.6	Viscous stress tensor	286
12.7	Navier–Stokes equation	289
12.8	Bernoulli equation	291
12.9	Microscale mechanical energy balance	294
12.10	System-scale mechanical energy balance	296
12.11	Conclusion	297
12.12	Problems	298
12.13	Appendix: angular momentum equation	301
<b>13</b>	<b>Conservation of Total Energy</b>	<b>303</b>
13.1	Introduction	303
13.2	Statement of the total energy equation	304
13.3	Point forms of total energy conservation	306
13.4	Thermal energy balance	308
13.5	Internal energy equation in terms of temperature	309
13.5.1	Introduction of heat capacity	309
13.5.2	Introduction of Fourier’s law	310
13.6	Conclusion	311
13.7	Problems	311
<b>14</b>	<b>Mixed-scale Modeling</b>	<b>313</b>
14.1	Introduction	313
14.2	Starting point	314
14.3	Equations for hydraulic routing	316
14.3.1	Mass conservation for hydraulic routing	317
14.3.2	Momentum conservation for hydraulic routing	319
14.3.3	Special form of the momentum equation	324
14.4	Friction slope parameterization	325
14.5	Implementation of hydraulic routing techniques	328
14.5.1	Unsteady, non-uniform flow (full dynamic equation) with $\beta = 1$	330
14.5.2	Steady, non-uniform flow (quasi-steady dynamic wave approximation)	330
14.5.3	Steady, non-uniform flow (diffusion wave approximation)	331
14.5.4	Steady, uniform flow rate $Q$ (normal flow)	332
14.5.5	Kinematic wave approximation	332
14.6	Data support	333
14.7	Mechanical energy equation for hydraulic routing	335
14.8	Shallow-water equations	338
14.8.1	Mass conservation for shallow-water flow	338

14.8.2	Momentum conservation for shallow-water flow	340
14.9	Conclusion	346
14.10	Problems	347
<b>15</b>	<b>Porous Media and Groundwater Systems</b>	<b>349</b>
15.1	Introduction	349
15.2	Considerations for porous media flow and transport	351
15.3	Fluid mass conservation in a porous medium	353
15.4	Macroscale fluid mass conservation equation	356
15.5	Matrix deformation and material compressibility	358
15.6	Darcy's law	362
15.7	Flow equation in terms of pressure	366
15.8	Flow equation in terms of head	367
15.9	Constant density flow in a deformable, homogeneous porous medium	367
15.10	Steady-state flow with constant $\rho^w$ and $K$	368
15.11	Summary of main points for flow equations	369
15.12	Porous medium-scale convective–dispersive equation	370
15.13	Conclusion	373
15.14	Problems	374
15.15	Appendix: anisotropic hydraulic conductivity	377
<b>16</b>	<b>Advection–Dispersion Equation Solution</b>	<b>379</b>
16.1	Introduction	379
16.2	Simplified advection–dispersion equation	380
16.3	One-dimensional formulation	380
16.4	Discrete form of the advection–dispersion equation	381
16.4.1	Dimensionless form of the advection–dispersion equation	381
16.4.2	Discrete approximations of derivatives	382
16.4.3	One-dimensional discrete advection–dispersion equation	384
16.5	Two-dimensional formulation	388
16.5.1	Construction of a difference equation	389
16.5.2	Steady-state case	391
16.6	Conclusion	394
16.7	Problems	395
<b>17</b>	<b>Stability Revisited</b>	<b>398</b>
17.1	Introduction	398
17.2	Lake/CSTR simulation	399
17.2.1	Discrete form and stability	400
17.3	First example of lake operation	401
17.4	Second example of lake operation	403
17.5	Third example of lake operation	405

---

17.6	Conclusion	406
17.7	Problems	407
	<i>References</i>	408
	<i>Index</i>	420



## Figures

2.1	Plot of available data for January rainfall in Grangeville, Idaho, from 1950 to 2000.	19
3.1	Descent from perfect determinism through statistical uncertainty, scenario uncertainty, and recognized ignorance to total ignorance (after [217]).	27
3.2	Schematic of model types and subtypes (after [105]). The shaded box is the primary focus of this book.	30
3.3	Conceptual model of the hydrologic cycle (after [32]). Water stored in each of the four elements has units of $10^{15}$ kg. Flows between elements have units of $10^{15}$ kg/yr.	33
3.4	Excessively simplified, though commonly employed, modeling strategy.	41
3.5	Improved strategy for development of a useful deterministic model.	43
3.6	Conceptual model of Mathematical Model box of Figure 3.5 with subelements indicated.	45
3.7	Simplified conceptual model of a modeling system (after [53]).	50
3.8	Conceptual model of key elements and actions of the modeling process based on the list in Section 3.5. Unnumbered boxes are all part of item 9, the critical review.	52
4.1	Normalized mass density as a function of the averaging volume size.	70
5.1	Lake Michigan considered as a single system in (a) and subdivided into two systems in (b).	86
5.2	Spreading of contaminant by movement of lower plate produces apparent dispersion over the system cross section: (a) contaminated fluid on left, pure fluid on right; (b) distribution of contaminated and uncontaminated fluid after translation of lower plate; (c) average concentration of contaminant over cross section after translation of lower plate.	95
5.3	Contamination flows in from the left. At point A, the flow splits into two parts that come together at point B. The contamination concentrations at point B are determined in the problems.	100
6.1	Moody diagram plot of Eq. (6.80) (after Glasgow College of Nautical Studies, <a href="http://www.asabe.org/media/147982/pipefric.pdf">www.asabe.org/media/147982/pipefric.pdf</a> ).	122
7.1	Solutions to the discrete logistic equation (dots), Eq. (7.20), and to the differential logistic equation given as Eq. (7.24) (curve) with $p_0 = 0.1$ , $r\Delta t = 0.5$ . For these parameter values, both solutions are monotonic.	141
7.2	Solutions to the discrete logistic equation (dots), Eq. (7.20), and to the differential logistic equation given as Eq. (7.24) (curve) with $p_0 = 0.1$ ,	

	$r\Delta t = 2.0$ . For these parameter values, the discrete solution is oscillatory while the continuous solution is monotonic.	141
7.3	Plot of the function $f$ in Eq. (7.29) vs. $p$ for various values of the parameter $\epsilon$ . When $\epsilon = 1$ , the logistic model results. When $\epsilon \rightarrow \infty$ , the Gompertz model is obtained.	143
7.4	Equilibrium dimensionless yield vs. equilibrium dimensionless populations for Gompertz and logistic models with harvesting.	146
8.1	The volume in (a) is composed of two juxtaposed volumes with typical unit normal vectors to each volume indicated along with the fact that the outward unit normals are collinear but in opposite directions at a common surface. The volume in (b) depicts outwardly directed normal vectors at two points on the surface.	183
8.2	Cuboidal volume with side lengths $\Delta x$ , $\Delta y$ , and $\Delta z$ .	186
8.3	Annular volume with side lengths $\Delta r$ , $\Delta z$ , $r\Delta\theta$ , and $(r + \Delta r)\Delta\theta$ .	188
9.1	Juxtaposition of small domains. (a) Six boxes with fluxes at boundary of each box indicated. (b) Composite box such that only external boundary fluxes are considered because flux dotted with outward normal at common surfaces cancel.	196
10.1	(a) Global volume; (b) Subdivided volume for description of some variability within the volume and flow between subregions; (c) Further subdivided volume. In the limit of subdivision into very small study volumes, a continuous description of the variability of a quantity of interest is obtained.	217
10.2	Discretization of Gulf of Mexico into 33 272 triangles with 17 306 nodes. Range of node spacing is from approximately 1 to 125 km [93].	218
10.3	Well-mixed CSTR with a single inflow and a single outflow.	225
11.1	Solution given by Eq. (11.72) for various values of $\kappa = kV/Q$ .	260
12.1	Elemental volume with side lengths $\Delta x$ , $\Delta y$ , and $\Delta z$ with elements of the stress tensor depicted.	281
12.2	Dam at one end of a reservoir.	299
12.3	Treatment tank of cross-sectional area $A$ with outflow orifice of cross-section $a$ . The volumetric inflow is $Q$ , volumetric outflow is $q$ , and the height of fluid in the tank is $H$ . The fluid density, $\rho$ , is constant.	299
14.1	Diagram of a one-dimensional river with flow parallel to the river bed: (a) side view with $x$ direction parallel to river bed, control volume indicated in grey; (b) front view; (c) top view.	316
14.2	Diagram of a section of estuary for derivation of a vertically averaged model. Depth of flow is $H = \zeta + h$ . Averaging domain is of height $H$ and cross-section $\Delta x\Delta y$ .	339
15.1	Sketch of a spherical averaging region within an aquifer. Below the land surface is the unsaturated zone with water and air fluid phases. Below the water table is a saturated region where water is the only fluid present. Then, below the unconfined aquifer is the aquifer confined above and below. The REV is the spherical region $\Omega_{\text{REV}}$ with volume $v_{\text{REV}}$ . The	

	region occupied by the fluid is $\Omega_{\text{REV}_w}$ with volume $v_{\text{REV}_w}$ . The region occupied by the solids is indicated as the dark grains and has volume $v_{\text{REV}_s}$ such that $v_{\text{REV}} = v_{\text{REV}_w} + v_{\text{REV}_s}$ . The part of the external boundary of the REV that intersects fluid is designated $\Gamma_{\text{REV}_w}$ , and the internal boundary between the fluid and solid is designated $\Gamma_{\text{REV}_i}$ .	353
15.2	Experimental setup of Henry Darcy.	363
15.3	Linear relation between $q$ and $\Delta h/L$ based on Darcy's experiment (data from [24]).	363
16.1	Nodes involved in the approximation of Eq. (16.8) in the vicinity of the unknown solution $C(\tau_{k+1/2}, \xi_j)$ .	385
16.2	Computational molecule in two spatial dimensions and time centered around $t_{k+1/2}, x_i, y_j$ .	389
16.3	Computational molecule in two spatial dimensions for use in a steady-state simulation centered around $x_i, y_j$ .	392
16.4	Discretized region for example problem $\nabla^2 \omega = 0$ . Domain is the rectangle $0 \leq x \leq L, 0 \leq y \leq B$ . Specified function for $\omega$ at $x = 0$ and $x = L$ ; zero normal gradient at $y = 0$ and $y = B$ .	393
16.5	Computational molecule at boundary of simulation region where normal gradient is specified.	393
17.1	Well-mixed lake to be modeled as a stirred tank.	399