

Index

Boldface entries refer to figures.

- 61 Cygni, 81, 426
 Abbe number, 114
 aberration of starlight, 74, **74**, 152
 aberrations, optical, 135–46, *See also*: SA,
 coma, astigmatism, curvature of field,
 distortion
 chromatic, 135, 160
 Seidel, 139, 158
 absorption coefficient, 211
 achromat, **136**, 136, 141, 143
 active optics, 158, 168, 170–1
 adaptive optics (AO), 172, 177–87, 378
 ADC (analog-to-digital converter), 241
 ADS, 110
 ADU (analog-to-digital unit), 245, 274
 aerosols, 341
 afocal beam, 132
 air mass, 338
 Airy disk, 134, **135**, 163, 175
Aladin web site, 109
Almagest, 97
 Al-Sufi, 98, 317
 altazimuth mount, 151, 171
 altitude
 angle, 63–5, **63–5**, **69**, **152**, **427**
 axis, 151
 of the pole, 66
 anisoplanatism, **179**
 anti-reflection coating (AR), 255
 aperture
 digital, 304–7, **305**, 345, 349
 stop, 159
 telescope, 123, 133, 136, 153
 apochromat, 137
 Arago, François, 316–17
 Argelander, Friedrich Wilhelm, 101,
 317–18
 astigmatism, 139, 143, **146**, 153, 156, 158
 astrograph, 136, 437
 Astrographic Catalog (AC), 88, 111, 395
 astrometry, 60, 69–71, 88, 427
 astronomical triangle, 80
 astronomical unit (au), **77–80**, 418
 astrostatistics, **55**
 atmosphere
 absorption by, 165, **257**, **323**, 336–47,
 420
 airglow, 165
 chromatic dispersion, 127, 381
 refraction by, **70**, **128**, 151, 338, 427
 scattering by, 340
 scintillation, 175
 turbulence, 135, **174**, 174–7
 atmospheric dispersion compensator
 (ADC), 128
 atomic clock, 83
 avalanche photodiode, 222
 azimuth, 63–5, **63–5**, 68, **151**, **427**
 band gap
 conductivity and, 204, 208–10
 definition, 203
 in materials, 207, 256, 258, 266, 443
 superconductor, 225–6
 bands
 Chappuis (ozone), 341
 molecular, 201, 336, 342
 Barnard's Star, 98, 426
 barrier potential (CCD), **242–5**
 Bayer designation, 99
 Bessel, Friedrich William, 80, 101
 Betelgeuse, 27, 98–101, 421, 432
 bias frame. *See* image processing
 BIB detector, **216**, 258
 binary, eclipsing, 29, 404
 blackbody, 19–21, **20**, **326**, 329
 blaze angle. *See* grating, spectrograph
 bolometer, 14, 230, **257**, **265**, 265–7, 270,
 359, 383
 bolometric correction, 24, 27, 448
 bolometric magnitude, 23, 29
Bonner Durchmusterung, 101, 141
 boson, 197, 225
 Bouguer's law, 339–40, **340**, 343, **344**
 Boyle, Willard, 240
 Bradley, James, 80
 Bragg diffraction, 371
 Brahe, Tycho, 99
 brightness. *See also*: flux; magnitude
 apparent, 10–13, **10**
 monochromatic, 338
 surface, 12, 19, 30, 164, 302
 bump bonding, **260**
 Bunsen, Robert, 18
 camera
 CCD. **446**
 spectrograph, 376, **380**, 414
 telescope as a, 131
 Cannon, Annie Jump, 21, 395
 Cassini, Jean Dominique, 141
 CCD. *See* charge-coupled device
 CCD equation, 311
 CDS data base, 109
 celestial sphere, pole, equator, 65–8

456 Index

- central limit theorem, 49–51
 centroid, 293
 Cepheid variables, 410
 charge-coupled device (CCD), 239–56
 backthinned, 253
 bias, 282–5, 308–11
 blooming, **245**
 buried channel, 249
 charge transfer efficiency (CTE), 248
 clocking, 240–4, 255
 commercial, 445
 dark current, 247, 251–2, 285, 308–11
 deep-depleted, 254, 258, 333
 electron multiplication (EMCCD), 252
 frame transfer (FTCCD), 252
 full well, 244
 gain, 245, 274, 308–11
 gates, 240–4
 intensified (ICCD), 264
 inverted phase, 251–2
 L3CCD, 252
 large format, **246**
 mosaics, 239, 246, 252
 multi-pinned phase (MPP-CCD), 251–2
 open-electrode architecture, 253
 orthogonal-transfer (OTCCD), 252
 output amplifier, 241, 243, 246
 overscan, 284, 309
 quantum efficiency, 234, **255**
 read noise, 245–7, 309
 registers, 240, **246**
 virtual phase, 253
 chief ray, 137
 chopping, 291
 chromatic aberration. *See* aberrations,
 optical
 cleaning optics, 122
 CMOS array, **256**, 256
 collimator, spectrometer, 376–80
 color
 extinction and, 343–7
 images, 277–8
 index, 320, 326–7, **326**, 347
 spectral type and, 448
 temperature and, 20
 transformation to standard system, 348–9
 coma, 139, 142–3, **143**, **146**
 comparison source (spectra), **382**, 390, 392
 conduction band, **203**, **205**
 cone effect, 180
 conic constant (K), 140
 Cooper pair, 225
 coordinate systems, 60–77
 altitude–azimuth, 63–5, **63–5**
 barycentric, 73–5
 Cartesian, 60
 ecliptic, 75
 equatorial, 65–8
 Galactic, 76
 geographic, 62–3
 ICRS, 75, 87, 427
 right- or left-handed, **60**, 60
 transformation of, 77, 426
 corrector plate, 145, 159–61, **160–2**
 cosines, law of, 61
 cosmic rays, 254, 276, 283
 cosmological constant, 411
 cosmological redshift. *See* redshift
 coudé focus, 156–8, 388
 critical angle, 117, 128
 cross-disperser, 369
 cross-talk, 239, 254
 culmination, 67
 curvature of field, **144**
 curve of growth, 403
 cutoff wavelength, **207**, 210, 258, 443
 dark current, 285, *See also*: image
 processing; charge-coupled device
 dark energy, 412
 data cube, 277, **383**
 declination (Dec or δ), 66, **67**, 69, 94, 151,
 427
 depletion region (zone), 216–18, **217**,
 218–20
 Descartes, René, 60, 116, 140
 detection limits, 163–5
 detective quantum efficiency (DQE), 235–6
 detector. *See also* CCD, CMOS,
 photoconductor, photodiode, MKID
 characterization, 232–9
 photon, 233
 thermal, 233, 265–7
 wave, 233
 Dewar, 247
 diamond lattice, **204**, 206
 diffraction. *See also*: Bragg diffraction
 gratings, 365–8
 limit, 133–5, 163, 175
 spikes, 153, **245**
 wave property, 4
 digital filter, 279–81
 boxcar, 280
 Gaussian, 280
 Laplacian, 280, 293
 local-median, 281
 unsharp mask, **280**
 diopters, 123
 dispersion
 angular, 130, 363–7
 chromatic, 114, 120, 136
 linear, 363, 377
 solution, 392
 statistical, 40, 47
 distance modulus, 24, 351, 356, 410, **411**
 distortion (aberration), 145
 diurnal motion, 65
 DN (data number), 245
 doping, semiconductor, 213, 216
 Doppler effect, 89, 353, 401, 409
 drizzle method, **301**, 301
 dynamic range, detector, **237**
 dynode, **262**
 ecliptic
 coordinates, 75
 definition, **66**
 obliquity of the, 66, 84
 poles and precession, 72, **72**
 electron
 configuration, quantum numbers, 197–9
 degeneracy, 208
 energy levels, 194–5
 photo-absorption, 195
 sp^3 -hybrid orbitals, 203
 valence (optical), 193
 elevation angle. *See* altitude angle
 ellipticity, 95
 ephemeris, 108–9
 epoch, 71, 75, 87–8
 equatorial coordinates. *See* right
 ascension, declination
 equatorial mount, **151**
 equinox, **66**, 68, 72, **72**
 mean, 74
 error
 propagation of, 51–3
 random, 35–6
 systematic, 34, 36
 étendue, 159, 186
 exoplanet
 data, 100, 405–6
 extinction

- coefficient, 339–40
 compensating for atmospheric, 343–7
 interstellar, 351–2, **352**
 extreme adaptive optics, 186
- Faraday, Michael, 5
 Fermat's principle, 116–18
 Fermi energy, 208, **219**, 225
 Fermi–Dirac distribution, 208
 fermion, 197
 filter, digital. *See* digital filter
 filter, optical, 15, 322, **323**, 331, 335, 367
 Flamsteed designations, 100
 flat field, 282, 287–91, **287–91**
 compound, 290
 computation of, 290
 dark sky, 288–9
 dome (projection), 289
 for spectra, 389
 infrared, 291
 space telescope, 290
 twilight, 288
 flux (irradiance), 11, *See also*: brightness;
 magnitude
 bolometric, 14
 in a band, 14–16
 monochromatic, 13
 spectroscopic calibration, 348, 393–4
 focal length, 123, **131**, **133**, **136**, 140, 149,
 154, 375–7, 414
 focal ratio, 132
 Forbes effect, **344**
 Fraunhofer
 Joseph von, 16
 spectrum, 16, 420
 free spectral range, 367, 369
 Fresnel's formulas, 118
 Fried parameter, 176–7
 full well capacity, 217. *See also*: charge-
 coupled device
 FWHM (full width at half maximum), 47,
 281, 301, 306, 378, 415
- Gaia*. *See*: telescopes (named)
 Galilei, Galileo, 78
 Gaussian case (optics), 122, 124, 137, **138**,
 140, **141**, **143**
 Gaussian distribution, 46–8, **47**, 49, **49**,
 57, 422
 Gaussian filter. *See* digital filter
 generation current, 218–20
- GLAO (ground-level adaptive optics), 186
 grating, spectrograph
 amplitude, 365–8
 blazed, 367–9
 diffraction, 365–9
 echelle, 367–9
 echellette, 367
 efficiency, **369**
 equation, 366, 368, 371
 flat field concave, 373
 holographic, 373
 mosaics, 373
 phase, 367
 ruled, 373
 volumetric (VPH), 370–3
 gray-scale, 25, 274
 great circle, 61
 Greek alphabet, 99, 417
 Greenwich. *See* meridian: prime
 Greenwood time, 178
 grism, **375**, 375
 ground state, 194
 guide star, 152, 180–1
 Gullstrand's equation, 124
- Hale, George Ellery, 169
 HAWAII IR array, 258, 286, 446
 helium, liquid, 248
 Henry Draper Catalog, 103, 396
 Herschel, Caroline, 104, 150
 Herschel, John, 105
 Herschel, William, 104, 119, 142, 190
 Hipparchus of Rhodes, 22, 62, 71, 73, 316
 HIPPARCOS (spacecraft and catalog), 71,
 75, 82, 335, 425, 427
 holes, as conductors, 208, **209**, **213**, 216,
 219, 251
 hour angle, hour circle, **67–8**, 84, **151**, **427**
 Hubble
 diagram, 411
 Edwin, 91
 Guide Star Catalog, 103
 Key Project, 410
 law, 91, 355, 408–9
 parameter (constant), 92, 409–11
 Space Telescope (HST). *See*: telescopes
 (named)
 Huggins, William, 90, 362
 Humason, Milton, 91
 Huygens, Christian, 436
 hysteresis, 238
- IBC. *See* BIB detector
 ICCD. *See* charge-coupled device
 ICRS. *See* coordinate systems
 IFU (integral field unit), 385–6
 illumination correction, 291
 image
 brightness, 132
 color, 277–8
 digital, **25**, 273–4
 distance, **122–5**, 363
 intensifiers, 263–5
 mathematics, 277–8
 scale, 131
 slicer, **384–5**
 undersampling, 239, 378
 image processing
 bias, 282–4, 308–11
 cleaning images, 302–4
 combining multiple images, 293, 295–8
 convolution, 279–81
 dark, 282, 285
 drizzle, 301
 flags, bad pixel, 303
 flat field, 282, 287–91
 fringing, 282
 geometric transformations, 295–8
 interlace, 300–1
 interpolation, 298–9
 IR preprocessing, 291
 linearity, 282, 286
 mosaics, 297
 overscan, 284
 pixel masks, **303**
 rejection algorithm, 283
 resampling, 299–302
 trim, **285**, 295
 impurity band, 215
Index Catalog (IC), 105
 indium bump bond, 259
 indium tin oxide (ITO), 253
 infrared detectors, 256–61
 InSb (indium antimonide), 211, 242, 258,
 444
 interpolation. *See* image processing:
 interpolation
 iodine vapor cell, 393
 irradiance, 11
 isoplanatic angle, 179–81
- James Webb Space Telescope (JWST). *See*
 telescopes (named)

458 Index

- Johnson, Harold, 318, **323–4**
 Josephson junction, 227
 Julian date, 86, 428
 junction diode, 219–22
- K* correction, 355
 Keck telescopes. *See* telescopes (named)
 Kepler's third law, 77, 403
 kernel, 279
 KID (Kinetic induction device). *See*
 MKID and MKIS device
 Kirchhoff, Gustav, 16, 18, 362
- laser guide star (LGS), 180, **186**
 latitude, **62–3**, 63, **66**, **427**
 lens
 achromatic, 136
 field, 183
 graphical ray tracing, **126**
 materials, 119–21
 multiple, 126
 paraxial equation, 124
 telephoto, 147
 thick and thin, 124
 lenslet array, **183**, 253, **384**, 386
 line profile, 399–402
 linearity, detector, 237, 282, 286, 308, 314
 Littrow configuration, 368, **371**, **380**
 longitude, **62–3**, **84**, **86**
 LTAO (laser tomography adaptive optics),
 186
 lucky imaging, **175**
 luminosity, 10–13, 24, 27, 334
 class, 22, 396
 distance, 355, 410
 Lyman-alpha
 forest, 356
 line, 350, 443
- magnification
 anamorphic, 377
 by an ocular, 133
 of images, 297
 magnitude
 absolute, 24
 apparent, 22–4, 320
 bolometric, 23, 27
 instrumental, 329
 monochromatic, 321
- Oke AB_v, 335
 outside the atmosphere, 339–40
 Pogson's scale, 22, 317
 standard, 329
 STMAG, 335
- MAMA (multi-anode microchannel
 array), 263
 Marius, Simon, 103
 mass function, 405
 mass–luminosity relationship, 404
 Maury, Antonia, 395
 Maxwell, James Clerk, 4
 MCAO (Multi-conjugate adaptive optics),
 186
- mean
 of a population, 39
 of a sample, 42
 standard deviation of the, 49
 weighted, 52
- median, 40
 definition, 40
 filter, 281
 image, 278, 283, 289
- Mercury cadmium telluride, HgCdTe
 (MCT), 258, **260**, 444
- meridian
 circle (transit telescope), 68
 crossing (transit), 67
 observer's, 64, **67**
 prime, **62–3**, **62**
 upper and lower, 67
- meridional plane, 137, 143
 Messier objects, 104
 Messier, Charles, 103
 Michelson interferometer, 69
 microchannel plate (MCP), 262
 microdensitometers, 81
 micro-electronic machined systems
 (MEMS), **181**
 Minor Planet Center, 108–9
- mirror
 chopping secondary, 261, 291
 deformable, **181**, 181, 184
 graphical ray tracing, **127**
 large, 170–1, **171**
 materials, 118–19
 meniscus, 171
 paraxial equation, 123
 segmented, 170, 187
- shapes, **139**
 spin casting, 170
 tip–tilt, 182
- MIS capacitor, 216
 MK system, 396
 MKID and MKIS device, 227, **227**
 MKO (Mauna Kea Observatory), 323, 334
 MOAO (Multi-object adaptive optics), 186
 mode, 40
 MOS capacitor, 216–18
- nadir, 64
 Nasmyth focus, 156–8, 388
 NED database, 109
 NGC (New General Catalog), 105
 NICMOS IR array, 335
 nitrogen, liquid, 247
 nod and shuffle, **390**
 nodding. *See* shift and stare (dither)
 noise
 aperture photometry, 308–11
 detector, 235–6
 digitization, 37
 read, 245–7, 256, 309
 shot, 45
 n-type semiconductor, 213
 numerical aperture, 148
 nutation, 73
 Nyquist sampling, 239
- object distance, **122**, 123, 363
 observatory design, 171–2
 ocular (eyepiece), 132
 optical fiber, 128, 148, 376, 386, **387**
 optical path length, 115, **115**
- Palomar Sky Survey, 107
 parallactic angle, **381**
 parallactic ellipse, 78
 parallax
 heliocentric stellar, 74, 78–82, **79**
 spectroscopic, 352
 statistical, 88
 paraxial approximation, 122, 126
 parsec, 24, 79
 Pauli exclusion principle, 197, 204, 225
 Peltier junction, 248
 periodic table, 199, 206
 period–luminosity law, 410

- Petzval surface, 144
 phonon, 208
 phosphor, 253
 photo-absorption. *See* electron: photo-excitation; photo-absorption
 photocathode, **255**, 261–2, **261**, **264**
 photocell, **223**, 318
 photoconductor, 210, 214–16, 235, 259
 photodiode, **221**, 259, **260**
 photoelectric effect, 222–4, **223–4**, **318**
 photo-excitation, **194**, 195, 227
 photography, 81, 136, 142, 233–4, 318, 330, 395
 photometer, visual and photoelectric, 317
 photometric systems, 329–36
 closed and open, 330
 infrared (ZYJHKLMNQ), 333
 instrumental (natural), 329
 photographic, 330
 SDSS (ugriz(y)), 333
 standard, 329
 Strömgren (uvby β), 334
 transformation to standard, 348–9
 UBVRI, 331
 visual, 330
 photometry
 absolute, 345
 all-sky, 26
 CCD equation for, 311
 differential, 26
 digital aperture, 24–7, 304–13
 extinction correction, 343–7
 history of, 317–19
 response function, 320–6, **323–5**
 standard stars, 332, 348–9
 photomultiplier (PMT), **255**, **261**, 261, 318, 331
 photon flux, 221, 273, 321, 393, 400
 Pickering, Edward, 317, 395
 piezoelectric effect, **181**, 181
 PIN photodiode, 221
 Planck function. *See* blackbody
 p–n junction, 218
 bias, **220**
 current–voltage relation, **221**
 diode, 219–22
 point-spread function (PSF), 178, **178**, 239, 294, 447
 Poisson distribution, 44–6, **45**, 50, 235–6
 Poisson, Siméon-Denis, 44
 Polaris, 73
 polysilicon, 253
 position angle, 94
 precession, 71
 precision, 35–6
 prism
 dispersion by, **130**, 130
 non-objective, 375
 objective, **374–5**
 reflection by, 129
 types, **128–30**
 probable error, 47
 proper motion, 71, **87–9**
 Ptolemy, 73, 97, 316, 318, 322
 p-type semiconductor, 212, **213**
 pulse-counting mode, 229, 383
 purity, spectral, 364, 374, 376–7, 401
 quantum efficiency (QE), 215, 234, 276, 324, 390, *see also*: charge-coupled device
 quantum yield, 235
 quasiparticles, 226
 Rayleigh
 criterion, 134–5, 364
 laser beacons, 180
 scattering, 341, 345, 358
 Rayleigh–Jeans approximation, 21, 327
 ray-tracing, 125–7, 145–6
 recombination current, 218–20
 reddening
 atmospheric, 336
 interstellar, 350–2
 redshift
 cosmological, 356, 409
 gravitational, 353
 parameter, 89, 353–4, 403
 photometric, 355
 reflection
 coefficient, 118
 from a conic of revolution, 139
 from a detector, 224
 from a sphere, 122–4, 138–9
 grating, 365, 367–8, 379
 materials, 118–19
 total internal, 117, 128, 146
 refraction
 at a spherical surface, 124
 atmospheric. *See* atmosphere
 by a parallel plate, 127
 by lenses, 114
 index of, 115–16, 119, 370
 Snell's law, 117
 refractivity, 127
 resolving power, spectroscopic, 90, 319, 364, 377, 388
 response time, 181, 238, 262, 266–7
 right ascension (RA or α), 66–8, 72
 sagittal plane, 138, 143, 147
 saturation, 217, 237, 260, 276, 286
 SCAO (single-conjugate adaptive optics), 185, **186**
 Schmidt camera, 159–61
 Schmidt corrector plate, 160
 scintillation. *See* atmosphere
 seeing, atmospheric, 135, 163–4, 169, 172–8, 184, 186, 189–90, 379, 382, *See also*: atmosphere: turbulence
 semiconductor
 absorption coefficient, 211
 covalent bond, 204, 206, 210
 definition, 203–6
 direct transition, 211
 extrinsic (p, n type), 212
 intrinsic, 205
 materials, 205, 230
 setting circles, 151
 Shack–Hartmann sensor, 182
 shift-and-add, 300
 shift-and-stare (dither), 289, 291–2, 298
 sidereal
 clock (time), 67, 69
 day, 65
 silicon
 amorphous (polysilicon), 253
 band structure, 205, 213
 crystal, 203–7
 SIMBAD database, 109, 111
 sines, law of, 61
 SIS junction, 227
 sky annulus, 307
 slit. *See* spectrometer

460 Index

- Sloan Digital Sky Survey, 107, 246, 330, 333
- Snell's law, 117, 129, 138, 147
- solar
- constant, 11
 - luminosity, 10, 418
 - spectrum. *See* Fraunhofer spectrum
- speckle interferometry, 175
- spectra
- blackbody, 19–21, 326–7
 - comparison, 90, 394
 - data reduction, 357, 379
 - define, 13
 - echelle, 370
 - flux calibration, 393–4
 - Fraunhofer. *See* Fraunhofer spectrum
 - gaseous nebulae, 398–9
 - Kirchhoff–Bunsen rules, 28
 - observing practices, 389–90
 - of galaxies, 409
 - of molecules, 201
 - of Vega, 14
- stellar, classification (types), 21, 333, 335, 348, 374, 377, 395–8, 413
- spectrometer
- basic design, 374–5, 382, 386
 - echelle, 370
 - fiber mosaic, 386
 - image slicer, 385–6
 - imaging, 387
 - integral field, 385–6
 - lenslet array, 386
 - long-slit, 387
 - mounting, 388–9
 - multi-object, 389
 - prismatic, 377
 - resolving power. *See* resolving power
 - slit, 375–8
 - slitless, 375, 389
- spectrophotometer, 322, 335, 348
- spherical aberration (SA), 139–42, 147, 156, 159, 436
- spherical trigonometry, 77
- Spitzer, Lyman, 162
- standard candle, 410
- standard deviation, 35, 41, 43, 422
- standard normal distribution, 47, 422
- Stefan–Boltzmann law, 19
- STJ detector, 226, 231, 277
- Strehl ratio, 178
- Struve, Friedrich, 80
- superapochromat, 137
- superblaze, 372
- superconductivity, 224–7
- supernova, 307, 411
- telescope
- airborne, 167
 - Cassegrain, 154–6
 - catadioptric, 161
 - extremely large, 187
 - Gregorian, 154–6
 - history, 435–9
 - image scale, 131
 - Keplerian, **133**
 - mounts, 150
 - Newtonian, 153–4
 - Paul–Baker (3-mirror), 131
 - prime focus, 153–4
 - resolving power, 135, 169, 374, 378
 - Ritchey–Chrétien (R-C), 156
 - Schmidt, 159–61, 374, 442
 - Schmidt–Cassegrain, 161
 - space, 135, 149, 152–3, 162–9, 290, 378
 - transit, 68
- telescopes (named)
- European Extremely Large Telescope (E-ELT), 171
 - Gaia* space telescope, 70–1, 75, 82, 153, 335, 410
 - Giant Magellan Telescope (GMT), 190
 - Hale (Palomar), 170–1, 437
 - Herschel Space Telescope, 266
 - Hubble Space Telescope (HST), 75, 82, 149, 152, 162, 335, 438
 - James Clerk Maxwell Telescope, 267
 - James Webb Space Telescope (JWST), 119, 131, 163, **167–9, 439**
 - Keck I and II, 170–2, 387, 438
 - Kepler space telescope, 319
 - Large Binocular Telescope, 170, 172
 - Large Synoptic Survey Telescope (LSST), 158–9, 246, 333
 - Magellan 1 and 2, 388
 - Sloan, 388
- SOFIA (Stratospheric Observatory for Infrared Astronomy), 167
- Spitzer Space Telescope, 119, 259
- Thirty Meter Telescope (TMT), 190
- Very Large Telescope (ESO VLT), 171, 171, 172
- WIYN, 172
- thermistor, 265
- throughput (spectrometer), 376
- time
- atomic (TAI), 83
 - equation of, 85, 425
 - sidereal, 68, 86, 152
 - solar, 83–6
 - zone, 86
- Transition Edge Sensor (TES), 266, 268
- Two Micron All Sky Survey (2MASS), 107
- Tycho-2 Catalog, 88, 427
- UCAC2, 427
- uncertainty. *See* error
- US Naval Observatory, 85, 427
- USNO B1.0 Catalog, 427
- vacuum photoelectric effect. *See* photoelectric effect
- valence band, **203, 205**
- variable star names, 100
- variance, 41–2, 49, 51
- Vega (alpha Lyrae), 14, 23, 73, 81, 326, 332, 421
- velocity
- radial, 87, 89–92, 403
 - space, 87
 - tangential, 87
- vertex, 122
- very long baseline interferometry (VLBI), 69
- Virtual Observatory, 110
- vision, human, 238, 274, 322, 421
- wavefront, 115, 135, 137, 181–4
- correctors, 182
 - reconstruction, 184
 - sensors, 182
- wavelength, 6
- calibration in spectra, 388–9, 392, 394
 - center of bandpass, 324–6

- shifts in, 353–5
- waves, electromagnetic, 3–7
- Wide-field Infrared Survey (WISE), 107
- width, equivalent, 392, 399, 403
- Wien's displacement law, 20
- work function, 223
- Yale Bright Star Catalog, 103
- zenith, 64, 67–8, 127, 151–2, 177, 288
- zenith distance (angle), 64, 68, 70, 339, 345, 427
- zodiacal light, 203, 205