

Index

- abdominal breathing, 80
- adaptive grieving, 6
- adolescence, 1, 5
- aspects of development, 1–2
- adolescent expert reframe, 27–28
- adversities, coping with, 273–275, *See also* secondary adversities
- alarm mode, 52–53
- distraction through positive activities, 56
- alternative interpretations, generation of, 66, 67–68
- anger, 43
- about a death, 200–201
 - at people responsible, 201–202
 - facts about angry feelings, 202–203
- appreciation activity, 292
- Armenian earthquake, 1988, 4
- avoidance reactions, 37, 83
- belief problem statement, 161
- bereavement. *See also* grief reactions; life changes following a death; loss reminders; Module 3
- adaptive grieving, 6
 - feeling alienated/ostracized, 221–222
 - how to talk about the death, 219
 - other people's expectations, 223
 - primary bereavement, 18
 - rumors about the death, 221
 - situations that usually involve the deceased, 221
 - staying connected after a loss, 212–213, 248
 - stigmatized deaths, 222
 - trauma interactions, 6
 - who to tell about the death, 219
- bereavement-related distress, 18
- blame for not preventing death, 202
- Bosnian civil war, 4
- breathing, 35
- deep (abdominal) breathing, 35
 - stress reduction exercise, 35
- calming activity, 49
- calming exercises, 56
 - calming self-talk, 55, 103
- Can't Stop Thinking About the Way He Died handout, 194–195
- caregiver engagement, 321–322
- causal reasoning ability development, 1
- Check-In procedure, 25, 33
- Child and Adolescent Trauma Treatments and Services Consortium (CATTS), New York, 4
- circumstance-related distress, 176, 184, 264
- anger at people responsible, 201–202
 - blame for not preventing death, 202
 - guilty thoughts related to a death, 199–200
 - risk factors, 176
 - shame over circumstances of death, 194
 - unable to stop thinking about the manner of death, 194–195
- cognitive triangle for situation–thought–feeling–behavior link, 60
- communication, 71
- aids and barriers to, 71
 - “I” messages, 72–73
 - purpose of communication focus, 71
- community-based settings, 319
- complexity of the traumatic experience, 133–134
- coping strategies. *See also* positive personal coping toolkit
- development, 1, 27
 - positive and negative strategies, 53
 - sharing within group, 32
- counterfactual reasoning, 1
- daily occurrences, dealing with, 219
- death. *See* bereavement; grief reactions; loss reminders; Module 3
- deep (abdominal) breathing, 80
- developmental adversities, 8
- developmental derailment, 263
- developmental disruptions, 262–264
- developmental themes, 135
- difficult days
- anticipating, 218
 - dealing with, 218–219
- emotions
- color of, 43
 - locating in the body, 43
 - monitoring changes exercise, 44–45
 - reading emotional expressions in others, 43
- engagement with adolescent, 14–15
- existential distress, 176, 183, 264
- feeling nothing matters anymore, 192–193
 - giving up on future plans, 192
 - reunification fantasies, 191
 - thinking they will never love again, 193–194
- externalizing symptoms, 4
- Fear of Getting Close handout, 191–192
- Feeling Thermometer, 35, 47, 79, 162, 224
- Feelings Selfie, 42–43, 90
- fight response, 53
- fixing other people's problems, 280–285
- flight response, 53
- freeze response, 53
- gender differences, 5
- Giving Up on Future Plans handout, 192
- goals, 18–19
- goal statement, 19

Index

- goals (cont.)
 Grief Goals handout, 228
 Group Goals handout, 130
 Personal Goals handout, 18, 21, 77
 sharing within group, 32
 graduation celebration, 292
 grief, 181, *See also* circumstance-related distress; existential distress; grief reactions; separation distress
 Grief Goals handout, 228
 riding the waves of grief activity, 184–185
 sharing the loss, 180
 true–false grief statements activity, 181–183
 grief reactions, 6, 8, 27, 36, 86, 175
 educational handout, 226
 identifying, 38, 183–184, 238
 linking loss reminders, grief reactions and consequences, 189–195
 normalizing, 35–38
 Rating My Grief Reactions handout, 225
 therapy objective, 6
 group cohesion, 4
 group contract development, 31
 sample contract, 75
 group narrative sessions
 alternative ways to share a narrative, 136
 co-leader's role, 141
 format, 142
 group member's role, 141
 leader's role, 141
 narrative sharer's role, 141
 notes on conducting the trauma narrative exercise, 144
 options, 136
 preparing for, 140–141
 review of group sharing, 151–152
 scheduling, 141
 steps for eliciting the narrative, 144–146
 timeline creation, 136, 146–147
 group-based therapy, 7–8, *See also* group narrative sessions
 advantages of, 10
 building the group, 25
 explaining the purpose of the group, 15
 group cohesion development, 25
 group norms establishment, 27–28
 structure, 14
 versus individual treatment, 10
 clinical decision-making, 13–14
 guilt, 265
 guilty thoughts about a death, 199
 handouts, 199–200
 helpful thoughts
 checklist, 112
 helpful and hurtful thoughts exercise, 63
 “helping out a good friend” exercises, 189–190, 199, 201, 273–277
 processing, 195
 helping with problems that are not your job to fix, 285
 hurtful thoughts, 147, *See also* anger; grief reactions; loss reminders; thinking errors
 checklist, 111
 evidence for and against, 170
 generating alternative interpretations, 66, 67–68
 guilty thoughts related to a death, 199
 handouts, 199–200
 helpful and hurtful thoughts exercise, 63
 identifying, 62, 147, 203, 239
 replacing, 62–63, 169, 203
 skits, 66–67, 124
 hyperarousal, 37–38, 85
 “I” messages, 72–73, 128
 I Will Never Love Again handout, 193–194
 identity distress, 176, 264
 impact-focused narrative, 138
 individual pull-out sessions, 140
 coaching on impact-focused narrative, 159
 eliciting a narrative, 156–158
 guide for narrative prompts, 157–158
 indicators for, 136
 narrative processing for subsequent sessions, 159–161
 review and updating of general beliefs and expectations, 159–160
 review and updating of specific thoughts and beliefs, 159–160
 review of current stressors, challenges and positive experiences, 161
 narrative timeline review, 159
 selection of experience, 155–156
 chronic or repeated forms of trauma, 156
 violent, graphic, or stigmatized forms of trauma, 155
 individual treatment. *See also* individual pull-out sessions
 advantages of, 10
 versus group therapy, 10
 clinical decision-making, 13–14
 internalizing symptoms, 4
 intervention fantasy interpretation, 147
 intrusive questioning by friends, 220
 juvenile justice settings, 318–319
 layering of threat to self and others, 134–135
 life changes following a death
 identifying, 217–218, 252
 making positive life changes, 252
 relationships before and after the death, 254
 listening without giving advice, 73
 loss reminders, 8, 26, 44, 48, 188–189, *See also* circumstance-related distress; existential distress; grief reactions; separation distress
 avoiding, 190–191
 identifying avoidance, 27
 coping with future reminders, 277
 identifying, 238
 linking loss reminders, grief reactions and consequences, 189–195
 personal loss reminders activity, 189
 positive and negative coping strategies, 53
 preparing for, 55
 reacting to and coping with distressing reminders, 48–49
 reducing unnecessary exposures, 55
 worksheet, 48, 95
 mementos, reminiscing with, 213–214
 Module 1
 addressing danger, protection, and safety as an adolescent developmental task, 27
 building the group, 25
 coping strategy development, 27
 focus on distressing reminders, 26
 foundation for treatment, 25
 group norms establishment, 27–28
 identification of undetected trauma and loss reminders, 27
 objectives, 3
 progress indicators, 29
 reframing posttraumatic stress reactions, 26–27
 social support access, 28
 Module 1 – Session 1, 30–33
 getting to know you group rounds, 32
 greeting group members, 31
 group contract development, 31
 implementation with individual clients, 33
 preparation, 30
 program overview, 32–33
 session format review, 33
 sharing coping strategies, 32
 Module 1 – Session 2, 34–39
 Feeling Thermometer introduction, 35
 implementation with individual clients, 39

- normalizing posttraumatic stress and grief reactions, 35–38
- practice exercise assignment, 38
- stress reduction exercise, 35
- Module 1 – Session 3, 40–45
- implementation with individual clients, 45
 - mood changes practice exercise, 44–45
 - What are you feeling? activity, 268
 - Why am I feeling this way?, 44
- Module 1 – Session 4, 46–50
- calming activity, 49
 - implementation with individual clients, 50
 - reacting to and coping with distressing reminders, 48–49
 - SLOW down technique, 49
 - trauma and loss reminders, 48
- Module 1 – Session 5, 51–57
- getting stuck in alarm mode, 52–53
 - implementation with individual clients, 57
 - positive and negative coping strategies, 53
 - positive personal coping toolkit development, 54–56
- Module 1 – Session 6, 58–63
- distinguishing thoughts, feelings, and behaviors, 60
 - identifying hurtful thoughts, 62
 - implementation with individual clients, 63
 - replacing hurtful thoughts, 62–63
 - sizing up a situation, 60–62
- Module 1 – Session 7, 64–68
- generating alternative interpretations, 66, 67–68
 - implementation with individual clients, 68
 - replacing hurtful thoughts skits, 66–67
- Module 1 – Session 8, 69–74
- communication aids and barriers, 71
 - getting support, 71–72
 - “I” messages, 72–73
 - implementation with individual clients, 73–74
- Module 2
- complexity of traumatic experience, 133–134
 - developmental themes, 135
 - indicators for individual narrative work or pull-out sessions, 136
 - layering of threat to self and others, 134–135
 - narrative work with adolescents, 133
 - objectives, 3
 - progress indicators, 136–137
 - protective intervention thoughts, 134
 - trauma narrative process, 135–136
 - worst moments, 134
- Module 2 – Session 2.1, 138–141
- individual pull-out sessions, 140
 - introduction to narrative work, 139–140
 - preparing for group narrative sessions, 140–141
 - selection of specific event for narrative work, 140
- Module 2 – Session 2.2, 142–149
- gentle updating of problematic thoughts, 147–148
 - introduction, 143–144
 - notes on conducting the trauma narrative exercise, 144
 - steps for eliciting the narrative, 144–146
 - timeline creation, 146–147
- Module 2 – Session 2.3, 150–153
- review of group sharing, 151–152
- Module 2 – Session 2.4, 154–161
- coaching on impact-focused narrative, 159
 - eliciting a narrative, 156–158
 - narrative processing for subsequent sessions, 159–161
 - narrative timeline review, 159
 - selection of experience, 155–156
- Module 3
- introduction, 175
 - objectives, 3, 175
 - overview, 176–178
- Module 3 – Session 3.1, 179–186
- focus on loss, 180
 - grief psychoeducation, 183–184
 - implementation with individual clients, 185–186
- Module 3 – Session 3.2, 187–196
- implementation with individual clients, 196
 - linking loss reminders, grief reactions and consequences, 189–195
 - review loss reminders, 188–189
- Module 3 – Session 3.3, 197–204
- dealing with strong emotions related to death, 199–203
 - implementation with individual clients, 204
- Module 3 – Session 3.4, 205–210
- identifying both positive and negative traits, 206–209
 - implementation with individual clients, 210
- Module 3 – Session 3.5, 211–215
- implementation with individual clients, 214–215
 - reminiscing with mementos, 213–214
 - staying connected after a loss, 212–213
- Module 3 – Session 3.6, 216–223
- identifying life changes and secondary adversities, 217–218
 - implementation with individual clients, 223
 - planning for difficult days, 218–223
- Module 4
- bridging a sense of discontinuity, 261
 - identifying developmental disruptions and disrillment, 262–264
 - indicators of therapeutic progress, 265–266
 - introduction, 261
 - objectives, 3
 - special considerations, 265
 - termination issues, 264–265
 - transitioning to focus on others, 262
 - transitioning to focus on the present and future, 262
- Module 4 – Session 4.1, 267–270
- implementation with individual clients, 270
 - my next five years exercise, 269
 - stop goal and start goal selection, 269–270
- Module 4 – Session 4.2, 271–278
- coping with current life challenges, 277–278
 - implementation with individual clients, 277–278
- Module 4 – Session 4.3, 279–288
- feeling responsible for fixing other people’s problems, 280–285
 - helping with problems that are not ours to fix, 285
 - implementation with individual clients, 287–288
 - self-care importance, 285–286
- Module 4 – Session 4.4, 289–292
- appreciation activity, 292
 - drawing a new narrative timeline, 290–291
 - ending in a good way, 291
 - implementation with individual clients, 292
 - reviewing what has been learned, 291
 - thoughts about transitioning from the group, 291–292
- mood changes monitoring, 87
- moral development, 2
- mourning, 181
- multidimensional grief theory, 8, 175–176, *See also* grief reactions
- multi-tiered interventions, 7
- MUPS, 53, 101
- muscle relaxation guide, 167
- my next five years exercise, 269

Index

- narrative timeline. *See* timeline
- narrative work, 133, *See also* group narrative sessions
- introduction to, 139–140
- selection of specific event, 140
- National Child Traumatic Stress Network (NCTSN), 5
- negative self-talk disruption, 54–55, 103
- negative thinking errors. *See* thinking errors
- negative thoughts and feelings, 37, 84, *See also* anger; guilt; hurtful thoughts
- Nothing Matters Anymore handout, 192–193
- numbing, 37, 83
- outpatient settings, 319
- pat on the back exercise, 292
- Persistent Complex Bereavement Disorder Checklist (PCBD-Checklist), 16, 17
- Personal Goals handout, 18, 21, 77
- personal loss reminders activity, 189
- personal timeline chart, 16–17
- planning for difficult days, 218–223, 255
- positive and negative trait identification, 206–209
- positive personal coping toolkit, 165
- development of, 54–56, 102
- building resilience, 56
- calming exercises, 56
- calming self-talk, 55, 103
- distraction through positive activities, 56
- negative self-talk disruption, 54–55, 103
- preparing for reminders, 55
- reducing unnecessary reminders, 55
- seeking support, 56
- SLOW down technique, 54
- taking a time-out, 56
- “*That was then, this is now*,” 55
- workbook writing, 56
- using the toolkit, 104, 129, 141
- posttraumatic stress disorder (PTSD), 36
- gender differences, 5
- posttraumatic stress reactions, 6, 26, 36
- avoidance and numbing, 37, 83
- gender differences, 5
- hyperarousal, 37–38, 85
- identifying, 36–38
- negative thoughts and feelings, 37, 84
- normalizing, 35–38
- re-experiencing, 36–37, 82
- reframing, 26–27
- therapy objective, 6
- Pressure To Do Something handout, 274–275
- pre-treatment assessment interview, 2–3
- assessment procedure overview, 14
- formal assessment, 16–19
- goal development, 18–19
- invitation to participate or referral, 17–18
- PCBD Checklist, 17
- personal timeline chart, 16–17
- selection of trauma or loss to focus on, 18
- summary of findings, 17
- UCLA-RI, 17
- meeting with the adolescent, 14–16
- engagement, 14–15
- explaining the purpose of the group, 15
- risk screening measures, 15–16
- participant selection, 13–14
- preparation, 14
- prevention fantasies, 147
- primary bereavement, 18
- primary trauma, 18
- primary traumatic bereavement, 18
- problem statement, 19
- problems that are not your job to fix, 280–285
- helping with, 285
- protective intervention thoughts, 134
- Rating my Grief Reactions handout, 225
- re-experiencing traumatic events, 36–37, 82
- referral for alternative treatment, 18
- relapse prevention, 218–223
- relationships before and after a death, 254
- relaxation breathing, 35
- Reluctance to Form New Relationships handout, 276–277
- reminiscing with mementos, 213–214
- resilience building, 56
- resource caravans, 5
- resource gain cycles, 8
- resource loss cycles, 6
- reunification fantasies, 191
- revenge fantasies, 147, 148
- riding the waves of grief activity, 184–185
- risk factor caravans, 5, 6
- risk management, 5–6
- risky behavior, 263
- school settings, 319–320
- secondary adversities, 8
- feeling alienated/ostracized, 221–222
- handout, 273–274
- identifying, 217–218
- insensitive expressions of support, 220
- intrusive questioning by friends, 220
- Well-Meaning Teacher handout, 221
- seeing the future more clearly, 273
- Selecting My Event handout, 163
- self-care importance, 285–286
- self-regulation capacity, 1
- separation distress, 175, 183, 263
- avoiding loss reminders, 190–191
- reunification fantasies, 191
- social withdrawal, 191–192
- Shame over Circumstances of Death handout, 194
- Sharing the Same Sad Fate as the Deceased handout, 275–276
- sizing up a stressful situation graphic, 189
- SLOW down technique, 49, 54, 99
- group cohesion activity, 49
- social contract, 2
- adult failure to uphold, 2
- social referencing, 10
- social support, 56
- five steps to getting support, 71–72, 127
- getting the right kind of support, 220–221
- insensitive expressions of support, 220
- recruitment, 28
- social systems, judgments of, 2
- social withdrawal, 191–192, 276–277
- start goals, 269–270, 296
- staying connected after a loss, 212–213, 248
- sticks and stones activity, 207–208
- stigmatized causes of death, 222
- stop goals, 269–270, 295
- support. *See* social support
- taking charge of your thoughts and feelings activity, 67–68, 115, 125
- Telling My Story handout, 164
- termination issues, 264–265
- “*That was then, this is now*” technique, 55
- Think Trauma, 4
- thinking errors, 66, 118, *See also* hurtful thoughts
- challenging, 66
- checklist, 117
- timeline
- drawing a new narrative timeline, 290–291
- group narrative sessions, 136, 146–147
- individual narrative sessions, 156–158
- review, 159
- personal timeline chart, 16–17
- transitioning from the group, 291–292
- trauma. *See also* posttraumatic stress disorder (PTSD); posttraumatic stress reactions
- bereavement interactions, 6
- chronic trauma, 18

- complexity of the traumatic experience, 133–134
- multiple traumatic events, 18
- narrative process, 135–136
- primary trauma, 18
- Trauma and Grief Component Therapy for Adolescents (TGCTA), 2, *See also* pre-treatment assessment interview; *specific modules and sessions*
- developmental history, 5
- group versus individual treatment modality, 10
- intervention program customization, 8–10
- primary strengths, 5–8
 - focus on adolescence, 5–6
 - group-based format, 7–8
 - interplay between bereavement and trauma, 6
 - modularized assessment-driven format, 6–7
- multi-tiered intervention framework, 7
 - recent clinical and scientific advances, 8
 - Tier 1 intervention, 8
 - Tier 2 intervention, 9
 - Tier 3 intervention, 10
 - treatment modules, 4
- Trauma Goals handout, 18, 22, 76
- trauma reactions, 44, *See also* posttraumatic stress reactions
- trauma reminders, 8, 26, 44, 48
 - activity, 48
 - identifying avoidance, 27
 - positive and negative coping strategies, 53
 - preparing for, 55
 - reacting to and coping with distressing reminders, 48–49, 96
 - reducing unnecessary exposures, 55
 - worksheet, 94
- trauma-focused therapy, 6
- trauma-related distress, 18
- traumatic bereavement-related distress, 18
- Traumatic Bracing handout, 275
- UCLA Reaction Index for Children and Adolescents (UCLA-RI), 15, 17
- violence exposure risk, 265
- Well-Meaning Teacher handout, 221
- Why Not... Nothing Matters Anymore handout, 192–193
- Wishes and Regrets handout, 246
- workbook writing, 56
- World Trade Center terrorist attacks, 4
- worst moments, 134
- yellow and purple paper activity, 208–209