

AUTHOR INDEX

- Adhikari, *see* Volmer
 Arnot, 193, 194, 195
- Bichowsky, 179
 Bielz, 50, 74
 Bogros, 176, 178, 196
 Born, 74
 Bowden, 87
 Broadway, 144
 de Broglie, 6
- Chariton, 93
 Cilliers, 138
 Clark, 170, 171
 Clausing, 16, 80, 86, 87
 Cockcroft, 31, 90, 93, 94, 95
 Compton, K., 50
 Copeland, 179
 Costa, 50
- Davisson, 7
 Debye, 154
 Ditchburn, 193, 194, 195
 Dobrezov, 196
 Donat, 28
 Dunoyer, 2, 4, 60, 196
- Ebert, 174
 Edlefsen, 194
 Edmundson, 176, 178
 Egerton, 94, 176, 178
 Ehrenfest, *see* Einstein
 Einstein, 125
 Eisenschitz, 86
 Eldridge, 69, 71, 72
 Ellett, 50, 86, 112, 113
 Epstein, 80
 Estermann, 29, 30, 50, 54, 83, 85, 90,
 91, 94, 95, 98, 104, 106, 108,
 173, 174
 Ewald, 112
- Feierabend, 164
 Funk, 194
- Gaede, 80
 Gerlach, 8, 29, 50, 91, 115, 122, 124,
 126, 130, 136, 138, 139, 140,
 142, 143
- Germer, *see* Davisson
 Goudsmit, 137, 147
 Grotrian, 184
- Hale, 41
 Harteck, 176, 177
 Heisenberg, 125, 137
 Henderson, 93
 Hippel, von, 194
 Holst, 87
 Hopfield, 142
 Huckel, 87, 89, 92
- Jackson, 144, 146
 Johnson, 19, 33, 42, 50, 84, 85, 86,
 98, 111, 112, 113
- Kallmann, 156
 Kerschbaum, 33
 Kikuchi, 111
 Kingdon, 43, 46
 Knauer, 10, 18, 19, 22, 30, 34, 42, 50,
 53, 56, 76, 83, 85, 97, 98, 113,
 148, 149
 Kneser, 144
 Knudsen, 13, 39, 40, 58, 79, 80, 81,
 93, 176
 Kopfermann, 184
 Kroger, 191, 192
 Kronig, 166
 Kurt, 141, 142
- Ladenburg, 177, 190
 Lammert, 65, 67, 72, 73
 Langmuir, 31, 43, 46, 87
 Lawrence, 194
 Leu, 117, 131, 138, 139, 184, 185
 Lewis, 189
 London, *see* Eisenschitz
- Mark, 174
 Mayer, H., 13, 17, 19
 Mayer, J., 192
 Maxwell-Garnett, 90
 Mensing, 166
 Minkowski, 196
 Mohler, 195
- Nichols, 147

Cambridge University Press
 978-1-107-59341-1 - Molecular Rays
 Ronald G. J. Fraser
 Index
[More information](#)

200

AUTHOR INDEX

- Olson, 50, 86, 112, 113
 Osgood, 97
- Pauli, *see* Mensing
 Pauling, 147
 Philipp, *see* Donat
 Phipps, 136, 141, 142
 Pleasant, *see* Weigle
 Powell, 146
- Rabi, 117, 119, 138, 150, 152, 161, 171
 Reiche, *see* Kallmann
 Rice, 192
 Riggert, 117
 Rodebush, 147, 176, 180
 Rupp, 98
- Schottky, 45, 176
 Schuler, 137, 196
 Semenov, 93, 129
 Smoluchowski, 58
 Smyth, H. D., 50, 193
 Solt, 50
 Stern, 3, 5, 8, 10, 13, 18, 19, 22, 24,
 29, 30, 34, 35, 42, 43, 50, 53, 56,
 61, 64, 67, 73, 74, 76, 77, 83, 85,
 97, 98, 104, 105, 106, 108, 113,
 115, 117, 122, 124, 126, 127, 130,
 136, 138, 148, 149, 156, 170, 184
- Taylor, 43, 44, 45, 50, 81, 85, 120,
 136, 137, 138, 150, 153
 Terenin, *see* Dobrezov
 Thiele, *see* Ladenburg
 Thomson, G. P., 7
 Tykocinski-Tykociner, 73
- Urey, 192
- Volmer, 91
 Vries, de, 176, 180
- Washburn, 192
 Weide, 179
 Weigle, 75
 Weissenberg, *see* Mark
 Wertenstein, 86
 Williamson, 194
 Wohlwill, 47, 50, 174
 Wood, 80, 81, 90, 93
 Wrede, 136, 166, 179
 Wulff, 50
 Wurm, 196
- Young, *see* Goudsmit
- Zahl, 50, 86, 112, 113
 Zartmann, 183, 184

SUBJECT INDEX

- Adsorption 86 seq.
 and two-dimensional gas phase, 91
 and transition phenomena, 93;
see also Transition phenomena
 time of, 86; *see also* Time of
 Adsorption
- Alien molecules, defined, 10
 elimination of, 20 seq.; conden-
 sation method, 21, 55; pumping
 method, 21, 56; relative effi-
 ciency of methods, 20
 reflected from fore slit, 22
- Alkali metals, as standards in mag-
 netic measurements, 138
- Aperture, ideal, 11; non-ideal, 16, 17
- Bismuth, magnetic moment of, 139
- Bohr Magneton, 122, 125
- Bolometer, 47 seq.
- de Broglie waves, 6
 absolute values of, 7
 diffraction of, at ruled grating, 97;
 at crystal surfaces, 98, 104
 dependence of wavelength on mass
 and velocity, 111
 most probable wavelength in
 beam, 109
 and specular reflection, 82 seq.;
see also Diffraction
- Cadmium, magnetic moment of, 138
- Chemical Reactions, and molecular
 rays, 191
- Chemical targets, 33
- Cloud Formation, 17 seq.
- Cobalt, magnetic moment of, 143
- Collimator chamber, 20; typical con-
 structions, 54, 56
- Condensation, 86 seq.
- Condensation target, 26 seq.
 material of, 28; temperature of,
 27; typical construction, 55;
 visibility of deposit, 28, 30; de-
 velopers, 28 seq.; sensitisation,
 28, 29; sensitivity, 30; repro-
 ducibility, 32; semi-quantitative
 nature, 31
- Copper, magnetic moment of, 138
- Cosine law, of molecular effusion, 13,
 14; departure from, 16, 17
- Critical temperature, *see* Transition
 temperature
- Cross grating, theory of, 98 seq.;
 orientation of, to incident beam,
 104
- Crystal lattice
 and temperature vibration, 84
 surface grating, 98 seq.
- Deflected beams, intensity distri-
 bution in:
 Coriolus deflection, parent width
 negligible, 64; parent width not
 negligible, 72
 magnetic deflection, 127
 electric deflection, 161
- Deflection, *see* Magnetic, Electric de-
 flection
- Deflection method, v, vi
 contrasted with standard methods,
 8, 154
 dependence on spectroscopic
 theory, 126, 133, 140, 141, 144
 seq.
 sensitivity, 8, 24, 51; effects due to
 slit length, 25, 36, 51
 scope of, magnetic, 133, 141;
 electric, 169
See also Magnetic, Electric de-
 flection
- Deflection patterns, *see* Magnetic,
 Electric deflection patterns
- Detectors, 5, 24 seq.
 additive, 26; non-additive, 34
 bolometer, 47; condensation tar-
 get, 26; chemical target, 33;
 hot wire gauge, 37; ionisation
 gauge, 42; radiometer, 49; sur-
 face ionisation detector, 43;
 thermopile, 46
- Detector slit, 34, 57; κ -factor of, 34,
 58
- Developers, 28 seq.
- Diffraction, of molecular rays, iv
 at ruled grating, 97
 at crystal surfaces, 98, 104 seq.

- of He and H₂ beams at LiF, 105 seq.
- of H at LiF, 111 seq.
- See also* Diffraction spectra
- Diffraction patterns, *see* Diffraction spectra, Diffraction
- Diffraction spectra, at cross grating, 98 seq.
 - conditions for formation of, 103, 108, 110
- Dipole, electric, *see* Electric dipoles
- Dissociation, molecular, vii
 - determination of, by effusion method, 178; by magnetic deflection method, 184; by velocity filter method, 181
 - of alkali metals, by magnetic deflection method, 189
 - of bismuth, by magnetic deflection method, 184
- Effusion, molecular, *see* Molecular effusion, Cosine law
- Electric deflection, of molecular rays, vi
 - electric field (q.v.), 170
 - intensity distribution in deflected beams, 161 seq.; case of high temperature, 162; case of low temperature, 166; effect of polarisability, 165
 - scope of method, 169
- Electric deflection patterns, interpretation of, 161; scale of, 160
- Electric dipoles, vi; defined, 154
 - and molecular rotation, 155, 156 seq.
 - and polarisability, 156
- Electric field, 170 seq.
 - Clark's arrangement, 171; Rabi field, 161, 171; wire and cylinder, 170
- Electric moments, vi
 - evaluation of, from deflection patterns, 161
 - comparative measurements of, for organic substances, 173
 - See also* Electric dipoles
- Excited molecules, 4
- Fore slit, 22, 59; optimum distance from source, 23, 24; width of, 53
- g*-formula, 122
- Gold, magnetic moment of, 138
- Hamburg set up, *see* Magnetic field
- Hot Wire gauge, 37 seq.; theory of, 38; sensitivity, 39, 41
 - compensation, 40; for pressure changes, 35; for temperature changes, 40
 - time lag, thermal, 39
 - effect of accommodation coefficient, 39; of thermal transpiration, 40
 - electro-magnetic disturbances, 41
 - Hydrogen, magnetic moment of, 136
 - Hyperfine structure, and molecular rays, 147, 195
- Image aperture, 20
- Image slit, width of, 51, 53; position of, in deflection experiments, 149
- Intensity, defined, 14; near slits, 19
 - measurement of, i; absolute and comparative measurements, 26
 - maximum, 15, 17 seq.; optimum, under specified conditions, 21, 23, 24
 - minimum detectable, 24
 - distribution in deflected beam, *see* Deflected beams
 - transition, 27, 93
 - See also* Cloud formation, Slits
- Ionisation gauge, 42
- Ionisation potential, and molecular rays, 193; ionisation function, 194
- Iron, magnetic moment of, 142
- κ -factor, of detector slits, 34, 58
- Lateral motion, 90; and narrow deposits, 91
 - effect of, on detection of beams, 27, 30, 32
- Lead, magnetic moment of, 139
- Lithium, magnetic moment of, 137
- Magnetic deflection, of molecular rays, v
 - deflection patterns, (q.v.), 121
 - intensity distribution in deflected beams, 127; case of two components, 128; of more than two components, 132; point-to-point plots, 152
 - magnetic field (q.v.), 115
 - scope of method, 133, 141

SUBJECT INDEX

203

- Stern-Gerlach experiment, 122
 determination of molecular dissociation, 184
See also Magnetic moments
- Magnetic deflection patterns, 121 seq.
 asymmetry, with Hamburg set-up, 131
 conditions for resolution of, 129
 interpretation of, 126, 127 seq.; case of two components, 128; of more than two components, 132; point-to-point plots, 152
- Magnetic field, 115 seq.
 Rabi field, 117, 150; compared with Stern-Gerlach field (q.v.), 119
 Stern-Gerlach field, 115, 116; field plots, 116, 120; Hamburg set-up, 120; asymmetry of deflection patterns with, 131; Stern-Gerlach set-up, 121
- Magnetic moments, 121 seq.
 determination of: absolute, 116, 127, 150; comparative, 119, 127; alkali metals as standards, 138
 evaluation of, from deflection patterns, 128 seq., 152
 atomic, 134 seq.; *see also* under individual elements
- Manometers, general, 34
 absolute and comparative measurements, 37
 calibration, 37
 compensation, for pressure, 35; for temperature, 40
 zero creep, 35
 time lag, 36, 37; effect of adsorption, 37; of thermal transpiration, 40
 κ -factor, of detector slit, 34, 58
See also Hot Wire Gauge, Ionisation gauge
- Maxwell distribution law, 64 seq.; *see also* Appendix
 direct verification of, by Lamert, 65; by Eldridge, 69; comparison of methods, 72
- Metastable states, 4, 134; *see also* Nitrogen, active
- Molecular dissociation, *see* Dissociation, molecular
- Molecular effusion, laws of, 11, 13; conditions for, 11, 12, 18; of dissociated vapours, 175, 178; and determination of vapour pressures, 175 seq.
- Molecular rays
 collision-free character, 2, 4; contrasted with gas jet, 4, 11
 velocity of, 4
 production of, 2; detection of, 5; *see also* Chapter I
 intensity, 14; sensitivity of method, 24 seq., 51
 dimensions of apparatus, 51
 scattering, from solid surfaces, *see* Scattering
 reflection, *see* Reflection, Specular reflection
 diffraction of, iv; *see also* Diffraction
- Monochromatisation, 73, 126, 134, 169
- Monochromators, 73
- Nickel, magnetic moment of, 143
- Nitrogen, active, 144, 146
 investigated by magnetic deflection method, 144
- Nuclear moments, 147
 measurement of, with Stern multiplier, 148
- Observation chamber, defined, 10; typical constructions of, 54, 56
 "Orientation," in magnetic field, discussed, 125
- Oven, 10; optimum pressure, useful rule of thumb, 25; typical construction, 55; methods of heating, 55, 185; size of charge, 12, 177
- Oxygen, magnetic moment of, 141
- Penumbra, *see* Umbra
- Photoionisation, and molecular rays, 194
- Potassium, magnetic moment of, 138
- Radiometer, 49
- Reflection, 78, 82; of Cd and Zn at rocksalt, 112
- Reflection, specular:
 primary and secondary conditions for, 82, 85
 dependence on velocity and glancing angle, 84; on surface temperature, 84

- and critical data of impinging gas, 85
 of H_2 from speculum metal, 83;
 of He from LiF, 83; of atomic
 hydrogen from rocksalt, 84
- Scattering, intermolecular, 77; of
 molecular rays from solid sur-
 faces, 79 seq.; Knudsen law of,
 80; simulated, 79, 81
- Sensitisation, of target detector, 28,
 29
- Slits, ideal, 15; non-ideal, 16
 intensity and slit width, 15, 16;
 minimum slit width with con-
 densation target, 28
 adjustment of, 52 seq.; using
 "optical bench," 52; by rays
 themselves, 53
- Sodium, magnetic moment of, 138
- Source, 11 seq.; defined, 10; three
 types of, 10, 12
- Specular reflection, *see* Reflection,
 specular
- Stern-Gerlach experiment, 122;
 Stern-Gerlach set-up, *see* Mag-
 netic field
- Surface Ionisation detector, 43;
 principle of, 43, 44; sensitivity
 of, 43; range of application, 45
- Targets, *see* Chemical targets, Con-
 densation target
- Thallium, magnetic moment of, 139
- Thermal velocity, direct measure-
 ment of, 61
- Thermopile, 46
- Time of adsorption, measurement of,
 86; by molecular rays, 87 seq.
- Tin, magnetic moment of, 139
- Transition phenomena (Transition
 temperature, Transition inten-
 sity), 93; dependence on surface
 conditions, 94
- Umbra, penumbra, 30; defined, 3
- Vapour pressures, determined by
 effusion method, 176 seq.; pre-
 cautions necessary, 177
- Velocity, molecular, standard of, 64,
 127; *see also* Appendix
 direct measurement of, 61
 Maxwell distribution law, 64, 109
- Velocity selectors, 73; and deter-
 mination of molecular dissocia-
 tion, 181
- Verweilzeit, *see* Time of adsorption
- Zinc, magnetic moment of, 138