



INDEX

Glossary entries are indicated in bold.

- abiotic, **388**
 ABO blood groups in humans, 133–4
 absolute fitness, 202
 achondroplasia (short-limbed dwarfism), 235
 acorn woodpecker (*Melanerpes formicivorus*)
 mating strategies, 385
 acquired characteristics
 inheritance of, 29–30
 adaptation, **388**
 evolution of new adaptations, 264–7
 adaptive landscape model, 264–6, **388**
 additive effect, **388**
 additive genetic variance, **388**
 Adélie penguins
 selfish herd principle, 322–3
Adelina tribolii, 338
 azuki bean weevil (*Callosobruchus chinensis*), 302
 interspecific competition, 283
 age-specific birth rates, 82
 age-structured population growth
 capacity for increase (r_c), 85
 comparison of r_c and r_m , 87–8
 effects of demographic variables, 91–3
 estimating growth rates, 82–9
 Euler equation, 85–7
 intrinsic rate of natural increase (r_m), 85–7
 matrix model, 88–9
 problems, 99
 Uinta ground squirrel (*Spermophilus armatus*), 82–9,
 91–3
 aggressive behaviour
 applying game theory to the real world, 364–5
 evolution of restrained and ritualized fighting,
 358–60
 game theory of animal contests, 359–65
 hawk–dove model, 359–62
 hawk–dove–bourgeois model, 362–4
 non-lethal conflicts, 358–60
 aging. *See* senescence
Agropyron repens, 287–90, 293–4
Agrostis scabra, 287–90, 293–4
Agrostis tenuis
 selection for copper tolerance, 190
 albinism, 139, 179
 algae (*Chlamydomonas reinhardtii*)
 examples of mutation rates, 143–4
 alleles, **388**
 definition, 125
 identity by descent, 174
 allelic frequencies, **388**
 conditions for equilibrium, 127–8
 effects of non-random mating, 136
 estimating frequencies in populations, 126–7
 estimating frequencies with a dominant allele,
 129–30
 Allen's ecogeographic rule, 251
 allozygous alleles, 174
 allozymes, **388**
 diversity of, 148–50
 altruism, 349, **388**
 eusociality in the naked mole-rat (*Heterocephalus
 glaber*), 356
 evolution of sterile castes in insects, 357
 evolutionary theories, 350–3
 family-level selection (Darwin), 350
 group-level selection (Wright), 349–50
 group selection versus kin selection theories, 357–8
 Hamilton's rule, 352–3
 helping genetically related individuals, 351–2
 kin selection and inclusive fitness, 352–3
 kin selection studies, 353–7
 mechanism of evolution, 29
 pied kingfisher (*Ceryle rudis*), 353–5
 recent developments, 357–8
 amensalism, 325–6, **388**
 American chestnut (*Castanea dentata*), 257
 American crow (*Corvus brachyrhynchos*), 52
 American redstart (*Setophaga ruticilla*)
 mating system, 378
 amino acids
 substitutions caused by mutations, 139–40
 amphipod (*Gammarus lacustris*), 339

- anatomical similarities
 evidence for relatedness by descent, 25
 Andersson, Malte, 373, 383–4
 Andersson, Staffan, 373–4
Andropogon gerardii, 287–90, 293–4
 antagonistic pleiotropy, 110, 114
 aposematic coloration or markings, **389**
 Arctic tern (*Sterna paradisaea*), 183
 arrhenotoky, 101
 artificial selection, **389**
 assortative mating, 136, 173, **389**
Asterionella formosa
 competition for nutrients, 284–6
 autosomes, **389**
 autozygous alleles, 174
- bacteriophages, **389**
 balance hypothesis, **389**
 Banasiuk, Jacek, 206
 bank vole (*Clethrionomys glareolus*), 302
 barnacle (*Balanus glandula*), 309
 barnacles
 Darwin's extensive research on, 16–17
 Bateman, A. J., 367–9
 Batesian mimicry, 318–20, **389**
 beaver (*Castor fiber*), 257
 bee-eaters, 318
 behaviour
 evolution of, 347
 evolution of complex behaviours, 23
 genetic basis of, 347–9
 genetic determinist view, 348
 inheritance of instinctive behaviour, 23
 Behé, Michael, 38, 41
 Belding's ground squirrel (*Spermophilus beldingi*), 80
 alarm calls, 322
 Bergmann's rule for homeotherms, 251
 bighorn sheep (*Ovis canadensis*), 80
 binomial theorem, 156
 binomial variance of sample means, 157
 biotic, **389**
 black-backed oriole (*Icterus abeillei*), 318
 black-billed magpie (*Pica pica*), 52
 black-faced sandgrouse (*Pterocles decoratus*), 316
 camouflage, 316
 black-headed grosbeak (*Pheucticus melanocephalus*), 318
 Blanding's turtle (*Emydoidea blandingii*), 111
 blending inheritance, 22–3, **389**
 blue tit (*Parus caeruleus*)
 interspecific competition, 292–3
 blue whale (*Balaenoptera musculus*)
 predation by orcas, 314
 bombardier beetle (*Brachinus* sp.), 323
 bottleneck (in population size), **389**
 effects on genetic diversity, 257–8
 bottlenecks (genetic), 168–71, 182
BRC1 gene
 evidence of positive selection, 151–2
 brine shrimp (*Artemia* sp.), 283
 bristlecone pine (*Pinus longaeva*)
 absence of evidence of senescence, 117
Bromus erectus, 337
 brown hydra (*Hydra littoralis*)
 interspecific competition, 283
 Buechner, Helmut, 382
 Buri, Peter, 156
 butterfly (*Euphydryas editha*), 199
- Cambridge University
 influence of the Church of England, 3
 camouflage, 316–17
 black-faced sandgrouse (*Pterocles decoratus*),
 316
 grasshoppers, 35
 peppered moth (*Biston betularia*), 218–30, 317
 Caribbean two-spot octopus (*Octopus hummelincki*)
 regulation of senescence, 119–20
 caribou (*Rangifer tarandus*), 183
 carrying capacity (*K*), 57, 61–2, **389**
 catastrophism, **389**
 catastrophist view of the earth's crust, 5–8
 categorical traits, 239
 Caughley, Graeme, 76
 chain-counting technique, 176
 characteristics of an organism, **390**
 Charnov, Eric, 105, 107
 cheetah (*Acinonyx jubatus*), 316
 low genetic diversity, 257–8
 Chetverikov, Sergei, 264
 chimpanzees
 rate of divergence from humans, 152–3
 chromosomes, **390**
 Church of England
 influence on British science, 3
 cilia
 evolution of the microtubule structure, 38–9
 clines, **390**
 codominance, **390**
 coefficient of relatedness, **390**
 coevolution, **390**
 cohort life tables, 71–3, **390**
 cohorts, **390**
 Cole's paradox, 104–5
 commensalism, 325–6

- common snapping turtle (*Chelydra serpentina*)
 absence of senescence, 110–14
- community structure
 detritus-based food webs, 325–7
 ecological niche concept, 327–8
 empirical examples of relationship with niches, 330–3
 evolution of ecological niches, 328–30
 feeding niche evolution (example), 333–7
 grazing food webs, 325–7
 influence of herbivory, 337–8
 influence of mutualisms, 339–42
 influence of parasitism, 338–9
 influence of predation, 337–8
 keystone species, 338
 mycorrhizal networks, 340–2
 niche theory, 333
 reducing interspecific competition, 328–30
 size ratio of competing species, 330–3
 species interactions and, 325–43
 trophic structure, 325–7
- competition, 325–6, **390**
- competition coefficients, 274
- complex biochemical systems
 evolution of, 38–41
- contest competition, 271
- continental drift, 26
- continuous traits, 239
- coral reefs
 Darwin's theory on, 12
- corn (*Zea mays*)
 examples of mutation rates, 143–4
 oil content of seed, 250–1
- cowpea weevil (*Callosobruchus quadrimaculatus*)
 interspecific competition, 283
- cowslip (*Primula veris*), 19
- crabs
 behavioural effects of parasites, 339
- creationism, 24–5, 31
 argument from design, 32–3
- cuckoo-shrikes (*Coracina* spp.)
 arrangement of feeding niches, 332–3
- Cuvier, Georges, 7, 24
- Cyclotella meneghiniana*
 competition for nutrients, 284–6
- cystic fibrosis
 incidence in different populations, 180–1
- Dall mountain sheep (*Ovis dalli*)
 life tables, 78–80
- Darwin, Charles
 Arts degree at Cambridge University, 3–4
 barnacles research, 16–17
 coral reefs theory, 12
 Darwin's finches, 14
 development of evolutionary theories, 15–17
 early interest in nature, 3–4
 early life and education, 3–4
 evolution of complex behaviours, 23
 evolution of highly complex organs, 23
 evolution of sterile castes in insects, 23–4
 evolutionary theory of altruism, 350
 fertility gradient as populations diverge into new species, 24
 fixity of species question, 12–13, 17–20
 Galápagos Islands observations, 10–12
 geological education, 7
 geological theories prevalent in his time, 5–8
 human evolution and, 26
 impetus to publish *On the Origin of Species*, 17
 influence of Adam Sedgwick, 5, 7
 influence of Charles Lyell, 7, 16
 influence of herbivory and predation, 337
 influence of John Stevens Henslow, 4–5
 influence of Robert Grant, 4
 influence of Sir John Herschel, 13
 intention to become a clergyman, 3–4
 intermediate forms, absence of, 23
 island biogeography and transmutation of species, 13–14
 learning about the natural sciences while at university, 4–5
 logical consequences of his theories, 22–6
 mockingbirds (*Mimus* spp.), 12–13
 natural selection theory development, 15–17, 20, 27
 natural theology and, 4, 14
 on the argument from design, 32–3
 prediction of the star orchid pollinator, 339–40
 publication of his theories on evolution, 17–26
 reactions to his theories, 26
 relatedness by descent, 21–2, 24–5
 sexual selection concept, 20, 367
 single origin of life, 22
 South American fossils, 13–14
 struggle for existence, 20, 56
 study of medicine at Edinburgh University, 3
 synopsis of *On the Origin of Species*, 17–26
 voyage of HMS *Beagle* (1831–6), 5, 7–13
 wedges metaphor for competing types or species, 329
- Darwin, Erasmus, 3–4
- Darwinism, **390**
- Dawkins, Richard, 33–5
- defassa waterbuck (*Kobus ellipsiprymnus defassa*), 359
 mating system, 380
- demes, 156, 164, 184, 265, **391**
- demography, **391**

- density dependence, **391**
 desert snow (annual plant) (*Linanthus parryae*)
 isolation by distance, 191–3
 detritus-based food webs, 325–7
 Diamond, Jared, 330–2
 dichotomous traits, 239
Didinium nasutum
 predator–prey interactions, 300
 dik-dik (*Madoqua kirkii*)
 mating system, 379
 diploid condition, **391**
 diploid selection. *See* zygotic selection
 Diptera, 116
 direct fitness, 353
 disassortative mating, 136, **391**
 dispersal, **391**
 DNA, **391**
 correction of replication errors, 153
 epigenetic modification, 267
 methylation, 114
 DNA sequencing
 evidence for relatedness by descent, 26
 Dobzhansky, Theodosius, 147, 266
 dodder (*Cuscuta* spp.), 339
 dominance (genetics), **391**
 estimating allelic frequencies, 129–30
 Douglas fir (*Pseudotsuga menziesii*), 341
 dronefly (*Eristalis vinetorum*)
 Batesian mimicry of honey bees, 318–20
 dung beetle (*Kheper laevistriatus*), 273
 dung beetle (*Kheper platynotus*), 273
 dung beetles
 intraspecific and interspecific competition, 272–3
 eastern or northern white cedar (*Thuja occidentalis*)
 slow or absent senescence, 117
 ecological niches
 concept of, 327–8
 empirical examples of relationship with community
 structure, 330–3
 evolution of, 328–30
 feeding niche evolution (example), 333–7
 niche theory, 333
 reducing interspecific competition, 328–30
 size ratio of competing species, 330–3
 effective population size, 164–6
 unequal numbers in successive generations, 165–6
 unequal sex ratio of breeding population, 164–5
 electrophoresis, **391**
 enzyme studies, 148–50
 elephant (*Loxodonta africana*)
 evidence of genetic bottlenecks, 170–1
 population growth, 52–3
 predation by lions, 315
 Elton, Charles, 327
 embryonic development
 evidence for relatedness by descent, 25
 environment, **391**
 enzymes
 genetic diversity of, 148–50
Eotetranychus sexmaculatus
 predator–prey interactions, 300–2
 Ephemeroptera, 116
 epialleles, 30
 epigenetic diversity
 house sparrow (*Passer domesticus*), 253
 epigenetics, 267
 modification of DNA, 267
 natural selection and, 29–30
 role in senescence, 114
 epigenome, 267, **392**
 epiparasites, 341
 epistasis, 243–4, 265–6, **392**
 equilibrium, **392**
Escherichia coli, 39
 examples of mutation rates, 143–4
 random mutation and resistance, 142
 rate of population growth, 53
 senescence in, 120–1
 eugenics, 232–3, 236
 Euler equation, 85–7, 89
 Eurasian jay (*Garrulus glandarius*), 309
 European common toad (*Bufo bufo*)
 intrasexual selection, 370–1
 European eel (*Anguilla anguilla*)
 loss of function prior to reproduction, 116
 eusociality
 naked mole-rat (*Heterocephalus glaber*), 356
 evolution, **392**
 argument from design, 32–3, 38
 criticisms of Darwin's theory, 31–2
 mutation rates and, 142–6
 new adaptations, 264–7
 religion and, 31
 two-stage process, 256
 evolutionary stable strategy (ESS), **392**
 exploitation (of resources), **392**
 exploitation competition, 271
 exponential growth, 45, **392**
 applying models, 49–51
 density-independent growth, 45
 developing models, 46–9
 examples, 51–3
 merlin falcon (*Falco columbarius*), 51–2

- overproduction and, 45
- problems, 54–5
- simulations, 51
- summary of equations, 55
- extinction
 - risk with low genetic diversity, 257–8
- eye evolution, 23
 - argument from design, 33–4
 - possible stages of, 35–7
- F*-statistics, 193–8
- Falkland Island fox (*Dusicyon australis*), 10
- fallow deer (*Cervus dama*), 257
- fecundity, **392**
- Festuca ovina*, 340
- FGFR3* gene mutations, 235
- finches. *See Geospiza*
- Fisher, Ronald, 264, 266
 - influences on mortality curves, 102–4
 - reproductive value, 101–2, 107–8
 - runaway process of sexual selection, 376
 - sex ratio principle, 100–1
- fitness, **392**
 - calculating fitness of haploid genotypes, 202–3
 - defining, 202
- FitzRoy, Robert, 5, 7–8
- fixation (of alleles), 259, **392**
- fixity of species
 - beginning of Darwin's doubts about, 12–13
 - Darwin's conclusion that species are not fixed, 17–20
- fleabane (*Conyza canadensis*), 56
- flour beetle (*Oryzaephilus surinamensis*)
 - interspecific competition, 279
- flour beetle (*Tribolium castaneum*)
 - genetic drift and selection, 259
- flour beetle (*Tribolium confusum*)
 - interspecific competition, 279
- flour beetles (*Tribolium* spp.), 100–1
 - effects of parasitism on competition, 338–9
- forest tent caterpillar
 - cycles in population size, 165
- fossil record
 - absence of intermediate forms, 23
 - relatedness by descent, 24
- founder effect, 166–9, 182, **392**
- frameshift mutations, 140
- frequency-dependent selection, **392**
- freshwater algae
 - competition for nutrients, 284–6
- fruit flies (*Drosophila* spp.)
 - interspecific competition, 292
- fruit fly (*Drosophila melanogaster*)
 - effects of genetic drift, 161
 - epigenetics, 114
 - examples of mutation rates, 143–4
 - inheritance of behavioural traits, 347–9
 - intrasexual selection, 367–9
 - senescence studies, 118
- fruit pigeons
 - arrangement of feeding niches in New Guinea, 330–2
- functional response, **392**
- fungus (*Neurospora crassa*)
 - examples of mutation rates, 143–4
- Galápagos finches. *See Geospiza*
- Galápagos Islands
 - Darwin's observations, 10–12
- game theory of animal contests, 359–65
 - applying game theory to the real world, 364–5
 - hawk–dove model, 359–62
 - hawk–dove–bourgeois model, 362–4
- gametic selection. *See* haploid selection
- Gause, Georgy, 276–9, 282, 300, 302
- gene flow, **393**
 - estimating, 196–9
 - limiting divergence between subpopulations, 262–4
- gene frequencies of populations
 - estimating frequencies, 126–7
 - factors influencing, 123
 - genetic drift, 156–72
 - haploid and zygotic selection, 202–16, 218–38
 - Hardy–Weinberg principle, 127–38
 - inbreeding effects, 173–82
 - migration effects, 183–201
 - mutation and, 139–55
 - polygenic inheritance and quantitative genetics, 239–55
 - terminology, 125
- generation life tables, 71–3
- genes, **393**
 - definitions, 125
 - epigenetic modification, 267
 - selfish gene approach, 349
- genetic determinism, 348
- genetic differentiation of populations, 258–61
- genetic diversity
 - mutation and, 256–8
- genetic drift, 144, 149, 152, **393**
 - consequences of, 163–4
 - effective population size, 164–6
 - effects in *Drosophila*, 161
 - examples in nature, 166–71

- genetic drift (cont.)
 founder effects, 166–9
 genetic bottlenecks, 168–71
 genetic differentiation of populations, 258–9
 in a biological population, 161
 in idealized populations, 157–61
 inbreeding and, 173–80
 inbreeding effects, 166
 mechanisms of, 172
 plains zebra (*Equus quagga antiquorum*), 166
 sampling error and, 156
 silvereyes (*Zosterops* spp.) on islands, 166–8
 genetic drift–migration equilibrium model, 198–9
 genetic markers, 166
 genetic variation of populations, 146–52
 balance hypothesis, 147–50
 classical hypothesis, 147–50
 estimating genetic diversity in humans, 152–4
 genetic diversity of enzymes, 148–50
 malaria as a selecting agent, 151–2
 molecular clock, 152
 neutral theory, 150–2
 protein evolutionary rates, 152
 selection hypothesis, 150–2
 stable polymorphisms, 146–7
 genetics
 incorporating into the theory of natural selection, 27–30
 genome, **393**
 genome comparison
 estimation of mutation rate, 153
 genotype, 125, **393**
 relationship to phenotype, 202
 genotypic frequencies
 conditions for equilibrium, 127–8
 estimating frequencies in populations, 126–7
 genes with multiple alleles, 133–4
 geology
 catastrophist view of the earth's crust, 5–8
 geological education of Darwin, 7
 interpretation of rock strata and fossils, 5–8
 theories prevalent in Darwin's time, 5–8
 uniformitarian view of the earth's crust, 5–8
 geometric growth, 45
 applying models, 49–51
 density-independent growth, 45
 developing models, 46–9
 examples, 51–3
 overproduction and, 45
 problems, 54–5
 simulations, 51
 summary of equations, 55
Geospiza conirostris (large cactus finch)
 cohort life table, 72–3
 reproductive value, 102–4
Geospiza fortis (medium ground finch)
 feeding niche evolution, 333–7
 giant armadillo (*Scelidotherium*), 13
 giant timber bamboo (*Phyllostachys bambusoides*)
 synchronous reproduction, 115–16
 giant waterbug (*Abedus herberti*)
 mating system, 383
 globe skimmer dragonfly (*Pantala flavescens*), 183, 262–3
 glucose 6-phosphatase deficiency, 152
 goldfish
 predation on *Daphnia*, 310
 Gould, John, 14
 Grant, Peter, 72, 333–7, 386
 Grant, Robert, 4, 16
 Grant, Rosemary, 72, 333–7, 386
 Grant's gazelle (*Gazella granti*), 359
 grasses
 R^* theory and successional sequence, 287–90
 grazing food webs, 325–7
 great tit (*Parus major*)
 foraging behaviour, 312–14
 interspecific competition, 292–3
 greater prairie chicken (*Tympanuchus cupido*)
 genetic bottleneck, 169–70
 green hydra (*Chlorohydra viridissima*)
 interspecific competition, 283
 group selection, **393**
 altruism and, 29, 349–50
 guilds, **393**
 guppy (*Poecilia reticulata*)
 predator switching, 309–10
 senescence studies, 118–19
 habitats, **393**
 Haldane, J. B. S., 219–20, 260–4, 266
 helping genetically related individuals, 351–2
 Hamilton, W. D., 100–1
 evolution of altruism, 352–3
 evolutionary model of senescence, 109–15
 kin selection and inclusive fitness, 352–3
 haplodiploidy, 100–1
 haploid condition, **393**
 haploid genotypes
 calculating the fitness of, 202–3
 haploid selection, 203–4
 features of, 206–7
 modelling, 204–5
 Hardy, G. H., 127

- Hardy–Weinberg principle, 127–38
 allelic frequencies of sex-linked genes, 135
 applications, 129–33
 complications, 133–6
 conditions for equilibrium allelic frequencies, 127–8
 dealing with multiple loci, 135–6
 equilibrium, 137
 equilibrium genotypic frequencies, 127–8
 equilibrium with non-random mating, 136
 estimating allelic frequencies with a dominant allele, 129–30
 genotype frequencies in sickle-cell anaemia, 132
 genotype frequencies in Tay–Sachs disease, 132–3
 genotype frequencies with multiple alleles, 133–4
 identifying random mating, 130–1
 linkage disequilibrium, 136
 neutral equilibrium, 128–9
 problems, 137–8
 ratio, 137
 violation of strict assumptions, 131–3
- Hardy–Weinberg ratio, 137, **393**
- hawk moth (*Xanthopan morgani praedicta*), 340
- hawk–dove model, 359–62
- hawk–dove–bourgeois model, 362–4
- hedge sparrow or dunnoek (*Prunella modularis*)
 mating strategies, 385
- Henslow, John Stevens, 4–5, 8, 13, 15, 26
- herbivores, **393**
 as plant predators, 297
- herbivory, 325–6
 influence on community structure, 337–8
- heritability, **393**
 in the broad sense, 246
 in the narrow sense, 245–7
- hermaphrodites, 173
- Herschel, John, 12–13
- Heterospilus prosopidis*, 302
- heterozygote superiority, 147, **393**
 sickle-cell anaemia, 232
- heterozygotes, **393**
- Himalayan tahr (*Hemitragus jemlahicus*)
 life table, 76–8
- histone deacetylase
 epigenetic modifications, 114
- histones
 acetylation and methylation, 114
- HMS *Beagle*
 voyage of Charles Darwin (1831–6), 7–13
- Holling, Crawford ('Buzz'), 304–12
- homozygotes, **393**
- honey bee (*Apis mellifera*)
 inheritance of behavioural traits, 347–9
- Hooker, Joseph, 16–17, 26
- horizontal life tables, 71–3
- house sparrow (*Passer domesticus*), 52
 microevolution, 251–3
- housefly (*Musca domestica*)
 predator–prey interactions, 302
- Human Mortality Database
 life tables, 74–5
- human populations
 ABO blood group frequencies, 133–4
 albinism, 139
 evolution of lactose tolerance, 151
 incidence of cystic fibrosis, 180–1
 incidence of recessive autosomal diseases, 179–81
 MN blood group frequencies, 126–7
 phenylketonuria, 139
 sickle-cell anaemia, 139–40
 sickle-cell anaemia genotype frequencies, 132
 Tay–Sachs disease genotype frequencies, 132–3
- humans
 diabetes, 239
 epigenomic screening, 114
 estimating average mutation rate, 152–4
 estimating genetic diversity, 152–4
 examples of mutation rates, 143–4
 features of aging, 114
 influences on birth weight, 253–4
 rate of divergence from chimpanzees, 152–3
 schizophrenia, 239
- Hunter, Luke, 321
- Hutton, James, 5
- Huxley, Thomas, 16, 26
- icefish
 oxygen transport, 41
- identical by descent, **394**
- identity by descent, 174
- identity of state, 174
- impala (*Aepyceros melampus*)
 mating system, 380
 vigilance for predators, 321
- inbreeding, **394**
 allele identity by descent, 174
 allozygous alleles, 174
 ancestors in common, 173
 autozygous alleles, 174
 consequences of, 178–81
 decrease in heterozygotes, 173
 degree of relatedness between individuals, 173
 distinguishing new and previous inbreeding, 178
 estimating inbreeding coefficients from pedigrees or genealogies, 174–6

- inbreeding (cont.)
 evolution of altruism and, 352
 genetic drift and, 173
 hermaphrodites, 173
 inbreeding coefficient, 174
 increase in homozygotes, 173–80
 increased expression of deleterious recessive traits,
 178–81
 long-lasting effects on populations, 182
 measuring the decrease in heterozygosity, 176–8
 population size and, 173–80
 quantifying, 174–8
 self-fertilization, 173–4
- inbreeding effects, 166
- inclusive fitness, 352–3, **394**
- Indian pipe (*Monotropa uniflora*), 341
- indirect fitness, 353
- industrial melanism, 218–30
 criticisms of the *Biston betularia* story, 228–30
 decline of melanism, 224–8
 rise of melanic forms, 218–24
- insects
 evolution of flightlessness, 262–4
 evolution of sterile castes, 23–4, 350, 357
- instantaneous rate of increase, 48
- instinctive behaviour
 inheritance of, 23
- interference, **394**
- interference competition, 271
- intermediate forms
 absence of, 23
- interspecific competition
 applying the Lotka–Volterra model, 276–9
 between freshwater algae for nutrients, 284–6
 competition coefficients, 274
 definition, 271
 developing a functional model, 284–6
 dung beetles, 272–3
 effect of rarefaction on competition, 279–83
 evaluating competition models, 290–4
 evaluating resource competition models, 293–4
 evaluating the Lotka–Volterra model, 291–3
 exploitation competition, 271
 features of, 295
 flour beetles, 279
 interference competition, 271
 introducing a removal rate into the Lotka–Volterra
 model, 279–83
 Lotka–Volterra, 274–6
 number of coexisting species in relation to resources,
 283–4
 outcome when resources are limiting, 284
 plants, 273–4
 problems, 295–6
 R^* theory and succession in grasses, 287–90
 resource ratio (R^* theory), 286–7
 resource competition models, 283–90
 types of, 271
 use of models, 295
 yeast, 276–9
- intraspecific competition, 271
See also logistic growth.
- intrinsic rate of increase, 49, 61
- intrinsic rate of natural increase, 48, **394**
- island biogeography
 influence on Darwin's views, 13–14
- islands
 evidence for relatedness by descent, 25
- isoclines, **394**
- isolation by distance, 188, 191–3
- isoleucine
 effects of mutations, 139
- isopod (*Paragnathia formica*)
 mating system, 379–80
- iteroparity, 104–7, **394**
- jacana (*Actophilornis africanus*), 372
- Jackson's widowbird (*Euplectes jacksoni*),
 373–4
- Jameson, Robert, 7
- Jarvis, Jenny, 356
- Kettlewell, H.B.D., 220–2, 228, 230
- keystone species, 338
- kin selection, 318, **394**
 altruism and, 29
 inclusive fitness and, 352–3
 studies, 353–7
- Knight, Tiffany, 94
- Lack's character release hypothesis, 336
- lac* operon system
 evolution of, 38–41
- lactose tolerance
 evolution in human populations, 151
- Lamarck, Jean-Baptiste de, 3–4
- Lamarckism, 29, **394**
- Lederberg, Esther, 142
- Lederberg, Joshua, 142
- lek polygyny, 381–2
- leks, 164, 372, **394**
- Lepidoptera, 116
- Leslie matrix, 88–9
- lesser bushbaby (*Galago senegalensis*), 297

- Lethocerus* sp., 307
 Liebig's law of the minimum, 293
 life
 single origin theory, 22
 life histories
 aging. *See* senescence
 frequency of reproduction, 104–7
 influence of natural selection, 100–1
 iteroparity, 104–7
 life span, 107
 reproductive value, 101–4
 semelparity, 104–7
 sex ratio of offspring, 100–1
 life table response experiments (LTRE), 91
 life tables, **394**
 cohort life tables, 71–3
 comparing life tables, 80
 Dall mountain sheep (*Ovis dalli*), 78–80
 developing, 69–71
 features of, 69
 generation life tables, 71–3
 Himalayan tahr (*Hemitragus jemlahicus*), 76–8
 horizontal life tables, 71–3
 Human Mortality Database, 74–5
 large cactus finch (*Geospiza conirostris*), 72–3
 time-specific life tables, 73–5
 types of, 71–80
 use of survivorship data, 69
 vertical life tables, 73–5
 linkage
 effects on genotype frequencies, 136
 linkage disequilibrium, 136
 lion (*Panthera leo*)
 cooperative hunting, 311
 predation on elephants, 315
 liverwort (*Cryptothallus*), 341
 locus of a gene, 125, **394**
 logistic growth, **395**
 examples, 63–5
 intraspecific competition, 56
 merlin falcon (*Falco columbarius*), 65
 Paramecium caudatum, 64–5
 ponderosa pine (*Pinus ponderosa*), 63–4
 yeast, 63
 logistic growth model
 developing the model, 56–8
 inclusion of time lags, 60–1
 maximum sustainable yield, 66
 problems, 67–8
 relaxing the restrictive assumptions, 67
 restrictive assumptions, 60
 S-shaped curve, 59
 simulations, 58–60
 summary, 67
 summary of equations, 68
 varying the carrying capacity (K), 61–2
 long-tailed widowbird (*Euplectes progne*), 373
 Lotka–Volterra model of interspecific competition, 274–6
 applying the model, 276–9
 effect of rarefaction on competition, 279–83
 evaluating the model, 291–3
 introducing a removal rate, 279–83
 Lotka–Volterra model of predation, 298–302
 laboratory experiments, 300–2
 Lyell, Charles, 5–7, 13–14, 16–17, 26
 lynx, 299
 MacArthur, Robert, 283–4, 330–1
 Madagascar star orchid (*Angraecum sesquipedale*)
 pollinator predicted by Darwin, 327–39
 major histocompatibility complex (MHC)
 loss of diversity caused by population bottlenecks,
 257–8
 malaria
 selection pressure on the human genome, 151–2
 mallard duck (*Anas platyrhynchos*), 339
 Malthus, Thomas, 15, 48
 Malthusian parameter, 48
 marsupials
 incidences of semelparity, 120
 mating systems
 consequences of anisogamy, 368–9
 features of, 385
 female defence polygyny, 379–80
 lek polygyny, 381–2
 monogamy, 377–9
 parental investment and, 369–70
 polyandry, 382–4
 polygyny, 379–82
 resource defence polygyny, 380–1
 types of, 376–7
 maximum sustainable yield, 66
 Maynard Smith, John, 359
 Mayr, Ernst, 266
 mean (average), **395**
 Medawar, Peter
 evolutionary model of senescence, 108–14
 meerkat (*Suricata suricatta*)
 intrasexual selection, 371–2
Megatherium, 13
 meiosis, 256
 meiotic drive, 28–9
 Mendel, Gregor, 27
 Mendelian inheritance, 127, **395**

- meristic traits, 239
 merlin falcon (*Falco columbarius*)
 exponential population growth, 51–2
 logistic population growth, 65
 microevolution, 256, **395**
 house sparrow (*Passer domesticus*), 251–3
 microsatellite analysis, 168, 252
 microtubule structure of cilia
 evolution of, 38–9
 migration, 183–201, **395**
 estimating gene flow, 196–9
 gene flow and, 183–4
 genetic drift–migration equilibrium model, 198–9
 island model, 187–8
 isolation by distance, 188, 191–3
 meaning in population genetics, 183–4
 one-way, continent–island model, 184–7, 262–4
 populations with large continuous distributions,
 190–3
 problems, 200–1
 quantifying population subdivisions, 193–8
 Sewell Wright's *F*-statistics, 193–8
 stepping-stone model, 188–90
 mimicry, **395**
 evolution of, 35
 mite (*Acarophenax tribolii*), 100–1
 inbreeding, 173
 mites
 predator–prey interactions, 300–2
 mitochondrial DNA, 169
 mockingbirds (*Mimus* spp.), 12–13
 modern evolutionary synthesis, 264, **395**
 molecular clock, 152
 molecular level of evolution, 38–41
 monarch butterfly (*Danaus plexippus*), 318
 monkey (*Cercopithecus* sp.), 317
 monogamy, 377–9, **395**
 mouse (*Mus musculus*)
 examples of mutation rates, 143–4
 segregation distortion at the *t* gene locus, 28–9
 Müllerian mimicry, 318, **395**
 multiple alleles
 estimating genotype frequencies, 133–4
 multiple clutch polygamy, 376
 multiple loci of genes
 genotype frequencies, 135–6
 mussel (*Mytilus edulis*), 309
 mussels (*Mytilus*)
 effects of predation by starfish, 338
 mutation, 139–55, **395**
 amino acid substitutions, 139–40
 causes of, 139
 effect of recurrent, non-reversible mutation, 144–5
 effect of recurrent, reversible mutation, 144–6
 environmental need and, 141–2
 estimating average mutation rate in humans, 152–4
 examples of mutation rates, 143–4
 fate of a single, non-recurrent mutation, 144
 frameshift mutations, 140
 genetic diversity and, 256–8
 genetic drift and, 144
 genetic variation of populations, 146–52
 levels of, 139
 molecular clock, 152
 mutation rates, 141
 mutation rates and evolution, 142–6
 nonsense mutations, 140
 non-synonymous mutations, 139
 point mutations, 139
 random with respect to need, 28
 randomness of, 141–2
 selective advantage, 144
 sickle-cell anaemia, 139–40
 silent mutations, 139
 synonymous mutations, 139
 types of gene mutations, 139–41
 mutualism, 325–6
 effects on community structure, 339–42
 facultative, 339
 mycorrhizal fungi and vascular plants, 340–2
 obligate, 339–40
 orchid pollinator predicted by Darwin, 327–39
 mycoheterotrophs, 341
 mycorrhizal fungi
 mutualism with vascular plants, 340–2
 naked mole-rat (*Heterocephalus glaber*)
 eusocial behaviour, 356
Nasonia vitripennis
 predator–prey interactions, 302
 natural selection, **395**
 argument from design, 32–3, 38
 at the molecular level, 38–41
 blending inheritance and, 22–3
 conclusions about its role in evolution, 42
 criticisms of Darwin's theory, 31–2
 Darwin's theory of, 15–17, 20, 27
 epigenetics and, 29–30
 evolution of altruism, 29
 evolution of complex biochemical systems, 38–41
 evolution of highly complex organs, 23
 evolution of the *lac* operon system, 38–41
 evolution of the microtubule structure of cilia, 38–9
 explaining the seemingly impossible, 33–41

- gene-centric view, 27–8
- genetic differentiation of populations, 260–1
- group selection, 29
- incorporating genetics into Darwin's theory, 27–30
- influence on life histories, 100–1
- inheritance of acquired characteristics, 29–30
- intragenomic conflict, 28–9
- kin selection, 29
- levels of selection, 28–9
- non-genetic inheritance. *See* epigenetics
- outcomes of successive selection on random variation over time, 33–7
- oxygen transport in notothenioid fish, 41
- particulate inheritance and, 23
- philosophy of, 31
- presence of inactive remnants of genes, 41
- religion and, 31
- stages in the formation of new species, 24
- sterile castes in insects, 23–4
- support from population genetics, 26
- validity as a scientific theory, 31–2
- versus sexual selection, 375–6
- natural theology
 - argument from design, 32–3
 - beginning of Darwin's doubts about, 12–13
 - Darwin's reasons for rejecting, 14
 - definition, 3
 - influence of the Church of England, 3
 - influence on Darwin, 4
- nature versus nurture debate, 243, **395**
- nematode (*Caenorhabditis elegans*)
 - epigenetics, 114
- neutral alleles, **396**
- neutral equilibrium, **396**
- neutral theory, **396**
- niche, **396**
- Nicotiana longiflora*, 241–6
- non-genetic inheritance, *See* epigenetics
- non-random mating
 - effect on genotype frequencies, 136
 - effect on rare alleles, 136
- nonsense mutations, 140
- nonsynonymous mutations, 139
- northern elephant seal (*Mirounga angustirostris*), 257
 - evidence of a genetic bottleneck, 168–9
 - mating system, 380–1
- notothenioid fish
 - oxygen transport, 41
- orca (*Orcinus orca*)
 - predation on blue whales, 314
- overdominance, 147
- overproduction
 - population survival and, 45
- Owen, Richard, 13–14, 24, 26
- Oxford University
 - influence of the Church of England, 3
- painted turtle (*Chrysemys picta*), 112
- Paley, William, 4, 32–3
- panmixia, 183
- paper birch (*Betula papyrifera*), 341
- Paramecium* spp.
 - interspecific competition, 292
- Paramecium aurelia*
 - interspecific competition, 282
- Paramecium caudatum*
 - interspecific competition, 282
 - logistic growth, 64–5
 - predator–prey interactions, 300
- parasites, 297, **396**
- parasitic wasp (*Neocatolaccus mamezophagus*), 283
- parasitism, 325–6
 - behavioural effects on hosts, 339
 - effects on community structure, 338–9
 - epiparasites, 341
 - influence on interspecific competition, 338–9
 - parasitic flowering plants, 339
- parasitoids, 297, **396**
- parental care
 - senescence and, 116–17
- parental investment
 - mating systems and, 369–70
- particulate inheritance, 23, **396**
- path analysis, 176
- peppered moth (*Biston betularia*)
 - fit with the environment, 260–1
 - industrial melanism, 218–30
 - use of camouflage, 317
- phenotype, 125, **396**
 - epigenetic effects, 267
 - relationship to genotype, 202
- phenotypic frequencies
 - estimating frequencies in populations, 126–7
- phenylketonuria, 139, 179, 232–3
- pied kingfisher (*Ceryle rudis*)
 - altruistic behaviour, 353–5
- pigeons
 - switching in food preference, 309
 - vigilance for predators, 321–2
- pipefish (*Nerophis ophidion*), 375
- pipefish (*Syngnathus typhle*), 375

- plains zebra (*Equus quagga antiquorum*)
 genetic drift in small populations, 166
- plants
 interspecific competition, 273–4
- plated lizard (*Gerrhosaurus* sp.), 320
- Plecoptera, 116
- pleiotropy, 266, **396**
- Poa pratensis*, 287–90, 293–4
- point mutations, 139, 150
- Poisson distribution, 141, **396**
- polyandry, 382–4, **396**
- polygamy, **396**
- polygenes, 239
- polygenic inheritance
 corn seed oil content, 250–1
 empirical examples of selection, 250–4
 genetic analysis of quantitative traits, 239–41
 genetic and environmental components, 241–3
 heritability in the narrow sense, 245–7
 house sparrow (*Passer domesticus*) microevolution, 251–3
 human birth weight, 253–4
 partitioning phenotypic variation, 241–6
 partitioning the components of genetic variation, 243–6
 problems, 255
 quantitative genetics, 239
 response to selection, 247–50
- polygenic traits, **396**
- polygyny, 164, 379–82, **396**
- polymorphism, **396**
- Polymorphus paradoxus*, 339
- polyploid condition, **397**
- ponderosa pine (*Pinus ponderosa*)
 logistic growth, 63–4
- population, **397**
- population biology
 approach to the study of, 386–7
- population genetics, **397**
 development of, 27
 effects of bottlenecks, 257–8
 epigenetics, 267
 estimating frequencies of alleles, genotypes and phenotypes, 126–7
 evolution of new adaptations, 264–7
 extinction risk with low genetic diversity, 257–8
 factors influencing gene frequencies, 123
 gene flow, 262–4
 genetic differentiation of populations, 258–61
 genetic drift, 156–72, 258–9
 haploid and zygotic selection, 202–16, 218–38
 Hardy–Weinberg principle, 127–38
 inbreeding effects, 173–82
 limiting divergence between subpopulations, 262–4
 migration effects, 183–201
 modern evolutionary synthesis, 264
 mutation and genetic diversity, 139–55, 256–8
 natural selection and, 26, 260–1
 polygenic inheritance and quantitative genetics, 239–55
 terminology, 125
- population growth models, 43–4
 age-structured population growth, 82–93, 99
 exponential growth, 45–55
 geometric growth, 45–55
 life tables, 69–80
 logistic growth, 56–68
 overproduction, 45
 recurrence equations, 43
 state-structured population growth, 94–8
- Poulin, Robert, 338
- pre-adaptation, **397**
- predation, 325–6, **397**
 influence on community structure, 337–8
- predator–prey interactions
 alarm calls, 322
 anatomical defences of prey, 320
 aposematic coloration, 317–18
 Batesian mimicry, 318–20
 captured prey perhaps not eaten, 323
 coevolution of predator and prey, 323
 cycles in predator–prey densities, 297
 dilution effect and prey density, 322
 educating predators not to attack, 317–20
 functional responses of predators, 304–12
 herbivores as plant predators, 297
 hiding from predators, 315–16
 laboratory experiments based on the Lotka–Volterra model, 300–2
 Lotka–Volterra model of predation, 298–302
 making capture less likely, 320–3
 Müllerian mimicry, 318
 parasites, 297
 parasitoids, 297
 patch selection, 312–14
 predation on very large animals, 314–15
 predator foraging behaviour, 312–14
 predator responses to changes in predator density, 311–12
 predator responses to changes in prey density, 304–11
 prey characteristics that reduce the risk of predation, 314–23
 prey mimicking behaviour of noxious species, 320
 prey protected by thorny plants, 320
 protecting young from predators, 315–16

- reducing the possibility of detection by predators, 315–17
- Rosenzweig and MacArthur graphical model of predation, 303–6
- selfish herd principle, 322–3
- true predators, 297
- types of predator, 297
- use of camouflage by prey, 316–17
- vigilance by prey, 320–2
- warning coloration, 317–18
- predators, **397**
- prey, **397**
- Price, George, 359
- prickly pear cactus (*Opuntia*), 52
- primrose (*Primula vulgaris*), 19
- protein evolutionary rates, 152
- protozoans
 - interspecific competition, 292
 - predator–prey interactions, 300
- Punnett square diagram, 127
- purple martin (*Progne subis*)
 - mating system, 378
- quantitative genetics
 - definition, 239
 - empirical examples of selection, 250–4
 - genetic analysis of quantitative traits, 239–41
 - genetic and environmental components, 241–3
 - heritability, 246–7
 - house sparrow (*Passer domesticus*) microevolution, 251–3
 - human birth weight, 253–4
 - partitioning phenotypic variation, 241–6
 - partitioning the components of genetic variation, 243–6
 - problems, 255
 - types of quantitative traits, 239
- quantitative traits, **397**
 - categorical traits, 239
 - continuous traits, 239
 - corn seed oil content, 250–1
 - dichotomous traits, 239
 - meristic traits, 239
 - response to selection, 247–50
 - threshold traits, 239
- queen butterfly (*Danaus gilippus*), 318
- R^* rule, 293
- R^* theory, 286–7
 - successional sequence in grasses, 287–90
- rabbit (*Oryctolagus*), 52
- random mating, **397**
 - identifying using the Hardy–Weinberg principle, 130–1
- rare alleles
 - effects of non-random mating, 136
- rat tapeworm parasite (*Hymenolepis diminuta*), 338
- recessive alleles, **397**
- recombination of alleles, **397**
- recurrence equations, 43
- red deer (*Cervus elaphus*)
 - contests between males, 365
- red hartebeest (*Alcelaphus buselaphus*), 315–16
- red-necked phalarope (*Phalaropus lobatus*)
 - mating system, 383
- red-winged blackbird (*Agelaius phoeniceus*), 318
 - mating system, 380–1
- relatedness by descent
 - anatomical similarities, 25
 - barriers to dispersal, 25
 - Darwin’s evidence for, 24–5
 - Darwin’s theory of, 21–2
 - embryonic development, 25
 - evidence from geographical distribution of species, 24–5
 - evidence from islands, 25
 - evidence in the fossil record, 24
 - modern evidence for, 26
 - rudimentary organs, 25
 - vestigial organs, 25
- relative fitness, 202
- religion
 - natural selection and, 31
- replicate plating technique, 142
- reproductive rate, **397**
- reproductive value, 101–4, **397**
 - Geospiza conirostris* (large cactus finch), 102–4
 - Uinta ground squirrel (*Spermophilus armatus*), 102–4
- resource competition, 271
- resource competition models, 283–90
 - evaluating the models, 293–4
- resource ratio (R^* theory), 286–7
 - successional sequence in grasses, 287–90
- resources, **397**
- Reyer, Heinz-Ulrich, 353–5
- rock-pigeon (*Columba livia*), 17
- Rosenzweig and MacArthur graphical model of predation, 303–6
- rudimentary organs
 - evidence of relatedness by descent, 25
- salmonid fishes
 - influences on breeding frequency, 105–6
- sampling error
 - role in genetic drift, 156
- Schaffer, William, 105, 107

- Schizachyrium scoparium*, 287–90, 293–4
 science
 influence of the Church of England, 3
 scramble competition, 271
 seashore snails (*Acanthina* sp.)
 switching in food preference, 309
 Sedgwick, Adam, 4, 7, 13, 26
 segregation distortion, 28–9
 selection, **397**
 diploid stage (zygotic selection), 203–4
 haploid stage (gametic selection), 203–4
 See also natural selection and specific types of selection.
 selection coefficient, **398**
 selection differential, 249
 self-fertilization, 173–4
 selfish gene approach, 349
 semelparity, 104–7, **398**
 in some marsupials, 120
 senescence
 applying the evolutionary models, 110–14
 common snapping turtle (*Chelydra serpentina*),
 110–14
 comparing theory and empirical observations, 115–22
 epigenetic effects, 114
 evolutionary models, 107–10
 features of, 107
 features of aging in humans, 114
 identifying the onset of, 115–18
 including environmental effects in models, 114
 influence of the adult mortality rate, 118–19
 influence of the juvenile mortality rate, 119
 mutation accumulation theory, 109
 natural selection and, 107
 nature of the deterioration, 119–20
 parental care and, 116–17
 partial and complete, 115–18
 semelparous marsupials, 120
 summary of evolutionary theory, 122
 unicellular clones, 120–1
 variation in patterns of, 115–18
 sex chromosome, **398**
 sex-linked genes
 allelic frequencies, 135
 sex ratio of offspring, 100–1
 sexual reproduction, **398**
 sexual selection, **398**
 consequences of anisogamy, 368–9
 Darwin's theory of, 20, 367
 examples, 370–6
 features of, 385
 intersexual selection, 367
 intersexual selection examples, 372–5
 intrasexual selection, 367
 intrasexual selection examples, 370–2
 intrasexual selection in *Drosophila*, 367–9
 mating systems and parental investment, 367–70
 sexual dimorphism and, 367
 versus natural selection, 375–6
 shifting balance theory, 264–7, **398**
 shooting star (*Dodecatheon meadia*)
 partial senescence, 117
 sickle-cell anaemia
 genotype frequencies and, 132
 heterozygote superiority, 232
 malaria as selecting agent, 152
 mutation responsible for, 139–40
 stable polymorphism, 232
 zygotic selection, 230–2
 sigmoidal curve, **398**
 sigmoidal growth, 59
 See also logistic growth model.
 silent mutations, 139
 silveryeyes (*Zosterops* spp.)
 founder effects and genetic drift in island populations,
 166–8
 Simpson, George Gaylord, 350
 single nucleotide polymorphisms (SNPs), 150, 256
 size-structured growth rates, 82
 snowshoe hare, 299
 cycles in population size, 165
 sockeye salmon (*Oncorhynchus nerka*), 183
 soldier butterfly (*Danaus eresimus*), 318
 southern elephant seal (*Mirounga leonina*), 165
 species, **398**
 divergence to form new varieties and species,
 21–2
 fertility gradient as populations diverge, 24
 relatedness by descent, 21–2
 species distribution
 effects of barriers to dispersal, 25
 geographical evidence for relatedness by descent,
 24–5
 islands, 25
 species interactions
 community structure and, 325–43
 interspecific competition, 271–96
 predator–prey interactions, 297–324
 types of direct interactions between species, 325–6
 speckled wood butterfly (*Pararge aegeria*)
 territorial behaviour, 364
 stabilizing selection, **398**
 stable equilibrium, **398**
 stable polymorphism
 sickle-cell anaemia, 232

- stage-structured population growth
 effects of herbivory and pollen limitation, 94–6
 matrix model, 94–5
 population dynamics of *Trillium grandiflorum*, 94–8
 timing of herbivory and evolutionary dynamics, 96–8
Trillium grandiflorum, 94–5
 standard deviation, **398**
 starfish (*Pisaster*)
 effects of predation by, 338
 keystone species, 338
 static life tables, 75–80, **398**
 stationary life tables, 75–80
 stop codons, 140
 streptomycin resistance, 142
 struggle for existence (Darwin), 20, 56
 subspecies, **398**
 survivorship, **399**
 survivorship curve, **399**
 survivorship data, 69
 synonymous mutations, 139
- Tasmanian devil (*Sarcophilus harrisii*)
 effects of devil facial tumour disease on breeding frequency, 105
 tawny owl (*Strix aluco*)
 predator–prey interactions, 302
 Tay–Sachs disease, 179
 genotype frequencies, 132–3
 territory, **399**
 thalassaemia (α and β types), 152
 Thomson, William (Lord Kelvin), 32
 Thomson gazelle (*Eudorcas thomsonii*), 316
 three-toed box turtle (*Terrapene carolina triunguis*), 112
 threshold traits, 239
 Tilman, David, 284–90, 293
 time-specific life tables, 73–5
 Tinbergen, Niko, 222
 toad (*Bufo terrestris*)
 Batesian mimicry in prey, 318–20
 topi (*Damaliscus korrigum*), 365
 topi (*Damaliscus lunatus*), 360
Toxodon, 14
 tree of life, 22
 Trichoptera, 116
Trillium grandiflorum
 effects of herbivory and pollen limitation, 94–6
 population dynamics, 94–8
 stage-structured matrix model of population growth, 94–5
 timing of herbivory and evolutionary dynamics, 96–8
- trophic structure of communities, 325–7
 true predator, 297, **399**
Typhlodromus occidentalis
 predator–prey interactions, 300–2
- Uganda kob (*Kobus kob*)
 lek system, 382
- Uinta ground squirrel (*Spermophilus armatus*)
 effect of density reduction, 91–3
 effects of increased juvenile mortality, 119
 population growth rates, 82–9
 reproductive value, 102–4
- unicellular clones
 senescence in, 120–1
- uniformitarian view of the earth’s crust, 5–8
 uniformitarianism, 5–13
 unstable equilibrium, **399**
- variance, **399**
 vertical life tables, 73–5
 vestigial organs, **399**
 evidence for relatedness by descent, 25
 viceroy butterfly (*Limnitis archippus*), 318
 Virginia opossum (*Didelphis virginiana*)
 influences on senescence, 118
 von Humboldt, Alexander, 4
 vultures
 behaviour when food is detected, 312
- Wallace, Alfred, 16–17
 warblers (*Dendroica* spp.)
 distinct feeding niches for different species, 330–1
 Weinberg, W., 127
 whelks (*Thais*), 338
 Whewell, William, 4
 white-bearded manakin (*Manacus manacus trinitatis*), 372
 white-tailed deer (*Odocoileus virginianus*), 94
 wild-type allele, 147, **399**
- wildebeest
 vigilance for predators, 321
- Williams, George, 110
- wolves
 cooperative hunting, 311
- wood mouse (*Apodemus sylvaticus*), 302
- Wright, Sewell, 160, 264
 adaptive landscape model, 264–6
F-statistics, 193–8
 genetic drift–migration equilibrium model, 198–9
 group-level selection for altruism, 350–1
 isolation by distance, 188, 191–3
 shifting balance theory, 264–7

- yeast
 - logistic growth, 63
- yeast (*Saccharomyces cerevisiae*)
 - epigenetics, 114
 - interspecific competition, 276–9
 - senescence in, 120
- yeast (*Schizosaccharomyces kephir*)
 - interspecific competition, 276–9
- yellow-shouldered widowbird (*Euplectes macrourus*), 374–5
- Yucca whipplei*
 - mutualism with the yucca moth (*Tegaticula maculata*), 340
- zebra fish (*Brachydanio rerio*)
 - selection for behavioural traits, 348–9
- Zerna erecta*, 337
- zero isocline, **399**
- zygote, **399**
- zygotic selection, 203–4
 - achondroplasia (short-limbed dwarfism), 235
 - applying models to natural systems, 218–38
 - balance between selection and mutation in deleterious alleles, 233–5
 - considerations when using models, 236
 - developing the zygotic selection equations, 210–14
 - dominance effects, 208–10
 - eugenics, 232–3, 236
 - features of, 212–16
 - industrial melanism, 218–30
 - models, 207–14
 - problems, 236–8
 - sickle-cell anaemia, 230–2
 - slowness of change in recessive allele frequency, 232–3