

Contents

<i>Introduction</i>	xi
<i>CME information</i>	xv
<i>List of icons</i>	xix
<i>Abbreviations</i>	xxi
1 The Case: Achieving remission with medication management augmented with pet therapy	1
The Question: Do avoidant symptoms respond to medication management?	
The Dilemma: Psychotherapy may not alleviate personality traits	
2 The Case: The luteal, jaw-moving woman with paranoid panelling	19
The Question: Can premenstrual hormone fluctuations affect established psychiatric symptoms?	
The Psychopharmacological dilemma: Finding an effective regimen for recurrent, treatment-resistant depression while juggling complex clinical variants and side effects	
3 The Case: The other lady with a moving jaw	33
The Question: How to determine the cause of movement disorder side effects?	
The Psychopharmacological dilemma: Finding an effective regimen for depression while managing movement disorder side effects	
4 The Case: The lady with major depressive disorder who bought an RV	51
The Question: What is a therapeutic dose and duration for vagus nerve stimulation therapy in depression?	
The Psychopharmacological dilemma: Finding an effective treatment for chronic treatment-resistant or refractory depression while managing a severely ill patient	
5 The Case: The primary care physician who went the prescribing distance but came up short	67
The Question: Do atypical antipsychotics treat generalized anxiety?	
The Psychopharmacological dilemma: Finding an effective treatment for chronic treatment-resistant generalized anxiety in an elderly patient	

Contents

6	The Case: Interruptions, ammonia, and dyskinesias, oh my! The Question: Can stimulants complicate bipolar presentations? The Psychopharmacological dilemma: Finding an effective treatment for mania and mixed features without exacerbating symptoms and side effects	83
7	The Case: The lady and the man who sat on couches The Question: Are the symptoms of apathy of an elderly man and woman due to depression, dementia, or side effects of medication? The Dilemma: How to tell depression from vascular dementia (and everything in between as well)	99
8	The Case: The lady who had her diagnosis altered The Question: When are symptoms psychotic or dissociative? The Psychopharmacological dilemma: Finding an effective treatment for dissociative, depressed, psychotic patients while not ruining the outcomes of their previous bariatric weight-loss surgeries	105
9	The Case: The man who picked things up The Question: How many antipsychotics can a patient take? The Psychopharmacological dilemma: Finding an effective antipsychotic monotherapy and treating side effects simultaneously	121
10	The Case: It worked this time, but with a hitch The Question: Can clozapine (Clozaril) work for patients without side effects? The Dilemma: Using this medication in treatment-resistant schizophrenia frequently requires measures to make the drug better tolerated. Sialorrhea is often a stumbling block	141
11	The Case: The figment of a man who looked upon the lady The Question: Are atypical antipsychotics anti-manic, antidepressant, anxiolytic, and hypnotic as well? The Psychopharmacological dilemma: How to improve insomnia that is caused by depression, anxiety, mood swings, and hallucinations	147
12	The Case: The man who could not sell anymore The Question: What to do when comorbid depression and social anxiety are resistant to treatment The Dilemma: Rational subsequent polypharmacy trials may fail to achieve remission	165
13	The Case: The woman who thought she was ill, then was ill The Question: What to do when medication is not absorbed, nor effective The Dilemma: Treating anxiety and agitation in the severely medically ill	181

Contents

14	The Case: Generically speaking, generics are adequate The Question: What to do when using a generic is detrimental to a patient The Dilemma: Navigating clinical care when generic medications are not always equal	199
15	The Case: The woman who would not leave her car The Question: What to do when obsessive compulsive disorder with poor insight is resistant to treatment The Dilemma: Rational subsequent polypharmacy trials may help, but fail to achieve remission	213
16	The Case: The woman who liked late-night TV The Question: What to do when comorbid depression and sleep disorders are resistant to treatment The Dilemma: Continuous positive airway pressure (CPAP) may not be a reasonable option for treating apnea; polypharmacy is needed but complicated by adverse effects	227
17	The Case: The patient who interacted with everything The Question: What to do when treating depression is thwarted by pharmacokinetic problems and side effects The Dilemma: CYP450 enzyme genetic alterations may cause subtherapeutic, side effect-prone treatment	245
18	The Case: The angry twins The Question: Is pharmacologic treatment of personality traits effective? The Dilemma: There are no approved medications for personality disordered patients	263
19	The Case: Anxiety, depression, or pre-bipolarizing? The Question: When to decide if someone is truly becoming bipolar disordered The Dilemma: Antidepressant activation can be a side effect or a sentinel event	279
20	The Case: The patient who was not lying The Question: Can Lyme disease cause depression? The Dilemma: Managing depression and possible neuropsychiatric illness	295
21	The Case: Hindsight is always 20/20, or attention deficit hyperactivity disorder The Question: What to do when a primary anxiety disorder is fully treated and inattention remains The Dilemma: Residual inattention may be difficult to treat	313

Contents

22	The Case: This one's too hot, this one's too cold. . .this one is just right The Question: What to do when patients cannot tolerate low-dose atypical antipsychotics The Dilemma: Activation or sedation, not sure what you are going to get when taking the atypical antipsychotics	331
23	The Case: Schizophrenia patient needs sleep The Question: What if patients are not responsive to benzodiazepine sedative–hypnotic agents? The Dilemma: Non-benzodiazepine hypnotics may or may not work if patients have been taking benzodiazepines routinely	345
24	The Case: The man with greasy hands needs fine tuning The Question: What to do with a bizarre side effect The Dilemma: Fine tuning polypharmacy treatment	359
25	The Case: The combative business woman The Question: What to do when a patient becomes abruptly psychotic The Dilemma: The age-old functional versus organic differential diagnosis argument	371
26	The Case: The man with a little bit of everything The Question: What to do when a patient does not meet full diagnostic criteria for anything The Dilemma: Categorical versus symptomatic treatment	383
27	The Case: Oops. . .he fell off the curve The Question: What to do when patients lose too much weight The Dilemma: In the era of weight-gain side-effect notoriety, the stimulants may cause equally problematic loss in weight and stature	397
28	The Case: 54-year-old with recurrent depression and “psychiatric” parkinsonism The Question (Pharmacogenetics, Part 1): How might psychopharmacology be delivered in the future? The Dilemma: Can genotyping help predict successful treatment selection	411
29	The Case: 55-year-old with depression not responsive to serotonergic treatment The Question (Pharmacogenetics, Part 2): How might psychopharmacology be delivered in the future? The Dilemma: Can genotyping help predict successful treatment selection	423

Contents

30 The Case: 23-year-old with first depression. . .that's it!	433
The Question: How might psychopharmacology be delivered in the future: neuropharmacogenetic imaging?	
The Dilemma: Can genotyping and functional neuroimaging help predict successful treatment selection	
Posttest and CME credit (optional)	441
Index of drug names	442
Index of case studies	446