

Index

- abulia 25, 33
- acute stroke management 6
- adenocarcinoma 98–100
- amnesia 51, 66, 138–40
- angiography 5
 - See also coronary angiography, magnetic resonance angiography (MRA)
- anisocoria 27
- anosognosia 147
- anterior cerebral artery occlusion 24–6, 95–7
- anticoagulation 112
- antiphospholipid antibodies 24, 125
- antiplatelet therapy 91
- aortic dissection 131–4
- aphasia 13–15, 36, 41–2, 62, 66, 90, 98, 114
 - acute onset 150–3
 - and hemiparesis 163–5
 - crossed 150–3
 - in pregnancy 73–6
 - recurrent 160–2
- aphemia 63–5
- approach to patient 1–10
- arm *see* upper limb
- arthritis 45–8
- aspirin 49, 79, 98, 111
- astrocytoma 163–5
- ataxia 119
- atrial fibrillation 112
- atrial septal defect 3

- Babinski sign 27, 41, 73, 95, 135, 166
- Bartleson syndrome 157–9
- basilar artery occlusion 20–3
- behavioral change 143–6
- biomarkers 9
- bithalamic infarction 60–2
- blindness *see* vision loss
- Borrelia burgdorferi*, 135–7
- brachiofacial hemiparesis 73–6
- brain attack 7, 9
- brain metastases 116
- brain tumor 164–5
- bridging strategies 5, 22
- Broca's area 65, 152

- CADASIL, 101–3
- cancer 80
 - brain metastases 114–17
 - chemotherapy-induced stroke 77–82
 - hypercoagulability 98–100
 - malignant melanoma 114–17
 - prostate cancer 77–82
- cardioembolic stroke 7, 9, 108–13
- carotid endarterectomy 64, 87–9
- cerebral microangiopathy 5
- cerebral microbleeds 114–17
- cerebral vasculitis 135–7
- cervical compressive radiculopathy 70–2
- chemotherapy-induced stroke 77–82
- chest pain 131–4
- cisplatin 81
- CLEAR III study 30
- clopidogrel 109, 111
- cognitive deficit 102
- coma 20–3
- common carotid artery occlusion 133
- computed tomography (CT), 3
 - aortic dissection 133
 - cancer-associated hypercoagulability 99
 - cardioembolic ischemic stroke 110
 - embolic lenticular infarction 36
 - hypertensive hemorrhage 29
 - ischemic stroke 78
 - malignant melanoma 115
- computed tomography angiography (CTA), 98
- confusion 66–8
- connective tissue disorder 83–5
- corneal reflex 27
- coronary angiography 60–2
- C-reactive protein 104
- Creutzfeldt–Jakob disease 143–6
- crying, uncontrolled 24–6

- dacarbazine 116
- deep vein thrombosis 20, 22
- depression, post-stroke 33
- diffusion-weighted imaging (DWI), 66–8
 - anterior cerebral artery occlusion 25
 - aphemia 64
 - bithalamic infarction 61
 - CADASIL, 102
 - cerebral vasculitis 136
 - essential thrombocythemia 92
 - giant cell arteritis 46
 - hippocampal infarction 50
 - infective endocarditis 105
 - intracranial fibromuscular dysplasia 42
 - MELAS, 139

170 **Index**

- diffusion-weighted imaging (DWI) (cont.)
 middle cerebral artery occlusion 32
 migrainous infarction 54
 ovarian hyperstimulation syndrome 126
- digital subtraction angiography
 dural fistula 161
 intracranial fibromuscular dysplasia 43
- dipyridamole 98
- disinhibition 24–6
- docetaxol 77–82
- double vision 60
 transient 104–7, 121–3
- duplex sonography, vertebral artery dissection, 71
- dural fistula 160–2
- dysarthria 20, 60, 128, 131, 147
 and hemiparesis 16–19, 35–7
- dysexecutive syndrome 62
- dysphagia 20, 28
- dystonia 36
- echocardiography 3, 21, 77, 79
- Ehlers–Danlos syndrome 133
- electrocardiography (ECG), 2, 8, 24, 104, 108, 131
- embolic lenticular infarction 35–7
- embolic stroke 98–100
- endocarditis
 infective 104–7
 non-bacterial thrombotic 100
- enoxaparin 109, 111
- epilepsy 150–3, 163–5
- ethylene-vinyl-alcohol copolymer (Onyx®), 162
- etiology of stroke 1
- euphoria 26
- external ventricular drains 29
- facial palsy 63
- fibromuscular dysplasia, intracranial 41–4
- FLAIR imaging 139
 brain tumor 164
 dural fistula 161
 giant cell arteritis 46
 internal carotid artery occlusion 88
 posterior reversible encephalopathy syndrome 155
- follicle stimulating hormone 124
- foot drop 95–7
- gait disorder 135–7
 with urinary retention 166–8
- gaze palsy 118
- giant cell arteritis 45–8
- Glasgow Coma Scale 2–3
- gonadotropin-releasing hormone analog 124
- GpIIb/IIIa antagonists 20, 23
- halo sign 46
- headache
 giant cell arteritis 45–8
 Horner's syndrome 83–5
- migraine 53–5
 with visual illusions 118–20
- hearing loss 90–3
- hemiballism 36
- hemiparesis 13, 42
 and aphasia 163–5
 and dysarthria 16–19, 35–7
 and hypertensive hemorrhage 27–30
 and prostate cancer treatment 77–82
 with behavioral changes 143–6
- hemiparkinsonism 36
- hemorrhagic stroke 1, 6
- heparin 74
- hippocampal infarction 49–51
- HIV/AIDS, toxic leukoencephalopathy 147–9
- homonymous hemianopia 13, 53, 131
- Horner's syndrome 83–5, 128–30
- human chorionic gonadotropin 124
- hydrocephalus 28–9
- hypercoagulability, cancer-associated 77–82, 98–100
- hypertension 20–3, 133
 and cerebral microbleeds 114–17
 and vision loss 154–6
- hypertensive hemorrhage 27–30
- hypertropia 60
- hypoglossal palsy 128–30
- hypomagnesemia 81
- infective endocarditis 104–7
- infertility 90–3, 124–7
- internal carotid artery
 dissection 83–5, 128–30
 free-floating thrombus 90–3
 occlusion 41–4, 63–5, 87–9
- intra-arterial therapy 22
- intracranial hematoma 108–13
- intraparenchymal hemorrhage 27–30
- intravenous thrombolysis 22
- intraventricular fibrinolysis 30
- ipilimumab 116
- ischemic penumbra 5
- ischemic stroke 1
 cancer patients 77–82
 cardioembolic 108–13
 management 7
- JAK2V617F* mutation 90–3
- lacunar stroke 1, 16–19
- L-arginine supplements 140
- laughing, uncontrolled 24–6
- leg *see* lower limb
- leukoencephalopathy, toxic 147–9
- levetiracetam 140
- lower limb
 involuntary shaking 87–9
 paresis 131
 weakness 95–7

171 **Index**

- lumbar puncture 9
 luteinizing hormone 124
 Lyme neuroborreliosis 135–7
- magnetic resonance angiography (MRA), 6
 giant cell arteritis 47
 internal carotid artery dissection 84
 internal carotid artery occlusion 88
 magnetic resonance imaging (MRI), 3, 13
 aphasia 14
 basilar artery occlusion 21
 brachiofacial hemiparesis 74
 carotid artery dissection 129
 Creutzfeldt–Jakob disease 145
 lacunar stroke 17
 leukoencephalopathy 148
 middle cerebral artery occlusion 67
 precentral gyrus lesion 96
 right-hemispheric hemorrhage 151
 spinal arterio-venous malformation 167
 vertebral artery dissection 71
 Marfan syndrome 133
 melanoma, malignant 114–17
 MELAS, 138–40
 memory loss *see* amnesia
 methylprednisolone 47
 microbleeds 114–17
 middle cerebral artery occlusion 66–8
 drug-induced 77–82
 fibromuscular dysplasia 41–4
 giant cell arteritis 45–8
 right hemispheric stroke 31–3
 migraine
 with aura 101–3
 with double vision 121–3
 migraine-related brain hemorrhage 121–3
 migrainous infarction 53–5, 103
 myocardial infarction 2, 9, 108–13
- National Institutes of Health Stroke Scale (NIHSS), 2, 4
 nausea 45–8
 neck pain 70–2
 NINDS trial 18
 non-bacterial thrombotic endocarditis 100
 numbness 157–9
 right-sided 13–15
 nystagmus 119
- oculocephalic reflex 27
 ophthalmoplegia 119
 optic nerve ischemia 56–9
 ovarian hyperstimulation syndrome (OHSS), 124–7
- paraphasia 63
 patent foramen ovale 3, 21, 95
 polycythemia vera 92
 polymyalgia rheumatica 47
 posterior cerebral artery
 dissection 118–20
 occlusion 13–15, 49–51, 53–5
- posterior ischemic optic neuropathy (PION), 56–9
 posterior reversible encephalopathy syndrome 154–6
 precentral gyrus lesion 63–5, 95–7
 pregnancy, aphasia in 73–6
 prostate cancer 77–82
 ptosis 118
 putaminal infarction 35–7
- rehabilitation 2, 9
 renin–angiotensin–aldosterone system 127
 reperfusion hemorrhage 123
 Rey–Osterrieth complex figure test 49
 right hemispheric stroke 31–3
 right hemispheric syndrome 131–4
- scotoma 138
 sensorimotor syndrome 131
 sensory disturbance, transitory 49–51
 serotonin-specific reuptake inhibitors (SSRIs), 31
 shaking, involuntary 87–9
 speech disturbance *see* aphasia
 speech loss 63–5
 spinal arteriovenous malformation 166–8
 stroke team 7
 subarachnoid hemorrhage 6
 subcortical vascular encephalopathy 2
- tetraparesis 20, 147
 thalamic infarctions 60–2
 thrombocythemia, essential 90–3
 thrombolysis 17, 20, 42, 132
 myocardial infarction during 108–13
 tirofiban 20, 23
 tissue plasminogen activator (tPA), 18, 20, 42
 and myocardial infarction 108–13
 in pregnancy 74
 toxic leukoencephalopathy 147–9
 transesophageal echocardiography 21
 transforming growth factor beta, mutations in, 83–5
 transient ischemic attack 3
 limb-shaking 87–9
 transthoracic echocardiography 77
- ultrasound
 aortic dissection 132
 upper limb
 involuntary shaking 87–9
 paresis 70–2, 131
 urinary incontinence 24–6
 urinary retention 166–8
- valproate 102
 vascular endothelial growth factor 127
 ventricular arrhythmia 9
 vertebral artery
 dissection 70–2
 occlusion 22, 45–8

Cambridge University Press

978-1-107-61003-3 - More Case Studies in Stroke: Common and Uncommon Presentations

Edited by Michael G. Hennerici, Rolf Kern, Louis R. Caplan and Kristina Szabo

Index

[More information](#)**172** **Index**

- vertigo 20–3
- vision loss
 - acute 56–9
 - complete 154–6
 - recurrent 101–3
- visual field loss 138–40
- visual illusions 118–20
- weakness
 - lower limb 95–7
 - recurrent 101–3
- Wernicke’s area 65–6, 152
- young patients
 - anterior cerebral artery occlusion 24–6
 - aphasia in pregnancy 73–6
 - Bartleson syndrome 157–9
 - fibromuscular dysplasia 41–4
 - gait disorder 135–7
 - infertility 90–3, 124–7
 - JAK2V617F* mutation 90–3
 - migrainous infarction 53–5
 - numbness 157–9
 - right hemispheric stroke 31–3
 - toxic leukoencephalopathy 147–9