

Contents

List of contributors	page x
Preface	xv
Acknowledgements	xvii
1. Introduction: the complexity, challenges, and rewards of effective sleep medicine Ronald D. Chervin	1
Section 1. Sleepiness versus fatigue, tiredness, and lack of energy	7
2. How to distinguish between sleepiness, fatigue, tiredness, and lack of energy Anita Valanju Shelgikar	9
3. A patient with prominent fatigue, tiredness, or lack of energy rather than sleepiness may still have a sleep disorder Sarah Nath Zallek	14
4. Fatigue, tiredness, and lack of energy, not just sleepiness, can improve considerably when a sleep disorder is treated Wattanachai Chotinaiwattarakul	18
5. Patients with narcolepsy, in contrast to sleep apnea, more often choose to describe the problem as “sleepiness” rather than using other terms Sarah Nath Zallek	23

6. Patients with fatigue and sleepiness: multiple sclerosis Tiffany J. Braley	28	15. Unattended, full polysomnography can be a good alternative to attended polysomnography, but technical limitations are common Q. Afifa Shamim-Uzzaman	84
Section 2. Assessment of daytime sleepiness	33		
7. Patient complaints, subjective questionnaires, and objective measures of sleepiness may not coincide Michael E. Yurcheshen	35	16. Home cardiopulmonary tests are a useful option, but only under appropriate circumstances Daniel I. Rifkin	94
8. Daytime sleepiness and obstructive sleep apnea severity: where symptoms and metrics do not converge Douglas Kirsch	41	Section 5. Positive airway pressure to treat obstructive sleep apnea	103
9. Neither subjective nor objective measures allow confident prediction of future risk for motor vehicle crashes due to sleepiness Anita Valanju Shelgikar	48	17. Repeated continuous positive airway pressure studies may raise the prescribed pressure above necessary treatment levels Meredith D. Peters	105
10. A sleep apnea patient with excessive daytime sleepiness and subtle respiratory events may be misdiagnosed with narcolepsy or idiopathic hypersomnia Alp Sinan Baran	53	18. Patient education and motivational enhancement can make the difference between adherence and non-use of positive airway pressure Deirdre A. Conroy and Jennifer R. Goldschmied	111
Section 3. Diagnosis of narcolepsy	57	19. A daytime “PAP-Nap” can help new patients adjust to the use of continuous positive airway pressure Meredith D. Peters and Q. Afifa Shamim-Uzzaman	115
11. Narcolepsy with cataplexy can occur in the absence of a positive Multiple Sleep Latency Test Daniel I. Rifkin	59	20. Excessive positive airway pressure can create treatment-emergent central sleep apnea (complex sleep apnea) Helena M. Schotland	121
12. Narcolepsy is not the only cause of sleep-onset rapid eye movement periods Shelley Hershner	64	21. Appropriate use of automatically adjusting positive airway pressure can enable a patient to use positive airway pressure therapy Helena M. Schotland	125
Section 4. Diagnosis of obstructive sleep apnea	71	Section 6. Alternatives to positive airway pressure in the treatment of obstructive sleep apnea	129
13. A strict cut-off for the apnea/hypopnea index does more harm than good in clinical practice Sheila C. Tsai	73	22. Some patients with sleep apnea who are intolerant to continuous positive airway pressure can be treated most	
14. One night of polysomnography can occasionally miss obstructive sleep apnea Raman K. Malhotra	79		

	Contents	vii
effectively with a mandibular advancement device Emerson Robinson	131	simply because a patient has medical reasons for insomnia Philip Cheng and J. Todd Arnedt 178
23. Inadequate preoperative assessment risks ineffective surgical treatment of obstructive sleep apnea Jeffrey J. Stanley	136	Section 8. Restless legs syndrome and periodic leg movements 185
24. Genioglossus advancement and hyoid suspension carries risks and may not obviate the need for subsequent use of continuous positive airway pressure Sharon Aronovich and Joseph I. Helman	142	31. Misdiagnosis can delay appropriate and effective treatment for many years Charles R. Davies 187
25. Maxillary and mandibular advancement offers an effective surgical approach to severe obstructive sleep apnea, but is not appropriate for all potential candidates Sharon Aronovich and Joseph I. Helman	149	32. Periodic leg movements should not be overlooked as a possible cause of insomnia, and perhaps rarely, excessive daytime sleepiness. Lizabeth Binns 192
Section 7. Diagnosis and treatment of chronic insomnia	155	33. Oral iron supplementation can help ameliorate symptoms of restless legs syndrome but may not suffice to improve low iron stores Shelley Hershner 198
26. A sleep study is often unnecessary in a patient with chronic insomnia Scott M. Pickett and J. Todd Arnedt	157	Section 9. Parasomnias 203
27. Chronic use of hypnotics is unnecessary and can be counterproductive Leslie M. Swanson and Todd Favorite	164	34. Diagnosis of a non-REM parasomnia without consideration of a patient's psychological makeup and its possible contribution can leave key issues unaddressed Alan S. Eiser 205
28. Overlooking insomnia in a depressed patient can interfere with effective treatment for the mood disorder Edward D. Huntley and J. Todd Arnedt	168	35. History and polysomnographic findings are both critical to distinguish different parasomnias Alon Y. Avidan 209
29. Overlooking insomnia in a patient with alcohol abuse or dependence can increase risk of relapse Deirdre A. Conroy	174	36. Diagnosis and counseling for rapid eye movement sleep behavior disorder: a potential window into an uncertain neurologic future James D. Geyer and Paul R. Carney 220
30. The option of cognitive behavioral therapy should not be ignored		37. Obstructive sleep apnea must be ruled out as a potential underlying cause of sleepwalking in a child Shalini Paruthi 225

38. An adult parasomnia can sometimes reflect effects of occult obstructive sleep apnea Naricha Chirakalwasan	229	Section 12. Sleep in children	277
Section 10. Circadian rhythm sleep disorders	233	47. Sleepiness in childhood obstructive sleep apnea may be subtle but significant Timothy F. Hoban	279
39. Circadian rhythm sleep disorders can complicate or confuse mental health diagnoses in young persons Fouad Reda	235	48. Clinically significant upper airway obstruction may be present in children even when the polysomnogram is normal by adult standards Timothy F. Hoban	284
40. Advanced sleep phase can cause considerable morbidity in older persons until it is diagnosed and addressed Cathy A. Goldstein	239	49. Low socioeconomic conditions can create substantial challenges to adequate sleep for young children Katherine Wilson	290
41. Shift work disorder is common, consequential, usually unaddressed, but readily treated Cathy A. Goldstein	244	50. Inadequate sleep hygiene is a common cause of sleepiness in adolescents Dawn Dore-Stites	294
Section 11. Missed diagnoses of obstructive sleep apnea can exacerbate medical and neurologic conditions	249	51. Sleep and attention-deficit/hyperactivity disorder in children Barbara T. Felt and Lauren O’Connell	298
42. Occult obstructive sleep apnea can contribute to chronic persistent asthma Mihaela Teodorescu and Rahul K. Kakkar	251	52. Obstructive sleep apnea can occur without prominent snoring among children with Trisomy 21 Fauziya Hassan	302
43. Occult obstructive sleep apnea can exacerbate an uncontrolled seizure disorder Beth A. Malow	257	53. Familiarity with infant sleep and normal variants can prevent extensive but unnecessary testing and intervention Renée A. Shellhaas	306
44. Diagnosis and control of sleep apnea may improve the chances of successful treatment for atrial fibrillation Johnathan Barkham	261	54. Obstructive sleep apnea in patients with neuromuscular disorders Fauziya Hassan	310
45. Sleep apnea in the acute stroke setting Devin Brown	267	Section 13. Sleep in older persons	317
46. A missed diagnosis of obstructive sleep apnea can have a critical adverse impact in the postoperative setting Satya Krishna Ramachandran	271	55. Cognitive effects of untreated sleep apnea Judith L. Heidebrink	319

56. Obstructive sleep apnea can present with symptoms and findings unique to older age 323 John J. Harrington	58. Falls and hip fractures in the elderly: insomnia and hypnotics as unrecognized risk factors 335 Alon Y. Avidan
57. Delirium and sundowning in older persons: a sleep perspective 327 Mihai C. Teodorescu	Index 344 See color plate section in between pages 334 and 335.