

Index

- A band, sarcomere 306
- absolute humidity 43
- absolute refractory period 302
- absolute risk reduction 358
- absorption 177
 - CO₂ 117–118
- acceleration, SI units 24
- accuracy 19
 - precision and 20–21
- acetylcholine (ACh) receptor 305
- acetylcholinesterase (AChE) 305
- acid 283
- acid–base balance 283–286
 - anion gap 288
 - buffers 285
 - Davenport diagram 286
 - Henderson–Hasselbach equation 285
 - pregnancy effects 334–335
- actin 306
- action potentials 301–304
 - absolute refractory period 302
 - Gibbs–Donnan effect 301
 - Goldman constant field equation 302
 - Nernst equation 301
 - nerve 303
 - relative refractory period 302
 - resting membrane potential 301
 - threshold potential 302
 - velocity calculations 304
 - see also* cardiac action potentials
- adenosine triphosphate, muscle contraction 306–307
- ADH *see* antidiuretic hormone
- adverse drug reactions 151–152
 - anaphylactic reactions 152
 - anaphylactoid reactions 152
 - types of 151
- affinity 160
 - antagonist affinity for a receptor (pA₂) 169
- affinity constant (K_A) 158
- afterload 260
 - increased 269
- ageing 340–343
 - implications of by system 340–342
 - cardiovascular 340
 - endocrine 342
 - gastrointestinal/hepatic 342
 - neurological 342
 - renal 342
 - respiratory 341
 - pharmacodynamic effects 342
 - pharmacokinetic effects 342
 - timing 340
- agonists 164
 - full 164
 - inverse 168
 - partial 164, 165
- alfentanil 381
 - context-sensitive half time 194
- allodynia 321
- allosteric modulator 166
- alternating current (AC), resistance 59
- alveolar dead space 219
- alveolar gas equation 211
- amethocaine 382
- amino acids 136
- ampere 23
- anaemic hypoxia 226
- anaerobic threshold 328
 - identification of 328–330
 - V-slope method 328
 - V_E against work rate 329
 - VO₂ and VCO₂ against work rate 329
- anaesthetic agents
 - clinical effects 326
 - effect on cerebral blood flow and metabolism 317–318
 - inhalational 318, 379
 - Meyer–Overton hypothesis 146
 - minimum alveolar concentration 146
 - physiological effects 380
 - second gas effect 149
 - intravenous 318, 377
 - physiological effects 378

- local 382
 - see also specific agents*
- anaphylactic reactions 152
- anaphylactoid reactions 152
- anatomical dead space 219
- anion gap 288
- antagonists 164
 - affinity for a receptor (pA₂) 169
 - competitive 166, 167
 - irreversible 166, 167
 - non-competitive 166, 168
 - reversible 166, 167
- antiarrhythmic drugs 386
- antidiuretic hormone (ADH) 293
- antimicrobials, classification 391
- aorta, pressure curve 247
- area, SI units 24
- arterial pressure, mean 254
- asymptote 8
- atom 129
- atomic structure 129–130
- atracurium 383
- autonomic nervous system 393
 - drugs acting in 395
- autonomic neuropathy, Valsalva manoeuvre response 275
- autoregulation 313
 - cerebral blood flow 314
 - renal blood flow 291
- Avogadro's hypothesis 34

- baralime, CO₂ absorption 117
- base 283
- Beer's law 109
- Beer–Lambert law 109
- Bernoulli equation 89
- Bernoulli principle 38
- bias 363
 - clinical trials 371
- bicarbonate buffer 285
- bimodal distribution 356
- bioavailability 179
- Bland–Altman plot 363
- blinding, clinical trials 371
- blood:gas solubility coefficient 53
- blood flow 392
 - cerebral 313, 392
 - coronary 255, 392
 - FT_c 90
 - peak velocity (PV) 91
 - pulmonary 216–217
 - renal 289, 392
 - uterine 336
 - see also Doppler effect*
- body fluid composition 387
- body mass index (BMI) 344
- Bohr effect, oxyhaemoglobin dissociation curve 229
- Bohr equation 220
 - derivation 221
 - principle 221
- Boyle's law 34
- brain
 - blood flow 313, 392
 - compliance 311
- breathing, work of 232
 - graph 232
 - see also ventilation control*
- breathing systems 100–102
 - Mapleson A 100
 - Mapleson B 100
 - Mapleson C 101
 - Mapleson D 101
 - Mapleson E 102
 - Mapleson F 102
- buffers 285
- Bunsen solubility coefficient 53
- bupivacaine 382

- calibration 19
- candela 23
- capacitance 60
 - SI units 24
- capacitors 60–62
 - AC circuits 61, 62
 - high frequency 62
 - low frequency 61
 - DC circuit 61
 - definition 60
 - principles of 60
- capacity, lung 203
 - closing capacity 204
- capillary dynamics 264–266
 - fluid movement 264–266
- capillary hydrostatic pressure 264
- capillary oncotic pressure 264
- capnography 112–116
 - acute loss of cardiac output 115

406 Index

- capnography (cont.)
 - breathing system disconnection 115
- capnograph 112
- capnometer 112
- cardiac oscillations 114
- hyperventilation 114
- hypoventilation 116
- inadequate paralysis 113
- malignant hyperpyrexia 115
- normal findings 112
- obstructive disease 116
- rebreathing 113
- carbohydrates 136
 - stress response effects 326
- carbon dioxide 386
 - absorption 117–118
 - baralime 117
 - chemical reaction 117
 - colour indicators 118
 - mesh size 117
 - soda lime 118
 - carriage 230–231
 - dissociation curves 231
 - Haldane effect 230
 - Hamburger effect 230
 - physical properties 386
 - see also* respiratory physiology
- carbonic acid–bicarbonate buffer system 285
- cardiac action potentials 244, 303
 - pacemaker 244
- cardiac conduction system 245
- cardiac cycle 246–248
 - diagram 246
 - left ventricular volume curve 248
 - pressure curves 247
 - aorta 247
 - central venous pressure (CVP) 247
 - left ventricle 247
 - timing points 248
 - timing reference curves 246
- cardiac oscillations, capnography 114
- cardiac output 260
 - acute loss of, capnography 115
 - measurement 92–96
 - dye dilution 92
 - Fick principle 92
 - graphs 93, 94–95
 - pulse contour analysis 95
 - thermodilution 92
 - paediatric 339
 - plethysmography variability index 96
 - pregnancy effects 331
 - pulse pressure variation 96
 - stroke volume 96
 - variation 97, 98–99
- cardiogenic shock 280
- cardiopulmonary exercise testing 328–329
 - anaerobic threshold 328
 - identification of 328–330
 - evidence for 330
 - $\dot{V}O_{2\text{Max}}$ 330
- cardiovascular physiology
 - adult circulation 279
 - ageing effects 340
 - capillary dynamics 264–266
 - cardiac cycle 246–248
 - central venous pressure (CVP) 257
 - ECG changes 249–253
 - fetal circulation 278
 - Frank–Starling relationship 260–261
 - heart rate control 276–277
 - neonatal circulation 279
 - obesity effects 344
 - paediatrics 337
 - pregnancy effects 331–332
 - pressure and flow calculations 254–256
 - coronary blood flow 255
 - coronary perfusion pressure 254
 - mean arterial pressure 254
 - pulmonary capillary wedge pressure 258
 - shock 280
 - systemic vascular resistance 272
 - pulmonary vascular resistance 214–215, 273
 - venous return 262–264
 - ventricular pressure–volume relationship
 - 267–271
 - failing ventricle 271
- case–control studies 372
- categorical (qualitative) data 349
- catenary modelling 188
- CBF *see* cerebral blood flow
- celsius 40
- census 372
- central venous pressure (CVP) 257
 - pressure curve 247
 - waveform 257
- cerebral blood flow 313, 392
 - anaesthetic agent effects 317–318

- autoregulation 314
- flow-metabolism coupling 316–318
- P_{aCO_2} effects 314
- P_{aO_2} effects 315
- cerebral metabolic rate
 - anaesthetic agent effects 317–318
 - of oxygen utilisation (CMR_{O_2}) 316
 - temperature effect 317
- cerebral perfusion pressure 313
- cerebrospinal fluid (CSF) 319
 - circulation 319
 - formation 319
- Charles' law 34
- chemical bonds 132–134
 - interatomic bonds 132
 - covalent bonds 132
 - ionic bonds 132
 - intermolecular bonds 133
 - dipole 133
 - hydrogen bond 134
 - Van der Waals forces 134
- chi-square test 359
 - degrees of freedom 360
- children *see* paediatrics
- chiral centre 139
- chloride shift 230
- chronic pain 320
- circulation
 - adult 279
 - cerebrospinal fluid 319
 - fetal 278
 - neonatal 279
 - see also* cardiovascular physiology
- cis-atracurium 383
- cleaning 70
 - methods 71
- clearance 183, 289
 - see also* pharmacokinetics
- clinical trials 370–373
 - allocation concealment 371
 - bias 371
 - blinding 371
 - clinical significance 373
 - data collection 372
 - case-control studies 372
 - cohort studies 372
 - experimental studies 372
 - observational studies 372
 - surveys 372
 - design flow sheet 370
 - outcome 371
 - phases 370
 - power calculation 371
 - randomization 371
 - statistical significance 373
- coagulation, surgical diathermy 85
- Coanda effect 39
- codeine 381
- cohort studies 372
- colligative properties 55
 - Raoult's law 55
- colloids 385
- compartment models 188–192
 - catenary 188
 - concentration versus time 191
 - mamillary 188
 - one-compartment 188
 - three-compartment 190
 - formula 191
 - two-compartment 189
 - formula 190
- competitive antagonists 166
- compliance 236
 - brain 311
 - lung 236
 - dynamic 236
 - static 236
 - whole lung pressure–volume loop 237
- concentration, SI units 24
- concentration effect 148
 - graphs 148
- conductive heat loss 50
- confidence intervals 353
- congestive cardiac failure, Valsalva manoeuvre
 - response 275
- conservation of energy 38
- context-sensitive half time 194–195
- continuous data 349
- contractility 260
 - altered 270
- convective heat loss 50
- coronary blood flow 255, 392
- coronary perfusion pressure 254
- correlation 361
 - exact negative 362
 - negative 362
 - no correlation 363
 - positive 361

408 Index

- correlation coefficient 361
- coulomb 24
- covalent bonds 132
- critical damping 69
- critical pressure 49
- critical temperature 49
- crystalloids 384
- CSF *see* cerebrospinal fluid
- current
 - density 24
 - SI units 23, 24
- cutting, surgical diathermy 84
- CVP *see* central venous pressure
- cytochrome P450 CYP2D6 enzyme 153
- cytotoxic shock 280

- D-isomerism 139
- daily nutritional requirements 387
- damping 66, 67
 - coefficient 67
 - critical 69
 - optimal 69
 - over-damping 68
 - under-damping 68
 - zero damping 67
- data analysis *see* statistics
- Davenport diagram, acid–base balance 286
- dead space 219
 - alveolar 219
 - anatomical 219
 - physiological 219
- decontamination 70
- decrement time 195
- defibrillators 97, 98–99
 - charging 98
 - circuit 98
 - discharging 98
- degrees of freedom 353
 - chi-square test 360
- deoxy-haemoglobin absorption spectra 111
- desflurane 379
 - concentration effect graph 148
 - physiological effects 380
- dew point 43
- dextrorotatory compounds 139
- diamorphine 381
- diastereoisomers 139
- differentiation 17–18
- diffusion, Fick's law 53
- digoxin, ECG effects 251
- dipole 133
- direct current, resistance 59
- discrete data 349
- disinfection 70
 - methods 71
- dissociation constant (K_D) 158
- dissociation curves
 - CO₂ 231
 - oxyhaemoglobin 228–229
- distance, SI units 23
- distribution, pharmacokinetics 177
- distributive shock 280
- Doppler effect 89
 - Bernoulli equation 89
 - oesophageal doppler 90–91
 - principle 89
- dose ratio 169
- dose–response curves 161
- drift 19, 21
- drug dependence 173
- drug interactions 150
 - isobologram 150
- drug–receptor interactions 157–159
 - see also* pharmacodynamics
- drug target identification 153
- drug tolerance 171
- dynamic compliance 236
- dyne 272

- ECG *see* electrocardiography
- efficacy 160
- Einthoven's law 242
- Einthoven's triangle 241
- ejection fraction 268
- electrical charge, SI units 24
- electrical components, symbols of 390
- electrical resistance *see* resistance (electrical)
- electrocardiography (ECG) 246
 - axis 242
 - determination 242
 - changes 249–253
 - 1st degree heart block 252
 - 2nd degree heart block (Mobitz I) 252
 - 2nd degree heart block (Mobitz II) 252
 - complete heart block 253
 - digoxin effect 251
 - hyperkalaemia 249
 - hypocalcaemia/long QT syndrome 250

- hypokalaemia 249
- hypothermia 251
 - Torsades de Pointes 250
- Einthoven's law 242
- Einthoven's triangle 241
- electromotive force (EMF) 63
- electron 129
- elimination 183
- enantiomers 138
- enantiopure preparation 140
- end-diastolic pressure–volume relationship 267
- end-systolic pressure–volume relationship 267
- energy 32
 - conservation of 38
 - requirements 387
 - SI units 24
- enflurane 379
 - physiological effects 380
- enzyme kinetics 141–143
 - first-order reaction 141
 - Lineweaver–Burke transformation 142
 - Michaelis–Menton equation 141
 - zero-order reaction 141
- enzymes 141
 - see also* enzyme kinetics
- error 366–367
 - type I 366
 - type II 366
- etomidate 377
 - physiological effects 378
- Euler's number 9
- evaporative heat loss 50
- evidence-based medicine 374–375
 - grades of recommendations 374
 - levels of evidence 374
 - meta-analysis 375
 - Forest plot 375
- excretion 184
- experimental studies 372
- expiratory reserve volume 203
- exponential relationships 9–15
 - basic negative exponential 10
 - basic positive exponential 10
 - clinical tear-away positive exponential 11
 - Euler's number 9
 - half life 12, 185
 - physiological build-up negative exponential 11
 - physiological negative exponential 11
 - rate constant 13
 - time constant 12, 185
 - transformation to a straight line graph 14
- extraction ratio 180
 - oxygen 225
- failing ventricle 271
- farad 24, 60
- fentanyl 381
 - context-sensitive half time 195
- fetal circulation 278
- fibre optics 79
- Fick's law 53
- first-order elimination 183
- first-order reaction 141
- first-pass metabolism 179
- Fisher's exact test 360
- flow
 - Bernoulli principle 38
 - laminar 36
 - turbulent 37
 - Venturi effect 38
 - see also* blood flow
- flow–volume loops 207–210
 - normal 207
 - obstructive disease 208
 - fixed large airway obstruction 210
 - variable extrathoracic obstruction 209
 - variable intrathoracic obstruction 209
 - restrictive disease 208
- force 31
 - SI units 24
- Forest plot 375
- Fowler's method 219, 220
 - graph 220
- Frank–Starling relationship 260–261
- frequency
 - natural 66
 - SI units 24
 - surgical diathermy 84
- full agonists 164
- functional groups 135, 399
- functional residual capacity, lung 203
- fusion, specific latent heat of 46
- G-proteins 144
- gallamine 383
- gas laws 34–35
 - see also specific laws*
- gases 386

410 Index

- gate control theory of pain 321
Gauss 75
Gay–Lussac’s law 34
geometric isomerism 139
Gibbs–Donnan effect 301
glomerular filtration rate 289, 291
 tubulo-glomerular feedback 290
glucose handling, renal 295
goal-directed fluid therapy 97
Goldman constant field equation 302
Golgi tendon organs 309
Graham’s law 53
- H band, sarcomere 306
haematology
 paediatrics 338
 pregnancy effects 332–333
haemoglobin absorption spectra 110
Hagen–Poiseuille equation 36
Haldane effect 230
half life 12, 185
halothane 379
 physiological effects 380
Hamburger effect 230
heart block, ECG changes
 1st degree block 252
 2nd degree block (Mobitz I) 252
 2nd degree block (Mobitz II) 252
 complete block 253
heart rate
 pregnancy effects 332
 regulation 276–277
 paediatric considerations 277
 parasympathetic control 276
 post-transplant considerations 277
 sympathetic control 277
heart sounds 246
heat 40–42
 definition 40
 heat capacity 46
 heat loss 50–52
 conduction 50
 convection 50
 during surgery 51
 evaporation 50
 radiation 50
 respiration 50
helium, physical properties 386
Henderson–Hasselback equation 285
- henry, definition 63
Henry’s law 53
hertz 24
histotoxic hypoxia 227
Hüffner’s constant, oxygen delivery 224
humidity 43–45
 absolute 43
 clinical relevance 44–45
 efficiency of inhaled gas humidifiers 45
 dew point 43
 graph 43
 hygrometer 43
 hygroscopic material 43
 relative 43
hydrocarbons 399
hydrogen bond 134
hygrometer 43
hygroscopic material 43
hyperalgesia 321
hyperbolic relationships 8
hyperkalaemia, ECG changes 249
hyperpathia 321
hyperventilation 114
hypocalcaemia, ECG changes 250
hypokalaemia, ECG changes 249
hypothermia, ECG changes 251
hypoventilation 116
hypovolaemic shock 280
hypoxia 226–227
 anaemic 226
 histotoxic 227
 hypoxaemic 226
 ischaemic 226
hysteresis 19, 22, 170
- I band, sarcomere 306
impedance 59
inductance 63
inductors 63–64
 definition 63
 graphs 64
 principles of 63
inhalational anaesthetic agents 318, 379
 physiological effects 380
 see also specific anaesthetics
inorganic chemistry 135
inorganic compounds 135
inotropes 397
inspiratory reserve volume 203

- integration 16–17
- interquartile range 354
- interstitial fluid composition 387
- interstitial hydrostatic pressure 264
- interstitial osmotic pressure 264
- interval 350
- intracellular fluid composition 387
- intracranial pressure (ICP)
 - changes to baseline of the ICP trace 312
 - intracranial volume relationship 310
 - waveform 311
 - see also* cerebral blood flow; cerebral perfusion pressure
- intravenous fluids 384
 - colloids 385
 - crystalloids 384
- intravenous induction agents 318, 377
 - physiological effects 378
- inverse agonists 168
- ion 130, 131
- ionic bonds 132
- ischaemic 226
- isobologram 150
- isoflurane 379
 - physiological effects 380
- isohydric principle 285
- isomerism 138–140
 - chiral centre 139
 - dextrorotatory 139
 - diastereoisomers 139
 - enantiomers 138
 - enantiopure preparation 140
 - geometric 139
 - laevorotatory 139
 - optical 139
 - racemic mixture 140
 - rectus 139
 - sinister 139
 - stereoisomerism 138
 - structural 138
 - tautomerism 138
- isotherms 48–49
 - nitrous oxide 48
- isotopes 129

- joule 24, 32

- Kaplan Meier curves 376
- kelvin 23, 40

- ketamine 377
 - physiological effects 378
- kilogram 23

- L-isomerism 139
- laevorotatory compounds 139
- Lambert's law 109
- laminar flow 36
 - Hagen–Poiseuille equation 36
- LaPlace's law
 - sphere 58
 - tube 58
- laser 81–83
 - coherent 82
 - collimated 82
 - definition 81
 - monochromatic 81
 - principle 81
- latent heat 46–47
 - heat capacity 46
 - specific heat capacity 46
 - specific latent heat of fusion 46
 - specific latent heat of vaporization 46
 - water heating curve 47
- law of mass action 158
- LD₅₀ (median lethal dose) 162
- lidocaine 382
- ligand 157
- linear relationships 7
- Lineweaver–Burke graph 143
- Lineweaver–Burke transformation 142
- lipids 136
 - stress response effects 326
- local anaesthetics 382
- logarithms 9
 - rules 9
- long QT syndrome, ECG changes 250
- loop of Henle 293
- luminous intensity, SI units 23
- lung
 - capacity 203
 - closing capacity 204
 - compliance 236, 237
 - flow–volume loops 207–210
 - normal 207
 - obstructive disease 208, 209, 210
 - restrictive disease 208
 - resistance 236

412 Index

- lung (cont.)
volumes 203–204
 closing volume 204
 expiratory reserve volume 203
 functional residual capacity 203
 inspiratory reserve volume 203
 pulmonary vascular resistance relationship
 214
 residual volume 203
 tidal volume 203
 vital capacity 203
whole lung pressure–volume loop 237
see also respiratory physiology
- M line, sarcomere 306
- MAC (minimum alveolar concentration) 146
- magnetic resonance imaging 75–78
 basic principles 75, 76
 precession 77
- malignant hyperpyrexia 115
- mamillary modelling 188
- Mapleson breathing systems *see* breathing systems
- mass, SI units 23
- mathematical relationships 7–8
 asymptote 8
 hyperbolic relationships 8
 linear relationships 7
 parabolic relationships 8
see also exponential relationships
- mean 351
- mean arterial pressure 254
- measurements 19–22
 accuracy 19, 20–21
 drift 19, 21
 hysteresis 19, 22
 non-linearity 19, 22
 precision 19, 20–21
- mechanics 31–33
- median 351
- median effective concentration (EC_{50}) 161
- median effective dose (ED_{50}) 161
- median lethal dose (LD_{50}) 162
- medical ultrasound 87–88
 basic function 88
 contrast resolution 88
 spatial resolution 88
- membrane potential 301
see also action potentials
- mepivacaine 382
- meta-analysis 375
 Forest plot 375
- methohexital 377
 physiological effects 378
- metre 23
- Meyer–Overton hypothesis 146
 graph 146
- Michaelis–Menten equation 141
- Michaelis–Menten graph 142
- minimum alveolar concentration (MAC) 146
- minute ventilation
 alveolar carbon dioxide partial pressure
 relations 234, 235
 alveolar oxygen partial pressure relations 233,
 235
- mivacurium 383
- Mobitz I type heart block 252
- Mobitz II type heart block 252
- mode 351
- mole 23
- molecule 130
- Monro–Kelly doctrine *see* neurophysiology
- morphine 381
- muscle fibres 388
- muscle physiology 305–307
 excitation–contraction coupling 306–307
 neuromuscular junction 305
 sarcomere 306
see also muscle fibres
- muscle reflexes 308–309
 Golgi tendon organs 309
 muscle spindles 308
 stretch reflex 308
- muscle relaxants 383
- muscle spindles 308
- myelinated nerves, action potential velocity 304
- myosin 306
- natural frequency 66
- negative predictive value 367
- negative pressure ventilation 103
- negatively skewed distribution 356
- neonatal circulation 279
- Nernst equation 301
- neuromuscular blockade monitoring 119–123
 double-burst stimulation 121
 no neuromuscular block 122
 phase 1 and phase 2 block 123

- post-tetanic count 122
- receptor site occupancy assessment 121
- residual neuromuscular block 122
- single twitch 119
- supra-maximal stimulus 119
- tetanic stimulus 119
- train of four (TOF) 119
 - depolarizing block 120
 - non-depolarizing block 120
 - ratio (TOFR) 121
- neuromuscular junction 305
- neuropathic pain 321
- neurophysiology
 - action potentials 301–304
 - Monro–Kelly doctrine 310–312
 - brain compliance 311
 - changes to baseline of the ICP trace 312
 - intracranial pressure waveform 311
 - intracranial volume–pressure relationship 310
 - neurone types 303
 - see also* cerebral blood flow; pain
- neurotransmitter 304
- newton 24, 31
- nitrogen, physical properties 386
- nitrous oxide 379
 - concentration effect 148
 - isotherms 48
 - physical properties 386
 - physiological effects 380
- nociception 320
- nociceptive pain 320
- nominal data 349
- non-compartmental modelling 187
- non-linearity 19, 22
- non-SI units 26
 - conversion factors 26
- normal distribution 355
- nucleic acids 136
- nucleotides 136
- null hypothesis 357
- number needed to treat 357
- numerical (quantitative) data 349
- nutritional requirements 387
- obesity 344–346
 - implications of, by system 344–345
 - cardiovascular 344
 - metabolic 345
 - respiratory 344
- NICE classification 344
- pharmacokinetic effects 345
- observational studies 372
- obstructive disease
 - capnography 116
 - flow–volume loop 208
 - fixed large airway obstruction 210
 - variable extrathoracic obstruction 209
 - variable intrathoracic obstruction 209
 - peak expiratory flow rate (PEFR) 208
- shock 280
- spirometry 205
- odds ratio 358
- oesophageal doppler 90–91
- ohm 24
- Ohm's law 59
- oil:gas solubility coefficient 53
- older people 340
 - see also* ageing
- one-tailed test 359
- opioids 318, 326, 381
- optical isomerism 139
- optimal damping 69
- ordinal data 349
- organic chemistry 135
 - carbohydrates 136
 - functional group 135
 - lipids 136
 - nucleic acids 136
 - proteins 136
 - structural formula 135
- organic compounds 135
- osmolality 55
- osmolarity 55
- osmole 55
- osmometer 56
- osmosis 55–56
 - graph 56
- osmotic pressure 55
- Ostwald solubility coefficient 54
- outcome prediction 367–368
 - negative predictive value 367
 - positive predictive value 367
- over-damping 68
- oxidation 130, 131
- oxygen
 - consumption 392
 - delivery 223–225

414 Index

- oxygen (cont.)
 - critical 225
 - oxygen cascade 223
 - oxygen extraction ratio 225
 - oxyhaemoglobin dissociation curve 228–229
 - Pasteur point 224
 - supply and demand 224
 - physical properties 386
- oxyhaemoglobin
 - absorption spectra 111
 - dissociation curve 228–229
 - affecting factors 229
 - Bohr effect 229
 - P_{50} 228, 229
- p value 357
- P_{50} 228
 - changes in position 229
- pA_2 169
- pacemakers 389
 - action potentials 244
- paediatrics 337–339
 - heart rate regulation 277
 - implications by system 337–339
 - cardiovascular 337
 - metabolic 338
 - renal 338
 - respiratory 337
 - pharmacodynamics 339
 - pharmacokinetics 339
 - physiological calculations 339
- pain 320–322
 - chronic 320
 - gate control theory 321
 - neuronal connections 322
 - neuropathic 321
 - nociceptive 320
 - pathway 322
 - phantom 321
 - somatic 320
 - visceral 320
- paired test 358
- pancuronium 383
- parabolic relationships 8
- partial agonists 164, 165
- pascal 24, 32
- Pasteur point 224
- peak expiratory flow rate (PEFR), obstructive disease 208
- Peltier effect 56
- perfect gases 34
- pethidine 381
- pH 283
- phantom pain 321
- pharmacodynamics 157
 - affinity 160
 - affinity constant (K_A) 158
 - ageing effects 342
 - dissociation constant (K_D) 158
 - dose ratio 169
 - dose–response curves 161
 - logarithmic 162
 - quantal 162
 - drug–receptor interactions 157–159
 - law of mass action 158
 - duration of action 163
 - efficacy 160
 - hysteresis 170
 - median effective concentration (EC_{50}) 161
 - median effective dose (ED_{50}) 161
 - median lethal dose (LD_{50}) 162
- paediatrics 339
- potency 160
- pregnancy effects 335
- tachyphylaxis 171
- therapeutic index 163
- tolerance 171
 - see also* agonists; antagonists
- pharmacogenetics 153
- pharmacokinetics 177
 - absorption 177
 - ageing effects 342
 - bioavailability 179
 - clearance 183
 - compartmental modelling 188–192
 - context-sensitive half time 194–195
 - decrement time 195
 - distribution 177
 - elimination 183
 - first-order 183
 - zero-order 184
 - excretion 184
 - extraction ratio 180
 - non-compartmental modelling 187
 - obesity effects 345
 - paediatrics 339
 - physiological modelling 193
 - pregnancy effects 335

- redistribution 177
- volume of distribution 181
- physiological modelling 193
- piezoelectric effect 87
- pK_a 284
- placenta 278, 336
- plasma
 - composition 387
 - volume, pregnancy effects 333
- plethysmography variability index 96
- population 349
- positive predictive value 367
- positive pressure ventilation 103
- positively skewed distribution 355
- potassium handling, renal 297
- potency 160
- potential difference, SI units 24
- potentiation, drug actions 150
- power 33
 - SI units 24
 - statistical 357
- power calculation, clinical trials 371
- precession 77
- precision 19
 - accuracy and 20–21
- pregnancy 331
 - implications of, by system 331
 - cardiovascular 331–332
 - endocrine and metabolic 335
 - gastrointestinal and hepatic 335
 - haematology 332–333
 - neurological 335
 - renal and acid–base 334–335
 - respiratory 333–334
 - pharmacodynamic effects 335
 - pharmacokinetic effects 335
 - placenta 336
 - timing 331
- preload 260
 - increased 269
- pressure 32
 - critical 49
 - SI units 24
- pressure control ventilation 105
- prilocaine 382
- procaine 382
- prodrug 179
- propofol 377
 - context-specific half time 194
 - physiological effects 378
- proteins 136
 - stress response effects 326
- proton 129
- pulmonary blood flow distribution 216–217
- pulmonary capillary wedge pressure (PCWP) 258
 - waveform 258
- pulmonary vascular resistance 214–215, 273
 - factors affecting 214
 - lung volume relationship 214
- pulse contour analysis 95
- pulse oximetry 109–111
 - Beer's law 109
 - haemoglobin absorption spectra 110
 - deoxyhaemoglobin 111
 - oxyhaemoglobin 111
 - Lambert's law 109
- quadriplegia, Valsalva manoeuvre response 275
- quantal dose–response curves 162
- quartile 354
- racemic mixture 140
- radiant heat loss 50
- randomization, clinical trials 371
- Raoult's law 55
- rate constant 13
- ratio 349
- reactance 59
- rebreathing, capnography 113
- receiver operating characteristic (ROC) curve 369
- receptor 157
- rectus configuration 139
- red blood cell (RBC) volume, pregnancy effects
 - 332
- redistribution 177
- reduction 131
- refraction 79
- regression coefficient 361
- relative humidity 43
- relative refractory period (RRP) 302
- relative risk 358
- remifentanyl 381
 - context-specific half time 194
- renal blood flow 289, 392
- renal failure, urinary electrolytes 388
- renal physiology
 - acid–base balance 283–286
 - ageing effects 342

416 Index

- renal physiology (cont.)
 - clearance 289
 - glomerular filtration rate 289, 291
 - tubulo-glomerular feedback 290
 - glucose handling 295
 - haematology 338
 - loop of Henle 293
 - paediatrics 338
 - potassium handling 297
 - pregnancy effects 334–335
 - renal blood flow 289
 - autoregulation 291
 - renal vascular resistance 291
 - sodium handling 296
- residual volume, lung 203
- resistance (electrical) 59
 - alternating current 59
 - definition 59
 - direct current 59
 - impedance 59
 - reactance 59
 - SI units 24
 - temperature measurement 41
- resistance (respiratory) 236
 - lung resistance 236
- resonance 66
 - definition 66
 - natural frequency 66
- respiratory physiology
 - ageing effects 341
 - alveolar gas equation 211
 - Bohr equation 221–222
 - carbon dioxide carriage 230–231
 - dissociation curves 231
 - Haldane effect 230
 - Hamburger effect 230
 - compliance 236, 237
 - dead space 219
 - alveolar 219
 - anatomical 219
 - physiological 219
 - heat loss 50
 - hypoxia 226–227
 - obesity effects 344
 - oxygen delivery 223–225
 - oxyhaemoglobin dissociation curve 228–229
 - paediatrics 337
 - pregnancy effects 333–334
 - pulmonary blood flow distribution 216–217
 - pulmonary vascular resistance 214–215, 273
 - resistance 236
 - shunt equation 212–213
 - time constant of a lung unit 237
 - ventilation control 233–235
 - ventilation/perfusion mismatch 218
 - work of breathing 232
 - see also* lung; spirometry
- resting membrane potential 301
- restrictive disease
 - flow–volume loop 208
 - spirometry 205–206
- Reynold's number 37
- rocuronium 383
- ropivacaine 382
- sample 349
- sarcomere 306
- second 23
- second gas effect 149
- second messengers 145
- Seebeck effect 42
- sensitivity 366
- sevoflurane 379
 - physiological effects 380
- shock 280
 - cardiogenic 280
 - cytotoxic 280
 - definition 280
 - distributive 280
 - hypovolaemic 280
 - obstructive 280
- shunt 212
- shunt equation 212–213
 - derivation 213
 - principle 212
- SI units 23–25
 - base units 23
 - derived 24
 - with special symbols 24
 - prefixes 24
 - see also specific units*
- signal to noise ratio 27
- sinister configuration 139
- soda lime, CO₂ absorption 117
- sodium handling, renal 296
- solubility 53–54
 - blood:gas solubility coefficient 53
 - Bunsen solubility coefficient 53

- Graham's law 53
- Henry's law 53
- oil:gas solubility coefficient 53
- Ostwald solubility coefficient 54
- somatic pain 320
- specific heat capacity 46
- specific latent heat of fusion 46
- specific latent heat of vaporization 46
- specificity 367
- speed
 - of sound, in the body 88
 - SI units 24
- spirometry 205–206
 - normal findings 205
 - obstructive pattern 205
 - restrictive pattern 206
- standard deviation 352
- standard error of the mean 353
- static compliance 236
- statistics
 - categorical (qualitative) data 349
 - nominal 349
 - ordinal 349
 - central tendency measures 351
 - mean 351
 - median 351
 - mode 351
 - data analysis methods 357–365
 - absolute risk reduction 358
 - bias 363
 - Bland–Altman plot 363
 - chi-square test 359
 - correlation 361, 362
 - correlation coefficient 361
 - Fisher's exact test 360
 - good agreement 364
 - interpretation 364
 - no agreement 364
 - null hypothesis 357
 - number needed to treat 357
 - odds ratio 358
 - one-tailed test 359
 - p* value 357
 - paired test 358
 - power 357
 - regression coefficient 361
 - relative risk 358
 - statistical tests 365
 - Student's *t*-test 358
 - two-tailed test 359
 - unpaired test 358
 - see also specific tests*
 - data types 349–350
 - distribution types 355–356
 - bimodal distribution 356
 - negatively skewed distribution 356
 - normal distribution 355
 - positively skewed distribution 355
 - error 366–367
 - sensitivity 366
 - specificity 367
 - type I 366
 - type II 366
 - Kaplan Meier curves 376
 - numerical (quantitative) data 349
 - continuous 349
 - discrete 349
 - interval 350
 - ratio 349
 - outcome prediction 367–368
 - negative predictive value 367
 - positive predictive value 367
 - population 349
 - receiver operating characteristic (ROC) curve 369
 - sample 349
 - spread, measures of 351–354
 - confidence intervals 353
 - degrees of freedom 353
 - interquartile range 354
 - quartile 354
 - standard deviation 352
 - standard error of the mean 353
 - variance 351
 - stereoisomerism 138
 - sterilization 70
 - methods 71
 - Stewart–Hamilton equation 92
 - stress response 325–327
 - anaesthesia effects 326
 - effects of 326
 - stretch reflex 308
 - stroke volume 96, 260
 - variation 97, 98–99
 - structural isomerism 138
 - Student's *t*-test 358
 - summation, drug actions 150
 - surface tension 57–58
 - diagram 57

418 Index

- surface tension (cont.)
 LaPlace's law 58
 surgical diathermy 84–86
 blended 86
 coagulation 85
 cutting 84
 frequency 84
 survey 372
 synergisms, drug actions 150
 systemic vascular resistance 272
- tachyphylaxis 171
 target controlled infusion (TCI) 196–199
 effect-site targeting 197
 k_{eo} 196
 models 401
 plasma-site targeting 197
 tautomerism 138
 temperature 40
 critical 49
 resistance wire measure 41
 Seebeck effect 42
 SI units 23
 thermistor 41
 thermocouple 42
 triple point 40
 see also heat
 tesla 75
 therapeutic index 163
 thermistor 41
 thermocouple 42
 thermodilution 92
 graphs 94–95
 thiopental 377
 context-sensitive half time 195
 physiological effects 378
 threshold potential 302
 thromboelastography (TEG) 124–125
 30 minute amplitude 124
 alpha angle 124
 diagram 125
 kinetics 124
 maximum amplitude 124
 reaction time 124
 tidal volume 203
 time constant 12, 185
 of a lung unit 237
 transformation to a straight line graph 14
 time, SI units 23
- timing points, cardiac cycle 248
 tolerance 171
 Torsades de Pointes, ECG changes 250
 total internal reflection 79
 train of four (TOF) 119
 depolarizing block 120
 non-depolarizing block 120
 ratio (TOFR) 121
 triple point 40
 tropomyosin 306
 tubocurare 383
 tubulo-glomerular feedback 290
 turbulent flow 37
 Reynold's number 37
 two-compartment models 189
 two-tailed test 359
 type I error 366
 type II error 366
- ultrasound 87
 under-damping 68
 universal gas equation 35
 unmyelinated nerves, action potential velocity
 304
 unpaired test 358
 urinary electrolytes, renal failure 388
 uterine blood flow 336
- Valsalva manoeuvre 274–275
 abnormal responses 275
 applications 275
 Van der Waals forces 134
 vaporization, specific latent heat of 46
 variance 351
 vascular resistance
 pulmonary 214–215, 273
 renal 291
 systemic 272
 vasopressors 397
 Vaughan–Williams classification, antiarrhythmic
 drugs 386
 vecuronium 383
 velocity
 SI units 24
 Venturi effect 38
 venous return 262–264
 altered venous resistance 263
 changes 263
 increased filling 263

- ventilation control 233–235
 - minute ventilation versus alveolar PaCO_2 234, 235
 - minute ventilation versus alveolar PaO_2 233, 235
- ventilation/perfusion mismatch 218
 - graph 218
- ventilator profiles 103–108
 - clinical relevance 107
 - negative pressure ventilation 103
 - positive pressure ventilation 103
 - waveforms 104
 - pressure control ventilation 105
 - volume control ventilation 106
- ventilators 103
 - cycling 104
 - limit 104
 - trigger 103
 - see also* ventilator profiles
- ventricle
 - failing 271
 - left ventricular pressure curve 247
 - left ventricular volume curve 248
- ventricular pressure–volume relationship 267–271
 - altered contractility 270
 - ejection fraction 268
 - end-diastolic 267
 - end-systolic 267
 - increased afterload 269
 - increased preload 269
- Venturi effect 38
- vesicle, neuromuscular junction 305
- visceral pain 320
- vital capacity, lung 203
- volt 24
- volume control ventilation 106
- volume of distribution 181
- volume, SI units 24
- water heating curve 47
- watt 24, 33
- wave number 24
- weber 75
- weight 31
- Wenckebach phenomenon 252
- Wheatstone bridge 65
 - equation 65
- work 32
 - SI units 24
- xenon 379
- Z line, sarcomere 306
- zero damping 67
- zero-order elimination 184
- zero-order reaction 141
- zeroing 19