

Index

- Accreditation Council for Graduate Medical Education (ACGME) 3
- acute renal failure 59–64
- adrenal insufficiency 70–4
- advance directives 33–6
- air embolism, SCUBA diving 100–3
- airplane incidents 50–5
- airway 31–55, 59–64
 - anaphylaxis 50–5
 - difficult 46–9, 89–92
 - house fires 46–9
 - industrial fires 37–41
 - pool diving accident 42–5
 - terminal extubation 33–6
- alcohol intoxication 261–6
 - and child neglect 222–5
- allergy 50–5
- altered mental status 57–86
 - adrenal insufficiency 70–4
 - and cyanosis 80–6
 - hemorrhagic fever 128–32
 - hypertensive emergency 65–9
 - hyperthermia 59–64
 - “raving” 75–9
- altitude sickness 93–9
- amputation 267–70
- AMS *see* altered mental status
- anaphylaxis
 - insect bite 203–7
 - nut allergy 50–5
- anemia, hemolytic 80–6
- angioedema 203–7
- angry team members 217–21
- aortic dissection mimicking STEMI 108–11
- asthma, severe 89–92
- audience 12
 - briefing 8–9
- bandages, blood-stained 284–5
- beta-blockers, overdose 244–8
- Blakemore tube 112–15
- blast injury 251–4
- bleeding *see* hemorrhage
- blood, fake 284–5
- boarding in ED 203–7
- body packing 229–33
- body piercing 134–7
- bomb explosion 251–4
- brain injury, traumatic 149–53
- breaking bad news 271–8
- breaking the ice 18
- breathing 59–64
- breathlessness 50–5, 89–92
- bruising 217–21
- burns
 - house fires 46–9
 - industrial fires 37–41
 - sunburn 59–64
- carbon monoxide poisoning 234–9
- cardiac arrest
 - end-stage renal disease 65–9
 - neonatal 199–202
 - pediatric 199–202, 208–12
 - pool diving accident 42–5
 - see also* resuscitation
- cardiopulmonary 87–119
 - aortic dissection mimicking STEMI 108–11
 - high-altitude pulmonary edema 93–9
 - left ventricular assist device 104–7
 - NG tube in trachea 116–19
 - SCUBA air embolism 100–3
 - severe asthma 89–92
 - upper GI hemorrhage 112–15
- cases 9–10
 - case conferences 4
 - see also individual cases*
- cellulitis
 - body piercing 134–7
 - insect bite 203–7
- cerebral edema, high-altitude 93–9
- cervical spine fracture 170–6
- cesarean section, postmortem 183–7
- chemical incident 240–3
- chest pain 108–11
- child abuse 217–21

- child neglect 222–5
- children *see* pediatrics
- circulation 59–64
- climbing, high-altitude incidents 93–9
- clinical content, judging of 22–3
 - clinical correctness 23
 - performance under pressure 23
- clinical correctness 23
- clothes 287
- cocaine 229–33
- confederates 12
- course objectives 14
- crisis resource management 4
- cruise ship incident 59–64
- cyanide toxicity 37–41, 46–9
- cyanosis 80–6
- deafness 208–12
- death debrief 213–16
- debriefing 16–20
 - breaking the ice 18
 - feedback *see* feedback
 - GRIP scheme 25
 - traditional
 - differences 17–18
 - similarities 17
 - see also* judges/judging
- decompression illness 100–3
- decontamination response 240–3
- dehydration 208–12
- delirium 59–64
- difficult airway 46–9, 89–92
- difficult parents 195–8, 203–7
- diving-related accidents
 - pool diving accident 42–5
 - SCUBA, air embolism 100–3
- drooling 164–9
- drug abuse *see* substance abuse
- ecstasy 75–9
- elevator entrapment 267–70
- Emergency Medicine Milestones Project 281–2
- Emergency Medicine Residents Association (EMRA) 7
- end-stage renal disease 65–9
- entertainment value 19
- envenomation 75–9
- epidural hematoma 149–53, 261–6
- epilepsy *see* seizures
- esophageal varices 112–15
- esophagogastroduodenoscopy 112–15
- extubation 33–6
- facilitators 12
- feedback 20, 24
 - brevity 24
 - effective 25
 - GRIP scheme 25
 - judges disagreement 25
 - practice 24
 - public 24–5
 - repetition 24
 - see also* judges/judging
- fires
 - house fires 46–9
 - industrial 37–41
- floppy newborn resuscitation 179–82
- football injury 170–6
- format of SimWars 7
- Foundation for Education and Research for Neurologic Emergencies 7
- gastrointestinal bleeding
 - NG intubation 116–19
 - procedural sedation 112–15
- gel effects 285–6
- GRIP scheme 25
- HazMat suits 240–3
- head bleed 261–6
- head trauma 42–5
- headaches 244–8
- health information technology 164–9
- hematemesis 112–15
- hematoma, epidural 149–53, 261–6
- hemolytic anemia 80–6
- hemorrhage
 - gastrointestinal 112–19
 - intracranial 159–63, 261–6
 - postpartum 188–91
- hemorrhagic fever 128–32
- herpes simplex virus, meningo/encephalitis 142–6
- high-altitude cerebral edema 93–9
- high-altitude pulmonary edema 93–9
- hip fracture 70–4
- house fires 46–9
- hyperbaric therapy 93–103
- hyperkalemia 59–64
- hyperpigmentation 70–4
- hypertensive emergency 65–9
 - body packing 229–33
- hyperthermia 59–64
- hypotension 70–4
- illegal drugs *see* substance abuse
- incidents, remote from support
 - airplane 50–5
 - cruise ship 59–64
 - elevator entrapment 267–70
 - high-altitude incident 93–9
- industrial fire victims 37–41
- infant abuse 217–21
- infectious disease 121–46
 - AMS/hemorrhagic fever 128–32
 - neonatal herpes simplex meningo/encephalitis 142–6
 - pediatric myocarditis 138–41
 - septic shock and pneumonia 123–7
 - tetany 134–7

Index

323

- insect bite 203–7
- intoxication *see* alcohol intoxication; substance abuse
- intracranial hemorrhage 159–63, 261–6
- intubation
 - NG 116–19
 - see also* airway
- judges/judging 9, 12, 16, 22–6
 - briefing 8–9
 - clinical content 22–3
 - disagreement 25
 - effective strategies 19–20
 - roles 22
 - see also* debriefing; feedback
- layout 13
- left bundle branch block 104–7
- left ventricular assist device 104–7
- long QTc syndrome 208–12
- loss of consciousness 149–53
- marijuana 75–9
- MDMA 75–9
- meningo/encephalitis, neonatal 142–6
- methemoglobinemia 80–6
- methylene blue 80–6
- migraine 244–8
- moderator 8–9
- motor vehicle accident 255–60
- moulage
 - bandages 284
 - barriers 285
 - blood 284–5
 - clothes 287
 - gel effects 285–6
 - powdered makeup 285
 - smell 287
 - smoke 287
 - sweat 287
 - see also specific cases*
- multiple patient scenarios
 - carbon monoxide poisoning 234–9
 - motor vehicle accident 255–60
 - rollercoaster accident 271–8
- muscle spasms 75–9
- myocarditis 138–41
- needs assessment 3–5
- neonate
 - cardiac arrest 199–202
 - herpes simplex meningo/encephalitis 142–6
 - resuscitation 179–82, 199–202
 - seizures 183–7
 - shoulder dystocia 188–91
 - see also* pediatrics
- neurocritical care 147–76
 - cervical spine fracture 170–6
 - intracranial hemorrhage 159–63
 - status epilepticus 154–8
 - stroke 164–9
 - traumatic brain injury 149–53
- neurogenic shock
 - cervical spine fracture 170–6
 - pool diving accident 42–5
- NG intubation 116–19
- nut allergy 50–5
- obese patients 89–92, 154–8
- obstetrics/gynecology 177–91
 - floppy newborn resuscitation 179–82
 - postmortem cesarean section 183–7
 - postpartum hemorrhage 188–91
 - shoulder dystocia 188–91
 - see also* neonate
- ondansetron 208–12
- parents
 - child abuse 217–21
 - child neglect 222–5
 - difficult 195–8, 203–7
 - distraught 199–202
 - intoxication 222–5
- peanut allergy 50–5
- pediatrics 193–225
 - anaphylaxis 203–7
 - breaking bad news 271–8
 - bruising 217–21
 - carbon monoxide poisoning 234–9
 - cardiac arrest 199–202, 208–12
 - child neglect 222–5
 - deafness 208–12
 - death debrief 213–16
 - infant abuse 217–21
 - long QTc syndrome 208–12
 - myocarditis 138–41
 - status epilepticus 195–8
 - trauma 255–60
 - see also* neonate
- performance under pressure 23
 - see also* success in SimWars
- pneumonia and septic shock 123–7
- poisoning
 - beta-blocker overdose 244–8
 - body packing 229–33
 - carbon monoxide 234–9
 - cyanide 37–41, 46–9
 - decontamination 240–3
 - pool diving accident 42–5
 - postmortem cesarean section 183–7
 - postpartum hemorrhage 188–91
 - pre-eclampsia 183–7
 - procedural sedation 112–15
 - program description 6–11
 - public feedback 24–5
 - pulmonary edema, high-altitude 93–9
- pyrexia
 - hemorrhagic fever 128–32
 - hyperthermia 59–64

- renal dialysis 65–9
- renal failure, acute 59–64
- resuscitation
 - cyanosis 80–6
 - death debrief 213–16
 - failed 213–16
 - hypertensive emergency 65–9
 - hyperthermia 59–64
 - newborns 179–82, 199–202
- schedule 8
- schizophrenia 134–7
- scorpion envenomation 75–9
- SCUBA diving, air embolism 100–3
- sedation, procedural 112–15
- seizures
 - neonatal 183–7
 - status epilepticus 154–8, 195–8
- septic shock and pneumonia 123–7
- shaken baby syndrome 217–21
- shock
 - neurogenic 42–5, 170–6
 - septic 123–7
- shoulder dystocia 188–91
- simulation wizard 13
- SimWars
 - art of the show 19
 - background 3
 - development 6–7
 - format 7
 - how to succeed 12–15
 - needs assessment 3–5
 - program description 6–11
 - see also specific topics for details*
- slurred speech 164–9
- smells 287
- smoke machines 287
- Society for Academic Emergency Medicine 6
- sports injuries
 - high-altitude incident 93–9
 - football-related cervical spine fracture 170–6
 - SCUBA diving, air embolism 100–3
- status epilepticus 154–8
 - pediatric 195–8
- STEMI, aortic dissection mimicking 108–11
- stroke
 - health information technology 164–9
 - hemorrhagic 159–63
- subdural hematoma 261–6
- submission 14–15
- substance abuse
 - alcohol intoxication 217–21, 261–6
 - altered mental status 75–9
 - body packing 229–33
- success in SimWars 12–15
 - how 13–14
 - performance under pressure 23
 - tips 14
 - where 13
 - who 12–13
- sunburn 59–64
- sweat, fake 287
- teams 7, 12
 - briefing 8–9
 - clinical correctness 23
 - performance under pressure 23
- technology problems 27
- terminal extubation 33–6
- tetany 134–7
- thrombolytic therapy 108–11
- tips 14
- trachea, NG tube in 116–19
- trauma
 - amputation 267–70
 - blast injury 251–4
 - brain injury 149–53
 - cervical spine fracture 170–6
 - elevator entrapment 267–70
 - head bleed/trephination 261–6
 - motor vehicle accident 255–60
 - rollercoaster accident 271–8
- trephination 261–6
- triage 271–8
- “tripping” 75–9
- troubleshooting 27
- upper GI hemorrhage 112–15
- ventricular tachycardia 65–9, 104–7
- vomiting 159–63
- walking wounded 255–60
- water-related accidents
 - pool diving accident 42–5
 - SCUBA diving, air embolism 100–3
- winners 10