

## INDEX

- Actinian, position habit in, 25;  
hungry, 86
- Action system, 92
- Adaptation, in Protozoa, 10–11,  
confused with learning by  
experience, 17–18; persist-  
ence of habit due to slowness  
of, 27
- Aggregation phenomenon, 3, 7
- Albino mice (see under Mice)
- Amphipod, fallible instinct in,  
80, 82
- Analogical extension, 160
- Andrews, 120
- Antagonistic reflexes, 93
- Anthropoids, imitation in, 145
- Ants, homing of, 106; in *Formi-  
cae*, 104, 105, in *Lasius*, 103,  
105, in *Polyergus*, 104; reliance  
on visual ensemble by, 114;  
use of auxiliary cues by N.  
African, 104; sense of direc-  
tion in N. African, 118; solar  
tropism in, 117; retentiveness  
in, 102; muscular memory in,  
106, in *Aphaenogaster*, 119;  
fallible instinct in *T. ces-  
pitum*, 79, 82; nuptial flight  
of, 94
- Aphaenogaster* (see under Ants)
- Aporus fasciatus* (see under  
Wasps)
- Articulate ideas (see under  
Ideas)
- Association, and meaning, 47;  
laws of cerebral, 73; irradia-  
tive aspect of, 138, 162; fear  
acquired through, 129; of  
temporal sequence in mon-  
keys, 133; of impulse and  
sense-impression, 153; of  
ideational character, 166; of  
sensori-motor type, 146, used  
in problem box habit, 149;  
in problem box experiments,  
148; animal learning due to  
perceptuo-motor, 178; as ex-  
planation of apparent infer-  
ential imitation, 140
- Associations, formation of,  
under natural conditions, 99;  
instinctively used in homing,  
100; misleading, in homing,  
117; non-rational, 151
- Associative memory (see under  
Memory)
- Attention, minimum of, re-  
quired in labyrinth habit, 38;  
and fear, 139, 156; and imi-  
tation, 133, 135, 137, 155;  
training of, 135, 158
- Attunement, in rhythmical ha-  
bits, 27; in homing, 102
- Auditory discrimination habit  
in cat, 29
- Auditory experience not essen-  
tial to labyrinth learning in  
rats, 36
- Auditory reactions in dog, 74–75
- Auditory stimuli, response of  
fish to, 52–55
- Automata, lower organisms  
considered as, 3–4
- Automatic character, of laby-  
rinth habit, 38–40, 41–42; of  
positional memory, 110

## INDEX

185

- Automatism and kinæsthesia, 40, 105, 106
- Avoiding reaction (see under Reaction)
- Bees, 100; homing of, 108, 109–114, dependent on individual experience, 101; disregard of land-marks by, 109; locality studies by, 107–18; memory in, 103; positional memory in, 110–112; sense of direction in, 121
- Beetles, fallible instinct in *Sitaris*, 79, 81; *Clythra* larva, 79, 82
- Bembex* (see under Wasps)
- Bentley, 19
- Berry, 134
- Birds, inferiority of, in labyrinth learning, 42–43; Hampton Court maze learnt by sparrow, 33; retention of labyrinth habit by cowbird, 35, by pigeon, 34; use of vision by pigeon, 38, 41; transference of cues, 40–41; brightness value of blue for chick, 62; discrimination of form by sparrow and cowbird, 64; by chicks, 66–67; discrimination of size, 67; optimal strength of shock stimulus for chicks, 70; association in, 99, non-rational, in chicks, 151; flight of young, 95; absence of labyrinthine memory in young, 117; date of appearance of pigeon's coo, 95; instinct in canaries, 86; imitating instinct in chick, 86; pecking instinct in chick, 96–97; fallible instinct of nest-call in pigeons, 84; nest-building instinct, 82–83, 88–89, 90–91; position of nest, 83; incubating response in hen, 80; homing in, 100–101, 108, in noddy terns, 105, 118, in carrier pigeons, 100–108, 115–117, 118; pecking reaction in chick, 125–126; drinking reaction in, 86–87, 125; imitation in, sparrow, 130; instinctive imitation in pigeon, 123; copying by junco, oriole, sparrow, crow, cowbird, 139; suggestion in pigeons, 125; social influence in chicks, 125; canaries, 130; crows tested by multiple choice method, 168
- Bird's-eye view, 115
- Bloomfield, 90
- Blue, brightness value of, for rabbit and chick, 62
- Bonnier, 121
- Bouvier, 108
- Breed, 86, 87, 96, 125
- Brightness discrimination (see under Discrimination)
- Brittle-stars (see Ophiuroids)
- Burrill, 105
- Buttel-Reepen, 103
- Butterfly, 93
- Canals, semi-circular, 116
- Canaries (see under Birds)
- Carrier pigeons (see under Birds)
- Caterpillar, 93
- Cats, auditory discrimination habit in, 29; association in, 47, non-rational, 151; mouse-killing instinct in kittens, 89–90; homing of, 117; circular reaction in, 130; attention in, 135; failure of, to imitate, 140; learning curve of, 150; 'putting through' test with, 152, 153–154

12—5

- Cebus* (see under Monkeys)  
*Cerceris* (see under Wasps)  
 Chick (see under Birds)  
 Children, speech of, 95; delayed reactions in, 164–166  
 Chimpanzee, imitation in, 142; articulate ideas in, 159  
 Cilia, 5, 6; peristomial, 16  
 Circular reaction (see under Reaction)  
*Clythra* (see under Beetles)  
 Cole, 70, 71, 154, 161, 162  
 Colour, its intimate relation with brightness, 62; slight importance of, to higher animals, 63; discrimination (see under Discrimination)  
 Conditioned reflex (see under Reflex)  
 Consciousness, not proved in Protozoa, 20; involved in psychological retentiveness, 24, in recognition and recollection, 27  
 Contact sense (see under Sense, tactile)  
*Convoluta roscoffensis*, rhythmic behaviour in, 26  
 Coo, date of appearance of pigeon's, 95  
 Copying (see under Imitation)  
 Cornetz, 118, 119, 120  
 Cowbird (see under Birds)  
 Cowles, 49  
 Crab (see Hermit-crab)  
 Craig, 75, 95, 125  
 Crayfish, labyrinth habit in, 32–33, 45; retention of, by, 35; mating instinct in, 80  
 Criterion of plasticity, 29; of mind, 18, 49–50; of discrimination, 59; of intelligent ability, 45; of intelligence, 157; of inference, 150; of ideas, 154  
 Crow (see under Birds)  
 Cues, chemical, 105, olfactory, 39, 103, 104, 105; tactile or contact, 37, 39, 103, 104, 105; visual, 41, 104, 105, 108, 110, 114, superiority of, 106–17, detail *vs. ensemble*, 114–115; organic, 38, 40; kinæsthetic, 38, 40, 105; labyrinthine memory, 116–117; sense of direction, 118; orientation, 165–166; currents, 117; sun's rays, 117; wind, 117; auxiliary, 104–105, 116; in delayed reactions, 165–166; in labyrinth learning, 36–38; substitution of proprioceptive for exteroceptive, 39–40, 105, substitution of cues derived through same exteroceptor, 40–41; in homing, 103–107, 114–115, 117  
*Culs-de-sac*, 33, 45; difficulty of, 42; evaluation of, 43  
 Curiosity, 134  
 Currents (see under Cues)  
 Curve (see Learning curve)  
 Dancing mouse (see under Mice)  
 Day, 19  
 Deferred instincts (see under Instincts)  
 Delayed reactions (see under Reaction); method of, 163–166  
*Diamma bicolor* (see under Wasps)  
 Direction, sense of (see under Sense)  
 Disc (see Oral disc)  
 Discrimination, blunting of, in *Stentor*, 11–12; and intelligence, 22  
 Discrimination, sensory, 52–71, 76; tested by associative

## INDEX

187

- memory, 52; Yerkes' criterion of, 59; how far involved in conditioned reflexes, 73
- Discrimination, auditory, 29, 52-55, 74-75
- Discrimination, visual, of brightness, 56-61; of colour (hue), 62-63; of form, 63-67, 73; of size, 67
- Dispersal phenomenon, 3
- Distance record of labyrinth running, 43-45
- Dog-breaking, 127
- Dogs, association in, 47; auditory reactions in, 74-75; form discrimination by, 66; homing in, 117; failure of, to imitate, 140; learning curve of, 150; delayed reactions in, 164; dependence on orientation, 165
- Drinking reaction (see under Reaction)
- Education (see under Imitation, Learning, Tuition and Training)
- Educative influence of imitation (see under Imitation)
- Electric shock (see under Punishment)
- Error record of labyrinth running, 43-45
- Errors, evaluation of, in labyrinth tests, 43-44; 'useful,' 83
- Experience, progress dependent on retention of, 24; and meaning, 47; no aid in learning new labyrinths, 41; and instinct, 77; modification of instinct due to, 83-85; and fear, 84; in homing, 99, 100-101; sensations of direction obtained through, 121; learning by, confused with adaptation, 17-18, supposed case of, in *Paramecium*, 19-20; and associative memory, 47-49; as criterion of mind, 18, 49-50
- Experiment (see Test)
- Exteroceptors, 39, 40
- Euglena*, 12
- Fear, value of experience in, 84; educative rôle of imitation in, 128-129; as cause of attention, 139
- Field work, of use in study of homing, 99
- Fish, hearing in, 52-55, in *Fundulus heteroclitus*, 52-55; path-learning in *Gobius*, 30-31; inhibition of instinctive reaction in perch, 51-52; migration of, 117
- Flagellum, 15
- Flesh-fly, fallible instinct in, 79, 81, 85
- Flight, in young birds, 95; of advantage in homing, 115; nuptial, of ants, 94
- Following tendency, in white rats, 134; its rôle in imitation, 128
- Food, selection of, by *Stentor*, 12; as incentive to habit-formation, 30; as a reward, 31, 68
- Form, discrimination of (see under Discrimination, visual)
- Formicae* (see under Ants)
- F. sanguinea*, 105
- Frogs, incentive to habit-formation in, 32
- Fundulus heteroclitus* (see under Fish)
- Galvanic current, tropistic response induced by, 22

- Gobius* (see under Fish)
- Guinea-pigs, retention of labyrinth habit by, 35
- Habit, mistaken case of, in *Paramecium*, 19–20; rhythmical, in hermit-crab, 26–27; motor, 29–46, index of plasticity, 29; labyrinth, 31–46; position, in actinians, 25; associative memory a test of strength of, 50–51
- Habit-formation, necessity for repetition in, 27; incentives to, 30, 31–32; transference of cues during, 37–38, 39–40; methods to determine rate of, 43–44; in *Gobius*, 30–31; learning of problem-boxes akin to, 148–149
- Habit-instinct, 97
- Hachet-Souplet, 123
- Haggerty, 139, 141, 142
- Hamilton, G. van, 166, 170, 171
- Hamilton's method, 170–176
- Hampton Court maze, 31, 33–34, 35
- Hardy, 120
- Hearing (see under Discrimination, auditory)
- Hen (see under Birds)
- Heptagenia interpunctata*, modifiability in, 50
- Hermit-crab, rhythmical behaviour in, 26
- Hobhouse, 141, 142, 143, 159, 160
- Holmes, 80
- Homing, 99–121; use of association in, 100; acquaintance with environment essential for, 100–101, 115, mode of acquirement of, 101–102; negatively controlled, 102; use of cues in, 103–107; of carrier pigeons, 115; theories of, 116–117, 118; as motive in habit-formation, 30
- Hormones, 92
- Horse, 171
- Hue, discrimination of (see under Discrimination, colour)
- Human subjects, labyrinth learning by, as contrasted with rats, 43–45; difference in luminosity of colours for animals and for, 62; as imitatees for animals, 137, 142–143, 144, 155, 156
- Hunter, 40, 154, 160, 163, 166
- Hydroides dianthus*, modification in, 48–49
- Hymenoptera, 104, 108 (see also Ants, Bees, Wasps)
- Hyper-excitability, 160
- Ideas, evidence for, 146–160: problem-box tests, 146–152, 157–158, 'putting through' tests, 152–157, failure to imitate, 140, 153, 154–156, Hobhouse's experiments, 158–160, use of substitutes, 160, method of delayed reactions, 163–166, absence of, in Thorndike's subjects, 151; not disproved, 177; apparent cases of, explained by stimulus and response, 164; 'articulate,' in monkeys, 158; criterion of, 154, criticised, 155
- Ideational function in raccoons, 165–6
- Imageless thought, 166
- Imagery, 160–166; Cole's tests, 161–163; Hunter's method of delayed reactions, 163–

## INDEX

189

- 166; replaced by orientation cue, 165
- Imitating instinct, 86, 123, 124
- Imitation, instinctive, 122–131, 141; in young animals, 124, 128
- Imitation, suggestion, 125, 128; social influence, 125–127
- Imitation, educative influence of, 128–130; self-imitation or circular reaction, 130
- Imitation, intermediate types of, 126, 134
- Imitation, inferential or reflective, 122, 131–145, 146; precautions to be observed in tests on, 132–133, 134–137; conditions favourable to, 137, 142; and attention, 134, 137, 155; in monkeys, 141–145; failure to elicit, 134–136, 137, 139–140, 153, 154, 155, 156
- Imitation, chance success and, 132, 134, 136, 137; copying, 137–139
- Impulse, fundamental in instinct, 88; in homing, 100; essential factor in association, 153; learning in absence of, as criterion of intelligence, 157
- Individual differences tested by Multiple Choice Method, 174, 176
- Individual experience (see Experience)
- Individualised stimuli, no instinctive recognition of, 80
- Individuals, examination of (Jennings), 4
- Inference, Thorndike's criterion of (see under Criterion)
- Inferential imitation (see under Imitation)
- Ingenuity, outcome of generalised instincts, 82
- Inhibition, in perch, 51–52, and fear, 84; occurrence of, noted by van Hamilton, 172
- Inner sense (see under Sense)
- Innervation (see Self-innervation)
- Insects, 99, 100–101 (see also Ants, Bees, Beetles, Wasps)
- Instinct, 77–98; test of strength of, 50; classical view of, 77; and intelligence, 78, 97–98; fallibility of, 78–80, 100–101, 117; generalised nature of, 81–85; impulse essence of, 88; distinguished from reflexes, 78–89; modifiability of, 77, 83–84, 98; and experimentation, 82–83; self-dependent, 89; waning of, 89; and structure, 92–93, 94–97; and practice, 94–97; and imitation, 122, 123–126; imitating, 86, 123, 124; homing, 99, 100; mating, 80; pecking, 123; habit, 97
- Instinctive dispositions, condition of functioning of, 90–93
- Instinctive imitation (see under Imitation)
- Instinctive reaction, inhibition of, in perch, 51–52
- Instinctive response, modified by experience, 77, general suitability of, 82, extension of, 85–87; indirect nature of, 88
- Instincts, deferred, 93–94; periodic, 91–92; perverted, 89; transitory, 94

- Integrated wholes, and meaning, 163
- Intelligence (see also Ideas); evidence for, 146-178; undiscoverable by Thorndike, 148; not disproved, 177; and imitation, 122, 146; and instinct, 78, 97-98, 99; criterion of, 157; Pawlow's method independent of, 73; general: labyrinth method, no index of, 42-43, involved in inferential imitation, 122; tests, 147-160; 167-178
- Intelligent ability, criterion of, 45
- Intelligent behaviour, resemblance of protozoan conduct to, 23
- Interest and imitation, 134, 138, 156
- Intra-organic tendencies, 166
- Jennings, 4, 14, 21
- Junco (see under Birds)
- Keeble, 26
- Kinæsthesia and automatism, 40, 105-106
- Kinæsthetic cues (see under Cues)
- Kinæsthetic sensations, fundamental to labyrinth habit in rats, 36, 37-38, 40; importance of, in homing, 105-106
- Kinematic reverse in *Aphaenogaster*, 119
- Kinnaman, 64, 65
- Kittens (see under Cats)
- Knowledge (see Topographical knowledge)
- Kreidl, 53
- Kuhlmann, 84, 95, 129
- Labyrinth (or maze), previous experience of, no advantage in learning new, 41; relative difficulty of different features of, 42; method (see under Method)
- Labyrinth (or maze) habit, retention of, 34-35; nature of, 35-43; transference of cues during formation of, 39-40, 105; methods to determine rate of formation of, 43-45; in human subjects and rats compared, 45
- Labyrinthine memory (see under Memory)
- Landmarks, visual, use of, in homing, 101, 104, 116; importance of, 108-109, 115; disregard of, 109-110; *ensemble vs. detail*, 114-115
- Lasius* (see under Ants)
- Learning, transference of cues during, 39-41; due to association, 167; by experience (see under Experience)
- Learning curve, 149-151
- Light, conditioned reflex formed to, 71-72; reflected, unsatisfactory in discrimination tests, 61
- Limpet, homing of, 102, 105; memory in, 102
- Locality studies, 107, 109
- Loeb, 3, 4
- Macacus* or macaques (see under Monkeys)
- Magnetic sense (see under Sense)
- Mating instinct, fallibility of, 80
- May-fly nymph (see *Heptagenia interpunctata*)
- Maze (see Labyrinth)

## INDEX

191

- Meaning, retention of, in recognition, 28; derived through association, 47; dependent on situation, 112; and imagery, 163; and integrated wholes, 163**
- Memory (see also Retentiveness) for labyrinth habit, 34-35; labyrinthine, 116-117; muscular, 100, 106; distinguished from sense of direction, 119; positional, 109-111; blindness of, 110, 111; visual, 114; topographical, 114-115; transitory, 102; extension of, 102-103; associative, 29, 47-76; criterion of mind, 49-50; uses of, 49, 50, 52, 55, 76**
- Metamorphosis and instinct, 93**
- Method, labyrinth, 31-32, use of, 42-43; salivary reflex, or Pawlow's, 71-76, uses of, 72-73, 76; Yerkes', testing of brightness discrimination, 56-60; crude method, 61; problem-box, 147-148; disadvantages of, 157; delayed reactions (Hunter), 163-166; motor reaction, 73; trial and error, 148; Multiple Choice, 167-170, 173-177; van Hamilton's, 170-177**
- Methods to determine rate of formation of labyrinth habit, 43-44**
- Mice, brightness value of red for albino and for dancer, 62; brightness discrimination in dancer, 56-60; form discrimination in dancer, 66; optimal degree of shock for dancer, 70**
- Migration of fish, 117**
- Mind, first manifestations of, 1, 2; not proved in Protozoa, 23; criterion of, 18, 49-50**
- Modifiability, importance of, 22; of instincts, 77, 83-84, 98**
- Molge palmatus*, periodic instinct in, 91, 92**
- Monkeys, labyrinth habit in, 31, 33, retention of, 35, inferior to rodents in forming, 43; discrimination of form by *Macacus* and *Cebus*, 64-65; positional memory in, 110; imitation in, 129, 141-145, 155, in *Cebus* and *Macacus*, 142, in *Rhesus*, 142-144, self-imitation in, 130, inferential imitation in, 133, failure to imitate, 140; social influence in, 126-127, 139; attention in, 135, 139; learning curve of, 150-151; association in, 153; 'articulate' ideas in *Rhesus*, 158-159; use of substitutes by, 159; tested by Multiple Choice Method, 168; stereotyped tendencies in, 172**
- Motor attitudes, 165 (see also under Attunement)**
- Motor habit (see under Habit)**
- Motor impulse tendencies, 172**
- Motor reflex (see under Reflex)**
- Mouse (see Mice)**
- Movement, conditioned reflex formed to visual, 72**
- Movements, random, denied in Protozoa, 21**
- Multiple Choice Method (see under Method)**
- Muscular memory (see under Memory)**
- Nest-building instinct, 82-83, 88-89, 90-91**



- Newt (see *Molge palmatus*)  
 Noddy terns (see under Birds)  
 Nuptial flight (see under Flight)
- Ocyrodia*, evidence of learning  
 by experience in, 49  
 Olfactory cues (see under Cues);  
 olf. nerves, mazes learnt by  
 rats deprived of use of, 36  
 Ophiuroids, retentiveness in,  
 24–25  
 Oral disc, 15, 16  
 Oral groove, 6  
 Organic sensations, labyrinth  
 habit in rats dependent on,  
 36, 37–38, 39–40  
 Organism, slipper, 5  
 Organism, physiological state  
 of, 12–17, 20, 21, 25, 26, 27,  
 adaptive and regulatory, 17,  
 functioning of instinct de-  
 pendent on, 90–91  
 Organisms, latent inertia of,  
 27  
 Orientation, 104; as cue, 165  
 Orioles (see under Birds)
- Paramecium* (see under Protozoa)  
 Parker, 53  
 Pawlow, 71, 76  
 Pearse, 80  
 Peckhams, 103  
 Pecking instinct (see under In-  
 stinct)  
 Pecking reaction (see under  
 Reaction)  
*Peranema* (see under Protozoa)  
 Perch (see under Fish)  
 Periodic instincts (see under  
 Instincts)  
 Perseveration tendency, 172  
 Phototaxis, 50, 51  
 Physiological state (see under  
 Organism)
- Piéron, 105, 119  
 Pigeon (see under Birds)  
 Pigs, 168, 169–70  
 Plasticity, 21–22; excluded on  
 tropistic theory, 21–22; index  
 of, 29, 43  
*Polyergus* (see under Ants)  
 Porter, 138  
 Position, meaning dependent  
 on, 112; raccoons react to,  
 161  
 Positional memory (see under  
 Memory)  
 Practice and instinct, 94–97  
 Presentation of stimuli, simul-  
 taneous *vs.* successive, 65  
 Pressure, conditioned reflex  
 formed to, 72  
 Problem-box method (see un-  
 der Method)  
 Problem-boxes, 131, 147; mani-  
 pulation of, akin to habit,  
 148; generalised mode of  
 procedure with, 157–158  
 Proprioceptors, 39, 40  
 Protoplasm, 1  
 Protozoa, behaviour of, 2–23,  
 not tropistic, 22, affords no  
 proof of consciousness, 20;  
 ability of, to learn by ex-  
 perience, 20; random move-  
 ments of, 21; structure of  
*Paramecium*, 5–6, of *Stentor*,  
 15; sequence of different  
 responses to a given stimulus,  
 in *Peranema*, 14–15, in *Sten-*  
*tor*, 14, 15–17; selection of  
 food by *Stentor*, 12  
 Protozoa, *Paramecium*, 2–11,  
 13–14, 19–20; reactions to  
 chemicals in, 2–3, 4–5, 7–9,  
 to an obstacle, 6–7, to filter-  
 paper, 13–14; motor reflex  
 of, 6, 8; acclimatization in,  
 11; habit acquired by, 19–20

## INDEX

193

- Punishment, 55; *vs.* reward, 67-69; electric shock as, 58; optimal degree of, 69-71; optional, 169
- Purpose, unity of, in instinct, 89
- 'Putting through' tests (see under Test)
- Puzzle-box (see Problem-box)
- Rabbit, brightness value of blue for, 62; learning by being 'put through' in, 154
- Raccoons, discrimination of size by, 67; failure of, to imitate, 140; learning by being 'put through' in, 154; varied modes of manipulation by, 160; imagery tests with, 161-166; delayed reactions in, 165-166
- Random movements (see Movements)
- Rational inference tendency, 171
- Rats, relative efficiency of punishment *vs.* reward in, 69; delayed reactions in, 164, dependent on orientation, 165; compared with human subjects in respect of labyrinth habit, 45
- Rats, white, learning of Hampton Court maze by, 33; nature of maze learning in, 35-42; superiority of, in maze learning, 42; thermal sensibility in, 60; intermediate type of imitation in, 134; learning by being 'put through' in, 154; subjects in delayed reaction tests, 164
- Reaction, auditory, in dog, 74-75; avoiding, of *Paramecium*, 6, 9, 13, 14; circular, 130; delayed, 164, 165; drinking, 49, 86-87, 125; instinctive, 51-52; motor, 73; pecking, 86, 96, 125-126; thermal, 3, 60, 72
- Reasoning, absence of inferred, from learning curve, 149
- Recognition, 27-29, 114; experience implied by, 47; nature of, in instinct, 80-82; failure of, in instinct, 87; of landmarks by insects, 110, 113-114
- Recollection, 27, 28, 114
- Red, brightness value of, for animals, 62
- Reflective imitation (see under Imitation)
- Reflex, distinguished from instinct, 88, 89; antagonistic, 93; motor (of *Paramecium*), 6, 8
- Reflex, salivary, 71-72, 75; unconditioned, 71; conditioned, 71; method of inducing, 71-72; extinction of, 75; specificity of, 75
- Relearning of labyrinth paths, 35
- Repetition, fundamental for habit-formation, 27, and recognition, 28-29
- Retentiveness, 24-29 (see also Memory); in Ophiuroids, 24-25; in Actinians, 25-26; in limpet, 102; for labyrinth habits, 34-35; of rhythmical behaviour, 26-27; of conditioned auditory reflex, 75; physiological *vs.* psychological, 24-25, 27
- Reward *vs.* punishment, 67-69; optional, 169
- Rewards used in labyrinth method, 31-32
- Rhesus* (see under Monkeys)

- Rhythmical behaviour, 26-27
- Rodents, 105 (see also Guinea-pigs, Mice, Rats, and Squirrels)
- Salivary reflex (see under Reflex); method (see under Method)
- Santschi, 104, 106, 117
- Schaeffer, 12
- Scratch, conditioned reflex formed to, 72
- Searching tendency, 172; unmodified, 172; stereotyped, 172
- Self-imitation (see under Imitation)
- Self-innervation necessary for association, 152
- Selionyi, 73, 74, 75
- Semi-circular canals, 116
- Sense, inner or unknown, 100, 118; magnetic, 116; tactile or contact, 36-37, 39-40, 103, 105; of direction, 118-121
- Sensibility to difference, 10
- Sensori-motor association (see under Association)
- Sensory discrimination (see under Discrimination)
- Shadows, response to, 48-49
- Shepherd, 141, 143, 144
- Shock (see under Punishment)
- Sight (see under Cues, visual; also Vision)
- Sitaris* (see under Beetles)
- 'Sixth' sense, 100
- Size, discrimination of (see under Discrimination)
- Slipper-organism, 5
- Smell, 72 (see also under Cues, olfactory)
- Social influence, 125-127, 138, 139
- Solar tropism, 117
- Solitary wasps (see under Wasps)
- Soluble - Problem - Multiple - Choice Method (see under Multiple Choice)
- Song of birds, 130
- Sound, 29, 36, 72, 74-75
- Sparrow (see under Birds)
- Specificity, of inhibition of instinctive response, 52, 84; of conditioned reflexes, 75; absent in instincts, 81
- Spectrum, 63
- Speech, appearance of, 95
- Sphex* (see under Wasps)
- Squirrels, labyrinth habit acquired by, 33, automatic nature of, 39; thermal sensibility in, 60
- Stag, periodic instinct in, 91
- Stentor* (see under Protozoa)
- Stimuli, no instinctive recognition of individualised, 80; varied responses evoked by given, 13-17 (see also under Cues)
- Stimulus and response interpretation of experiments on imitation, 140; on imagery, 163
- Structure and instinct, 92, 94-98
- Substitutes, use of, by monkeys, 159-160; for images, 164
- Suggestion (see under Imitation)
- Tactile cues (see under Cues)
- Tactile sense (see under Sense)
- Telepathy, as explanation of homing, 116
- Tendency, rational inference, 172; searching, 172; perseveration and inhibition of, 172; stereotyped, 172
- Termites, sense of direction in, 121
- Terns (see under Birds)
- Test, chute, 133, 142; pivoted pole, 144; plug, 132-133; plun-

## INDEX

195

- ger, 143; 'putting through,' 152-156; rope, 142; screen, 142; T-rake, 143
- Tetramorium cespitum* (see under Ants)
- Thauziès, 116
- Theory, trial and error, 9-10, 21-22; tropistic, 4, 9, 10, 13, 21-22
- Thermal reactions (see under Reaction)
- Thigmotaxis, 51
- Thorndike, 65, 139, 141, 146, 148, 149, 150, 151, 152, 153, 154, 157
- Time curve (see Learning curve)
- Time record of labyrinth running, 43-45
- Topographical knowledge, 103; memory, 114-115
- Tournoiement de Turner*, 120
- Trachelomonas*, 12
- Training, 31, 50-52, 56-60, 71-72, 108, 135 (see also Education, Punishment and Tuition)
- Trial and error, method of, 148; theory of (see under Theory)
- Triplet, 51
- Tropism, solar, 117
- Tropisms, 21, 22, 89; associative memory not operative in, 50; theory of (see under Theory)
- Tuition, 153, 154, 155, 156
- Turner, 103, 119, 120
- Turtles, incentive to habit-formation in, 31; automatic nature of labyrinth habit in, 38; slowness of discrimination in, 50; form discrimination by, 66
- Ultra-violet rays, 3
- Unconditioned reflex (see under Reflex)
- Unknown sense (see under Sense)
- Useful errors, 83
- van Hamilton (see Hamilton)
- Vibrissae, function of, in labyrinth learning by rats, 36, 37
- Vision, function of, in learning of labyrinths, 36, 37, 38, 40-41; use of in homing, 101, aided by flight, 115
- Visual cues (see under Cues)
- Visual discrimination (see under Discrimination)
- Visual memory (see under Memory)
- Visual movement, formation of conditioned reflex to, 72
- Waning of instincts, 89
- Wasps, instinct in, 89
- Wasps, homing in, 108-109, in *Aporus fasciatus*, 108; use of landmarks in, 108-109, 110; locality studies by *Cerceris*, 106-107, by *Sphex*, 106-107; positional memory rare in, 111, found in *Bembex*, 111, 112; sense of direction in *Diamma bicolor*, 120
- Watson, 36, 105, 141, 143
- Waugh, 62
- Weber's law, 59, 60
- White rats (see under Rats)
- Wiltbank, 45
- Wind (see under Cues)
- Yerkes, 56, 59, 60, 69, 70, 90, 166, 169