

INDEX

- Adsorption, of He⁴, 205, 211
 of He³, 234
- Andronikashvili's experiment, in liquid He⁴, 4, 111, 122, 194
 in mixtures, 272, 288
- Attenuation of first sound, in liquid He⁴, 125, 131, 136
 in liquid He³, 250
 in mixtures, 288
- Attenuation of second sound, in a heat current, 181, 185
 in liquid He⁴, 125, 155, 184
 in mixtures, 284
 in rotating liquid, 164
- Bernoulli effect, 161
- Boiling, absence of in liquid He II, 2
- Boiling point, of He⁴, 1
 of He³, 233
 reason for low value of, 1
- Bose-Einstein condensation, 17, 52, 56, 74, 82, 268
- Breakdown of superfluidity, 7, 89, 93, 99, 171
- Cell models of liquid He³, 250
- Coefficient of expansion, of liquid He⁴, 36, 39, 44, 47, 64
 of liquid He³, 231, 248
- Compressibility, of liquid He⁴, 38, 43, 45, 46, 130
 of liquid He³, 232, 248
 near λ -point, 42
- Corresponding states, 241
- Critical opalescence near λ -point, 51
- Critical point, of He⁴, 1, 19, 37
 of He³, 233
- Critical velocities, 7, 198
 dependence on channel width, 90, 93, 198, 222
 for oscillating disks, 192, 198
 for the rotating cylinder viscometer, 190, 198
 in narrow channels, 89, 99, 175, 179, 181, 198
 in rotating vessels, 120
 in saturated films, 7, 91, 198, 214, 218
 in unsaturated films, 94, 198, 221, 222
 in wide channels, 185, 186, 189, 190, 198
 theory of, 90, 113, 116, 120, 198
- Debye temperature, of liquid He⁴, 34, 60
 of solid He⁴, 25
- Degeneracy temperature of liquid He³, 235, 238, 244
- Densities, of films, 225, 227, 229
 of He³ vapour, 231
 of liquid He⁴, 36
 of liquid He³, 231, 244, 248
 of liquid He³-He⁴ mixtures, 262, 272
 of solid and liquid He⁴ along the melting curve, 23, 37
 reason for low values of, 25, 232
- Density of the normal component, (ρ_n), in liquid He⁴, 4, 17, 66, 154
 in liquid He³-He⁴ mixtures, 271, 279, 286, 288
- Dielectric constant of liquid He⁴, 38
- Diffusion of He³ atoms, in liquid He³, 241
 in mixtures, 280, 281, 283, 284
- Discontinuities near λ -point, 32, 35, 36, 40, 41, 44, 45, 47, 56, 57, 75, 104, 129, 133, 267, 272
- Dispersion, of first sound, 128, 138
 of second sound, 148, 150, 153
- Distribution coefficient of He³ between liquid and vapour in a mixture, 257, 258, 261, 263, 267, 268
- Eddy viscosity, 172
- Effective mass, of a He³ atom in liquid He³, 245, 246, 248
 of a He³ atom in a He³-He⁴ solution, 270, 271, 275, 286, 289
 of a roton, 69
 of an ion in liquid He⁴, 293
- Ehrenfest relations, in He⁴, 41
 in He³-He⁴ mixtures, 267
- Energy at 0° K., of liquid He⁴, 21, 30
 of liquid He³, 233, 248
 of solid He⁴, 23
- Energy gap model of liquid He⁴, 57, 270
- Entropy, of liquid He⁴, 23, 63
 of liquid He³, 234
 of solid He³, 252
- Equation of state of liquid He⁴, 36
- Exchange forces in liquid and solid He³, 247, 252

- Excitation spectrum of liquid He⁴, 60,
 77, 80, 83, 85
 variation with pressure, 66, 70
 variation with temperature, 64
- Fermi-Dirac gas, 17, 244, 270, 287
- Fermi liquid, 245
- Feynman's theories, 73, 114, 119
- Films, 6, 91, 205
 experimental difficulties, 206
 flow of saturated films, 6, 91, 214,
 276
 flow of unsaturated films, 94, 219
 formation of drops, 216
 influence of surface roughness and
 contamination, 206, 217, 228
 oscillations, 92, 210, 217
 specific heats and entropy, 213, 227
 theories of formation, 224
 thickness of saturated films, 6, 208
 thickness of unsaturated films, 211
 variation of thickness with height,
 93, 205, 208, 224, 226, 227
 variation of thickness with velocity,
 207, 210
 zero-point energy, 226
- First sound, 45, 128
 attenuation in liquid He⁴, 125, 131,
 136
 attenuation in liquid He³, 250
 attenuation in liquid He³-He⁴ mix-
 tures, 288
 behaviour near λ -point, 45, 129, 131
 dispersion, 128, 138
 mean free path effects, 139, 249
 velocity in liquid He⁴, 45, 128
 velocity in liquid He³, 232, 249
 velocity in He³-He⁴ mixtures, 288
- Flow, non-linear, 89, 93, 95, 99, 171
 of saturated films, 6, 91, 214, 276
 of unsaturated films, 94, 219
 through jeweller's rouge, 94, 181
 through narrow channels, 3, 88, 97,
 177, 291
 through porous Vycor glass, 95, 223
 through wide channels, 188
- Fountain effect, 10, 96, 99, 172
- Frictional forces, 90, 93, 94, 171, 172,
 181, 188, 190, 192, 222
- Frictionless flow, 91, 179
- Heat flush in He³-He⁴ mixtures, 258,
 276, 281, 291
- Heat of mixing of a He³-He⁴ solution,
 263, 267, 268, 269
- Helium six (He⁶) in solution in He⁴, 276
- Helium three (He³), 17, 230
 densities, 231, 244, 248
 entropy, 234
 first sound, 232, 249
 magnetic properties, 237, 244, 247,
 251
 melting curve, 252
 orientation of nuclear spins, 236,
 238, 252
 phonons in liquid He³, 236, 250
 production of, 230, 291
 specific heats, 234, 244, 246, 248, 250
 spin waves, 250
 surface tension, 233
 thermal conductivity, 240, 248
 thermodynamic properties, 231,
 234, 241
 theories, 241
 vapour pressures, 232, 244
 viscosity, 240, 248
 zero sound, 248
- He³-He⁴ mixtures, 18, 256
 application of ideal solution theory,
 256, 261, 274
 application of regular solution
 theory, 262, 265, 274
 change in volume on mixing, 262
 densities, 262, 272
 density of normal component, 271,
 279, 286, 288
 departures from ideality, 262
 diffusion of He³ atoms, 280, 281,
 283, 284
 distribution coefficient, 257, 258,
 261, 263, 267, 268
 effective mass of He³ atom, 270,
 271, 275, 286, 289
 first sound, 288
 flow through narrow channels, 291
 heat flush effect, 258, 276, 281, 291
 heat of mixing, 263, 267, 268, 269
 methods of concentrating, 291
 osmotic pressure, 277
 phase separation, 265, 273
 second sound, 272, 274, 284
 specific heats, 266, 271, 272
 theories, 267
 thermal conduction, 281
 thermohydrodynamical equations,
 279
 vapour pressures, 258, 267
 variation of λ -temperature with
 concentration, 267, 272
 viscosity, 290

- Henry's law for He^3 - He^4 solutions, 257, 261, 263
- Hydrodynamical equations, 87, 102, 163, 171, 279
- Ideal solutions, 256
- Ions in liquid helium, 292
- Kapitza boundary effect, 144, 201
- Kapitza's jet-propelled spider, 13
- Lambda-curve, 21, 43, 46, 55, 57, 69
- Lambda-temperature, 21, 55, 69
 in porous Vycor glass, 223
 in unsaturated films, 219, 228
 variation with concentration in mixtures, 267, 272
- Lambda-transition, fluctuations near, 48, 135
 nature of, 2, 41, 54, 64
- Landau's theory, of liquid He^4 , 58, 70, 80, 102, 149
 of liquid He^3 , 245
 of superfluidity, 112
- Latent heat of vaporization, of He^4 , 21, 35
 of He^3 , 231, 233
 of mixtures, 267
- Liquid structure factor, 77, 81, 82
- London's theories of liquid He^4 , 25, 53, 56
- Magnetic properties of liquid He^3 , 237, 244, 247, 251
- Magnus effect, 170
- Many body problem, for He^4 , 73, 82
 for He^3 , 245
- Mean free path, of He^4 atoms in liquid helium 1, 52
 of He^3 atoms in liquid He^3 , 240, 248
 of He^3 atoms in mixtures, 282, 290
 of ions in liquid He^4 , 292
 of phonons, 72, 108, 150, 154, 176, 177, 290
 of rotons, 62, 107, 109, 176, 290
- Mechanocaloric effect, 9, 97
- Melting curve, of He^4 , 20, 23
 of He^3 , 252
- Mixtures, *see* He^3 - He^4 mixtures
- Mobility of ions in liquid helium, 292
- Mutual friction, 166, 171, 172, 181, 188, 191, 194, 197
- Neutron diffraction, 30, 61
- Non-linear flow, 89, 93, 95, 99, 171
- Orientation of nuclear spins, in liquid He^3 , 236, 238, 252
 in solid He^3 , 252
- Oscillating disk experiments, 3, 4, 104, 111, 122, 192, 272, 288
- Oscillations, in a U-tube, 195
 of a helium film, 92, 210, 217
- Osmotic pressure of He^3 - He^4 solutions, 277
- Overshoot procedure, 180
- Pair correlation function, *see* Radial distribution function
- Penetration depth of viscous motion, 104, 193, 196, 201, 288
- Persistent superfluid current, 96, 111, 197
- Phase diagram of He^4 , 19
- Phase separation in He^3 - He^4 solutions, 265, 273
- Phonons, 58, 72, 76, 79, 84, 85
 creation processes, 136
 in liquid He^3 , 236, 250
 mean free path, 72, 108, 150, 154, 176, 177, 290
 reflexion from a wall, 154, 177
- Pitot tube, 161
- Potential energy, of liquid He^4 , 25, 28, 30
 of solid He^4 , 24
- Quantized vortex lines, *see* Vortex lines
- Quantum hydrodynamics, 70, 80
- Quasi-particles in liquid He^3 , 246, 248
- Radial distribution function, of liquid He^4 , 28, 31, 77, 81, 82
 of liquid He^3 , 252
- Radiation pressure of second sound, 162
- Raoult's Law for He^3 - He^4 solutions, 257, 261, 263
- Rayleigh disk, 161, 288
- Refractive index, 38
- Regular solutions, 262
- Relaxation times, for creation of phonons and rotons, 138
 for first sound near λ -point, 132, 134
 for growth and decay of turbulence, 164, 185
 for quasi-particles in liquid He^3 , 249
- Reynolds number, 193, 196
- Rotating cylinder viscometer, 106, 190

- Rotating liquid, 69, 95, 111, 117, 164, 198
 surface of, 95, 117, 198
- Rotons, 58, 70, 77, 79, 85
 creation by neutrons, 61
 creation processes, 136
 effective mass, 69
 mean free path, 62, 107, 109, 176, 290
 possible similarity to a smoke ring, 80
 roton-roton interaction, 110
 scattering by a vortex line, 168
 thermal velocity, 107
- Second sound, 14, 123, 141
 attenuation in He^4 , 125, 155, 184
 attenuation in mixtures, 284
 dispersion, 148, 150, 153
 electrical analogue, 142
 in a heat current, 181, 185
 in mixtures, 272, 274, 284
 in rotating liquid, 164
 mean free path effects, 150, 287
 nature of, 14, 123, 141
 shock waves, 157
 transmission and reception, 14, 143, 147
 velocity in He^4 , 17, 123, 148
 velocity in mixtures, 272, 274, 284
- Self-diffusion of He^3 atoms in liquid He^3 , 241
- Scattering of light near the λ -point, 51
- Scattering of neutrons by liquid He^4 , 30, 61
- Scattering of rotons by vortex lines, 168
- Shock waves of second sound, 157
- Solid He^4 , 2, 20, 23, 24, 37
- Solid He^3 , 252
- Solutions, *see* He^3 - He^4 mixtures
- Sound, *see* First sound, Second sound, Zero sound
- Specific heats, near the λ -point, 33, 42, 47, 48, 135, 267, 272
 of liquid He^4 , 32, 47, 55, 57, 63, 75
 of liquid He^3 , 234, 244, 246, 248, 250
 of mixtures, 266, 271, 272
 of films, 213, 227
- Spin waves in liquid He^3 , 250
- Structure factor, 77, 81, 82
- Superfluidity, 3, 88
 theories of, 111
- Surface tension, of He^4 , 40
 of He^3 , 233
- Taconis' hypothesis for He^3 - He^4 solutions, 261, 268, 275, 287
- Temperature scales, 20
- Thermal conduction, in liquid helium I, 51
 in liquid helium II, 2, 11, 111, 126, 150, 157, 158, 174, 181
 in liquid He^3 , 240, 248
 in mixtures, 281
- Thermal effects accompanying the flow of liquid helium, 9, 97, 172, 174, 177, 207, 220
- Thermohydrodynamical equations, 87, 102, 163, 171, 279
- Thermomechanical effect, 10, 96, 99, 172
- Third law of thermodynamics, 22, 23, 40, 253
- Turbulence, 120, 164, 181, 185, 191, 193, 196, 198
- Two-fluid theory, 4, 55, 56, 66
- Ultrasonics, *see* First sound
- Unsaturated films, 94, 205, 211, 219, 227
- Vapour pressures, of He^4 , 20, 22
 of He^3 , 232, 244
 of mixtures, 258, 267
- Viscosity, coefficients of second viscosity, 136, 156, 163
 of liquid helium I, 49, 52
 of liquid He^3 , 240, 248
 of the normal component, 3, 104, 106, 156, 176
 of the normal component in mixtures, 290
- Vortex lines, 114, 119, 164, 168, 172, 181, 185, 194, 197
- Vortex rings, 116, 201
- Vortex sheets, 121, 167
- Vycor glass, 95, 223
- Wave propagation, in liquid He^4 , 123
 in liquid He^3 , 249
- X-ray analysis, of liquid He^4 , 28, 51
 of solid He^4 , 24
- Zero-point energy, of films, 226
 of He^3 atoms in solution, 262
 of liquid He^4 , 25, 28, 30, 75, 83, 86
 of liquid He^3 , 232
 of solid He^4 , 24
- Zero sound, 248