

Index

- acne, 7
 active distraction coping intervention (ADCI), 271
 acupuncture, 12
 adenomyosis, 14
 adolescence, 258
 adoption, 197–209
 adjustment after infertility, 202
 adoptive family formation, 203
 case discussion, 197–8
 current practices, 198–9
 as family building option, 25
 fertility counselor as guide, 203–5, 209
 choosing the right path, 205–6
 communication, 206–7
 couples' dynamics, 204–5
 existence of birthparents, 205
 start of adoption process, 203–4
 uncertainty in adoptive parenting, 207–9
 history of, 199–201
 intercountry, 199–200
 LGBT parents and, 184–5
 research, 201–3
 second-parent, 188
 single men and, 171
 single women and, 171
 theories, 201
 transracial, 206
 advanced maternal age, 151
 Advisory Committee on Assisted Reproductive Technology (ACART), 138
 Affordable Care Act, 36
 African traditional healing, 75
 age
 fertility and, 3
 fertility care restrictions and, 159–61
 ageist argument, 161
 ethical issues and rights, 159–61
 male-specific, 159
 reproductive autonomy and, 160
 reproductive rights and, 159–60
 sexist argument, 160
 infertility and, 4, 68–70
 alcohol consumption, 3, 11
 amenorrhea, type I, 13
 cryopreservation policy, 213
 Ethics Committee Opinions, 299–300
 fertility counseling guidelines, 39
 gamete donor counseling guidelines, 98, 112
 gestation carrier counseling guidelines, 124
 guidelines for cross-border reproductive services, 310
 LGBT patients and, 182
 Practice Committee, 98, 112, 124, 128, 288
 Practice Guidelines, 124, 128, 288, 299, 301–2
 reproductive rights and, 160
 third party reproduction counseling guidelines, 137
 Americans with Disability Act (ADA), 297
 Amniotex, 276
 anonymous gamete donation, 109–20
 assessment of gamete donor, 112–15
 case discussion, 109
 cryopreservation and, 110
 current practice in, 110
 history, 110
 overview, 109–11
 policies and practices, 110–11
 prohibition of, 110
 role of fertility counselor, 111–12
 antidepressants
 congenital malformation and, 90
 for grief-related depression, 228
 menstrual cycle and, 89
 miscarriage and, 90
 neurodevelopmental effects of, 91
 perinatal complications and, 90
 spermatogenesis and, 89–90
 in vitro fertilization and, 90
 antihistamines, 93
 anxiety
 assessment of, 61–2
 chances of pregnancy and, 271
 infertility and, 9
 in perinatal patients, 92–3
 polycystic ovary syndrome and, 271
 reducing, 271–2
 appraisal, 36–7
 Asherman's syndrome, 14
 assessment, 10
 assisted hatching, 19
 Assisted Human Reproduction Act, 110
 Assisted Human Reproduction Agency, 110
 assisted reproductive technologies (ART), 38, 75
 attachment theory, 201
 attention deficit disorder, 154
 Australia, 110, 159, 199, 252, 299
 Australian National Health and Medical Research Council, 252
 Austria, 110, 182, 252
 autism, 3, 154
 autonomic anxiety, 61
 autonomy, 282
 azoospermia, 15
 baby boomers, 151
 Beck, Aaron, 50
 Beck Anxiety Inventory (BAI), 61–2
 Beck Depression Inventory II (BDI-II), 61–2
 behavioral rehearsal, 51–2
 Belgium, 159, 308
 beneficence, 242, 282
 benzodiazepines, 93
 biological origins, 173
 Biopolicywiki (website), 317
 bipolar disorders, 3, 93, 154
 birth rate, 152
 birthparents, 205
 bisexual women, 181
 blastocyst, 5, 6, 18
 blood sugar, 8
 Blyth, Lynn S., 298
 body mass index (BMI), 11
 body temperature charting, 12
 Bulgaria, 314
 Bupropion, 89, 90

Index

- business practices, building blocks of, 301–2
 conflict of interest waivers, 302
 documentation of therapy sessions, 301
 forms, 301
 general principles, 300
 informed consent, 301–2
 reports and evaluations, 302
 retainers, 302
- California Cryobank, 115
 Canada, 110, 111, 159, 182, 199
 cancer, 13
 care-givers, children as, 157–9
 case studies
 adoption, 197–8
 age-related infertility, 68–70
 anonymous gamete donation, 109
 cognitive-behavioral therapy, 53–4
 countertransference, 247–8
 couple counseling, 60, 63, 65–6, 67, 68, 70–1
 disclosure, 258–63
 disclosure to young adults, 260–1
 egg donation, 98–9
 embryo creation, 99–100
 ethics in fertility counseling, 281
 fertility counseling, 38
 fertility preservation counseling, 216–18, 220, 221–2
 individual fertility counseling, 45, 49–50, 53–4, 56
 known donor, 136, 139, 142–3, 144–5, 146, 147
 known ovum donor, 142–3, 147
 legal issues, 296–8
 LGBT patients, 180–1
 older parenthood, 150
 pregnancy loss counseling, 226
 psychodynamic psychotherapy, 49–50
 psychopharmacology, 91–2
 reproductive psychiatry, 91–2
 reproductive psychology, 38
 same-sex recipients, 262–3
 self-disclosure, 239–40, 242–4, 246
 single mother using embryo donation, 259
 sperm donation, 99
 spirituality in fertility counseling, 74, 78, 79, 80, 80–1, 82
 stopping treatment, 26
 surrogate carriers, 142
 treatment compliance, 265
 using donated gametes for second child, 261–2
 in vitro fertilization, 20–1, 26
- Catholics, 75
 cervix, visual examination of, 7
 chartered psychologists, 299
 childbearing, postponement of, 152–3
 child-free living, 25
 childlessness, 9
 children
 care-giving, 157–9
 as caretakers of older parents, 157–9
 impact of early parental death on, 159
 motivation for parenting and, 34
 of older parents, 156–7
 of single parents by choice, 173, 175–7
 social and emotional value of, 33–4
 children's books, 255
 Choice Moms, 175
 chromosome testing, 7
 cigarette smoking, 88
 Clomid, 89
 clomiphene citrate, 12–13, 15
 challenge test (CCCT), 7
 side effects of, 89
 Cochrane Handbook for Systematic Reviews, 269
 Code of Hammurabi, 199
 cognitive appraisal theory, 50
 cognitive behavior therapy for insomnia (CBT-I), 92
 cognitive case conceptualization, 50
 cognitive restructuring, 51
 cognitive-behavioral therapy (CBT), 50–4, 228
 behavioral rehearsal of social skills and assertiveness, 51–2
 case discussion, 53–4
 overview, 50
 problem-solving in, 52
 relaxation in, 51
 repairing self and, 235
 self-disclosure and, 242
 self-monitoring in, 51
 strategies and process, 51–3
 theory and principles, 50–1
 trauma processing and, 231
 collaborative reproductive healthcare model, 1–29
 decision-making in infertility, 24–7
 definition of, 2
 evaluation of infertility, 6–11
 female testing, 7
 medical management, 6–7
 infertility overview, 2–5
 overview, 1–2
 third party reproduction, 22–4
 treatment of infertility, 11–22
 medical intervention, 11–21
- combined factor history, 7
 Composite International Diagnostic Interview for Women, 87
 comprehensive chromosome screening (CCS), 18
Comprehensive Psychosocial History of Infertility (CPHI), 10, 104
 confidentiality, 283
 conflict of interest waivers, 302
 congenital malformation, 90, 275–6
 Congo, 110
 consanguinity, impression of, 144
 continuity, 152
 controlled ovarian stimulation (COS), 12
 coping, 37
 gender differences in, 65–6
 strategies, 9–10, 37
 corpus luteum, 6
 cost-benefit analysis, 25–6
 counseling. *See* fertility counseling
 countertransference, 48–9, 246–7
 case discussion, 247–8
 counseling older parents and, 162–3
 spirituality and, 83
 trauma and, 248–9
 couple counseling, 60–72
 age-related infertility, 68–70
 assessment measures and interviews, 61–2
 case discussion, 60, 63, 65–6, 67, 68, 70–1
 gender differences in, 63–6
 coping with infertility, 65–6
 gender-based communication, 63–4
 gender-based communication, 63–4
 loss and therapeutic rituals, 67–8
 mindfulness, 70–1
 sexual relationship, 66–7
 sharing information with family and friends, 67–8
 treatment considerations, 62–3
 credentialing, 298–9
 crisis management, multidisciplinary approach, 298–300
 collaboration with other disciplines, 300
 credentialing and licensure, 298–9
 general principles of sound business practices, 300
 laws affecting outcomes for patients, 300
 professional guidelines for area of practice, 299
 professional pronouncements, 299–300
 professional standards of practice, 298

Index

- critical appraisal, 269–73, 275–6
 Croatia, 182
 cross-border reproductive services (CBRS), 308–18
 counseling in, 311–12
 of donors and surrogates, 316
 of offsprings, 316
 prior to third party reproduction, 314–16
 prior to treatment using patients' own gametes, 314
 counseling resources, 317
 fertility counseling organizations, 317
 guidelines, 317
 legislation and international guidelines, 317
 patient organizations, 317
 destination countries, 308
 gamete donation in, 106–7
 lack of framework for, 310–11
 minimum standards, 310–11
 overview, 308–10
 patients' home countries, 308–9
 preparing for, 312–13
 reasons for, 308
 statistics, 308–9
 surrogate carriers and, 123
 treatment issues, 313–14
 cryopreservation, 19, 110, 170
 history, 213
 post-cryopreservation counseling, 220–1
 for social reasons, 213
 Czech Republic, 182, 308
- databases, 269
 death and dying, stages of, 35
 decision-making in infertility, 24–7
 cost-benefit analysis, 25–6
 exit counseling, 27
 family building options, 24–5
 adoption, 25
 child-free living, 25
 egg donation, 24–5
 foster care, 25
 healthy lifestyle choices, 24
 standard fertility diagnosis and treatment, 24
 in vitro fertilization, 24
 stopping treatment, 26–7
 deeply infiltrative endometriosis (DIE), 14
 Denmark, 111, 159, 182, 202, 308
 depression, 9
 depressive symptoms, 61–2
 diabetes mellitus, 8
 dialectical behavior therapists, 242
- dilatation and curettage (D&C), 14
 diphenhydramine, 93
 disclaimers, 302–3
 disclosure, 104, 252–63
 beginning the story, 254–6
 school-age years, 256
 young children, 254–6
 case studies, 252, 258–63
 complex situations in, 258–63
 disclosure to young adults, 260–1
 lesbian couples using known sperm donor, 262–3
 single mother using embryo donation, 259
 using donated gametes for second child, 261–2
 ongoing story, 256–8
 interest in donor, 256–7
 resemblance talk, 257–8
 overview, 252–3
 parent preparation, 253–4
 distancing, 66
 documentation, 301
 donors. *See* gamete donors
 Down syndrome, 154
 drugs, 3, 11
 Dyadic Adjustment Scale (DAS), 62
 dynamic unconscious, 47
- educational workshops, 105–6
 EevaTM (Early Embryo Viability Assessment), 18
 egg donation, 24–5. *See also* gamete donors; sperm donation
 cost of, 189
 older parenthood and, 152
 as option for single men, 171
 recipients of, 98–9
 for second child, 261–2
 selection of donor, 186
 in third party reproduction, 23
 Egg Donor Informed Consent Tool (EDICT), 114
 eggs
 cryopreservation, 110
 fertilization of, 6
 ego, 47–8
 ego psychology, 47–8
 egocentrism, 154
 Egypt, 110
 elderly gravida, 151
 electronic databases, 269
 embryo creation (EC), 97, 99–100
 embryo donation, 23, 259
 emotional paradox, 64
 emotion-focused coping, 37
 empathy, 162, 229–30
 endometriomas, 14
 endometriosis, 7, 14
- endometrium, 6
 biopsy, 7
 ESHRE Task Force on Ethics and Law III, 288
 ethics committees, 282–3
 ethics in fertility counseling, 281–94
 case discussion, 281
 ethics committees, 282–3
 formats for decision-making, 285–92
 alternative courses of action, 290–1
 consequences of each course of action, 291
 determination of relevant ethical principles and practice standards, 287–8
 evaluation of decision outcomes and implementation of changes, 292
 evaluation of rights, responsibilities, vulnerabilities and welfare of all parties, 289–90
 identification of ethical dilemmas, 285–7
 practical considerations, 288–9
 review of existing laws, policies and procedures, 288
 review of scientific, medical and psychosocial literature, 287
 selection and implementation of course of action, 291–2
 principles, 281–2
 standards for, 283–5
 competence, 283
 confidentiality, 283
 dual roles/conflicting relationships, 284
 duty to care and not abandon patients, 284
 informed consent, 283–4
 record keeping, 285
 Ethics Committee Opinions, 299–300
 guidelines, 39, 112
 for cross-border reproductive services, 310
 disclosure to donor, 252
 for gestational carriers, 124
 for psychological counseling, 98
 in third party reproduction, 137
 website, 317
 Guidelines for Counseling Infertility, 39, 112
 Task Force on Ethics and Law, 288
 evaluations, 302
 exercise, 3, 11
 exit counseling, 27

Index

- expected utility theory, 276
 external genitalia, visual examination of, 7
 extreme advanced maternal age, 151
- fallopian tube, 6, 7
 fee agreements, 303
 female history, 6–7
 fertility. *See also* infertility
 lifestyle factors, 3–4
 male, 3
 preservation, 212
 history, 213
 medical, 213–15, 217
 motivations for, 213
 reasons for, 213
 for social reasons, 213–15, 218–20
 fertility counseling
 anonymous gamete donors, 109–20
 assessment in, 40
 counselors, 38–9
 for couples, 60–72
 in cross-border reproductive services, 311–12
 ethical aspects of, 281–94
 exit, 27
 fertility preservation, 212–23
 four aspects of, 39
 group counseling, 11, 105–6
 educational workshops, 105–6
 support groups, 105
 guidelines, 39–40
 impact of, 41
 for individuals, 45–57
 cognitive-behavioral therapy, 50–4
 psychodynamic psychotherapy, 47–50
 supportive counseling, 54–6
 LGBT patients, 180–94
 older parents, 150–63
 organizations, 317
 pregnancy loss counseling, 226–36
 preparatory, 10–11
 pros and cons of, 41
 reproductive psychiatry and, 85–94
 reproductive psychology and, 38–41
 case discussion, 38
 history, 38–41
 single women and men, 166–77
 spirituality in, 74–83
 supportive, 54–6
 surrogate carriers, 122–34
 for treatment compliance, 265–78
 types of, 39, 40–1
 fertility counselors, 239–50
 as adoption guide, 203–9
 for gamete donors, 111–12
 for gamete recipients, 101–2
 legal issues for, 296–306
 overview, 239
 own history of pain/loss, 244
 lessons learned, 245–6
 personal stories, 244–5
 relationship with clients
 self-disclosure, 239–44
 therapist's own history of pain/loss, 244–6
 self-care and, 248–9
 self-disclosure, 240–1
 Fertility Europe, 317
 fertility preservation counseling, 212–23
 basic elements of, 215
 case discussion, 216–18, 220, 221–2
 consent, 215
 interview, 215–22
 medical reasons, 217
 post-cryopreservation counseling, 220–1
 social reasons, 218–20
 overview, 213–15
 psychosocial aspects of, 215
 topics in, 216
 Fertility Problem Inventory (FPI), 10, 61
 Fertility Quality of Life (FertiQoL), 10, 62
 fertility treatment
 barriers to, 5
 goal of, 4–5
 standard, 12–16
 female factor, 12–14
 male factor, 14–15
 recurrent miscarriage, 16
 unexplained infertility, 15
 in vitro fertilization (IVF), 16–21
 fidelity, 282
 financial preparedness, 152
 financial security, loss of, 36
 Finland, 159
 first birth, 151
 Florida, 184
 fluoxetine, 90
 follicle stimulating hormone (FSH), 5, 88
 follicles, 5
 follitropins, 17
 forms, 301
 foster care, 25, 184–5. *See also* adoption
 Fourteenth Amendment, 160
 France, 159, 182, 299, 308
 free association, 47
 Freud, Sigmund, 47, 241
 frozen/thaw embryo transfer (FET), 20
- galactorrhea, 7
 gamete donors
 assessment of, 112–15
 case discussion, 98–100
 contact with offspring, 115
 decision to use, 101
 disclosure of parents to children, 256–7
 egg donation, 23, 24–5, 98–9, 152, 171, 186, 189, 261–2
 experience of, 115–18
 anonymity and contact with offspring, 115–16
 donation, 118
 impact of legislation, 117
 motivation, 115
 psychosocial needs, 117–18
 recruitment strategies, 115
 fertility counselor for, 111–12
 future trends in donation and, 107
 homosexual, 116
 inappropriate candidate for, 144–6
 known game donor interview, 142–3
 open identity, 100
 for same-sex couples, 185, 262–3
 for second child, 261–2
 selection of, 104–5, 186
 sperm donation, 22–3, 99, 170, 171, 186, 189, 262–3
 as family building option, 24–5
 gay couples, sperm/egg donors for, 100–1
 gender-based communication, 63–4
 gender differences, 63–6
 in coping with infertility, 65–6
 gender-based communication, 63–4
 gender modifications, 189–90
 German Fertility Counseling Organisation, 317
 Germany, 110, 159, 299, 308
 gestational carriers, 23, 122. *See also* surrogate carriers
 assessing and educating intended parents, 124–6
 clinical interview, 142
 conception and pregnancy of, 131–2
 ending/closure, 132–4
 evaluation of, 126
 motivations, 127–8
 psychological testing, 128
 social, medical and cultural context, 128–9
 as family building option, 24–5
 inappropriate candidate for, 144–6

Index

- gestational carriers (*cont.*)
 motivations, 127–8
 as option for same-sex couples, 184
 as option for single men, 171
 preconception joint session for, 129–31
 psychological testing, 128
 psychosocial counseling and evaluation, 138–9
 selection of, 185–6
 Golden Rule, 281
 gonadotropin releasing hormone agonists (GnRH agonists), 88–9
 gonadotropin releasing hormone (GnRH), 5
 gonadotropins, 13, 15
 Google Scholar, 269
 Greece, 159
 grief and loss theory, 35–6
 loss of financial security, 36
 loss of health, 35–6
 loss of relationships, 35
 loss of self-esteem, 35
 stages of grief, 35
 grieving, 233–4
 group counseling, 11, 105–6
 educational workshops, 105–6
 support groups, 105
 Guidelines for Counseling Infertility, 39, 112
- Hague Adoption Convention, 200
 happiness, 152
 health, loss of, 35–6
 Health Insurance Portability and Accountability Act (HIPAA), 300
 healthy mourning, 159
 Hindus, 75
 hirsutism, 7
 holistic approaches, 12
 home insemination, 171, 183
 homosexual donors, 116
 Hong Kong, 299
 Hope and Healing model of adjustment, 201
 hormonal sensitivity, evaluation of, 87
 human chorionic gonadotropin (hCG), 6, 17
 Human Fertilisation and Embryology Act, 98
 Human Fertilisation and Embryology Authority (HFEA), 110, 111, 167, 182, 252, 299
 human menopausal gonadotropins (HMG), 17, 89
 Human Rights Coalition (HRC), 184
- hydrosalpinx, 14
 hyperandrogenemia, 7
 hyperandrogenism, 12
 hyperprolactinemia, 12
 hyperthyroidism, 12
 hypospadias, 20
 hysterosalpingogram (HSG), 7
 hysteroscopy, 7, 13
- id, 47–8
 identification, 230
 identity, 152
 identity-release donor, 170, 186
 in vitro fertilization (IVF), 16–21
 antidepressants and, 90
 assisted hatching, 19
 complications, 18–19
 cycle, 16–17
 cycles, 20
 egg fertilization, 18
 egg retrieval procedure, 17
 embryo culture, 18
 embryo transfer, 19
 as family building option, 24
 goal of, 17
 malformations and, 275–6
 medications, 17
 older parenthood and, 152
 pregnancy test, 19
 risks, 20
 sperm specimen, 17–18
 websites, 20
- incest, impression of, 144
 individual fertility counseling, 45–57
 case discussion, 45, 49–50, 53–4, 56
 cognitive-behavioral therapy, 50–4
 definition of, 47
 overview, 45–7
 psychodynamic psychotherapy, 47–50
 supportive counseling, 54–6
 induced fetal reduction, 19
- infertility, 2–5
 age-related, 4, 68–70
 causes of, 2–3, 6, 34
 combined factors, 6
 female factors, 6
 male factor, 6
 pelvic/anatomic factors, 6
 unexplained, 6
 decision-making in infertility, 24–7
 definition of, 2
 evaluation of, 6–11
 female testing, 7
 male testing, 7–8
 medical management, 6–7
 psychosocial management, 8–11
- male, 3, 4, 7–8, 14
 prevalence of, 2–3, 34
 primary, 2
 reproductive psychology and, 34–5
 secondary, 2, 69–70
 sexual relationship and, 66–7
 sharing information with family and friends, 67–8
 single parenthood and, 171–2
 unexplained, 15
 world religions and, 74–5
 Infertility Counseling Award, 305
 infertility medications, 88–9
 clomiphene citrate, 89
 gonadotropin releasing hormone agonists, 88–9
 human menopausal gonadotropins (HMG), 89
 oral contraceptives, 88
 informed consent, 103, 283–4, 301–2
 insomnia, 92–3
 insulin, 12
 integrated approach, 2
 intended parents, 123
 assessing and educating, 124–6
 counseling session, 140–2
 preconception joint session for, 129–31
 intercourse, 12
 International Consumer Support for Infertility, 317
 International Federation of Fertility Societies (IFFS), 110
 International Infertility Counseling Organization (IICO), 299, 317
 International Lesbian and Gay Association (ILGA), 184
 Internet, 11
 interpersonal psychoanalysis, 48
 intracytoplasmic sperm injection (ICSI), 18, 97
 intrauterine insemination (IUI), 15
 Islam, 75
 Israel, 159, 299
 Italy, 182, 308
 Ivory Coast, 110
- Japan, 184, 299
 Japan Federation for Psychotherapy, 46
 Jewish, 75
 justice, 282
- karma, 75
 karyotypes, 7
 Kirk, H. David, 201
 Klinefelter syndrome, 154

Index

- known participants in third party reproduction, 136–48
 case discussion, 142
 choosing known collaborators, 137, 138
 counseling and evaluation, 138
 disclosure to children, 262–3
 gestational carrier clinical interview, 142
 group interview, 143
 impression of incest or consanguinity in, 144
 intended parent/known recipient counseling session, 140–2
 intrafamilial collaborations, 137–8
 issues after child is born, 147
 known gamete donor clinical interview, 142–3
 known gamete donor/gestational carrier is not an appropriate candidate, 144–6
 patient preparation, 139–40
 professional guidelines in, 137
 psychosocial counseling and evaluation, 138–9, 140–3
 undue pressure or coercion in, 138
 unsuccessful treatment, 146–7
- Kohut, Hans, 48
- laparoscopy, 7, 14
 laparotomy, 14
 learning theories, 50
 legal consultations, 303–4
 legal issues, 296–306
 case discussion, 296–8
 crisis management, 298–300
 overview, 296
 primer for practice, 300–5
 disclaimers, 302–3
 evidence of competency, 301
 fee agreements, 303
 legal consultations, 303–4
 policy implementation, 304–5
 reports of evaluation and testing, 303
 sound business practice, 301–2
- lesbian couples, 181
 disclosure to children, 262–3
 known sperm donors for, 262–3
 sperm/egg donors for, 100–1
- letrozole, 12
- leuprolide, 17
- LGBT (lesbian, gay, bisexual, transgender) patients, 180–94
 background, 182–3
 carrier selection, 185–6
 case discussion, 180–1
 challenges for, 186–90
 cost issues, 189
 heteronormative system, 186–7
 heterosexual bias, 187–8
 legal issues, 188–9
 social support issues, 189
 transgender patient considerations, 189–90
 clinical issues, 183
 components of counseling session, 190–2
 addressing LGBT-specific challenges, 191–2
 collecting background information, 190–1
 mental health state assessment, 192
 setting the stage, 190
 social support assessment, 192
 counseling for, 190
 general best practices, 192–3
 donor selection, 186
 gamete selection, 185
 overview, 181–2
 routes to parenthood, 183–5
 adoption, 184–5
 clinic-based treatments, 184
 complex arrangements, 185
 foster care, 184–5
 home insemination, 183
 surrogacy, 184
 statistics, 182
 terminology, 181–2
- Libya, 110
- licensure, 298–9
- lifestyle
 fertility and, 3–4
 optimizing pregnancy and choices of, 11–12, 24
 weight loss and, 272–3
- Lithuania, 314
- losses
 grief and loss theory, 35–6
 grieving, 80–1
 naming, 79–80
 and therapeutic rituals, 68
- luteinizing hormone (LH), 5–6, 88
- male fertility, 3
 male infertility, 3. *See also* infertility
 causes of, 4
 testing, 7–8
 treatment of, 14–15
- malformations, 90, 275–6
- Malta, 182
- marital completion, 152
- marriage and family therapists, 46
- Maslow's hierarchy of needs, 9
- Max Planck Institute for International Penal Law, 317
- meaning-focused coping, 37
- medically assisted reproduction (MAR), 2
- menopause, 151
- menstrual cycle, antidepressants and, 89
- Mental Health Professional Group (MHPG), 98
- mental health professionals (MHP), 297
- metformin, 12
- microsurgical epididymal sperm aspiration (MESA), 18
- mindfulness, 70–1
- mindfulness based group therapy, 92
- mini-laparotomy, 14
- Minnesota Multiphasic Personality Inventory-2 (MMPI-2), 117, 128
- miscarriage
 antidepressants and, 90
 recurrent, 2, 15
 risks of, 5
- Moldova, 314
- Morrisette, Mikki, 175
- mothers, older, 151–2
- motivational interviewing, 88
- mourning, 159
- Muslims, 75
- myomas, 14
- narcissism, 48
- National Association of Social Workers (NASW), 298
- National Board for Certified Counselors (NBCC), 298
- National Register of Health Service Psychotherapists, 301
- National Register of Psychotherapists (France), 46
- National Survey of Family Growth (NSFG), 34
- negative rights, 160
- neonatal adaptation syndrome, 91
- Netherlands, 252, 299, 308
- neurodevelopment, 91
- neurophysiological anxiety, 61
- neuroses, 47
- neuroticism, 87
- New York, 184
- New Zealand, 252
- New Zealand Infertility Counselors Association (ANZICA), 301–2
- nonmaleficence, 242, 282
- Norway, 110, 252
- obesity, 3, 8, 88
- object relations theory, 47
- observation, 12

Index

- older mothers. *See also* older parenthood
 birth rate, 152
 history of, 151–2
 medical risks, 154
 naturally occurring conception, 151
 reproductive patterns, 151
 older parenthood, 150–2, 163
 case discussion, 150
 clinical issues in, 154–7, 161
 age restrictions, 159–61
 childhood experience with older parents, 156–7
 children as caretakers, 157–9
 early parent death, 159
 impact on parenting experience, 155–6
 medical risks, 154–5
 contributing factors in, 152–3
 IVF and oocyte donation, 152
 psychological and emotional factors, 152–3
 social acceptance, 153
 counseling, 161–3
 anticipation of further aging and declining health, 161
 child's experience with older parents, 161–2
 countertransference, 162–3
 empathy, 162
 identifying psychological factors, 161
 ramifications of having older parents, 162
 theory of mind, 162
 treatment limits, 163
 work with clinic staff, 162
 older mothers, 151–2
 overview, 150–1
 psychological theories, 153–4
 egocentrism, 154
 strategic social comparison process, 154
 open identity donor, 100
 openness, 104
 oral contraceptives, side effects of, 88
 Orthodox Jews, 75
 ovarian hyperstimulation syndrome (OHSS), 13, 17
 ovarian reserve, 5
 testing of, 7
 overweight patients, 88
 ovulation, 5
 ovulation predictor kits, 12
 panic symptoms, 61
 parenthood, 34
 parenting, 9
 parents
 birthparents, 205
 intended, 123
 intervention for, 253–4
 family narratives and, 253–4
 nature of bonding, 254
 psychological meaning of donor, 254
 older. *See* older parenthood
 single. *See* single parenthood
 paternal age, advanced, 154–5
 patient-centered care, 2, 266
 Payment Card Industry (PCI) compliance, 300
 persistent pulmonary hypertension of newborn (PPHN), 90–1
 Personality Assessment Inventory (PAI), 117, 128
 personality disorders, 86–7
 polycystic ovary syndrome (PCOS)
 anxiety and, 271
 weight loss and, 272–3
 polyps, 13
 Portugal, 182
 Positive Reappraisal Coping Inventory (PRCI), 22, 272
 positive rights, 160
 postpartum depression, 93
 posttraumatic stress disorder (PTSD), 228
 preconception counseling, 86–9
 behaviors with potential effects on fertility/pregnancy and, 87–8
 evaluation of hormonal sensitivity, 87
 infertility medication-emergent side effects, 88–9
 clomiphene citrate, 89
 gonadotropin releasing hormone agonists, 88–9
 human menopausal gonadotropins, 89
 oral contraceptives, 88
 intended parents in, 129–31
 psychological functioning/reactions to infertility diagnosis, 86–7
 surrogate carriers in, 129–31
 pregnancy
 anxiety and, 271
 behaviors with potential effects on, 87–8
 of gestational carriers, 131–2
 lifestyle choices and, 11–12
 reduction, 19
 pregnancy loss counseling, 226–36
 case discussion, 226
 components of, 228–30
 empathy, 229–30
 flexibility, 228–9
 strengths, 229
 models of counseling and psychotherapy, 227–8
 overview, 226–7
 therapeutic tasks in, 230–6
 defining loss, 232–3
 facilitating grieving, 233–4
 preserving social connections, 235
 processing trauma, 231–2
 repairing self, 234–5
 weathering termination, 235–6
 preimplantation genetic diagnosis (PGD), 5, 18
 preimplantation genetic screening (PGS), 18
 preterm labor and delivery, 91
 primary appraisal, 36
 primary infertility, 2
 primary ovarian insufficiency (POI), 97
 problem-focused coping, 37
 problem-solving, 52
 professional autonomy, 160
 professional counselors, 46
 professional organizations, 301
 progesterone, 6, 19
Protecting the Gestational Carrier, 124
 Prozac, 90
 psychiatric nurses, 46
 psychiatrists, 46
 psychodynamic psychotherapy, 47–50
 case discussion, 49–50
 ego psychology, 47–8
 Freud's early work, 47
 self-psychology, 48
 transference and
 countertransference in, 48–9
 psychological counseling. *See* psychotherapy
 psychological functioning, evaluation of, 86–7
 psychological testing, 128
 psychologists, 46
 psychopharmacology, 89–91
 antidepressants
 congenital malformation risks and, 90
 IVF outcome and, 90
 menstrual cycle and, 89
 miscarriage and, 90
 perinatal complications and, 90
 spermatogenesis and, 89–90
 case discussion, 91–2
 long-term neurodevelopment, 91
 neonatal adaptation syndrome, 91
 persistent pulmonary hypertension, 90–1
 preterm labor and delivery, 91

Index

- psychosocial intervention, 21–2
 promoting resiliency in, 21–2
 therapeutic approaches, 21
 psychosocial management, 8–11
 anticipation, prevention and support, 10–11
 assessment, 10
 psychosocial context of infertility, 9–10
 psychotherapists, 46
 psychotherapy
 loss counseling and, 227–8
 overview, 45–7
 practitioners, 46
 regulation of, 46
 PubMed, 269
 PsychInfo, 269

 recipients of donor gametes, 97–108
 counseling interview, 101–5
 appointment preparation, 103
 counselor's role in, 101–2
 disclosure/openness, 104
 donor selection, 104–5
 goals of interview, 103
 informed consent, 103
 issues covered in, 102
 recipient history, 103–4
 release of information, 103
 cross-border reproductive services for, 106–7
 decision to use donor, 101
 group counseling, 105–6
 educational workshops, 105–6
 support groups, 105
 psychosocial impact, 98–101
 donor egg, 98–9
 donor sperm, 99
 embryo creation, 99–100
 same-sex recipients, 100–1
 recurrent miscarriage, 2, 15
 reframing, 55
 relationships, loss of, 35
 relaxation, 51
 religion, 11, 74–5
 reports, 302
 reproduction, 33–4
 pathophysiology of, 5–6
 physiology of, 5–6
 reproductive autonomy, 160
 reproductive psychiatry, 85–94
 case discussion, 85
 overview, 85–6
 preconception counseling, 86–9
 behaviors with potential effects on fertility/pregnancy, 87–8
 hormonal sensitivity, 87
 infertility medication-emergent side effects, 88–9
 psychological functioning and reactions to infertility diagnosis, 86–7
 psychopharmacology
 considerations, 89–91
 antidepressants and congenital malformation risks, 90
 antidepressants and IVF outcome, 90
 antidepressants and menstrual cycle, 89
 antidepressants and miscarriage, 90
 antidepressants and perinatal complications, 90
 antidepressants and spermatogenesis, 89–90
 case discussion, 91–2
 long-term neurodevelopment, 91
 neonatal adaptation syndrome, 91
 persistent pulmonary hypertension, 90–1
 preterm labor and delivery, 91
 psychopharmacology with perinatal patients, 92–3
 anxiety, 92–3
 insomnia, 92–3
 postpartum depression, 93
 reproductive psychology, 33–42
 fertility counseling and, 38–41
 case discussion, 38
 history, 38–41
 grief and loss theory, 36–8
 infertility and, 34–5
 overview, 33
 stress and coping model, 36–8
 reproductive rights, 159–60
 resemblance talk, 257–8
 resiliency, 21–2, 37
 resocialization, 201
 Resolve, 11
 retainers, 302
 Roman Catholic Church, 75
 Romania, 199, 314
 Russia, 199

 saline infusion sonogram (SIS), 7
 same-sex couples. *See also* LGBT (lesbian, gay, bisexual, transgender) patients
 carrier selection, 185–6
 case studies, 262–3
 donor selection, 186
 gamete recipients, 100–1
 gamete selection, 185
 Saudi Arabia, 110
 schizophrenia, 3, 154
 Schlaff, W.D., 297
 SCREENIVF, 10

 second child, using donated gametes for, 261–2
 second marriages, 152
 secondary appraisal, 36
 secondary infertility, 2, 69–70
 second-parent adoption, 188
 Security Standards Council, 300
 selective serotonin reuptake inhibitors (SSRIs)
 congenital malformation and, 90
 menstrual cycle and, 89
 neonatal adaptation syndrome and, 91
 spermatogenesis and, 89–90
 in vitro fertilization and, 90
 self-actualization, 9
 self-care, 248–9
 self-disclosure, 240–1
 benefits and risks of, 241
 case discussion, 239–40, 242–4, 246
 ethical considerations, 242
 issues in
 client traits, 243
 countertransference, 246–7
 reproductive story, 243
 therapeutic alliance, 243
 treatment stage, 243
 scenarios for mental health professionals, 243
 theoretical approaches, 241–2
 types of, 241
 self-esteem, loss of, 35
 self-monitoring, 51
 self-psychology, 48
 semen, analysis, 7–8
 Senegal, 110
 Serbia, 314
 serotonin norepinephrine reuptake inhibitors (SNRIs), 90, 91
 sertraline, 89
 sexual relationship, 66–7
 sexually transmitted disease, testing for, 8
 shame, 48
 Shi'ite Muslims, 75
 single parenthood, 166–77
 choosing, 168–9
 complications associated with current or recent relationships, 169
 deciding route to, 169–71
 definition of, 166
 disclosure, 259
 historical background, 166–7
 infertility and, 171–2
 options for men
 adoption, 171
 egg donation, 171
 surrogacy, 171

Index

- single parenthood (*cont.*)
 options for women
 adoption, 171
 home inseminations or intercourse, 171
 sperm donation, 170–1
 overview, 166
 psychosocial consultation with
 prospective parents, 173–7
 background, 174
 deciding how to proceed, 175
 goal-setting in, 173–4
 review of decision to become a single parent, 174
 social support review, 174–5
 talking to children about how they were conceived, 175–7
 raising child and, 172–3
 talking to child about biological origins, 172–3
 Slovenia, 182, 308
 SNRIs. *See* serotonin norepinephrine reuptake inhibitors (SNRIs)
 social control, 152
 social coping, 37
 social drugs, 12
 social networks, 76
 social support, adoptive parents, 206
 social workers, 46, 299
 Society for Assisted Reproductive Technology, 288
 South Africa, 299
 South Australian Council on Reproductive Technology, 299
 South Korea, 199
 Spain, 159, 308
 sperm, 6
 analysis, 7–8
 cryopreservation, 110
 quality, 2, 3
 in vitro fertilization, 17–18
 washing, 15
 sperm bank donor, 170
 sperm donation. *See also* egg donation; gamete donors
 cost of, 189
 as family building option, 24–5
 recipients of, 99
 in third party reproduction, 22–3
 sperm donor, 170–1
 identity-release, 170, 186
 to lesbian couples, 262–3
 selection of, 186
 spermatogenesis, 89–90
 spiritual bypassing, 77
 spirituality in fertility counseling, 11, 74–83
 case discussion, 74, 78, 79, 80, 80–1, 82
 client's ideology, 76–7
 countertransference, 83
 intervention strategies, 78–82
 grieving the losses, 81
 identifying options, 81–2
 informed not-knowing, 78–9
 naming the losses, 79–80
 speaking the unspeakable, 80–1
 telling the story, 79
 spiritual bypassing, 77
 spirituality as source of strength, 82–3
 world religions, 74–5
 SSRIs. *See* selective serotonin reuptake inhibitors (SSRIs)
 sterile, 2
 stigma of infertility, 36
 strategic social comparison process, 154
 stress, 9
 stress and coping model, 36–8
 subfertile, 2
 subjective anxiety, 61
 Sullivan, Harry Stack, 48
 Sunni Muslims, 75
 super ego, 47–8
 supportive counseling, 54–6
 surrogate carriers, 122–34. *See also* gestational carriers
 case discussion, 142
 conception and pregnancy of, 131–2
 counseling for, 122–34
 assessing and educating intended parents, 124–6
 ending/closure, 132–4
 guidelines, 124
 preconception joint session, 129–31
 cross-border reproductive services, 123
 evaluation of gestational carrier, 126
 motivations, 127–8
 psychological testing, 128
 social, medical and cultural context, 128–9
 history, 122
 legal consultations for, 123–4
 as option for same-sex couples, 184
 as option for single men, 171
 prohibition of, 123
 services for, 123
 state laws and regulations, 123
 terminology, 122–3
 Sweden, 111, 159, 202, 252
 Swedish National Health and Medical Research Council, 252
 Switzerland, 110, 252, 308
 testicular sperm extraction (TESA), 18
 Texas, 184
 theory of mind, 162
 therapeutic rituals, 68
 third party reproduction, 22–4
 counseling recipients of anonymous donor gametes, 97–108
 counseling interview, 101–5
 cross-border reproductive services for, 106–7
 decision to use donor, 101
 group counseling, 105–6
 psychosocial impact, 98–101
 cross-border reproductive services and, 314–16
 known participants in, 136–48
 choosing known collaborators, 137, 138
 counseling and evaluation, 138
 gestational carrier clinical interview, 142
 group interview, 143
 impression of incest or consanguinity in, 144
 intended parent/known recipient counseling session, 140–2
 intrafamilial collaborations, 137–8
 issues after child is born, 147
 known gamete donor clinical interview, 142–3
 known gamete donor/gestational carrier is not an appropriate candidate, 144–6
 patient preparation, 139–40
 professional guidelines in, 137
 psychosocial counseling and evaluation, 138–9, 140–3
 undue pressure or coercion in, 138
 unsuccessful treatment, 146–7
 medical issues, 22–3
 egg donation, 23
 embryo donation, 23
 gestational carrier, 23
 sperm donation, 22–3
 psychosocial issues in, 23–4
 terminology, 137
 Togo, 110
 toxicants, 12
 traditional surrogate, 122
 traits, 37
 transference, 48–9
 transgenders, 181, 189–90
 transracial adoption, 206
 trauma, 248–9
 processing, 231–2

- treatment compliance, 265–78
 - case discussion, 265
 - decision-making
 - critical appraisal’s integration with clinician’s expertise, 276
 - decision-support tools, 276
 - evaluation and improvement of EBM process, 276–7
- definition of, 265
- discontinuation due to poor prognosis, 268–74
- answerable question, 268–9
- critical appraisal, 269–73
- critical appraisal’s integration with clinician’s expertise, 273–4
- evaluation and improvement of EBM process, 274
- search for best evidence, 269
- evidence-based practices, 267–77
- informed decision-making in, 274–7
 - answerable question, 274–5
 - critical appraisal, 275–6
 - search for best evidence, 275
- vs. non-compliance, 265
- overview, 265–6
- studies on, 266–7
- treatment of infertility, 11–22
 - medical intervention, 11–21
 - lifestyle choices to optimize pregnancy, 11–12
 - observation/no treatment, 12
 - standard fertility treatment, 12–16
 - in vitro fertilization, 16–21
 - psychosocial intervention, 21–2
- tricyclic antidepressants, 90
- trophoblast, 6
- Tunisia, 110
- Turkey, 110
- UCLA Mindfulness Awareness Research, 71
- Uganda, 110
- unexplained infertility, 15
- United Kingdom
 - adoptive parents in, 202
 - age restrictions in, 159
 - gamete donation in, 110, 111
 - social workers, 299
- United Kingdom Council for Psychotherapy, 46
- United Nations Declaration of Human Rights, 160
- United States, 159, 252
- uterus, 7
- vagina, visual examination of, 7
- varicocoele, 14
- Vatican, 75
- vicarious trauma, 249
- Web of Science, 269
- weight loss, 3
 - lifestyle and, 272–3
 - polycystic ovary syndrome and, 272–3
- well-being, 152
- women
 - age and fertility, 3, 4, 68
 - birth rate, 152
 - first birth, 151
 - infertility testing, 7
 - medical history, 6–7
 - single parenthood options for
 - adoption, 171
 - home inseminations or intercourse, 171
 - sperm donation, 170–1
- World Health Organization (WHO), 2, 7–8, 12
- wounded healer, 244. *See also* fertility counselors
 - lessons learned, 245–6
 - personal stories of therapists, 244–5
- yoga, 12
- young adults, disclosure to, 260–1
- Zolof, 89
- Zolpidem, 93
- zygote, 6