

Index

Entries in bold typeface refer to figures or tables.

- AAOS *Comprehensive Orthopaedic Review* (book), 4
- accessory navicular, 95
- accreditation (orthopaedic), 1
- achondroplasia, 208–10, **209**, **210**
- Achterman and Kalamachi classification (tibial bowing), 69
- acquired coxa vara. *See* coxa vara
- acute correction technique (for limb deformities), 245
- acute haematogenous osteomyelitis, 184
- adolescent Blount's disease, **65**, **66**
- adolescent shoulder instability, 131–2
- age
- and clinical presentation of DDH, 35–7
 - and treatment of DDH, 43, 43–52, **49**, **50**, **52**
 - weight test (for SUFE), 17
- Aitken's classification, 56–7
- anatomical theory, 27
- aneurysmal bone cyst, **190**, 190–2
- angular displacement grades, 19
- antalgic gait, 9
- anterior cruciate ligament injuries, **82**, **83**
- anterolateral tibial bowing, 67–9, **68**
- anteromedial tibial bowing, **69**, **69**
- arthrogryposis
- hand and wrist, 159–60
 - multiplex congenita, 179
- assistive devices (cerebral palsy), **172**
- ataxic gait, 9
- atlantoaxial rotatory subluxation, **118**
- avascular necrosis (AVN) and DDH, 41–52
- and femoral fractures, 58
- and LCPD, 27
- and SUFE, 19–20, 25–6
- back pain
- background, 121–2
 - FRCS, 270
- baclofen (drug), 171
- Barlow test, 35
- basilar impression (spine trauma), 119
- Bayne classification (hand and wrist), 163
- Becker muscular dystrophy, 179
- Beckwith–Wiedemann syndrome, 6, 7
- Beighton score, 6–7
- benign bone tumours
- aneurysmal bone cyst, **190**, 190–2
 - chondroblastoma, **197**
 - classifications, **187**
 - fibrous dysplasia, **192**, 192–4, **193**, **194**
 - osteochondroma, 193–6, **195**
 - osteoid osteoma, **196**, 196–7
 - types of, **187**
 - unicameral bone cyst, 187–90, **189**
- Bilhaut–Cloquet procedure (surgical), **149**, **150**
- biophosphates (juvenile osteoporosis), 226–7
- biopsy (osteosarcoma), **201–2**
- birth history abnormalities, 5
- bisphosphonate (LCPD treatment), 33
- bladder exstrophy, 253–5, **254**, **256**, **257**
- Blauth classification (hand), 156
- Blount's disease, 63–6, **65**, **66**
- bone morphogenetic protein (BMP), 33
- bone scan, 117
- bone tumours
- aneurysmal bone cyst, **190**, 190–2
 - chondroblastoma, **197**
 - Ewing's sarcoma, **202**, **203**
 - fibrous dysplasia, **192**, 192–4, **193**, **194**
 - osteochondroma, 193–6, **195**
 - osteoid osteoma, **196**, 196–7
 - osteosarcoma, 197–203, **199**, **200**, **201**
 - rhabdomyosarcoma, **204**, 204–5
 - types of, 187, **187**
 - unicameral bone cyst, 187–90, **189**
- botulinum (drug), 171
- braces
- for Blount's disease, 66
 - LCPD treatment, 32
- brachydactyly (hand deformity), 161
- C1/2 instability, **119**
- café au lait spots
- and spinal problems, 110
 - in clinical exam, 8
 - in neurofibromatosis, 257
- Caffey disease, 218–19, **219**
- calcitonin (for metabolic bone disease), 221
- calcium deficiency (rickets), 222–3
- camptodactyly (hand deformity), 152–4, **154**
- casts
- arthrogryposis (hand and wrist), 159
 - LCPD treatment, 32
 - metatarsus adductus, **90**
- Catterall classification, **28**
- Cavendish classification, 129
- central longitudinal deficiency (hand and wrist), 164
- centre of rotation of angulation (CORA), 243
- cerebral palsy
- aetiology, 169–70
 - classifications, **169**, **169**
 - clinical presentation, 170
 - definition, 168
 - examination testing for, **14**
 - foot and ankle treatment, 174–5
 - FRCS, 272
 - knee treatments, 174
 - orthoses and assistive devices, **171**, **172**
 - spinal deformity, 106
 - surgery, 172–4, **173**
 - treatment, 170–4, **173**
 - upper limb, 131
- Chiari osteotomy, 51
- Child Abuse Prevention and Treatment Act, USA, 249
- chondroblastoma, **197**
- chondrolysis, **26**
- chronological classification, 19
- clapsed thumb (congenital), 155–6
- classifications
- fibrous dysplasia, **192**
 - LLD, **236**
 - osteogenesis imperfecta, **260**
 - physeal injuries, 232–4
- clavicle pseudarthrosis, **131**, 210–12
- cleft hand, **164**, **164**
- cleidocranial dysostosis, 219–20, **220**
- clinical presentation
- bladder exstrophy, **254**
 - cerebral palsy, 170
 - for foot and ankle disorders, **92**, **93**, **100**
 - for knee disorders, 72, 72–3
 - hip conditions, 18–19, 27–8, 35–7
 - limb deformities, 240–2, **241**
 - metabolic bone disease, 224, **225**, **228–30**
 - musculoskeletal infections, 180–1, **181**

- musculoskeletal tumours, 191–2, 195, 199, 203–4
 neurofibromatosis, 256–8, 257
 non-accidental injury, 249–50
 osteogenesis imperfecta, 258
 shoulder conditions, 125, 126
 skeletal dysplasia, 208–11, 209, 211, 213, 215, 217, 219
 spinal disorders, 109, 110, 110–11, 114, 114–17, 121, 122
 clinical and oral exam (FRCS), 2–3
 clinodactyly (hand deformity), 154–5, 155
 club foot
 background, 86
 classifications, 86
 clinical presentation, 86
 FRCS, 278, 278, 279, 280, 281
 treatment, 86–9, 89
 Coleman block test, 13, 15
 computed tomography (CT). *See also* radiography
 for obstetric brachial plexus injury, 127
 for tumours in spine, 117
 in SUFE diagnosis, 18
 spondylosis, 121
 to assess spinal problems, 111
 congenital coxa vara. *See* coxa vara
 congenital femoral deficiency (CFD), 55, 57
 congenital hand deformities, 146, 147
 congenital scoliosis, 104–5, 111
 congenital short femur, 56
 congenital vertical talus, 92, 92–3
 convex pes valgus. *See* congenital vertical talus
 cosmesis, 240
 coxa vara (CV)
 and femoral fractures, 59
 clinical presentation, 53, 54
 treatment, 54–5
 types of, 53–4
 Cozen fracture, 80–1
 cubitus varus deformity.
 See gunstock deformity
 curly toes, 98
 CV. *See* coxa vara

 DDH. *See* developmental dysplasia of the hip
 developmental coxa vara.
 See coxa vara
 developmental dysplasia of the hip (DDH)
 aetiology, 34–5
 background, 34
 clinical presentation, 35–7
 complications (treatment), 41–52
 FRCS, 271, 275–6
 investigation, 37, 37–43, 38, 43
 pathoanatomy, 35
 radiography, 41–3, 43
 treatment, 43–52, 44, 49, 50, 52
 diagnosis
 malignant bone tumours, 200–1
 Marfan syndrome, 252
 meniscus injuries, 83, 84
 neurofibromatosis, 257
 non-accidental injury (NAI), 251
 skeletal dysplasia, 207, 207–8
 spina bifida, 176, 176
 diastrophic dysplasia, 215, 215, 216
 differential diagnosis.
 See diagnosis
 Diméglio classification, 86, 279
 distal femur fractures, 74–7
 distraction osteogenesis (for limb deformities), 245–6, 246
 Duchenne muscular dystrophy, 107, 178–9
 Duncan–Ely test, 14
 Dunn's osteotomy, 21
 dysplasia
 DDH, 34–52, 271, 275–6
 diastrophic, 215, 215
 LCPD, 28
 MED, 213–15, 214
 skeletal, 207–20
 ectodermal dysplasia, 7
 elbow
 forearm fractures, 145, 145
 fractures, 137–45
 Madelung's deformity, 135, 135–7
 non-traumatic radial head dislocation, 133–5
 radioulnar synostosis, 133
 Enneking classification (tumours), 187
 equinus (cerebral palsy), 174–5
 Ewing's sarcoma, 202, 203
 examination (FRCS, Tr and Orth)
 clinical practice and viva, 278–89
 extended matching question paper, 263–4
 format, 2–3
 history of, 1–2
 multiple-choice questions, 263
 protocol, 2–3
 recommended reading, 4
 study groups, 3
 exostosis bone tumour.
 See osteochondroma

 facioscapulohumeral dystrophy, 131
 femoral anteversion (FAV), 10
 femoral fractures
 complications, 59
 treatment, 59–60
 types of, 58, 59
 femoral osteotomy (DDH), 49
 fibrous dysplasia, 192, 192–4, 194
 Fielding and Hawkin classification, 118
 Fish osteotomy (SUFE), 21, 23
 flat feet, 5, 13, 90–2, 91
 FRCS, 288–9
 flexible flatfoot, 90–2, 91
 flexible nailing treatment, 60
 fluoroscopy, 126
 foot and ankle injuries
 accessory navicular, 95
 cerebral palsy treatments, 174–5, 177
 club foot, 86, 86, 89
 congenital vertical talus, 92, 92–3
 curly toes, 98
 flexible flatfoot, 90–2, 91
 fractures, 101, 101
 Freiberg's disease, 96, 96–7
 hallux valgus, 97, 97
 Kohler's disease, 96
 metatarsus adductus, 89, 89, 90
 overlying fifth toes, 98
 pes cavus, 98–101, 100
 spina bifida treatments, 177
 tarsal coalition, 93, 93–5
 foot examination (clinical), 13, 13
 forearm fractures, 145, 145
 fractures
 and non-accidental injury, 250
 elbow, 137–45
 forearm, 145, 145
 physeal, 234, 235
 Freiberg's disease, 96, 96–7
 functional classification (SUFE), 19

 Gage test, 10
 gait. *See also* rotational profile
 analysis, 165–8, 166
 and LLD, 242
 types of, 10–11
 Galeazzi's test
 along with LLD, 9
 in DDH, 35
 Ganz osteotomy
 and SUFE, 22, 22
 DDH treatment, 51
 Gillespie and Torode classification, 56
 Gowers' test, 8
 Graf ultrasound grading, 37, 38
 Green scapulooplasty, 130

 Gross Motor Functional Classification System (GMFCS), 131
 growth remaining chart, 237
 gunstock deformity (elbow), 139–40, 140

 hallux valgus, 97, 97
 hand and wrist
 arthrogryposis, 159–60
 brachydactyly, 161
 central longitudinal deficiency, 164
 macroductyly, 157–9
 radial longitudinal deficiency, 162
 symbrachydactyly, 161–2
 thumb hypoplasia, 156–8
 transverse arrest, 160–1
 Harcke grading (DDH), 37
 hemiepiphyodesis technique (for limb deformities), 245

 Herring classification, 28
 high stepping gait, 9
 Hilgenreiner epiphyseal angle (HEA), 55
 hip arthrogram, 47
 hip conditions
 cerebral palsy hip dysplasia, 173, 173
 congenital femoral deficiency, 56
 coxa vara, 53–4
 developmental dysplasia, 34–52
 fractures, 57–60
 Perthes disease, 26–33
 SUFE, 17–26
 hip dislocation.
 See developmental dysplasia of the hip
 hip joint
 development, 35, 35
 examination, 13
 hip spica treatment, 59
 hydrostatic pressure theory, 27
 hypochondroplasia, 210
 hypothyroidism, 17, 28

 idiopathic juvenile osteoporosis, 224–7, 227, 228–9
 idiopathic scoliosis, 105, 105, 111–13, 112
 infantile Blount's disease, 63, 66
 infantile cortical hyperostosis.
 See Caffey disease
 infection (spinal)
 clinical presentation, 114, 114–15
 treatment, 115–16
 types of, 114
 injuries
 foot and ankle, 101
 knee, 80–5

Index

- injuries (cont.)
 patterns in non-accidental injury, 249, 250
 physeal, 232, 232, 235
 in-toeing, 5, 269–70
- Jack's test, 13
- Jakob classification (elbow), 141
- Jones classification, 71
- juvenile bunions. *See* hallux valgus
- juvenile rheumatoid arthritis, 182
- Kalamachi and MacEwen classification, 70–1
- Key and Cornwell's classification, 58
- Klippel–Trénaunay–Weber syndrome, 7
- Kliscic test, 37
- knee
 Blount's disease, 63, 63–6, 65, 66
 bowed legs, 62–3
 cerebral palsy treatments, 173, 173, 177
 dislocation, 72, 72
 knocked, 62–3
 ligament injuries, 80–2, 82, 83
 meniscus injuries, 83, 83, 84
 osteochondritis dissecans, 72, 72–3, 73
 pathological bowing, 62
 tibial bowing, 66, 67, 69
 tibial hemimelia, 70–1
 trauma, 76, 76, 77, 78, 79, 80, 81
- knee examination (clinical), 11–13
- knock knees, 5
- Kohler's disease, 96
- kyphosis
 background, 109–10
 classifications, 107, 108, 108–9
 treatment, 113
- lateral condyle fractures (elbow), 141
- LCPD. *See* Perthes disease
- Legg–Calvé–Perthes disease. *See* Perthes disease
- leg length discrepancy (LLD). *See also* physis
 and coxa vara, 54
 background, 234, 234
 clinical presentation, 234–6, 236
 in DDH, 35
 in femoral fractures, 60
 predicting, 236–8
 SUFE complications, 26
 treatment, 238–9, 239
- ligament injuries, 80–2, 82, 83
- limb deformity corrections
 background, 240
 clinical presentation, 240–2, 241
 history, 241
 osteotomy rules, 244
 radiography, 242, 242–3
 rationale for, 240
 treatment, 245, 245, 246, 247
- LLD. *See* leg length discrepancy
- macroductyly (hand disorder), 157–9
- Madelung's deformity (elbow), 135, 135–7
- magnetic resonance imaging (MRI)
 and spinal infection, 114
 for tumours in spine, 117, 187
 in LCPD, 27–8
 in SUFE diagnosis, 19
 osteochondritis dissecans, 72
 osteomyelitis, 184
 septic arthritis, 181
 spondylolysis, 122
 to assess spinal problems, 111
- malignancies in neurofibromatosis, 258
- malignant bone tumours
 classifications, 187
 Ewing's sarcoma, 202, 203
 osteochondroma, 194
 osteosarcoma, 197–203, 199, 200, 201
 rhabdomyosarcoma, 204, 204–5
- Mallet score (shoulder function), 126
- management. *See* treatment
- Manual Ability Classification System (MACS), 131
- Marfan syndrome, 253, 252–3
- Mears partial scapular resection (surgical), 130
- MED. *See* multiple epiphyseal dysplasia
- melorheostosis, 219
- Menelaus method, 237
- meniscus injuries, 83, 83, 84
- metabolic bone disease
 background, 221–2, 222
 idiopathic juvenile osteoporosis, 224–7, 227, 228, 229
 rickets, 223, 223, 224, 225
 scurvy, 228–30
- metatarsus adductus, 89, 89–90
- Meyers and McKeever classification, 79
- Monteggia fracture (elbow), 143–5, 144
- Mose classification, 28
- Moseley straight-line graph, 238
- motor development, stages, 6
- MRI. *See* magnetic resonance imaging
- multiple epiphyseal dysplasia (MED), 213–15, 214
- multiplier method, 238
- muscular dystrophy.
See Duchenne muscular dystrophy
- musculoskeletal infections
 background, 180
 osteomyelitis, 182–4, 183, 184
 septic arthritis, 180–2
- NAI. *See* non-accidental injury
- nail abnormalities, 6
- Narakas classification (shoulder), 124–5
- neurofibromatosis (NF), 255–8, 257
- neuromuscular development
 stages, 165
- NF. *See* neurofibromatosis
- non-accidental injury (NAI)
 background, 249–50, 250, 251
 clinical presentation, 249–50
 diagnosis, 251
 radiography, 251, 251
 treatment, 252
- non-traumatic radial head dislocation (elbow), 133–5
- Ober's test, 14
- obstetric brachial plexus injury
 aetiology, 124
 classifications, 124–5, 125
 clinical examination, 125–7, 127
 clinical presentation, 125, 126
 treatment, 127, 127–8
- occipital-atlantal dislocation (spinal), 117
- OI. *See* osteogenesis imperfecta
- open reduction, 47–50, 49, 50
- orthoses (cerebral palsy), 171
- Ortolani test, 35
- Os odontoideum, 119
- osteoblastoma. *See* osteoid osteoma
- osteoblastomas, 197
- osteochondritis dissecans, 72, 72–3, 73
- osteochondroma, 193–6, 195
- osteogenesis imperfecta (OI)
 background, 258
 classifications, 260
 clinical presentation, 258, 259
 radiology, 259
 scoliosis, 259
 spondylolysis, 259
 treatment, 259–60
- osteoid osteoma, 196, 196–7
- osteomyelitis, 183, 182–4
- osteopetrosis, 216–17, 217
- osteopoikilosis, 218
- osteosarcoma, 197–203, 199, 200, 201
- osteotomy. *See also* surgery
 for obstetric brachial plexus injury, 127, 127–8
 FRCS, 272
 LCPD, 32–3
 rules, 244
 out-toeing, 5
 overlying fifth toes, 98
- Paediatric Orthopaedics* (book), 4
- Paley's classification, 57
- parathyroid hormone (PTH), 221
- patella dislocation
 congenital, 71–2
 trauma, 74–8
- patella fractures, 77, 78
- patient
 clinical examination, 5–14, 8, 10, 12, 13
 history, 5, 6
- Pavlik harness (PH)
 DDH treatment, 44–6
 for femoral fractures, 59
- pelvic fractures, 57–8, 58
- Pemberton pelvic osteotomy, 50, 51
- Perthes disease (LCPD)
 aetiology, 26–7, 27
 classifications, 28, 28, 28
 clinical presentation, 27–8
 diagnosis, 28
 FRCS, 270
 treatment, 30–3
- pes cavus
 background, 98–100, 100
 clinical presentation, 100
 in foot examination, 13
- pes planovalgus. *See* flexible flatfoot
- pes planus, 267
- phosphate deficiency, 223
- physis. *See* leg length discrepancy
 and SUFE, 17
 background, 231, 231–2
 FRCS, 275
 injuries, 232, 232, 235
- pinning *in situ* (PIS), 20, 21, 23–5, 24
- Pirani classification (club foot), 86
- polydactyly (hand deformity), 146–50, 149, 150
- Ponseti method (club foot), 86–9, 89
- posteromedial tibial bowing, 66, 67
- posture (clinical exam), 8
- Practice of Pediatric Orthopaedics* (book), 4
- preparation (exam), 3
- presentation. *See* clinical presentation
- prosthetic management
 transverse arrest (hand and wrist), 161

- with hip dysplasia, 57
proximal focal femoral deficiency (PFFD), 55
proximal tibial metaphyseal fracture. *See* Cozen fracture
proximal tibial physal fractures, 79
pseudoachondroplasia (PSACH), 211, 210–12
- race, 17, 146, 150
radial longitudinal deficiency (hand and wrist), 162, 162
radial neck fractures (elbow), 141–3, 143
radiography. *See also* X-rays, computed tomography and pelvic fractures, 58
bladder exstrophy, 256
for elbow disorders, 134, 137
for hand and wrist disorders, 154, 163
for hip conditions, 18, 18, 28, 28, 28, 41–3, 43
for knee disorders, 62, 62–3, 72, 84
for spine tumours, 117
limb deformities, 242, 242–3
musculoskeletal infections, 181, 183
musculoskeletal tumours, 190, 193, 196, 198, 199, 202, 203–5, 204
non-accidental injury, 251, 251
osteoarthritis, 259
skeletal dysplasia, 209–10, 210, 212, 214, 214, 216, 216–17, 218, 220
radioulnar synostosis, 133
renal osteodysplasia, 223
rhabdomyosarcoma, 204, 204–5
rickets, 223, 223, 224, 225
rotational profile, 10, 10, 12.
See also gait
- Salter and Thompson classification, 28
Salter–Harris classification
proximal tibial physal fractures, 79
Tillaux fractures (foot), 101, 101
Salter's innominate osteotomy, 49–50
scoliosis
and Marfan syndrome, 252
classifications, 104, 104–7, 105, 106
FRCS, 269, 285, 285, 286
in neurofibromatosis, 258
osteogenesis imperfecta, 259
treatment, 111–13, 112
screening examination (clinical), 6, 7
- scurvy, 228–30
SED. *See* spondyloepiphyseal dysplasia
Seddon's classification (shoulder), 125, 125
selective dorsal rhizotomy, 171
septic arthritis, 28, 180–2, 181
sex
and Duchenne muscular dystrophy, 107
and osteoid osteoma, 196
and SUFE, 17
clashed thumb (congenital), 155
shelf osteotomy, 52
short-limb gait, 9
shoulder
adolescent shoulder instability, 131–2
clavicle pseudarthrosis, 210–12
facioscapulohumeral dystrophy, 131
obstetric brachial plexus injury, 124–8
Sprengel's deformity, 128–30
upper limb cerebral palsy, 131
sickle cell disease, 28
Silfverskiöld test, 14, 174
skeletal dysplasia
achondroplasia, 208–10, 209, 210
Caffey disease, 218–19, 219
chondrodysplasia, 215–16, 217
classifications, 208
cleidocranial dysostosis, 219–20, 220
diagnosis, 207, 207–8
diastrophic dysplasia, 215, 216
hypochondroplasia, 210
MED, 213–15, 214
melorheostosis, 219
osteopetrosis, 216–17, 217
osteopoikilosis, 218
pseudoachondroplasia, 210–12, 211
SED, 212–13, 213
slipped upper femoral epiphysis (SUFE)
aetiology, 17–18
background, 17
classifications, 19
clinical presentation, 18–19
grading, 19–20
investigation, 18
treatment, 20, 20–6, 21, 22, 24, 25
Smith-Petersen technique, 271–2
specific examination (clinical), 8
spina bifida
aetiology, 175
classifications, 175
diagnosis, 176, 176
orthopaedic issues, 176–8, 177
spinal deformities
kyphosis, 108–13
scoliosis, 104–7
spinal muscular atrophy, 107–8
spinal pathology (clinical), 6
spinal trauma, 117–20
spine
clinical presentation, 109, 110, 110–11
deformities of the, 104–14
infections of the, 114–16
trauma, 117–23
tumours, 116–17, 118
spondyloepiphyseal dysplasia (SED), 212–13, 213
spondylolysis, 120, 120–1, 122
Sprengel's deformity, 128, 128, 130
Staheli test, 14
stress (exam), 3
Stulberg classification, 29
SUFE. *See* slipped upper femoral epiphysis
supracondylar fracture (elbow), 137–40, 138, 140
surgery. *See also* osteotomy
arthrogryposis (hand and wrist), 160
camptodactyly (hand deformity), 153
club foot, 89
congenital vertical talus, 92
DDH, 47–52
for Blount's disease, 66
for forearm fractures, 145, 145
for Sprengel's deformity, 130, 130
knee trauma, 75–7
LCPD, 32–3
osteogenesis imperfecta, 260
syndactyly (hand deformity), 151, 153
tarsal coalition, 94
thumb hypoplasia, 156–7, 157, 158
Swanson classification, 146, 147
sybrachydactyly (hand and wrist deformity), 161–2
Syme's amputation, 272–3
symptomatic management, 29
syndactyly (hand deformity), 151, 151, 152, 153, 153
syndromic scoliosis, 105–6, 106
synovitis, 28
talipes equinovarus. *See* club foot
tarsal coalition, 93, 93–5, 276
Taylor spatial frame (for limb deformities), 247, 247
Thomas' test
as part of clinical examination, 13
for cerebral palsy, 14
thrombophilic theory (LCPD), 27
- thumb hypoplasia, 156–8, 157, 158
tibia vara. *See* Blount's disease
tibial bowing, 66, 66, 67
tibial hemimelia, 70–1
tibial spine fractures, 79, 79
tibial torsion, 12
tibial tubercle fractures, 80
Tile's classification, 58
Tillaux fractures (foot), 101
toe walking gait, 9
Torode and Zieg classification, 58
torticollis
FRCS, 270
spinal trauma, 119–20
traction treatment
for femoral fractures, 60
supracondylar fracture (elbow), 138
transitional fractures (foot), 101
transmalleolar thigh angle examination, 12
transverse arrest (hand and wrist), 160–1
trauma (spinal), 117–23
treatment
bladder exstrophy, 255, 257
cerebral palsy, 173, 173, 177
elbow disorders, 133, 137–9, 140
foot and ankle disorders, 86–9, 89, 92, 94
hip conditions, 20–6, 30–3, 43–52
knee disorders, 66, 66, 73, 82–4
limb deformity corrections, 245, 245, 246, 247
LLD, 238–9, 239
Marfan syndrome, 252–3
metabolic bone disease, 226–7, 229
musculoskeletal infections, 182–4, 184
musculoskeletal tumours, 188–90, 192–3, 194, 197, 201, 202–3
osteogenesis imperfecta, 259–60
physal injuries, 234
rickets, 224, 225
shoulder disorders, 127, 127–30, 130
skeletal dysplasia, 209–10, 214–15, 220
spina bifida, 177
spinal disorders, 111–13, 112, 115–17, 121
Trendelenburg gait, 9, 37
trigger thumb, 154–5, 155, 270
triplane fractures (foot), 101
tuberculosis, 115–16
tumours (spinal), 116, 116–17

Cambridge University Press

978-1-107-64458-8 - Postgraduate Paediatric Orthopaedics: The Candidate's Guide to the FRCS (Tr & Orth) Examination

Edited by Sattar Alshryda, Stan Jones and Paul A. Banaszkiwicz

Index

[More information](#)

Index

- ultrasound
 - and osteomyelitis, 183
 - in DDH, 37, 37–41, **38**
 - in SUFE diagnosis, 19
- unicameral bone cyst, 187–90, **189**
- Upton classification
 - (macroductyly), 158
- vitamin C deficiency. *See* scurvy
- vitamin D deficiency, **222**
- Wassell classification (hand deformity), **149**
- websites (exam candidates' experiences), 2
- Wilson grades, **19**
- Woodward procedure (surgical), 130
- X-rays. *See also* radiography
 - for rickets, 224
 - for syndactyly, 150
- metabolic bone disease, 226
 - spondylolysis, 122
 - to assess radioulnar synostosis, 133
 - to assess spinal problems, **110**