

Index

Stars and stellar objects

- 51 Peg, 233
 α -Aql, Altair, 154
 α -Aur, *see* “Capella”
 α -Boo, 263
 α -Centauri, 1, 2
 α -Cma, *see* “Sirius”
 α -Gem, Castor, 229–30
 α -Gruis, 153
 α -Lyr, 129
 α -Ori, *see* “Betelgeuse”
 α -Vir, Spica, 153, 155
 β -Centauri, 271
 β -Crucis, 153
 β -Gem, Pollux, 229–30
 γ -Cass, 268
 δ -Cephei, 266
 η -Virginis, 205
 o -Ceti, 133
 τ -Ceti, 2, 264
Crab pulsar, 292
FU-Ori, 268
HD 98800
IRC+10216, 127
LkH α , 101
R-Aqr, 268
R-Leo, 133
R136a (Doradus nebula), 137, 272
SN 1987a, 271–2
Vega, 170, 187, 227
WR 98a, 268
WR 140, 268
- Abbe dispersivity, 168
accretion disk, 268
achromatic interference coronagraph, 244, 252
achromatic nulling, 243, 298, 300
achromatic phase correction, 196, 252
active optics, 208, 212, 287
adaptive optics, 100, 109ff, 210, 212, 233
 in coronagraphy 249, 258, 275
 in hypertelescope 280–1, 294
 in interferometry 159, 180, 188, 191–2, 195–6, 279
- Airy disk, 37–8, 176, 189, 210, 213, 236–8, 248–54
albedo, 234, 272–3
aliasing, 77, 126, 307–11
algorithms, image restoration, 76–7, 223
 see also CLEAN, MEM
alt-alt mount, 163, 186
alt-az mount, 163, 200
amplitude of wave, definition, 14
amplitude interferometry, 158ff
Anderson, J. A., 4, 122
Angel’s cross, 286
annular aperture, diffraction by, 38, 67, 86
 imaging through, 71
Antarctica, 2, 120, 189, 279
aperture synthesis, 47, 64ff, 221–3
aperture masking, 3–4, 120–6, 161, 171, 267
apodization, 28, 233, 235ff, 259, 287–90
 with binary mask, 238–9
 with phase mask, 239
array of apertures, diffraction by, 34
 densified, 217ff
 non-redundant, 70, 74, 86, 156, 197, 290
 and crowding limitation, 77, 222
 telescope masking by, 120–6, 161, 171, 267
 periodic, 219–21, 223, 283
 diffraction pattern of, 33–7
 random, 37, 214–7, 222
 diffraction pattern of, 313–5
 redundant 75, 126, 139, 197, 203
 and crowding limitation, 77–8
 sparse or dilute, 214, 278
 undensified *cf.* densified, 216–7
Arecibo radio telescope, 225–6, 278, 281
aspherical optics, 225, 239
asteroids, 272–3
astrometry, 78, 161, 203–4, 270, 273–4, 284, 288
 small-angle (differential), 162, 193, 272
atmospheric turbulence, 1, 18, 37, 88ff, 163, 180, 195
 correlation functions in, 95–108, 117
 frozen, 102–3
 inner and outer scale, 95ff, 102, 273
 layers, height dependence, 91, 104–7

- atmospheric turbulence (*cont.*)
 phase changes resulting from, 72, 80
 speckle pattern (PSF) due to, 88–9, 116–8, 313, 315
- autocalibration, 75
- autocorrelation function, 123–6, 307
 of atmospheric fluctuations, 102, 106
 in aperture synthesis, 69–72
 definition, 307
 Fourier transform of, 307
 relationship to coherence function, 48–9
 relationship to optical transfer function, 39–40, 192
 spatial, 117, 123–6, 133–4, 137
see also “correlation”
- auxiliary telescopes and outriggers, 196, 209
- Baade–Wesselink method, 266
- Babcock, H. W., 110
- Baldwin, J. E., 84
- band-limited function, 308
- bandwidth of adaptive optical correction, 177, 196
 of heterodyne system, 167, 185
 in intensity interferometry, 148–52
 optical, and number of fringes, 62, 179, 186, 189, 238
 in speckle interferometry, 131–2
- baseline accuracy, 162
- baseline bootstrapping, 69, 184, 203
- beam-combiner, 158, 170ff, 288, 293
- beam lines, evacuated, 165–6, 174, 192, 200, 202, 205
- beam-reducing (compression) optics, 165, 170–1, 176, 190, 200
- beam-splitter, 4, 24ff, 171–2
 coatings, 172
 non-absorbing (ideal), 25–6, 180, 244
- Berkeley Infrared Spatial Interferometer, *see* “ISI”
- Bessel, F. W., 237
- Betelgeuse, (α -Ori), 6, 13, 129, 185, 264–5
- bimorph deformable mirror, 113–4
- binary star, 3, 72, 121, 134, 136, 145, 155, 204
 coherence function of, 51–2, 152–3
 images, 53, 75, 205, 230
 determination of orbit, 161, 270–1
 separation of components, 4, 122, 129, 133, 153, 195
- birefringent properties of mirrors, 164
- Bose–Einstein statistics, 58, 146
- Bracewell, P. N., 240–1, 259, 285; *see also* “nulling”
- Brown, R. Hanbury, *see* “Hanbury Brown”
- brown dwarf, 275
- bumpiness of wavefront, 236, 253–7; *see also* “phase errors”
- bunched light statistics, 57
- Caldera de Taburiente, Canary Islands, 225
- Cambridge Optical Aperture Synthesis Telescope, *see* “COAST”
- Capella (α -Aur), 52–3, 75, 122, 129, 133–4
- Carlina hypertelescope architecture, 224, 226, 230–1, 281–2, 289
- Cassegrain telescope, 164–5, 170, 194, 198, 202, 285
- Center for High Angular Resolution Astronomy, *see* “CHARA”
- Castor (α -Gem) 229–30
- centrosymmetric image, 134
- cepheids, 266–7
- CERGA (Plateau de Calern), 231; *see also* “GI2T”
- CHARA, 163, 165, 169, 171–2, 175, 179, 200–2
- circ function, 37–8, 49
 Fourier transform of, 38, 303, 305–6
- van Cittert, P. H., 41
- van Cittert–Zernike theorem, 46ff, 64, 125, 143
- CLEAN, 76, 200, 205
- clam-shell corrector, *see* “Mertz corrector”
- cleaning coronagraphic images, *see* “coronagraphy”
- closure phase, *see* “phase closure”
- CO₂ laser heterodyne detection, 185, 206–8
- COAST, 52–3, 75–6, 163, 165, 170–2, 179, 197–9, 205, 279
 astronomical results, 53, 263, 265
- coherence, 40ff
 complex degree of, *see* “coherence function”
 partial, 41, 85, 124, 143
 spatial, 40, 42ff
 temporal, 40, 43–5, 179
- coherence distance, 43, 120
- coherence function, 3, 45ff, 72ff, 86, 98
 second order, 55–6, 145
 phase of, 50–2, 46, 155; *see also* “phase closure”
- coherence length, 44, 183–4
- coherence time, 44, 142, 147, 206
 atmospheric, 103
- coherence volume, 44
- coma, 225
- comb function, definition and Fourier transform, 303
- Compton effect, 20
- contrast of fringes, *see* “visibility”
- contrast ratio (between star and planet), 232ff
- COSTAR, 2, 249–50
- correlation function, turbulence, 95–108, 117
 relationship to Fried’s parameter, 99–100
- correlations in intensity, *see* “intensity”
- convolution, 34–6, 48, 51, 86, 305–7
- coronagraphy, 28, 232, 235, 247ff, 287, 290
 further cleaning of images, 256
 adaptive optical, 256, 275
 coherent, 256–7, 260
 incoherent, 259–60
- coudé telescope or system, 130, 163–4, 186, 225
- cross-correlation, 136
- crowding limitation, 75, 77–8, 123, 221–3, 228, 282–3
- crystallography, X-ray, 35, 215, 219, 313
- curvature sensing, wavefront, 112
- dark speckle, 259
- Darwin space interferometer, 62, 247, 285–7
- deconvolution, 76, 85–6, 192, 213
- deformable mirrors, 112–4, 257
- degeneracy factor of photons, 61
- δ -function, Dirac, Fourier transform of, 303–4
- delay line (path length equalizer), 158, 168, 171, 187, 190, 193, 207

- demodulation, 173
densified pupil imaging, 172, 213ff, 279, 290
detector, photon, xxxi, 60
 cooled, 60, 208
diffraction, near-field or Fresnel, 87, 100
 far-field, *see* “Fraunhofer diffraction”
diffraction function, 35, 215ff
diffraction grating, 28, 245
 blazed, 221
diffraction limit of resolution, 2, 88, 118, 122–3, 126, 128, 160, 187
direct imaging field (of hypertelescope), 222, 228, 290
direction cosines, 47, 312
dispersion corrector, *see* “refractive index dispersion corrector”
dispersed fringes, 179, 187–8, 196, 205
distance scale (of stars), 266
Doppler shift, spectroscopic, 161, 208, 233, 266, 270–1, 276
 in coherence theory, 42, 52
dust shells, 268
- eclipsing of star by planet, 233
Eddington, A. S., 264
electromagnetic wave, 19, 296ff
 in helical geometry, 245, 298–300
Einstein, A., 20, 57
electron multiplier CCD, 131
equatorial mount, 163
Exo-Earth imager (EEI) 289–92
extra-solar planet (exo-planet), 17, 161, 192, 196, 257
 Earth (exo-Earth), 213, 234, 286–7, 289–90
extremely large telescope (ELT), 278, 282
- far-field, 29, 296
 diffraction, *see* Fraunhofer diff.
Fermat’s principle, 312
fiber, optical, 173–4, 196, 200, 283–4, 285, 298
 in hypertelescope, 226–8
Fiber-linked Unit for Recombination, *see* “FLUOR”
field of view, synthesized telescope, 77
 hypertelescope, 221
field-crowding, *see* “crowding”
Fizeau, A. H. L., 2, 161
Fizeau configuration (of stellar int.), 62, 84, 160, 164, 167, 170–1, 196
 in aperture masking, 126ff
 definition, 32, 72
 in hypertelescope, 213–4, 222
 interferometers using, 187, 243, 293
FK5 astrometric catalog, 273–4
flotilla of spacecraft, 285ff, 293
fluctuations, atmospheric, in density of air, 90
 frequency spectrum, 102
 in intensity, 103, 108
 in phase, 96
fluctuations, intrinsic, in light waves, 52ff
 phase and intensity, 54–5, 57, 141–2, 147
 wavelength dependence of, 177
FLUOR, 173–4, 202–3, 267
four-quadrant coronagraph, 251–2
- Foucault pendulum, 298–9
Fourier, J. B. J., 300
 analysis, 18
 integral, *see* “Fourier transform”
 series, 301
 spectroscopy, 27, 144
 transform, definition, 29, 301
 properties and examples, 302ff
 relationship to Fraunhofer diffraction, 29ff, 233, 312ff
frequency, definition, 14
 circular, 15
 spatial, 29
frequency bandwidth, 43, 184
Fraunhofer diffraction, 29ff, 37, 116, 132, 134, 311ff
Fresnel, A., 9, 10
 diffraction, 87, 311
 zone, 99
Fried’s parameter, atmospheric, 99ff, 109, 117, 120, 123, 160, 249
 influence on interferometer design, 163–4, 197, 206
 wavelength dependence, 99, 206
fringe tracking, 179, 189, 194, 200
fringe locking, 203
fringe dispersion, *see* dispersed fringes
fringe visibility, *see* “visibility”
fringes, non-sinusoidal, 247, 285–6
“frozen turbulence” hypothesis, 102
- Galilean telescope, 214ff
Gaussian function, 56, 69, 99–100, 117, 178, 253
 Fourier transform of, 303–4
geometrical limit (atmos. optics) 108–9
geometrical phase (Berry’s phase), 244–5, 298–9
Gezari, D., 122, 130
GI2T, 163, 170, 179, 187–9
 astronomical results, 264, 268
Gregorian telescope, 170
Gouy effect, 244, 252
Grand Interféromètre à Deux Télescopes, *see* “GI2T”
Gray code, 132
gravitational lensing and microlensing, 16–7
 seeing, 293
guide star, 114
 laser, 115
- habitable zone (around star), 232, 291
Hanbury Brown, R., 6, 56, 141, 149, 154
Hartmann–Shack sensor, 111–2, 114
Herbig Ae/Be stars, 268
heterodyne technique, 78–81, 166–7, 185–6, 205
HgCdTe detectors, 203, 206
Hipparchus star catalog, 161
hologram, adaptive, 257–8
holography, speckle, 137
Hooke, R., 10
Hubble space telescope, 2, 235, 249, 258, 268, 271–3
Huygens, C., 10
 principle, 15ff, 28, 92, 105
 wavelets, 16
Huygens–Kirchhof theory, 15, 30, 105

- hydrogen maser, 83
hypertelescope, 34, 78, 212ff, 278, 280–1, 283, 314
 in space, 289–92
- I2T, 163, 166, 169, 179, 186–8
IOTA, xxxi, 175–6, 179, 202–3
 astronomical results, 267–70
IONIC, 175–6, 202, 210
image intensifier, 115, 122, 128, 131–2
image-plane interference, 32
 see also “Fizeau configuration”
impedance, wave, 296
indistinguishable photons, 44
infrared aperture masking, 125, 268
 beam combiners, 174–5
 camera, 207
 coronagraphy, 250
 detectors, 59–62, 202–3, 206
 exo-planet detection, 234–5, 241, 247, 275, 285–8
 interferometry, 52, 61–2, 79, 92, 109, 115, 184–5,
 193–4, 197, 201–8, 265–8, 277, 288
 speckle interferometry, 133, 273–5
Infrared Optical Telescope Array, *see* “IOTA”
Infrared Spatial Interferometer, *see* “ISI”
InSb infrared camera, 207
integrated optics, 173
intensity interferometer, 6, 52, 56–8, 65, 123, 141ff,
 190, 208
 see also “Narrabri interferometer”
intensity correlation, 55–6, 141ff
interference, 24ff
 destructive, in nulling interferometry, 192, 240–1
interference fringes, 10, 31ff, 71
interference function, 35, 215ff
interferometer, 24
 Mach–Zehnder, 201
 Michelson, 24–7, 144
 Sagnac, 173–4, 245–6
 see also under specific names
Interféromètre à Deux Télescopes, *see* “I2T”
intermediate frequency, 79, 205
inverse square law, 297
irradiance, 297, 316
Isaac Newton Telescope, 121
ISI, 62, 79, 163, 166, 185, 205–8
 astronomical results, 268
isoplanatic patch, 100–1, 110, 114–5, 136–7, 162,
 177, 276
 definition, 93, 100
 wavelength dependence 107–8, 115
- James Webb space telescope, 250
Jodrell Bank Observatory, 148
Jupiter, contrast ratio, 234, 246
 reflex motion of Sun due to, 204
 satellites of (Galilean), 4, 120, 236, 272
- kinematic mount, 197
Keck telescopes, 2, 126, 161, 197, 212, 278
interferometer, 62, 171, 179, 196–7, 240, 242, 272
 astronomical results, 265, 268–70, 273–4
- Kepler, J., 271
Kiloparsec Explorer for Optical Planet Search
 (KEOPS), 280
Kitt Peak Observatory, 185
Kirchhof, G., 15, 30
Knox–Thompson algorithm, 134–6, 272
Kolmogorov, A. N., 93
 turbulence theory, 93ff
- Lagrange points, 286
Lallemand electronic camera, 121
Large Binocular Telescope, *see* “LBT”
laser, CO₂, 185, 206–8
 guide star, 115, 259
 He–Ne, 185
 interferometer, 168
 metrology, 162, 203–4
lattice vector, of array, 34, 219–20
Labeyrie, A., 6, 122, 130, 186
LBT, 170, 191, 241–2
lead zirconium titanate (PZT), 113
lensing effects, in atmosphere, 92, 104
 gravitational, 16–17
life, conditions for, 289
Lick observatory, Mount Hamilton, 4, 120, 272
limb-darkening, 2, 72–3, 134, 183, 246, 267
 model for, 50–1
 effect on angular diameter determination, 51, 152,
 154, 262–4
LISA, 285
local oscillator, 79, 185, 205–7
Lyot, B., 248
 coronagraph, 248–51, 258
 Observatory, 121, 130, 248
 stop, 248–53, 258
- Mach–Zehnder interferometer, 202
Magdalena Ridge observatory interferometer (MROI),
 189, 278–9
magnitude of star, definition, 148
 flux, as function of, 148, 316
Maréchal’s equation, 253–5
Mark-III interferometer, 163, 184, 189, 203, 279
 astronomical results from, 264, 273
Mars, 232
Marseilles Observatory, 3
masking by non-redundant array, *see* “array”
Mauna Kea, Hawaii, 175, 196, 228, 283–4
Maxwell, J. C. 19
 equations, 19–20, 28, 233, 295–9
MEM (maximum entropy method), 77, 270
membrane deformable mirror, 113
Mercury, 185
Mertz corrector, 226–7, 289–90
Michelson, A. A., 2, 24, 32, 72–3, 122, 124, 171, 176,
 184, 187, 224
 configuration (pupil plane interference), 27–8, 72,
 180, 202
 interferometer, 24–7, 72, 144, 244
 stellar (beam) interferometer, 4–6, 64–5, 141, 145,
 156, 164, 166

- astronomical results from, 4, 6, 263–4
as pupil densifier, 224
non-planar, 246
nulling mode, 241–2
“refractometer” concept, 72, 241
optical description, 5, 159–60
Michelson–Morley experiment, 3
microchannel plate intensifier, 131
microlens (lenslet) array, 111–2, 228–30
microlensing, gravitational, 17
Mikata Optical and Infrared Array, *see* “MIRA-I2”
Mira variable star, 125, 267
MIRA-I2, 164, 175, 193
MMT (multi-mirror telescope), 242
modulation, 39, 198
modulation transfer function (MTF), 39
moiré fringes, 310–1
mosaic mirror, 236
Mount Graham Observatory, 191
Mount Hamilton, Lick Observatory, 4, 120, 272
Mount Wilson Observatory, 4, 88, 121–2, 189, 200, 224
- Narrabri interferometer, 6, 56, 141–2, 149–50, 154, 160, 280
astronomical results from, 154–5, 264
Navy Prototype Optical Interferometer, *see* “NPOI”
near-field diffraction, 87, 311
nebula, 271
neutron star imager, 164, 223, 292–3
Newton’s rings, 10, 26
Newtonian telescope, 229
Nisenson, P., xxx
noise equivalent power (NEP), 59–60
non-redundant array and masking, *see* “array”
NPOI, 165, 171, 173, 175, 179, 203–5
astronomical results from, 204, 264, 267, 268, 273
nulling interferometry, 192, 197, 232, 235, 240ff, 288, 298, 300
Nyquist’s theorem, 126, 309
- OHANA, 175, 228, 283–4
opal, 291–2
Optical Hawaiian Array for Nanoradian Astronomy, *see* “OHANA”
optical path, definition, 24
optical transfer function (OTF), 39
optical trombone, *see* “delay line”
Optical Very Large Array, *see* “OVLA”
optimization of telescope arrays, 69ff
OVLA, 188–9, 224, 280–2
OWL array, 21
- Palomar telescope, 122, 133
Palomar Testbed Interferometer, *see* “PTI”
Pancharatnam phase, 245
PAPA detector, xxxi, 130, 132
parallax, 161, 267, 270
paraxial optics, 214
parsec, definition, 236
Parseval’s theorem, 302
- path length equalizer, *see* “delay line”
Pease, F. G., 6, 72, 122, 141, 184, 224
phase, definition, 14
in heterodyne detection, 79
of fringes, estimation, 180–3
phase closure, 69, 121, 171, 184, 197–8, 203, 207
principle, 73ff
with non-redundant masks, 125, 127
in speckle masking, 136, 139
phase-dot coronagraph, 251–3
phase problem, in Fourier reconstruction, 71
phase referencing, 183, 194–6
phase retrieval, 156, 258
phase-sensitive detector, 152, 242
phase shifter, 180
phase-spiral coronagraph, 251–2
photon, 20, 142
noise, 56, 61, 223, 256
detection, 58
statistics, 90
photon-rich measurement, 182–3
photon-starved measurement, 182–4
photonic crystal, 291
photosynthesis, 292
Pic du Midi (Bernard Lyot) Observatory, 121, 130, 248
piezoelectric devices, 113–4
pinwheel structures (of stars), 269
piston correction (adaptive optics), 110, 163, 176, 183, 281
Planck, M., 59
plane wave, 15, 296ff
planet search, extrasolar, 17, 232, 284
Pluto-Charon system, 275
point spread function, 37–9, 86, 178, 222, 281–2
apodization of, 237–40, 288
atmospheric, 99, 117–8, 128, 138
of hypertelescope, 213ff
of non-redundant array, 197
synthetic, in aperture synthesis, 67ff, 284
Poisson statistics, 57–60, 130, 147, 181, 256, 259
polarization, 15, 27–8, 177, 191, 233, 244
circular and elliptic, 245, 297, 299
change on reflection, 164, 172, 201, 242
Pollux, (β -Gem), 229–30
Poynting vector, 296–7
power spectrum, 301
atmospheric, 103–4
spatial, of image, 129, 134
prolate function, 238
proper motion, 184, 273
PSF, *see* “point spread function”
PTI, 162, 171, 179, 193–4, 272, 274, 279, 286
astronomical results from, 268
pulsating star, 161, 266–7
pupil-plane interference, 27, 164, 171, 179, 241
see also “Michelson configuration”
pupil densification, *see* “densified pupil imaging”
PZT (lead zirconium titanate), 113–4
- quadrant detector (quad cell), 177, 192
quadruple star system, 270

- quantum efficiency, 57, 60, 115, 121, 148
 quantum interpretation, of aperture synthesis, 81–3
 of intensity interferometry, 146–7
 quantum theory, of light, 60
 of detection, 57–62
 quasimonochromatic light, 41, 52
- radio astronomy, 64, 81, 121, 141, 151
 Rayleigh resolution limit, 38
 phase error tolerance, 254, 294
 scattering, 115
 random lattice, *see* “array, random”
 reciprocal lattice or array, 34–5, 219–20
 vectors, 35
 rect function, definition and Fourier transform, 303–4
 Relaux triangle, 71, 84
 reference star, 93, 110, 112, 195
 refractive index, definition, 296
 correction of dispersion, 109, 132, 165–7
 dispersion, atmospheric, 109
 resolution, angular, 1–2, 65, 158, 236
 diffraction-limited, 2
 limit, 38, 77
 spatial, 1
 resel (resolution element), 78, 281, 290–1
 retro-reflector, 168, 190
 Reynolds number, 94ff
 Risley prism, 167, 190
 Ritchie-Chretien telescope, 164
 Ryle, M., 6, 64
- Sagnac interferometer, 173–4, 245–6
 sampling, 64–6, 126, 303, 307–10
 Saturn, 272
 scalar wave approximation (diffraction), 28–31, 233
 Schmidt, M., 122
 Schmidt telescope, 164, 224
 Schwarzschild, K., 4
 Schwarzschild combination, 206
 scintillation, 103, 108, 176
 seeing, 37, 88, 99, 176, 210
 gravitational, 294
 shift-and-add method, 123, 273
 siderostat, 163, 189, 190, 198, 202, 204
 signal-to-noise ratio (SNR), 59, 142, 172, 182, 255
 SIM PlanetQuest, 288–9
 sinc function, definition, 31, 303
 Sirius, 149, 152, 154, 156, 190
 A and B, 237
 sodium scattering in atmosphere, 115
 solar corona, 233, 246–7
 solar surface features, 275–6
 sonine function, 238
 space arrays, formation flying, 212, 284ff
 telescopes, 232
 Space Interferometry Mission, *see* “SIM”
 spatial filter, 117
 spatial frequency, definition, 29, 301
 spectroscopy, high resolution, 208
 speckle, 52, 88, 164, 171, 213, 236
 bright and dark, 18
 in coronagraphy, 249, 254–5, 258
 in hypertelescope, 214, 217, 222
 speckle holography, 137
 speckle image or pattern, 18, 89, 115–7, 121, 188,
 196, 210, 313–5
 speckle interferometry, 6, 90, 122–3, 126ff, 139, 214,
 231
 astronomical results, 122, 129, 133, 267, 270–1,
 274–6
 speckle masking, 72, 123, 126, 136–7, 155
 astronomical results, 136–7, 272
 spectral, 139
 see also “triple correlation”
 spectral bands, definitions, 316
 spherical aberration, 224–5, 293
 correction of, 225, 227
 square aperture, diffraction by, 32, 237
 square pulse, or “top-hat” function, *see* “rect”
 Stachnik, R. V., 122, 130
 star, binary, *see* “binary star”
 circular, coherence function due to, 49, 72
 starlight leakage, in coronagraphy, 245–7, 286
 star-tracking, 175ff
 stellar diameter, 184, 262
 atmosphere, 205, 262
 Stéphan, M., 3, 161, 176
 Strehl ratio, 117, 255
 structure function, turbulent, 95ff
 sub-aperture, definition, 158
 super-Poisson statistics, 57–8, 146–7
 supergiant star, 125, 262, 265
 supermassive star, 136
 superposition principle, 17
 support, of function, 69
 SUSI, 156, 163–4, 169, 170–2, 177–9, 189–91
 astronomical results, 271
 Sydney University Stellar Interferometer, *see* “SUSI”
 synchronous switching, 151–2
- T-Tauri disk, 268
 Taylor, G. I., 20, 102
 telescopes (types) 163–4
 Cassegrain, 164–5, 170, 194, 198, 202, 285
 Galilean, 214ff
 Gregorian, 170
 Newtonian, 229
 radio, 225–6, 278, 281
 Ritchie-Chretien, 164
 Schmidt, 164, 224
 Terrestrial Planet Finder, *see* “TPF”
 tip-tilt correction, 114, 159, 171–2, 180, 281
 method, 176ff
 applications, 189, 191–3, 196, 198, 200, 206–7
 TiO absorption band, 133, 265, 267
 Titan, 274
 topological phase, *see* “geometrical phase”
 TPF-C, 235, 250, 285, 287–8
 TPF-I, 246, 285, 288
 traveling salesman problem, 71
 triple correlation, 90, 75, 123, 136–9
 triple star, image of, 205

- trombone, optical, *see* “delay-line”
- turbulence, *see* “atmospheric turbulence”
- twinkling of star, 92–3, 103, 176
intensity, 146
- (u, v) coordinates, definition, 65
- (u, v) plane, in aperture synthesis, 40, 49, 65ff, 86, 184, 209, 221
coverage, 68–71, 161, 193, 196–7, 265, 278, 281
definition, 49, 65
- umklapp process (phonon), 221
- uncertainty principle, 82
- unit cell, of array, 34
- vacuum field, 22
- variable stars, 133, 266–7
- Vaughan, A., 122
- velocity, phase or wave, 14, 296
group, 14
of light, 296
- Venus, 232
- very long baseline interferometry (VLBI), 68
- Very Large Telescope, *see* “VLT”
Interferometer, *see* “VLTI”
- Virgo cluster, 1
- viscosity, kinematic, 94
- visibility of fringes, 3, 72, 124, 145, 190, 263
definition, 26
measurement, 180, 183, 197–8
relationship to coherence function, 45
- VLT, 250, 275
- VLTI, 62, 171, 192, 208–10, 224, 274
astronomical results, 263–4, 267
- wavefront, definition, 14
distortion, measurement of, 111–2
correction in adaptive optics, 110–2
- wavelength, 10, 14
dependence of atmos. effects on, 108–9
bands, definition, 316
- wavelets, Huygens’, 16
- wave vector, 15, 296
- wave, electromagnetic, 15, 295ff,
plane, 15, 296
spherical, 296
longitudinal, 15
transverse, 15
mixing, 78
velocity, 14, 296
- Wiener–Khinchin theorem, 49, 307
- Wiener deconvolution, 77, 86
- Wilson, D., 84
- Wolf–Rayet stars, 268–9
- X-ray crystallography, *see* “crystallography”
- Yerkes telescope, 88
- Young, T., 9–11
fringes, 4, 11, 20, 31ff, 120, 123
- YSO (Young stellar object) 268
- Zernike, F., 3, 41
phase contrast microscope, 239
see also “van Cittert–Zernike theorem”
- zero-point field, 22
- zero-magnitude star, 62
- zodiacal light, 223, 234–5