

INDEX

- Abernethy Forest, 65, 277
- abstraction, 31, 101, 102, 104, 243, 334
- agriculture, 6, 18, 19, 31, 34, 40, 51, 52, 53, 55, 57, 58, 61, 66, 68, 102, 117, 130, 152, 165, 209, 270, 273, 286, 340, 344, 350, 355, 380
- agricultural disease, 60
- agricultural irrigation, 59
- agricultural intensification, 54–55
- Common Policy, 57
- alder (*Alnus glutinosa*), 270
- alexanders (*Smyrniium olusatrum*), 71, 369
- Alice Holt Forest, 65
- alpine bearberry (*Arctostaphylos alpinus*), 44
- amphibians, 16, 83, 96, 190–193
- alien amphibians, 193
- chytrid fungus, 191
- increases and declines, 361
- native, 190
- ranavirus, 191
- special concern, 191–192
- threatened, 191
- anadromous fish
- allis shad, 200
- ancient woodland, 63–65
- Anguilla black lizard, 136
- animal and plant introductions and problems with globalisation, 341
- animal introductions, 78–85
- amphibians and reptiles, 83
- bird reintroductions, 82
- birds, 80–82
- fish, 83, 109, 244, 309, 382
- insects, 83–84
- mammals, 145–157
- animal reintroductions
- crustaceans, 85
- fish, 83
- molluscs, 85
- spiders and scorpions, 84–85
- annual alpine gentian (*Gentiana nivalis*), 44
- annual mercury (*Mercurialis annua*), 368
- archaeophytes, 71–72

392 | INDEX

- Arctic char, plate 9, 30, 199, 200, 360
 Arctic tern, 311, 326
 Argyll Forest Park, 65
 art, 7, 93, 97, 261, 316, 324
 blackcaps as, 93–94
 wild species as, 7, 93–94
 Ascension Island frigatebird, 136, 137
 Ashdown Forest, 65, 149
 atmosphere of earth, 22
 avocet, 135, 180, 359
- banded snail (*Cepaea nemoralis*), 10
 Barkham, Patrick, 325, 386
 Barbary macaque, 136
 barn owl, 123, 166, 324, 330
 basil thyme (*Clinopodium acinos*), 369
 bats
 in roofs, 154–157
 beaches wildlife, 316–317
 bearded tits, 324, 330
 Bechstein's bat (*Myotis bechsteinii*), 155
 bee orchid (*Ophrys opifera*), 368
 bee-eater, 183
 beefsteak mushroom (*Fistulina hepatica*),
 297
 beetles (*Coleoptera*), 258
 endangered, 262–263
 Belvoir Forest, 66
 birch (*Betula pendula*), 270
 bird's-eye primrose (*Primula farinosa*),
 324
 bird's-foot-trefoil (*Lotus corniculatus*),
 127, 212
 bird's-nest orchid (*Neottia nidus-avis*), 64
 birds, 158
 bird song, 174–175
 farmland birds, 165–168
 gathering data, 160–165
 geolocators, 163
 increases and declines, 358–359
 mountain and moorland birds,
 169–170
 ocean, shore and wetland birds,
 170–173
 population status, 176
 ringing, 161–163
 satellite tagging, 162–163
 songs, 164–165, 174–175
 town and garden birds, 173–174
 woodland birds, 168–169
 birthwort (*Aristolochia clematitis*), 73
 bittern (*Botaurus stellaris*), 135, 177
 black grouse, 62, 116, 120, 170, 327
 black guillemot, 318
 black tern, 162, 329
 blackbird, 7, 166, 174, 175, 349
 blackcap, 89–92, 93, 164, 168, 169, 173,
 174, 175, 335, 342
 survival, 90–92
 black-headed gull, 172, 182
 blackthorn (*Prunus spinosa*), 270
 black-throated diver, 44, 62, 170, 174,
 339
 black-winged stilt, 180
 Blean Woods, 62, 65
 blewits mushroom (*Lepista saeva*), 297
 blue iguana, plate 6
 blue tit, 349
 bluethroat, 328
 bog sandwort (*Minuartia stricta*), 325
 bovine tuberculosis, 60, 150
 bracken (*Pteridium aquilinum*), 369
 Brandon Park, 65
 Brandt's bat (*Myotis brandtii*), 155
 British Hemiptera list, 250
 British orchids and their status, 281
 brittle bladder-fern (*Cystopteris fragilis*),
 325, 369
 BSE, 60, 372
Buddleja davidii, 72, 368
 bugs (*Hemiptera*), 249
 bumblebees, 232, 363
 attracting garden plants, 233
 conservation, 236
 threatened and extinct species, 232
 buntings
 cirl bunting (*Emberiza cirlus*), 187
 corn bunting (*Emberiza calandra*), 188
 Lapland bunting (*Calcarius*
 lapponicus), 187

- little bunting (*Emberiza pusilla*), 188
 ortolan bunting (*Emberiza hortulana*), 187
 reed bunting (*Emberiza schoeniclus*), 188
 snow bunting (*Plectrophenax nivalis*), 187
 yellowhammer (*Emberiza citronella*), 187
 burnet-saxifrage (*Pimpinella saxifrage*), 369
 Burnham Beeches, 65
 burnt-tip orchid (*Orchis ustulata*), 369
 butterflies, 206–223
 conservation, 208
 declining species, 215–221
 downland and scrubland, 214
 garden butterflies, 209–211
 increases and declines, 360–361
 rearing, 207–208
 scarce migrants, 215
 status of, 222
 woodland, 212–217
 butterwort (*Pinguicula vulgaris*), 369
 buzzards
 buzzard (*Buteo buteo*), 179
 rough-legged buzzard (*Buteo lagopus*), 179
 cabbage tree (*Pladaroxylon leucadendron*), 136
 Caledonian Forest, 62
 Canada goose, 81, 177
 Cannock Chase, 65
 caper spurge (*Euphorbia lathyris*), 368
 capercaillie, 62, 82, 116, 120, 170, 277, 327
 carrion crow, 6, 18, 107, 119, 122, 123, 128, 134, 187, 355, 359
 cattle egret, 42, 43, 82
 Cetti's warbler, 42, 43, 82, 328, 333, 359
 chaffinch, 18
 chalk milkwort (*Polygala calcarea*), 369
 changes in herbaceous flora by habitat, 273–280
 agricultural land, 273–274
 chalk downs and grasslands, 274
 coasts, 279
 gardens and roadsides, 279–280
 lowland heath, 277
 moorland and mountain, 278–279
 ponds, marshes and riversides, 275
 scottish pine forest and conifer plantations, 276–277
 woodland, 275–276
 changes in shrubby flora, 272–273
 changes in tree flora, 270–272
 char. *See* Arctic char
 chats and thrushes
 black redstart (*Phoenicurus ochruros*), 184
 blackbird (*Turdus merula*), 185
 bluethroat (*Luscinia svecica*), 184
 fieldfare (*Turdus pilaris*), 185
 mistle thrush (*Turdus viscivorus*), 185
 nightingale (*Luscinia megarhynchos*), 184
 redstart (*Phoenicurus phoenicurus*), 184
 redwing (*Turdus iliacus*), 185
 ring ouzel (*Turdus torquatus*), 185
 robin (*Erithacus rubecula*), 184
 Song thrush (*Turdus philomelos*), 185
 stonechat (*Saxicola torquatus*), 185
 wheatear (*Oenanthe oenanthe*), 185
 whinchat (*Saxicola rubetra*), 185
 cherry (*Prunus avium*), 270
 chiffchaff, 45, 162, 173, 174, 272, 335
 chloroplast, 25, 27
 chough, 76, 172, 318
 Chromista, 296
 cichlid fish
 evolution of, 19
 speciation, 19
 ciril bunting, 135, 167, 345, 359
 citizen science, 352
 climate change, 28–30, 33, 34, 36, 38, 40, 43, 44, 46, 379
 climbing corydalis (*Ceratocarpus corniculata*), 369

- cloudberry (*Rubus chamaemorus*), 44, 278
 clouded yellow butterfly, 43, 211, 215, 327
 clubmosses, 289, 292
 Clun Forest, 66
 cockroaches (*Blattodea*), 248
 collared dove, 82, 169, 174, 175, 183, 359
 colony collapse in honeybees, 237
 common cottongrass (*Eriophorum angustifolium*), 369
 common cow-wheat (*Melampyrum pratense*), 64, 369
 common crane, 135
 common frog
 lifestyle, 16, 18, 83, 189, 190, 191, 379
 common meadow-rue (*Thalictrum flavum*), 369
 common milkwort (*Polygala vulgaris*), 369
 common pipistrelle (*Pipistrellus pipistrellus*), 155
 common sandpiper, 46, 159
 common tern, 316, 328
 conservation of habitat, 344–345
 continental shelf, 300
 coot, 180
 cord-grass (*Spartina anglica*), 5, 11, 75, 291
 cormorant (*Phalacrocorax carbo*), 112, 113, 358
 distribution, 113
 cormorant (*Phalacrocorax carbo sinensis*), 112, 177
 corn bunting, 53, 55, 56, 95, 168
 corn buttercup (*Ranunculus arvensis*), 369
 corn marigold (*Chrysanthemum segetum*), 369
 corn spurrey (*Spengula arvensis*), 369
 corncrake, 130, 135, 180
 crane (*Grus grus*), 180
 crested tit, 62, 116, 170
 crickets and grasshoppers
 declining species, 362
 increasing species, 362
 crossbill, 18, 62, 136, 137, 327
 cross-leaved heath (*Erica tetralix*), 129
 crows
 carrion crow (*Corvus corone*), 187
 chough (*Pyrrhocorax pyrrhocorax*), 186
 hooded crow (*Corvus cornix*), 187
 jackdaw (*Corvus monedula*), 186
 jay (*Garrulus glandarius*), 186
 magpie (*Pica pica*), 186
 raven (*Corvus corax*), 187
 rook (*Corvus frugilegus*), 187
 cruelty in fishing
 crustaceans, 267, 367
 cuckoo, xii, 42, 46, 163, 164, 169, 183, 238, 326, 331, 359, 384
 curlew, 45, 56, 116, 122, 123, 170, 173, 174, 180, 181, 315, 316, 329, 343, 345
 curlew sandpiper, 315
 cyanobacteria, 24
 Danish scurvy-grass (*Cochleria danica*), 369
 Dartford warbler, 45, 46, 63, 169, 277, 339
 Darwin's finches, 19–20
 Daubenton's bat (*Myotis daubentonii*), 155
 David Attenborough, 4
 deer stalking, 114–116
 Derg, Lough, 101
 Derwent Forest, 65
 dipper, 184
 dinosaurs
 extinction of, 3
 divers
 black-throated diver (*Gavia arctica*), 176
 great northern diver (*Gavia immer*), 176
 red-throated diver (*Gavia stellata*), 176
 dormouse, 132, 135, 358, 383

- doves
 collared dove (*Streptopelia decaocto*), 183
 stock dove (*Columba oenas*), 183
 turtle dove (*Streptopelia turtur*), 183
- dragonflies (*Odonata*), 241–244
 endangered, 243
 resident dragonfly and damselfly species, 242
- dryad's saddle fungus (*Polyporus squamosus*), 297
- ducks
 common scoter (*Melanitta nigra*), 178
 eider (*Somateria mollissima*), 178
 gadwall (*Anas strepera*), 178
 garganey (*Anas querquedula*), 178
 goldeneye (*Bucephala clangula*), 178
 goosander (*Mergus merganser*), 179
 long-tailed duck (*Clangula hyemalis*), 178
 mallard (*Anas platyrhynchos*), 178
 Mandarin duck (*Aix galericulata*), 177
 pintail (*Anas acuta*), 178
 pochard (*Aythya ferina*), 178
 red-breasted merganser (*Mergus serrator*), 179
 ruddy duck (*Oxyura jamaicensis*), 179
 scaup (*Aythya marila*), 178
 shelduck (*Tadorna tadorna*), 177
 shoveler (*Anas chlypeata*), 178
 smew (*Mergellus albellus*), 179
 teal (*Anas crecca*), 178
 tufted duck (*Aythya fuligula*), 178
 velvet scoter (*Melanitta fusca*), 178
 wigeon (*Anas penelope*), 177
- dunlin, 147, 173, 279, 315, 316, 329
 dunnoek, 184
 dwarf gorse (*Ulex minor*), 129
 dwarf milkwort (*Polygala amarella*), 325
- early life on Earth, 22–26
 Earth from space image, plate 1
 earwigs (*Dermaptera*), 248
 East Bank at Cley, 330
 ecosystem services, 351, 352
- Edinburgh otters and kingfishers, 329
- egret
 cattle egret (*Bubulcus ibis*), 177
 great white egret, 3, 82
 little egret (*Egretta garzetta*), 177
- eider duck, 321
- English elm (*Ulmus procera*), 270
- enriched soils, 68–69
- environmental stewardship, 373
- Environmentally Sensitive Areas, 56
- Epping Forest, 65
- Erwin, Terry, 10
- estuary wildlife, 314–316
- Ettrick Forest, 66
- evening primrose. *See* *Oenothera*
- evidence-based conservation science, 353
- evolution of
 life on Earth, 21–27
 Neanderthal man, 29
 new species, 10–11
 sex, 15
- extinction, 11
 events, 12–14
 rates (of species), 11–12
- falcon
 hobby (*Falco subbuteo*), 179
 kestrel (*Falco tinnunculus*), 179
 merlin (*Falco columbarius*), 179
 peregrine falcon (*Falco peregrinus*), 179
- farmland, 42, 48, 50, 56, 58, 66, 103, 107, 118, 120, 122, 126, 128, 160, 165, 166, 167, 168, 174, 192, 208, 221, 245, 333, 343, 344, 346, 354, 355
 herbaceous plants of, 273–284
- feral pigeons, 87, 172
- ferns, 289, 291
- feverfew (*Tanacetum parthenium*), 368
- field mice, 18, 88, 153
- field mushrooms (*Agaricus campestris*), 297
- field pansy (*Viola arvensis*), 369
- field sports, 106–124
 conservation, 122–124

396 | INDEX

field sports (*cont.*)

- fishing, 107–114
- gamekeeping, 116–117
- hunting and deer stalking, 114–116
- number of participants, 115
- shooting, 117–121
- suggested benefit, 124
- wildfowling, 121–122

finches

- brambling (*Fringilla montifringilla*), 187
- bullfinch (*Pyrrhula pyrrhula*), 187
- chaffinch (*Fringilla coelebs*), 187
- common redpoll (*Carduelis flammea*), 187
- crossbill (*Loxia curvirostra*), 187
- goldfinch (*Carduelis carduelis*), 187
- greenfinch (*Carduelis chloris*), 187
- hawfinch (*Coccothraustes coccothraustes*), 187
- lesser redpoll (*Carduelis cabaret*), 187
- linnet (*Carduelis cannabina*), 187
- parrot crossbill (*Loxia pytyopsittacus*), 187
- scarlet rosefinch (*Carpodacus erythrinus*), 187
- Scottish crossbill (*Loxia scotica*), 187
- serin (*Serinus serinus*), 187
- siskin (*Carduelis spinus*), 187
- twite (*Carduelis flavirostris*), 187

fish stocks, 300–307

- marine invertebrates, 308
- native declining species, 199–200
- non-native species, 202–204
- other fish species, 309
- overfishing, 300–306
- pilchards, 301
- plankton, 307
- rare or uncommon species, 302
- seahorses, 310
- sharks, 311
- whales, 311

fishes, freshwater

- allis shad, 360
- Arctic char, plate 9, 30, 199, 200, 360
- bream, 360

- burbot, 204–205
- dace, 360
- European Eel, 360
- ferox trout, 200
- gillaroo trout, 200
- grayling, 200, 201, 222, 360, 361
- increases and declines, 360
- Killarney shad, 199, 360
- minnow, 360
- pike, 360
- pollan, 360
- powan, 360
- sea lamprey, 360
- twait shad, 360
- vendace, 360, 385

fishes, marine

- angel shark, 309
- basking shark, 311
- blenny, 317
- blue shark, 311
- butterfish, 317
- cod, 301
- conger eel, 302
- goby, 317
- haddock, 301, 309
- hagfish, 309
- hake, 309
- halibut, 302, 309
- lesser sandeel, 303
- mackerel, 301
- mako shark, 311
- monkfish, 309
- pilchard, 301–302
- porbeagle shark, 311
- sea lamprey, 309
- seahorse, 310–311
- skate, 302
- smooth hound dogfish, 309
- spur dog, 309
- sturgeon, 309
- tope, 309
- tuna, 309
- wolf-fish, 310
- wrasse, 309
- Fleet Forest, 65

- flies (*Diptera*), 254
- flower-rich meadow, plate 14
- flycatchers,
 pied flycatcher (*Ficedula hypoleuca*),
 186
 red-breasted flycatcher (*Ficedula parva*), 186
 spotted flycatcher (*Muscicapa striata*),
 186
- food security, 61
- foot and mouth disease, 60
- Forest of Avon, 65
- Forest of Dean, 65, 147
- forestry, 51
- freshwater fish, 198–205
 alien species, 202–204
 burbot, 204–205
 cormorant threat, 202
 Killarney shad, 199, 360
 native species in decline, 199
 prospering species, 200–202
- freshwater jellyfish, 268
- frogbit (*Hydrocharis morsus-ranae*), 369
- frogs
 African clawed frog (*Xenopus laevis*),
 193
 American bullfrog (*Lithobates catesbeianus* (*Rana catesbeiana*)),
 193
 edible frog (*Pelophylax* (*Rana esculenta*)), 193
 European treefrog (*Hyla arborea*), 193
 marsh frog (*Pelophylax* (*Rana ridibunda*)), 193
 pool frog (*Pelophylax* (*Rana lessonae*)), 83, 190, 191, 192, 193
- fuchsia (*Fuchsia magellanica*), 73
- fulmar, 176
- fungi, viii, 26, 46, 154, 271, 294, 295,
 296, 297, 298, 346, 390
- fungicides, 58, 103, 338
- Galapagos finches, 19–20
- Galloway Forest, 65
- gannet, 177
- gannet entangled in nylon rope, plate 16,
- garden warbler, 47, 162, 164, 175
- garganey, 122
- geese
 barnacle goose (*Branta leucopsis*), 177
 bean goose (*Anser fabalis*), 177
 Brent goose (*Branta bernicla*), 177
 Canada goose (*Branta canadensis*),
 177
 Egyptian goose (*Alopochen aegyptiaca*), 177
 greylag goose (*Anser anser*), 177
 pink-footed goose (*Anser brachyrhynchus*), 177
 white-footed goose (*Anser albifrons*),
 177
- geranium bronze butterfly, 43, 84, 221
- giant puffball (*Calvatia giganteum*), 297
- gladiolus (*Gladiolus illyricus*), 129, 277
- globe flower (*Trollius europaeus*), 324
- godwit
 bar-tailed godwit (*Limosa lapponica*),
 181
 black-tailed godwit (*Limosa limosa*),
 181
- goldcrest, 46
- golden eagle, 179
- golden oriole, 186
- golden rod (*Solidago virgaurea*), 369
- goldeneye duck, 62, 121, 170,
 277, 327
- goldfinch, 19, 166, 173, 346
- Gondwana, 27
- Good King Henry (*Chenopodium bonus-henricus*), 369
- goosander, 122, 179, 358
- Grand Cayman blue iguana, 136
- grass poly (*Lythrum hyssopifolia*), 369
- grasses, 289, 290
- grasshopper warbler, 114
- grasshoppers and crickets (*Orthoptera*),
 246
- great bustard, 135
- great skua, 45, 171, 318, 325
- great tit, 43, 46, 169

398 | INDEX

- great white egret, 43, 82
 great yellow bumblebee, plate 12
 greater burnet-saxifrage (*Pimpinella major*), 369
 greater horseshoe bat (*Rhinolophus ferrumequinum*), 155
 greater mouse-eared bat (*Myotis myotis*), 155
 grebe
 black-necked grebe (*Podiceps nigricollis*), 176
 great crested grebe (*Podiceps cristatus*), 176
 little grebe (*Tachybaptus ruficollis*), 176
 red-necked grebe (*Podiceps grisegena*), 176
 Slavonian grebe (*Podiceps auritus*), 176
 green sandpiper, 159
 green spleenwort (*Asplenium viride*), 292, 325
 greenfinch, 18, 117, 167, 173
 greenhouse effect, 22, 38–40
 greenshank, 44, 181, 315
 grey heron, 16
 grey partridge, 2, 55, 56, 118, 119, 120, 166, 167, 168, 348, 359
 grouse
 black grouse (*Tetrao tetrix*), 179
 capercaillie (*Tetrao urogallus*), 179
 ptarmigan (*Lagopus muta*), 179
 red grouse (*Lagopus lagopus*), 179
 guillemot
 black guillemot (*Cepphus grille*), 183
 guillemot (*Uria aalge*), 183
 gulls
 black-headed gull (*Chroicocephalus ridibundus*), 182
 common gull (*Larus canus*), 182
 glaucous gull (*Larus hyperboreus*), 182
 great black-backed gull (*Larus marinus*), 182
 herring gull (*Larus argentatus*), 182
 Iceland gull (*Larus glaucooides*), 182
 kittiwake, 182
 lesser black-backed gull (*Larus fuscus*), 182
 little gull (*Hydrocoloeus minutus*), 182
 Mediterranean gull (*Larus melanocephalus*), 182
 Sabine's gull (*Larus sabini*), 182
 yellow-legged gull (*Larus michahellis*), 182
 Gwydir Forest, 66
 hagfish (*Myxine glutinosa*), 309
 hairy wood-rush (*Luzula pilosa*), 64
 harebell (*Campanula rotundifolia*), 369
 harlequin ladybird, 43, 84, 262
 harrier
 hen harrier (*Circus cyaneus*), 179
 marsh harrier (*Circus aeruginosus*), 179
 Montagu's harrier (*Circus pygargus*), 179
 harvest mouse, 19, 123
 Hastings rarities, 161–162
 Hatfield Forest, 65
 Hawaiian honeycreepers, evolution of, 14
 hawk
 goshawk (*Accipiter gentilis*), 179
 sparrowhawk (*Accipiter nisus*), 179
 hawthorn (*Crataegus monogyna* and *C. laevigata*), 42, 95, 164, 165, 239, 256, 270, 272
 Hayley Wood, 65
 helxine (*Soleirolia soleirolii*), 72
 hen harrier, 116, 122, 170, 324, 328, 354
 Henderson petrel (*Pterodroma atrata*), 136
 herb paris (*Paris quadrifolia*), 64, 270
 herbaceous plants
 coasts, 279
 downland and grassland, 274
 farmland, 273–274
 gardens and roadsides, 279–280
 lowland heath, 277
 mountain and moorland, 278–279
 ponds and marshes, 275
 woodland, 275–276
 herbicide use, 338

- heron
 grey heron (*Ardea cinerea*), 177
 purple heron (*Ardea purpurea*), 177
- herring gull, 107, 171, 172, 174, 304, 311, 318
- Heslop-Harrison, 280
- himalayan balsam (*Impatiens glandulifera*), 75, 369
- hoary rockrose (*Helianthemum canum*), 325
- hoary whitlowgrass (*Draba incana*), 324
- holly fern (*Polystichum lonchitis*), 325
- honey buzzard, 18, 169, 179
- honeycreeper, 14, 19
- hoopoe, 183
- horse-chestnut leaf miner moth (*Cameraria ohridella*), 42, 271
- horsetails (*Equisetum*), 289, 293
- house martin, 166, 342
- house sparrow, 3, 18, 55, 130, 131, 165, 166, 173, 175, 333, 339, 344, 346, 347
- hoverflies
 golden hoverfly (*Chrysotoxum octomaculatum*), 364
 hoverfly (*Callicera spinolae* and *Blera fallax*), 364
 hoverfly (*Sphegina siberica*), 364
 hoverfly (*Volucella zonaria*), 364
- human population increase, 334
- hummingbird hawk-moth, 43
- Ice Ages, 29–30, 52–53
- industrial melanism, 5, 11, 229
- influenza virus, 60
- insects
 decline, 339
 plants good for insects, 233–235
- intensive farming, 340
- irrigation, 54, 59, 102, 105, 334
- Iron Age, 52
- ivy-leaved toadflax (*Cymbalaria muralis*), 72
- jack snipe, 121
- jackdaw, 160, 165, 166, 167, 175
- Japanese knotweed (*Fallopia japonica*), 368
- Japanese rose (*Rosa rugosa*), 73
- Jefferies, Richard, 4
- Kielder Forest, 65
- Killarney fern (*Trichomanes speciosum*), 369
- Killarney Woods, 66
- kingfisher, 183
- kittiwake, 45, 171, 172, 303, 304, 311, 318, 325, 326
- knot, 173, 227, 228, 229, 315, 316, 324, 329, 361
- lakes
 Bassenthwaite Lake, 101
 Derwent Water, 101
 Lake Bala, 101
 Ullswater, 101
 Windermere, 101
- land movements, 27–28
- lapland bunting, 187, 324
- lapwing, 180
- large blue butterfly, 4, 135
- larks
 shorelark (*Eremophila alpestris*), 184
 skylark (*Alauda arvensis*), 184
 woodlark (*Lullula arborea*), 184
- Lawton Report, 136, 350, 351
- Leisler's bat (*Nyctalus leisleri*), 155
- lesser horseshoe bat (*Rhinolophus hipposideros*), 155
- lesser redpoll, 45
- lesser sea-spurrey (*Spergularia marina*), 369
- lesser spearwort (*Ranunculus flammula*), 369
- liberty caps (*Psilocybe semilanceata*), 297
- lichens, 289, 290, 294
- lily of the valley (*Convallaria majalis*), 64
- lime hawk-moth, 44
- linnet, 45

400 | INDEX

- litter, 336
 litter on seashore strandline, plate 15
 little auk, 183
 little egret, 42, 43, 47, 333
 little owl, 80, 81, 183, 359
 little tern, 316
 liverworts, 64, 289, 290, 293,
 294, 372
 lizards
 common lizard (*Zootoca vivipara*),
 194
 common wall lizard (*Podarcis
 muralis*), 194
 sand lizard (*Lacerta agilis*), 194
 slow-worm (*Anguis fragilis*), 194
 western green lizard (*Lacerta
 bilineata*), 194
 Lochs
 Loch Awe, 101
 Loch Lomond, 9, 101, 205
 Loch Moran, 101
 Loch Tay, 101, 149, 199, 201, 265,
 302, 320
 long-eared owls, 331
 long-tailed duck, 122
 Loughs
 Lough Corrib, 101
 Lough Derg, 101
 Lough Erne, 101
 Lough Neagh, 101
 Lough Navar Forest, 66
 lousewort (*Pedicularis sylvatica*), 369
 magpie, 6, 18, 87, 89, 90, 107, 117, 119,
 120, 122, 123, 128, 174, 186, 355
 mallard, 121, 173, 178, 359
 mammals, 145, 146, 148, 150, 152, 155,
 357, 383
 bats, 153–157
 boar and other introductions, 147–149
 declining mammals, 150–151
 deer, 146
 seals, 146
 small mammals, 151–153
 successes, 149–150
 marbled moth, 43
 Marine Conservation Zones, 306
 marine invertebrates, 307
 cuttlefish (*Sepia officinalis*), 308
 northern squid (*Loligo forbesi*), 308
 octopus (*Eledone cirrhosa*), 308
 marine seabirds, 12
 marine species,
 non-native, 319
 pollution, 337
 marjoram (*Origanum vulgare*), 368
 marsh gentian (*Gentiana
 pneumonanthe*), 129, 277, 369
 marsh harrier, 134, 135, 324, 328, 329,
 331, 345, 359
 marsh saxifrage (*Saxifraga hirculus*), 325
 marsh tit, 168, 169
 marsh violet (*Viola palustris*), 369
 marsh warbler, 185, 359
 martins
 house martin (*Delichon
 urbicum*), 184
 sand martin (*Riparia riparia*), 184
 mat grass (*Nardus stricta*), 368
 May blossom. *See* hawthorn
 McCarthy, Michael, xiii, 342, 390
 meadow pipit, 116, 163, 169
 Mediterranean gull, 329
 Meinertzhagen, 161
 metallothioneins, 13
 meteorite, 28
 Migration Watch UK, 94
 mistle thrush, 166, 175
 molluscs, 264
 monkey-flower (*Mimulus guttatus*), 72
 Monks Wood, 65, 217
 Montagu's harrier, 53, 328
 Montserrat oriole (*Icterus oteri*), 136
 moorhen (*Gallinula chloropus*), 180
 Moran, Loch, 101
 morel fungus (*Morchella
 esculenta*), 297
 moschatel (*Adoxa moschatellina*), 64
 moss campion (*Silene acaulis*), 44
 mosses, 289, 293

- moths, 223–230
 abundance, 225
 catching moths, 223–225
 changes in abundance, 228–229
 conservation, 230
 declines, 225–228
 examples of population trends,
 plate 10
 increasing species, 228
 sugaring for, 224
 trapping with light, 224
- mountain avens (*Dryas octopetala*), 325
- mountain pansy (*Viola lutea*), 324
- mugwort (*Artemisia vulgaris*), 369
- musk thistle (*Carduus nutans*), 368
- Nathusius pipistrelle, 154, 358
- natterer's bat (*Myotis nattereri*), 155
- natterjack toad, 135, 190, 360
- natural selection, 31–32
- neolithic settlement, 52
- neophytes, 72–77
- nesting dotterel, 330
- New Forest, xii, 47, 50, 62, 63, 65, 80, 129, 132, 138, 169, 195, 196, 218, 226, 230, 247, 249, 256, 261, 268, 271, 277, 283, 331, 363
- New Zealand pigmyweed (*Crassula helmsii*), 76, 369
- New Zealand willowherb (*Epilobium brunnescens*), 73
- newts
 alpine newt (*Mesotriton (Triturus) alpestris*), 193
 great crested newt (*Triturus cristatus*), 190
 Italian crested newt (*Triturus carnifex*), 193
 palmate newt (*Lissotriton (Triturus) helveticus*), 190
 smooth newt (*Lissotriton (Triturus) vulgaris*), 190
- night-flowering catchfly (*Silene noctiflora*), 369
- nightingale, 184, 272, 344, 359, 384
- nightjar, 183
- noctule (*Nyctalus noctula*), 155
- noise and light pollution, 335
- Norfolk Broads, 50, 103, 147, 216
- Nothofagus* (Southern beech), 27
- number of species on earth, 9–10
- nuthatch, 45, 160, 168, 173, 186, 346, 359
- oak bush cricket, plate 13
- ocean acidification, 36
- Oenothera* (evening primrose),
biennis, 73
glazioviana, 73
- orange balsam (*impatiens capensis*), 73, 275, 369
- orange footman moth, 44
- orchards, 67–68
- orchids, 280–289
 autumn lady's-tresses (*Spiranthes spiralis*), 283
 bee orchid (*Orchis apifera*), 286
 bird's-nest orchid (*Neottia nidus-avis*), 281
 bog orchid (*Hammarbya paludosa*), 283
 broad-leaved helleborine (*Epipactis helleborine*), 282
 burnt-tip orchid (*Neottia (Orchis) ustulata*), 285
 common spotted orchid (*Dactylorhiza fuchsia*), 285
 common twayblade (*Neottia (Listera) ovate*), 281
 coralroot orchid (*Corallorhiza trifida*), 283
 creeping lady's-tresses (*Goodyera repens*), 283
 dark red helleborine (*Epipactis atrorubens*), 282
 dense-flowered orchid (*Neotinea maculata*), 285
 dune helleborine (*Epipactis dunensis*), 282

orchids (*cont.*)

- early marsh orchid (*Dactylorhiza incarnate*), 284
- early purple orchid (*Orchis mascula*), 284
- early spider orchid (*Orchis sphegodes*), 286
- fen orchid (*Liparis loeselii*), 283
- fly orchid (*Ophrys insectifera*), 286
- fragrant orchid (*Gymnadenia conopsea s.l.*), 284
- frog orchid (*D. (Coeloglossum) viride*), 285
- ghost orchid (*Epipogium aphyllum*), 282
- greater butterfly orchid (*Platanthera chlorantha*), 284
- green-flowered helleborine (*Epipactis dunensis*), 282
- green-winged orchid (*Anacamptis (Orchis) morio*), 286, 369
- heath spotted orchid (*Dactylorhiza maculata*), 285
- Hebridean marsh orchid (*Dactylorhiza eбудensis*), 285
- Irish lady's-tresses (*Spiranthes romanzoffiana*), 283
- Irish marsh orchid (*Dactylorhiza occidentalis*), 285
- lady orchid (*Orchis purpurea*), 284
- lady's-slipper (*Cypripedium calceolus*), 281
- lesser butterfly orchid (*Platanthera bifolia*), 284
- lesser twayblade (*Neottia (Listera) cordata*), 281
- Lindisfarne helleborine (*Epipactis sancta*), 282
- Lizard orchid (*Himantoglossum hircinum*), 286
- loose-flowered orchid (*Anacamptis (Orchis) laxiflora*), 286
- man orchid (*Orchis (Aceras) anthropophora*), 283
- marsh helleborine (*Epipactis palustris*), 281
- marsh orchid (*Dactylorhiza praetermissa*), 275, 287
- military orchid (*Orchis militaris*), 284
- monkey orchid (*Orchis simian*), 283
- musk orchid (*Herminium monorchis*), 283
- narrow-leaved helleborine (*Cephalanthera longifolia*), 281, 285
- narrow-leaved marsh orchid (*Dactylorhiza traunsteinerioides*), 285
- narrow-lipped helleborine (*Epipactis leptochila*), 282
- northern marsh orchid (*Dactylorhiza purpurella*), 285
- purple orchid (*Orchis mascula*), 275
- pyramidal orchid (*Anacamptis pyramidalis*), 286
- red helleborine (*Cephalanthera rubra*), 281
- small white orchid (*Pseudorchis albida*), 284
- southern marsh orchid (*Dactylorhiza praetermissa*), 285
- spotted orchid (*Dactylorhiza fuchsii*), 275, 287
- summer lady's-tresses (*Spiranthes aestivalis*), 283
- tongue orchids (*Serapias spp.*), 286
- violet helleborine (*Epipactis purpurata*), 282
- white helleborine (*Cephalanthera damasonium*), 281
- organic entry level stewardship, 56, 57–58, 333, 340
- organic farming, 333, 340
- Ornithologia*, 160
- ortolan bunting, 328
- osprey, 179
- otter, 135, 357
- owls
- barn owl (*Tyto alba*), 183

- eagle owl (*Bubo bubo*), 183
 little owl (*Athene noctua*), 183
 long-eared owl (*Asio otus*), 183
 short-eared owl (*Asio flammeus*), 183
 snowy owl (*Bubo scandiacus*), 183
 tawny owl (*Strix aluco*), 183
 Oxford ragwort (*Senecio squalidus*), 73
 oxygen in Earth's atmosphere, 24–26
 oystercatcher, 180
- painted lady, 43, 211
 pale sedge (*Carex pallescens*), 64
 Pallas's warbler, 185, 324
 Pamber Forest, 65, 212, 213, 326, 327
 Pangaea, 27
 parasitoid wasps, 240
 partridge
 Alectoris rufa, 179
 grey partridge (*Perdix perdix*), 179
 pendulous sedge (*Carex pendula*), 64, 368
 pennyroyal (*Mentha pulegium*), 369
 pepper saxifrage (*Silaum silaus*), 369
 peppered moth, 5, 11, 229, 373
 peregrine falcon, 135, 359
 pesticide use, 338
 phalarope
 grey phalarope (*Phalaropus fulicarius*), 182
 red-necked phalarope (*Phalaropus lobatus*), 181
 pheasant, 66, 71, 107, 116, 117, 118, 120, 122, 123, 180, 347
 golden pheasant (*Chrysolophus pictus*), 180
 pheasant (*Phasianus colchicus*), 179
 pheasant's-eye (*Adonis annua*), 369
 phenology, 42–43
 phosphate. *See* enriched soils
 photosynthesis, 24
 pigeon
 feral pigeon (*Columba livia*), 183
 wood pigeon (*Columba palumbus*), 183
 pine hawk-moth, 44, 228
 pine marten, 18, 62, 150
 pink-footed goose, 177, 358
 pintail, 121
 pipit
 meadow pipit (*Anthus pratensis*), 184
 rock pipit (*Anthus petrosus*), 184
 tree pipit (*Anthus trivialis*), 184
 water pipit (*Anthus spinoletta*), 184
 plankton, 307–308
 plover
 dotterel (*Charadrius morinellus*), 180
 golden plover (*Pluvialis apricaria*), 180
 grey plover (*Pluvialis squatarola*), 180
 little ringed plover (*Charadrius dubius*), 180
 ringed plover (*Charadrius hiaticula*), 180
 pochard, 121, 173, 178, 359
 polecat (*Mustela putorius*), 151
 population
 distribution, 94–97
 figures, 92
 regulation, 88–89
 praying mantis (*Mantodea*), 248
 predatory owls, 18
 Protista. *See* Chromista
 ptarmigan, 44, 120, 169, 170, 278, 327, 339
 puffin, 183
 purple heron, 82
 purple moor grass (*Molinia caerulea*), 129, 278
 purple saxifrage (*Saxifraga oppositifolia*), 369
 purple toadflax (*Linaria purpurea*), 369
 pyramidal orchid (*Anacamptis pyramidalis*), 368
- quail, 179
- Rachel Carson, 2, 19, 232
 Rackham, Oliver, xiii, 51, 63, 64, 270, 271, 275, 380, 389
 rainfall, 14, 37, 41, 59, 64, 100, 101, 290. *See also* water
 ramsons / wild garlic (*Allium ursinum*), 64

- Ray, John, 2
 rays, 309, 311
 razorbill, 183
 red grouse, 45, 116, 117, 118, 121, 122, 136
 red kite (*Milvus milvus*), 135, 179, 359
 red queen hypothesis, 13
 red squirrel, 18, 62, 79, 116, 148, 375
 red valerian (*Centranthus ruber*), 73, 369
 red-backed shrike, 167, 333
 red-eyed damselfly, 43, 242, 243, 365, 367
 red-legged partridge, 118, 120
 redshank
 redshank (*Tringa tetanus*), 181
 spotted redshank (*Tringa erythropus*), 181
 redstart, 169, 184
 red-throated diver, 169, 331
 reduced interest in wildlife, 340
 reduced rainfall, 59
 redwing, 44, 170, 173
 reed bunting, 45, 168, 334, 346
 reed warbler, 163, 164, 169, 175, 331
 reedmace/bulrush (*Typha latifolia*), 368
 reflexed saltmarsh grass (*Puccinellia distans*), 369
 remote sedge (*Carex remota*), 64
 renewable energy, 59
 reptiles, 194–197
 lizards, 195–197
 snakes, 194–195
 terrapin, 196
 rhododendron as a weed, plate 2
 Ridley, Matt, 13
 ring ouzel, 45, 46, 114, 122, 169, 170
 riverflies, 244
 declining species, 362–363
 increasing species, 362–363
 robberflies
 hornet robberfly (*Asilus crabroniformis*), 364
 Manx robberfly (*Machimus cowini*), 364
 robin, 7, 166, 169, 175, 240
 Rockingham Forest, 65
 rocky shore wildlife, 317–318
 rook, 117, 166, 174, 256
 roseate tern, 172, 182, 359
 rose-ringed parakeet, 183
 Rothiemurchus Forest, 62, 66, 82, 330
 round-leaved cranesbill (*Geranium rotundifolium*), 369
 Royal Society for Protection of Birds (RSPB), 159
 ruddy duck, 81
 ruff, 181
 Rum, 280
 rushes (*Juncus*), 289, 290
 Russian comfrey (*Symphytum x uplandicum*), 74
 rusty-back fern (*Asplenium ceterach*), 369
 saltwater fish
 European Eel, 382
 sand lizard, 3, 4, 135, 194, 360
 sand martins, 42
 sandpiper
 common sandpiper (*Actitis hypoleucos*), 181
 curlew sandpiper (*Calidris ferruginea*), 181
 dunlin (*Calidris alpina*), 181
 green sandpiper (*Tringa ochropus*), 181
 knot (*Calidris canutus*), 181
 little stint (*Calidris minuta*), 181
 purple sandpiper (*Calidris maritima*), 181
 sanderling (*Calidris alba*), 181
 Temminck's stint (*Calidris temminckii*), 181
 wood sandpiper (*Tringa glareola*), 181
 sandwich tern, 172
 Savernake Forest, 65
 sawflies, 239
 scaup, 122, 178, 359
 Scots pine (*Pinus silvestris*), 270
 Scottish wild cat, 330
 sea cliff wildlife, 318–319

- sea fish, 309–310
- seahorse, 310–311
- sedge warbler, 164, 175, 244, 290, 331
- sedges (*Carex*), 289
- serotine bat (*Eptesicus serotinus*), 155
- shag, 177
- shaggy ink caps (*Coprinus comatus*), 297
- sharks, 44, 308, 309, 311, 312, 331
- shearwater
- Balearic shearwater (*Puffinus mauretanicus*), 176
 - Cory's shearwater (*Calonectris diomedea*), 176
 - great shearwater (*Puffinus gravis*), 176
 - Manx shearwater (*Puffinus puffinus*), 176
 - sooty shearwater (*Puffinus griseus*), 176
- shepherd's needle (*Scandix pecten-veneris*), 369
- Sherwood Forest, 62, 65
- shifting-baseline syndrome, 343
- shorelines, 313–322
- exploitation, 320
 - introduction of non-native species, 319
 - marine pollution and shoreline degradation, 337
 - muddy estuaries, 314
 - rocky shores, 317
 - sand and pebble beaches, 316
 - sea cliffs, 318
 - seals, 319
- short-eared owl, 122, 170, 326, 328, 330
- shrikes
- great grey shrike (*Lanius excubitor*), 186
 - red-backed shrike (*Lanius collurio*), 186
- shrubby cinquefoil (*Potentilla fruticosa*), 325
- shrubs, 272–273
- Silent Spring*, 2
- Site of Special Scientific Interest, 30, 376
- sitka spruce (*Picea sitchensis* var. *latifolia*), 270
- sixth great extinction, 18–20
- skates, 311
- skua
- great skua (*Stercorarius skua*), 182
 - long-tailed skua (*Stercorarius longicaudus*), 182
 - pomarine skua (*Stercorarius pomarinus*), 182
- Skye memories, 331
- skylark, 56, 57, 96, 116, 123, 143, 166, 167, 174, 236, 339
- slender speedwell (*Veronica filiformis*), 73
- small bugloss (*Anchusa arvensis*), 369
- small scabious (*Scabiosa columbaria*), 369
- small-leaved lime (*Tilia cordata*), 64
- smooth hound dogfish (*Mustelus mustelus*), 309
- smooth snake, 135, 194, 360
- snake's-head fritillary (*Fritillaria meleagris*), 72, 275
- snakes
- adder (*Vipera berus*), 194
 - Aesculapian snake, 196
 - grass snake (*Natrix natrix*), 194
 - smooth snake (*Coronella austriaca*), 194
- snipe, 112, 114, 121, 173, 181, 255, 315, 334, 343
- jack snipe (*Lymnocyptes minimus*), 181
 - snipe (*Gallinago gallinago*), 181
- snouted seahorse (*Hippocampus hippocampus*), 310
- snow bunting, 44, 170, 324, 327, 339
- Snowdon lily (*Lloydia serotina*), 44, 339
- solar panels, 48, 59, 96
- solitary bees, 238–239
- song thrush, 117, 166, 168, 173, 174, 175, 236, 335
- songbird decline, 229, 342
- soprano pipistrelle (*Pipistrellus pygmaeus*), 154, 155, 157
- South Georgia pipit (*Anthus antarcticus*), 136

406 | INDEX

- sparrowhawk, 19, 51, 89, 90, 116, 128, 166, 167, 174, 179, 359
- sparrows
 house sparrow (*Passer domesticus*), 187
 tree sparrow (*Passer montanus*), 187
- Spartina anglica*, 5, 11, 75, 378, 381
- species gains, 43–44
- species losses and declines, 356
- amphibians, 360
- arachnida, 367
- birds, 358
- butterflies, 360
- Coleoptera, 366
- crustaceans, 367
- dragonflies, 364
- fish, 360
- Hirundinea, 367
- insects, 361–367
- leeches, 367
- mammals, 357
- mollusca, 367
- plants, 368
- reptiles, 359
- seashore species, 369
- species totals of ‘other plants’, 289
- spiders
 Daddy-long-legs spider (*Pholcus phalangioides*), 367
 Great raft spider (*Dolomedes plantarius*), 367
 Uloborus plumipes, 367
 wasp spider (*Argiope bruennichi*), 367
- spectacled petrel, plate 5
- spiders and scorpions, 266
- spindle (*Eunonymus europaeus*), 270
- spiny seahorse (*Hippocampus guttulatus*), 310
- spoonbill, 43, 177, 329
- spotted crake, 180
- spring gentian (*Gentiana verna*), 30, 278, 324, 328
- spur dogs (*Squalus acanthias*), 309
- starling, 187
- State of Nature Report, 351
- stick insects (*Phasmida*), 248
- stinking iris (*Iris foetidissima*), 369
- stock dove, 166, 167, 169, 175, 183, 359
- stone curlew, 135
- stonechat, 45, 96
- storm-petrel
 Leach’s storm-petrel (*Oceanodroma leucorhoa*), 177
 storm-petrel (*Hydrobates pelagicus*), 176
- strapwort (*Corrigiola litoralis*), 369
- sturgeon (*Acipenser sturio*), 309
- swallow (*Hirundo rustica*), 3, 42, 165, 166, 172, 184, 258
- swallowtail butterfly, 135
- swan
 Bewick’s swan (*Cygnus columbianus*), 177
 mute swan (*Cygnus olor*), 177
 whooper swan (*Cygnus cygnus*), 177
- sweet woodruff (*Galium odoratum*), 64
- swift, 183
- tawny owl, 91, 166, 174
- Teesdale sandwort (*Minuartia stricta*), 30, 325
- Teesdale violet (*Viola rupestris*), 324
- Tentsmuir Forest, 66
- terrapin, 196
- tern
 Arctic tern (*Sterna paradisaea*), 183
 black tern (*Chlidonias niger*), 183
 common tern (*Sterna hirundo*), 182
 Little tern (*Sternula albifrons*), 183
 Roseate tern (*Sterna dougallii*), 182
 Sandwich tern (*Sterna sandvicensis*), 182
- terrestrial land cover, 50
- The State of Marine Wildlife*, 312
- Thetford Forest, 65
- thin-spiked wood-sedge (*Carex strigosa*), 64

tits

- bearded tit (*Panurus biarmicus*), 186
- blue tit (*Cyanistes caeruleus*), 186
- coal tit (*Periparus ater*), 186
- crested tit (*Lophophanes cristatus*), 186
- great tit (*Parus major*), 186
- long-tailed tit (*Aegithalos caudatus*), 186
- marsh tit (*Poecile palustris*), 186
- willow tit (*Poecile montana*), 186

toads

- common toad (*Bufo bufo*), 189, 190, 191, 192
- golden toad, 16, 44, 379
- midwife toad (*Alytes obstetricans*), 193
- natterjack toad, 102, 133, 190, 191, 192

top wildlife sites

- Cape Clear Island, County Cork, 329
- Cley and the North Norfolk Coast, 324
- Cumbrian Mountains, 325
- Fair Isle, 327
- Hampshire Butterfly Sites, 326
- Minsmere, Suffolk, 329
- Portland Bill, Dorset, 328
- Speyside, 327
- Strangford Lough and Wexford Slob, 329
- Teesdale, Yorkshire, 324
- The Burren, County Clare, 328

tope (*Galeorhinus galeus*), 309

tree pipit, 63, 359

tree sparrow, 130, 131, 166, 168

treecreeper, 186

trees, 270–272

Trichogramma wasp, 127tufted vetch (*Vicia cracca*), 127tuna (*Thunnus thynnus*), 309

turnstone, 181

turtles

- Leatherback turtle, 194
- tutsan (*Hypericum androsaemum*), 368
- Two-Winged Flies (*Diptera*), 254

UK and Irish Woodland, 65–66

Venus' looking-glass (*Legousia hybrida*), 369

vermilion lily beetle, 42

vineyards, 68

Viola labradorica, 72

wagtails

- grey wagtail (*Montacilla cinerea*), 184
- pied wagtail (*Montacilla alba*), 184
- yellow wagtail (*Montacilla flava*), 184
- wall barley (*Hordeum murinum*), 369

Wallace, Ian, 160

warbler

- aquatic warbler (*Acrocephalus paludicola*), 185
- barred warbler (*Sylvia nisoria*), 185
- blackcap (*Sylvia atricapilla*), 185
- Cetti's warbler (*Cettia cettis*), 185
- chiffchaff (*Phylloscopus collybita*), 186
- Dartford warbler (*Sylvia undata*), 185
- firecrest (*Regulus ignicapilla*), 186
- garden warbler (*Sylvia borin*), 185
- goldcrest (*Regulus regulus*), 186
- grasshopper warbler (*Locustella naevia*), 185
- icterine warbler (*Hippolais icterina*), 185
- lesser whitethroat (*Sylvia curruca*), 185
- marsh warbler (*Acrocephalus palustris*), 185
- Pallas's warbler (*Phylloscopus proregulus*), 185
- reed warbler (*Acrocephalus scirpaceus*), 185
- Savi's warbler (*Locustella luscinioides*), 185
- sedge warbler (*Acrocephalus schoenobaenus*), 185
- whitethroat (*Sylvia communis*), 185
- willow warbler (*Phylloscopus trochilus*), 186
- wood warbler (*Phylloscopus sibilatrix*), 185
- yellow-browed warbler (*Phylloscopus inornatus*), 185

408 | INDEX

- warming seas, 45
 wasp spider, plate 11
 wasps, 237–240
 gall wasps, 240
 parasitoid wasps, 240
 ruby-tailed wasps, 240
 water
 abstraction, 334
 acidification, 102
 drought, 59, 104, 105, 335
 endocrine disruptors (EDs), 104
 EU Water Framework Directive, 105
 flooding, 104, 335
 origin on Earth, 100
 on planet Earth, 23–24
 PESTICIDES, 103–104
 pollution, 102–103
 under the sea, 337
 water in Britain and Ireland, 100
 water rail, 180
 water vole, 135, 358
 wavy hair-grass (*Deschampsia flexuosa*),
 278, 368
 waxwing, 184
 western green lizard, plate 8
 whales, 311–312
 wheatear, 114
 whimbrel, 181
 whinchat, 116, 185, 344, 359
 whiskered bat (*Myotis mystacinus*), 155
 White, Gilbert, 4
 white-tailed eagle, 135, 179, 358
 whitethroat, 45, 166, 335, 342
 wild onion (*Allium vineale*), 368
 wild rhododendron (*Rhododendron
 ponticum*), 368
 wild service tree (*Sorbus torminalis*), 64
 wildlife, 5, 30, 66, 97, 106, 125, 126, 128,
 130, 132, 135, 136, 138, 140, 143,
 324, 326, 328, 331, 382, 383
 awareness, 97
 extinctions, 3
 fishing and wildlife, 111–114
 species as trophies, 97–98
 wildlife conservation, 125–141
 avocet, 133–134
 British Territories, 136–137
 British zoos, 139
 comparative success, 135
 Convention on Biological Diversity
 (CBD), 139
 corncrake, 129–130
 dormouse, 131–132
 endemic birds, reptiles and
 amphibians, 140
 house sparrow, 130–131
 International Union for Conservation
 of Nature, 139, 226
 Lawton Report, 136
 marsh gentian, 129
 smooth snake, 132–133
 turtle dove, 128
 UK international role, 137–139
 water vole, 134–135
 wild gladiolus, 129
 wood white butterfly, 127
 World Wide Fund for Nature (WWF),
 139
 wildlife friendly farming, 66–67
 willow tit, 168, 169, 359
 willow warbler, 45, 117, 164, 174, 175,
 333
 wind farms, 59
 Windsor Great Park and Forest, 65
 wood anemone (*Anemone nemorosa*), 64
 wood melick (*Melica uniflora*), 64
 wood millet grass (*Milium effusum*), 64
 wood pigeon, 120, 166, 167, 174, 175
 wood sorrel (*Oxalis acetosella*), 64
 wood speedwell (*Veronica montana*), 64
 wood spurge (*Euphorbia amygdaloides*),
 64
 wood warbler, 47, 168, 169, 174, 175,
 343, 359
 wood wasps, 239
 woodcock, 181
 woodland, 11, 16, 47, 50, 51, 52, 53, 54,
 55, 61, 62, 63, 64, 65, 66, 67, 69,
 79, 80, 114, 115, 117, 118, 122,
 126, 128, 132, 147, 148, 157,

- 160, 164, 168, 169, 208, 211, 212, 213, 214, 217, 221, 228, 230, 240, 241, 270, 271, 272, 273, 275, 276, 281, 282, 284, 286, 287, 288, 291, 292, 296, 298, 329, 330, 333, 339, 343, 344, 346, 351, 374, 377, 385
- ancient woodland, 63–64
- coppiced woodland, 51–52
- management, 61–66
- woodlark, 62, 63, 169, 175, 277
- woodpeckers
- great spotted woodpecker (*Dendrocopos major*), 184
 - green woodpecker (*Picus viridis*), 184
 - lesser spotted woodpecker (*Dendrocopos minor*), 184
- worms, flatworms and leeches, 268
- wren, 184
- wryneck, 183
- wych elm (*Ulmus glabra*), 270
- wychwood, 65
- Wykeham Forest, 65
- yellow corydalis (*Pseudofumaria lutea*), 74, 369
- Yellow Flag (*Iris pseudacorus*), 368
- yellow wagtail, 166, 334, 339, 359
- yellow-browed warbler, 164, 165
- yellowhammer, 55, 123, 166, 167, 168, 344
- yellow-winged darter dragonfly, 43
- zoos, role of, 139, 349, 350