

Index

(Entries in bold are found in the answer sections; entries not in bold are found in the questions.)

- AAGBI safety guideline **38**
 abdominal aortic aneurysm
 repair 28, 125, **139**,
 196, **210**
 acetaminophen overdose **65**
 acetylcholine receptors,
 regulation 190, **200**
 acromegaly 28, **40**, **86**, 96, **105**
 activated charcoal **15**, **221**
 clotting time (ACT) 195, **210**
 acute hepatic failure 53
 lung injury (ALI) 30, **43**, **64**,
 102, **114**
 physiology and chronic
 evaluation (APACHE)
 120, **131**
 renal failure (ARF) **46**, 50,
 120, **130**
 RIFLE classification 120,
 130, 143, **153**
 respiratory distress
 syndrome (ARDS) 30,
 43, 53, **63**, **64**, 118, **127**
 adrenal function **40**
 adrenaline **60**, **106**
 airway fire, laser surgery **104**
 alcohol
 addiction 146, 159
 use 103
 alcoholic liver disease **117**
 algorithms, resuscitation **45**, **154**
 alpha antagonists 82
 aminosteroid-induced neuro-
 muscular blockade 2, **11**
 amitriptyline **62**, **87**
 amniotic fluid embolism 216, **228**
 anaesthesia
 advice 52
 general **132**
 management 145, **158**
 anaesthetic agents 27
 cardioprotection **37**
 volatile **232**
 analgesia
 paediatric 192
 PCA/NCA **64**
 postoperative **64**
 see also pain; *specific agents*
 and requirements
 anaphylactic reactions 218, **231**
 aneurysm
 endovascular aortic aneurysm
 repair (EVAR) 28, 125,
 139, 196, **210**
 rupture 124, **138**
 antepartum haemorrhage
 147, **159**
 anti-D prophylaxis **22**
 anti-platelet therapy 188, **197**,
 202, 212, **220**
 anticholinergic drugs **10**
 anticoagulation strategy 142, **151**
 antipsychotics **204**
 aortic
 dissection 166, **176**
 stenosis 98, 99
 AVA method **107**
 labour and 80, **92**
 principles **109**
 valve replacement 26
 apnoea, infant 169, **181**
 APTT ratio **72**
 Arozullah index **209**
 arthroplasty 81, **93**
 aspirin poisoning 144, **155**, **221**
 asthma 33, **48**, 119, 190, 199,
 214, **224**
 back pain 7, 27, 30, 79,
 119, 121
 non-specific **39**
 red flags **42**
 bacterial peritonitis **117**
 tracheitis **18**, **41**, **111**
 benzodiazepines **44**, **89**
 beta-2 agonists **48**
 beta-blockers 82
 perioperative period 98, **107**,
 141
 Bier block **130**
 biventricular pacing, cardiac
 resynchronization
 therapy (CRT) **22**
 bleeding time 55
 blood transfusion
 pregnancy 7
 TRALI **45**
 blue bloaters **136**
 body mass index 49
 bowel irrigation **15**
 brachial plexus block 3, **13**, 213,
 221
 bradycardia 26
 brain injury (TBI) **63**
 brainstem death 101, **113**, **157**,
 168
 organ donation 145
 bronchiolitis 169, **181**
 bronchopleural fistula 8, **24**
 bupivacaine
 child **62**
 toxicity **60**
 burns 212, 215
 airway fire, laser surgery **104**
 combustion risk **24**
 escharotomies **225**
 Parkland formula **15**
 third degree 4
 total burn surface area
 (TBSA) **15**
 and trauma 168, **180**
 Caesarean section 122, 148, **161**
 bradycardia **160**
 hypoxia 147
 cancer pain 102, **115**, **132**
 can't intubate, can't ventilate
 84, 167
 carbon monoxide (CO)
 poisoning 26, **35**
 carcinoid disease 124, 142, **151**,
 233
 perioperative measures 219
 tumours 97, **106**
 carcinoid syndrome **106**, 124,
 137, **152**, **233**
 cardiac output 56, **208**
 resynchronization therapy
 (CRT), biventricular
 pacing 7, **22**
 tamponade **35**

Index

- cardiogenic shock **104**
 cardioplegia solutions **28, 40**
 cardiopulmonary bypass **136**
 cardiopulmonary exercise testing **105**
 cardiopulmonary resuscitation (CPR) **144**
 algorithms **45, 154**
 cardiorespiratory disease **195**
 cauda equina syndrome **21**
 caudal epidural anaesthesia
 Armitage formula **88**
 child **171, 184**
 combined spinal epidural (CSE) **75, 85**
 infant **90**
 labour **79**
 needle placement **56**
 steroid injections **214, 223**
 central anticholinergic syndrome (CAS) **10**
 neuraxial block (CNB) **147**
 NAP3 study **159**
 cerebral blood flow **93**
 oedema **36, 108**
 salt wasting syndrome (CSWS) **1, 10, 14, 198**
 vasospasm **186**
 spine injury **87, 169**
 child
 analgesia **91, 192**
 see also pain; *specific agents and requirements*
 caudal epidural anaesthesia **171, 184**
 dehydration **122**
 dental anaesthesia **5, 17**
 epilepsy **31**
 expected heart and respiratory rates **115**
 fracture **91**
 local anaesthesia **51**
 respiratory distress **6, 29, 194**
 uncooperative **17, 213**
 weight estimation **14, 115**
 see also infant
 chlorhexidine mouthwash **177**
 chronaxy **162**
 chronic liver disease, anaemia **169, 182**
 obstructive pulmonary disease (COPD) **123, 126, 136**
 pain **170, 217, 228**
 pelvic pain (CPP) **158**
 post-surgical pain (CPSp) **193, 206**
 regional pain syndrome *see* complex regional pain syndrome (CRPS)
 renal failure **55**
 clinical tests **80**
 negative predictive value (NPV) **92**
 positive predictive value (PPV) **92**
 sensitivity **92**
 specificity **92**
Clostridium difficile infection **6**
 treatment **19**
 coeliac plexus block **213**
 combined spinal-epidural (CSE) anaesthesia **75, 85**
 combustion risk **24**
 complex regional pain syndrome (CRPS) **88, 103, 116, 143, 171, 189, 199**
 (type-1) **184**
 (type-2) **154**
 confusion, assessment method for ICU **223**
 congenital cardiac lesions **219**
 diaphragmatic hernia (CDH) **218, 229**
 continuous radiofrequency (CRF) therapy **72, 188, 197**
 COPD **123, 126, 136**
 coronary artery bypass grafting (CABG) **104, 123**
 stenting **202**
 ischaemia **104**
 cranial nerves, specific brainstem death tests **179**
 craniectomy following acute subdural haematoma **3**
 CRASH trial **63**
 cricoid pressure **135**
 cricothyroidotomy **84**
 croup, laryngotracheitis **18, 41, 111**
 CTPA **8, 24**
 cyanide poisoning **145, 156, 221**
 D-dimer test **24**
 danaparoid **13**
 DDAVP **72**
 decompression sickness **194**
 decontamination **85**
 deep hypothermic circulatory arrest (DHCA) **81**
 venous thrombosis (DVT) **74, 84, 148**
 Wells score **161**
 see also venous thromboembolism (VTE)
 dehydration
 child **122**
 infant **133**
 delirium **30, 44, 89, 214**
 demeclocycline **14**
 dementia **44**
 dental treatment **49, 177**
 child **5, 17**
 infective endocarditis risk **166, 177**
 depression **97, 105**
 desflurane **205, 229**
 desmopressin **14**
 Detsky index **209**
 dexamethasone **65**
 dexmedetomidine **89**
 diabetes
 insipidus **32, 47**
 mellitus **8**
 diabetic ketoacidosis (DKA) **23**
 paediatric **26, 36, 217, 228**
 diclofenac **14**
 Difficult Airway Society guidelines (2004) **177**
 diffuse axonal injury **51**
 disinfection **85**
 diverticular perforation **125**
 dopamine **232**
 dopexamine **232**
 double lumen tube (DLT) **68, 69**
 Down syndrome, surgery **98**
 drug abuse **26**
 delivery, transdermal **66, 184**
 overdose **15, 75, 80**
 reaction, hypertensive crises **105**
 eluting stents (DES) **188, 197**
 ductal shunting **66**
 ductus arteriosus **16, 66**
 duloxetine **62**
 echinacea **163**
 echocardiography **156**
 Eisenmenger's syndrome **108**

- electroconvulsive therapy (ECT) 2, **12**, **149**
- endobronchial intubation
can't intubate, can't ventilate **84**, **167**
left sided collapse **140**
unsuccessful **84**, **167**
- endocarditis **189**, **198**
- endotracheal tube (ETT)
laser airway surgery 9
migration **140**
- endovascular aortic aneurysm
repair (EVAR) **28**, **125**, **139**, **196**, **210**
- enoximone **106**
- enteral nutrition **61**
- epiglottitis **18**, **41**, **111**
- epilepsy, child 31
- ethylene glycol poisoning **92**
- etomidate **12**, **164**
- exercise testing 97
- extravasation injuries **218**, **231**
- fat embolism **93**
syndrome (FES) **46**
- fantanyl **44**
transdermal delivery **99**, **110**
- fibromyalgia 5, **17**, **87**
- fire in airway, laser
surgery **104**
- fludrocortisone **14**
- Fontan circulation **30**, **43**
- foreign body **41**
- fracture, child **91**
- gabapentin **62**, **65**, **100**, **110**
- garlic **163**
- gastric lavage **15**
- gastrointestinal
decontamination **15**
- general anaesthesia **132**
- ginger **163**
- ginkgo biloba **163**
- ginseng **163**
- Glasgow Coma Score (CGS)
101, **114**, **185**
- Goldman, index **209**
- Guillain-Barré syndrome (GBS) **50**, **60**, **187**
- haemophilia **216**, **227**
- haemorrhage, maternal
collapse **205**
- haemothorax **88**
- hallucinations 1, **89**
- haloperidol **44**, **89**
- head injury **114**, **171**, **185**
diffuse axonal injury 51
traumatic brain injury (TBI) **63**
- headache
migraine 3, **14**
postdural puncture **198**
postpartum **195**, **209**
- healthcare-associated infections (HAIs) 75
- heparin 56
LMWH **151**, **219**
- heparin-induced thrombotic thrombocytopenia (HITT) 2, **13**
- herbal remedies 149
bleeding 149
- hernia repair, infant 215
- heroin addiction 190
- HIV disease 169
- Horner's syndrome **13**
- hydralazine **112**
- hypercoagulable state,
pregnancy 99
- hypertension, pregnancy **68**
- hyperthyroidism 29, **41**
- hyperventilation **63**
- hypoglycaemia **165**, **175**
- hypogonadism **105**
- hyponatraemia **14**, **189**, **198**
- hypoplastic left heart syndrome (HLHS) **4**, **16**
- hypotension **195**, **208**
- hypothermia **207**
- hypovolaemia **35**
- hypoxaemia **127**
see also acute respiratory
distress syndrome;
preoxygenation
- hypoxia **179**, **203**
- immunosuppressive
therapy **90**
- infant
apnoea **169**, **181**
caudal epidural anaesthesia
90
dehydration **133**
inguinal hernia repair 215
- infection control 1, **11**, **49**, **58**
cleaning **85**
- infective endocarditis
prophylaxis **177**
risk **166**
- injury severity score (ISS) **131**
- instrumental delivery **90**
- intensive care, scoring systems
131
- interscalene block 3
- intra-aortic balloon pump (IABP) 5, **17**, **104**,
149, **163**
- intraoperative cell salvage (ICS)
121, **132**
indications **28**, **39**
- intracranial pressure (ICP)
monitoring **52**, **63**
- intravenous anaesthesia,
see also total intravenous
anaesthesia (TIVA)
- intubation *see* endobronchial
intubation
- ipecaquanha **15**
- ischaemic heart disease 96, **126**
- isoflurane **129**
- Jehovah's Witnesses **40**
- Kell-negative blood **22**
- ketamine **18**, **191**, **202**
cardiac effects **37**
child **18**
- L5 dermatome 7
- labour
analgesia **229**
aortic stenosis **80**, **92**
cardiac arrest 27
caudal epidural anaesthesia
79
instrumental delivery **90**
intrapartum management **80**
obesity **217**, **229**
- laparoscopic surgery **98**, **108**
- Laplace's law **122**, **134**
- laryngoscope blades and
handles **85**
- laryngotracheitis **18**, **41**, **111**
- laser airway surgery
endotracheal tube 9
fire possibility 96
- Lee, index **209**
- levobupivacaine, child **62**
- lidocaine
safe dose **17**, **226**
toxicity **60**
- Light's criteria, exudative
effusions **18**
- lipid emulsions, intralipid **60**
- lithium **85**, **149**, **163**, **204**
- liver
acute hepatic failure 53

Index

- liver (cont.)
 anhepatic phase 29, 42
 blood flow 205
 Child–Pugh classification 216
 disease 146, 193, 227
 anaesthetic agent 217
 transplantation 191, 201
 local anaesthesia 216
 child 51
 obesity 21, 94
 toxicity 37, 60
 lower limb, nerve supply 70
 lung, acute lung injury (ALI) 30, 43, 64, 102, 114
 lung cancer 166, 175
 deflation 55
- Marfan's syndrome 123, 135
 maternal collapse 193
 deaths 166, 176
 melatonin 89
 MELD score 158
 meningitis 101, 113
 metastatic bone pain 132
 methylprednisolone 113
 metronidazole 19
 midazolam, child 18
 migraine 3, 14
 Minto model, remifentanyl 83
 monoamine oxidase inhibitors (MAOI) 105
 mortality prediction model (MPM) 120, 131
 MRI scanner 2, 12, 50, 74, 83
 multiple organ dysfunction score (MODS) 120, 131
 muscular dystrophy 56, 73, 233
 myasthenia gravis (MG) 142, 167, 178
 thymoma 152
 myocardial infarction 96
- N*-acetylcysteine (NAC) 232
 natriuretic peptides 232
 negligence 170, 181
 nephrogenic systemic fibrosis 59
 neuraxial blocks 86
 neurogenic diabetes insipidus 32, 47
 pulmonary oedema 168, 181
 neurolytic agents 222
 neuromuscular blocking drugs, obesity 21, 94
- neuropathic pain 32, 46, 144, 155
 nimodipine 172, 186
 nitrous oxide 37, 129
 and oxygen 58
 noradrenaline 106
- obesity
 labour 217, 229
 local anaesthesia 21, 94
 morbid 7, 81, 94
 neuromuscular blocking drugs 21, 94
 propofol 21
 obstructive sleep apnoea (OSA) 57, 73, 143, 152
 octreotide 106, 234
 oculocardiac reflex 68, 109
 one-lung ventilation (OLV) 68
 opioids 31, 53, 129
 classification 37
 doses 225
 intrathecal 123, 136
 receptors 37
 tolerance 128
 transdermal patch 66, 170
 organ donation 101, 113, 145
 transplantation 78, 81, 93
 team 90
 oxygen
 artefact 59
 delivery 221
 see also hypoxia;
 preoxygenation
- pain
 back 7, 27, 30, 39, 42, 79, 119, 121
 cancer 102, 115, 132
 children 91
 chronic pain 170, 217, 228
 chronic pelvic pain (CPP) 158
 chronic postsurgical pain (CPSP) 193, 206
 control 78
 measurement 192, 203
 post operative relief 53
 pseudoaddiction 90
 red flags 42
 see also complex regional pain syndrome (CRPS)
- pancreatitis 53
 paracetamol dosage 225
 poisoning 4, 191, 201, 212
- paravertebral blocks 119, 127, 172, 187
 parental responsibility 193, 205
 Parkinson's disease 97, 106
 Parkland formula burns 15
 patient, uncooperative 124, 138
 pelvic pain 146
 peripancreatic necrosis 25
 perioperative period, beta-blockers 94, 107
 peripheral nerve blocks 103, 117, 148
 neuropathy 62, 181
 HIV-related 181
 Pfannenstiel incision 120, 129
 phantom limb pain 6, 19, 51, 61
 phenylephrine 106
 phrenic nerve interscalene blocks 13
 physical therapy 91
 pink puffers 136
 plasmacholinesterase 125
 platelet count, pregnancy 110
 pleural effusions 5, 18
 pneumonectomy 175
 pneumonia, community-acquired 89
 pneumothorax 147, 160
 POISE study 141
 poisoning
 acetaminophen 65
 aspirin 144, 155, 221
 bupivacaine 60
 carbon monoxide 26, 35
 cyanide 145, 156, 221
 ethylene glycol 92
 paracetamol 4, 191, 201, 212
 serotonin 106
 see also drug overdose
 polydipsia 23
 polyneuropathy 173
 polysomnography 57, 73
 polytrauma 87
 portal hypertension 100, 112
 postdural puncture headaches 198
 postherpetic neuralgia (PHN) 172, 185
 postoperative cognitive dysfunction (POCD) 8, 22
 renal impairment 28, 41

- postpartum haemorrhage,
 (PPH) 165, 170, 174, 182
 headache 195, 209
 pre-eclampsia 67, 100
 preoperative assessment 82, 95
 preoxygenation 167, 179, 192,
 203
 pregnancy
 blood transfusion 7
 hypercoagulable state 99
 hypertension 68
 platelet count 110
 thromboprophylaxis 232
 priors 85
 propofol 12, 60
 obesity 21
 related infusion syndrome
 (PRIS) 84
 TCI (target controlled
 infusion) 58
 total body weight (TBW) 94
 prostatic plexus 137
 prosthetic valve (SBE) 35
Pseudomonas aeruginosa 172
 pulmonary artery
 catheter (PAC) 25, 34
 flotation catheter (PAFC) 167
 pulmonary embolism (PTE) 24,
 145, 156
 hypertension 108
 oedema, neurogenic 168, 181
 vascular resistance
 (PVR) 108
 pyloric stenosis 165, 175

 radiotherapy 131
 rapid sequence induction 125
 rectus sheath block 129
 red cell alloimmunization 22
 red flags 21, 43, 92
 back pain 42
 reflux disease 196, 210
 regional blocks 50, 55
 remifentanyl, Minto model 83
 renal dysfunction
 chronic renal failure 55
 RIFLE classification 120,
 143, 153
see also acute renal
 failure
 impairment, postoperative
 28, 41
 perfusion pressure 63
 protection 219
 transplant 81, 93
 respiratory distress
 child 6, 29, 194
see also acute respiratory
 distress syndrome (ARDS)
 resuscitation
 algorithms 45, 154
 CPR 144
 rhabdomyolysis 36, 46, 52
 rheumatic heart disease 25
 rheumatoid arthritis 54
 rifampicin 172, 185
 RIFLE classification for ARF
 120, 130, 143, 153
 right ventricular failure 72, 135
 road traffic accident 32, 52, 101
 rocuronium 11
 rule of nines 16

 St John's Wort (SJW) 54, 67
 salicylate toxicity *see* aspirin
 sciatic nerve 69
 sedative premedicant 223
 selective serotonin reuptake
 inhibitors (SSRIs) 204
 sepsis-related organ failure
 assessment (SOFA) 120,
 131
 serotonin syndrome 105, 204
 toxicity 106
 sevoflurane 129
 child 55
 SIADH 1, 10, 14, 199
 sickle cell disease 31, 45
 simplified acute physiology
 score (SAPS) 120, 131
 sinus tachycardia 1
 smoking 210
 sodium
 citrate 135
 valproate 204
 spinal anaesthesia 137
 cord stimulation therapy 61,
 122, 134
 spondylolisthesis 119
 status epilepticus 45
 stellate ganglion 13
 stents 220
 sterilization 85
 steroid injections, caudal epidural
 anaesthesia 214, 223
 strabismus surgery 68, 99, 109,
 121, 133
 stridor 18, 41, 100, 111, 208
 subarachnoid haemorrhage
 (SAH) 1, 172, 186
 subdural haematoma 32
 craniectomy 3
 succinylcholine 135
 suggamadex 2, 11
 suxamethonium 12, 73, 129, 137
 apnoea 139
 doses 21
 sympathetic hyper-reflexia 182
 syphilis 194, 207

 Tamm–Horsfall protein (THP)
 46
 TAP block 32, 48, 129
 temperature probes 13
 tension pneumothorax 35, 140
 testosterone replacement 181
 theophylline 136
 therapeutic intervention scoring
 system (TISS) 131
 thiopental 135
 thorocotomy 88
 thromboelastography (TEG)
 148, 162
 thromboprophylaxis
 LMWH 151, 219
 postnatally 6
 pregnancy 232
 thrombotic thrombocytopenia,
 heparin-induced
 (HITT) 2, 13
 thymoma, myasthenia gravis
 (MG) 152
 thyroid function 40
 storm 41
 total intravenous anaesthesia
 (TIVA) 74
 Marsh model 83
 Schneider model 83
 tracheitis *see* laryngotracheitis
 transdermal patch 66, 170
 transitional circulation 54, 66
 transjugular intrahepatic porto-
 systemic shunt (TIPS)
 121, 158
 transudates 18
 transversus abdominis plane
 (TAP) blocks 32, 48, 129
 traumatic brain injury (TBI) 63
 Trendelenburg position 108
 triangle of Petit 48
 trigeminal neuralgia 101, 112,
 188, 197
 tumour lysis syndrome 215, 226
 TUR syndrome 137
 TURP 124

 uncooperative child 17, 213
 patient 124, 138

Cambridge University Press

978-1-107-67992-4 - Practice Single Best Answer Questions for the Final FRCA: A Revision Guide

Edited by Hozefa Ebrahim, Khalid Hasan, Mark Tindall, Michael Clarke and Natish Bindal

Index

[More information](#)

Index

- upper respiratory tract infection (URTI) 143, **153**
- urinary tract infection 50, **59**
- urology, paediatric **203**
- uterine atony **183**
- vancomycin **19**
- vecuronium **11**
- venous air embolism (VAE) 103, **116, 200**
- venous thromboembolism (VTE) 8, **19, 165, 174**
- management plan 190
- postoperative **59**
- see also* deep venous thrombosis (DVT)
- ventilation 119, **128**
- ventricular
- septal defect (VSD) **233**
 - tachycardia **34**
- viral laryngotracheitis **18, 41, 111**
- volatile anaesthetic agents **232**
- von Willebrand's disease 29, **42, 53, 65**