

Contents

Preface ix

1 Pitfalls in identifying the classical clinical features of MS 1

Case 1: A woman with numbness and prior visual loss: possible MS 6

Case 2: A woman with diffuse pain and abnormal brain MRI scan. It is MS? 8

Case 3: A patient with numbness of the feet rapidly involving the hands. Where is the lesion in the nervous system? 9

Case 4: A patient with a diagnosis of MS presents with new left arm numbness. Is it due to the patient's MS? 11

Case 5: A young woman with sudden deafness and abnormal brain MRI. Is it MS? 12

Case 6: An elderly patient presenting with gait impairment for possible Parkinson's disease 13

2 Pitfalls in correctly assessing the clinical course of MS 15

Case 7: A woman with headaches and typical brain demyelinating lesions on MRI. Is it relapsing-remitting MS or radiologically isolated syndrome? 16

Case 8: A patient with fatigue and a history of remote neurological symptoms, but without significant neurological debility. Could this be benign MS? 17

Case 9: MS with occasional symptomatic worsening. Is it relapsing-remitting or a progressive clinical course of MS? 18

Case 10: A patient with a history of resolved gait impairment. Is it secondary progressive MS? 19

Case 11: A woman with vertigo, diplopia and head pain. Is it relapsing-remitting MS? 21

3 Pitfalls in recognizing uncommon MS clinical presentations 23

Case 12: Repetitive painful spasms of the left arm and leg. Is it multiple sclerosis? 23

Case 13: A man with treatment-resistant trigeminal neuralgia 24

Case 14: A man with recurrent spells of ataxia and dysarthria 25

Case 15: Recurrent encephalopathy in a patient with longstanding MS 26

Case 16: A man with recurrent right lower extremity weakness fluctuating with neck movement 27

Case 17: A man with fluctuating, then progressive, visual impairment 28

4 Challenges in the therapeutic management of MS 30

Case 18: A young man with treatment-resistant MS who abuses tobacco 30

Case 19: A patient with continued relapses that is unresponsive to glatiramer acetate. Should she switch medications? 31

Case 20: An MS patient intolerant of injections with bradycardia. What MS medications should be considered? 33

Case 21: A woman with MS previously treated with natalizumab. Should natalizumab be reinitiated after progression on interferon therapy? 33

Case 22: Episodic symptomatic worsening in a patient with MS. Should highly aggressive immunomodulatory therapy be recommended? 34

Case 23: An MS patient considering pregnancy. When should medications be initiated or stopped? 35

Case 24: An MS patient with psoriasis on interferon beta 1a three times weekly with incomplete efficacy. Which alternative oral MS therapy should be used? 35

Case 25: A woman with MS is investigated for vascular abnormalities 36

Case 26: An MS patient with acute right lower extremity pain. Is it due to established MS? 37

Contents

- 5 **Challenges in diagnosing demyelinating ocular disease** 40
- Case 27: A history of visual disturbance in a young woman. Is it due to MS? 40
- Case 28: A patient with optic atrophy and abnormal brain MRI scan. Is it MS? Should immunomodulatory medications be used? 41
- Case 29: Is it papillitis (optic neuritis) or papilledema? 42
- Case 30: An elderly woman presenting with rapid and severe bilateral visual loss 43
- Case 31: A young woman with headaches, optic nerve head edema and abnormal brain MRI 44
- Case 32: A young woman with recurrent visual loss and recurrent optic nerve head edema 46
- Case 33: A man with visual loss, optic nerve head edema and an abnormal chest x-ray 47
- Case 34: A 56-year-old man with fatigue, muscle pain and recurrent episodes of visual loss 48
- 6 **Pitfalls in diagnosing cerebral parenchymal disease** 50
- Case 35: A 44-year-old gentleman with an 8-year history of cognitive impairment and possible MS 50
- Case 36: A woman with MS and severe memory loss 50
- Case 37: A middle-aged man with progressive, treatment-resistant hemiparesis 52
- Case 38: A man with progressive white matter disease and an "alien" limb 54
- Case 39: A man with an abnormal brain MRI and a persistently enhancing cervical spine MRI lesion for possible MS 56
- Case 40: A woman with breast cancer, obstructive hydrocephalus and corpus callosum abnormalities 57
- Case 41: A woman with subacute psychiatric symptoms, mutism and involuntary orofacial and limb movements 58
- Case 42: A young woman with repetitive brief episodes of hemiparesis and dysarthria and progressive brain MRI abnormalities 60
- Case 43: A man with bladder incontinence, progressive gait impairment and brain white matter lesions 61
- 7 **Pitfalls in diagnosing demyelinating cerebellar disease** 64
- Case 44: A middle-aged woman with a progressive right- then left-sided tremor 64
- Case 45: A woman with progressive cerebellar ataxia and an isolated cerebellar lesion. Is it MS? 64
- Case 46: A young gentleman with acute onset of severe ataxia 66
- Case 47: An older gentleman with progressive gait ataxia and an abnormal brain MRI 67
- Case 48: An older woman with progressive ataxia, urinary symptoms, an abnormal brain MRI and a family history of MS 68
- Case 49: A woman with a history of lymphoma and Sjögren syndrome with progressive ataxia 68
- 8 **Challenges in diagnosing demyelinating brainstem disease** 71
- Case 50: A woman with diplopia and transient right arm incoordination 71
- Case 51: Progressive gait impairment in a woman on chronic anticoagulation therapy 72
- Case 52: A young man with personality change, ataxia and progressive brain white matter changes 72
- Case 53: A young man with rapidly progressive impairment and brainstem hemorrhage 73
- Case 54: A man with facial tingling, ataxia and brainstem predominant perivascular enhancement on brain MRI 74
- Case 55: A young woman with intractable vomiting 75
- Case 56: A woman of Ashkenazi Jewish heritage with a progressive gait disorder and abnormal brain and spine MRI 76
- 9 **Challenges in diagnosing spinal cord disease** 79
- Case 57: A patient with an abnormal brain MRI scan and cervical spine lesion. Is it MS? 79
- Case 58: A woman with continued progressive gait impairment after successful cervical fusion surgery 80
- Case 59: Progressive hemiparesis in a man with a single cervical spinal cord lesion. Could this be MS? 81
- Case 60: A man with gait impairment after bronchitis. Is it transverse myelitis? 82

Cambridge University Press

978-1-107-68040-1 - Common Pitfalls in Multiple Sclerosis and CNS Demyelinating Diseases: Case-Based Learning

B. Mark Keegan

Table of Contents

[More information](#)**Contents**

Case 61: Acute myelopathy while undergoing shoulder surgery. Is it transverse myelitis? 83

Case 62: A woman with left-sided pain and inflammatory myelopathy 84

Case 63: A woman with progressive gait ataxia, myelopathy and peripheral neuropathy 85

Case 64: A man with a longitudinal spinal cord lesion and pain. Is it a spinal cord neoplasm? 86

Case 65: An elderly woman with progressive lower extremity weakness and longitudinal thoracic spinal cord abnormality 87

Index 90