

## Index

- 8-step approach to managing  
 change 199  
 80/20 rule 84–85  
 9 rights of medication  
 administration 31  
 911 call procedures 3
- academic detailers 125  
 accelerations (fetal heart rate) 10–11,  
 14  
 accountability 149–151, 155  
 communication failures 154–155  
 deviation from safe practice  
 147–148, 150, 153–154  
 implementation 152  
 just culture model 77, 151–152  
 Swiss cheese model 149, 151  
 accreditation for outpatient  
 procedures 1, 25, 110–111  
 ACGME competencies 201–203, 215t,  
 24.2  
 advanced cardiovascular life support  
 (ACLS) 27  
 adverse events, disclosure *see*  
 disclosure of adverse events  
 allergy, to drugs 153–154, 165  
 ambulatory healthcare, *see*  
 outpatient care  
 analgesics 162  
 anesthesia  
 in an outpatient setting 2, 26–27,  
 110–111  
 simulation training 96  
 angiography 96  
 antibiotics 165–166  
 antihypertensives 104  
 apologies 54, 55  
 apology laws 54  
 at-risk behaviors 147–148, 150,  
 153–154  
 automated dispensing cabinets 160, 161
- bad news *see* disclosure of  
 adverse events  
 barcoding of medications 161  
 basic life support (BLS) 3, 27  
 behavior change 86–87, 123–125  
 bipolar electrosurgery 40–41
- birth weight, and shoulder dystocia  
 177–178  
 Bishop score 127t. 14.1  
 blame/no-blame cultures 5–6, 53,  
 149, 150  
*see also* just culture  
 blood transfusions  
 delays 187  
 in PPH 104, 105  
 refusal by a Jehovah's Witness  
 201–203  
 brainstorming 83–84, 85–86  
 burns, electrosurgical 41–42
- call-outs 172  
 capacitance coupling 42  
 cardiac arrest, maternal 100, 106–107  
 catheter-related infections 178–179  
 cause and effect (fishbone) diagrams  
 83–84, 188f. 21.1  
 cerebral palsy 7, 14, 16  
 certification (accreditation) for  
 outpatient procedures 1, 25,  
 110–111  
 cervix score (Bishop) 127t. 14.1  
 cesarean delivery  
 availability of in-hospital  
 physicians 46, 49  
 decision-to-delivery time 20  
 delivery in subsequent pregnancies  
 46, 187  
 and EFM 7, 104  
 electives 128  
 perimortem 106–107  
 and shoulder dystocia 178  
 chains of command 172–173  
 checklists 2, 61  
 barriers to use 64–65  
 catheter-related infections 178–179  
 failure, case scenarios 64, 65–66  
 implementation of an interactive  
 process 69–70  
 not to be ignored when  
 fatigued 147  
 for outpatient procedures 28–29  
 preeclampsia 179  
 production 66–69  
 shoulder dystocia 179
- Stanford Hospital surgical  
 checklist 71  
 types 62  
 WHO surgical safety checklist 61–62  
 Clinical Laboratory Improvement Act  
 (CLIA) 109–110  
 clinicians' offices, *see* outpatient care  
 coagulation current 39  
 cognitive impairment due to fatigue  
 144, 145  
 common cause variation 82  
 communication  
 between healthcare providers  
 good practice 78  
 in outpatient emergencies 4  
 questioning a senior 64, 172, 193  
 reporting of safety concerns 6,  
 53, 77  
 two-challenge rule 172  
 verbal orders 32, 157, 160, 167  
*see also* handoffs  
 leading cause of medical error 115,  
 169, 190–191  
 with patients 115, 116, 117, 120  
 concerning medications 119  
 disclosure of adverse events  
 53–59, 119–120  
 notification of test results 34, 119  
 with poor command of English  
 117, 154–155  
 structured techniques 195t. 22.1  
 complementary medicines 162  
 complexity in modern  
 healthcare 74–76  
 computerized physician order entry  
 (CPOE) 159, 167  
 confidentiality  
 in the electronic era 112, 113  
 and handoffs 196–197  
 interpreters 117  
 consent process 5, 65–66, 117  
 consumables, availability in an  
 office 4, 28  
 control charts 82, 88  
 crash carts 28  
 credentialing 27, 96  
 crew resource management (CRM)  
 175, 214

## Index

- crew resource management (CRM) (*cont.*)  
 basics 170  
 evidence in favor 171  
 need for 169–170  
 training programs 171–174  
 critical incident debriefing 184, 186–187  
 cultural barriers to safe practice 5–6, 149, 150  
 and adoption of HRO  
 practice 74–79  
 hierarchical 193, 195–196  
 to surgical checklists 64–65  
*see also* just culture  
 cultural diversity (of patients) 116–117, 154–155  
 CUS (Concerned, Uncomfortable, Scared) 172
- data protection 112, 113, 196–197  
 day surgery *see* outpatient care  
 debriefing 172, 184–185  
 case scenario (maternal near-miss) 183–184, 186–187  
 decelerations (fetal heart rate) 11–12, 14–15, 16  
 decision-to-delivery time 20  
 defibrillation in pregnancy 106  
 delayed care 44–45  
 desiccation (electrosurgery) 39  
 diabetic mothers 137t. 15.2, 190  
 diathermy *see* electrosurgery  
 discharge procedures 217t. 24.3  
 disclosure of adverse events  
 apologies 54, 55  
 barriers to 52, 53, 76  
 benefits of 54  
 case scenarios 56–58  
 effects on patients and families 52–53, 59, 120  
 and litigation 52, 53–54  
 methods 54–59  
 post-disclosure care 59  
 requirement for 52, 119–120  
 second victims 53, 55, 146, 184  
 training 217t. 24.3  
 dispensing of medications 160, 166–167  
 documentation  
 of disclosure 56  
 handoffs 193, 194–195, 198t. 22.3  
 test results 34  
*see also* checklists; electronic medical records  
 drills 3–4, 29, 46  
*see also* simulation training  
 drug safety, *see* medication safety  
 eclampsia 103–104, 137t. 15.2  
 magnesium sulfate 103, 163  
 missed diagnosis 144, 154–155  
 economics *see* financial considerations  
 ectopic pregnancy 4–5, 164–165  
 EFM *see* electronic fetal monitoring  
 electrocardiography, fetal 21  
 electrocautery 38  
 electronic fetal monitoring (EFM) 7–21  
 adjunctive tests 20–21  
 compared with intermittent auscultation 7  
 in eclampsia 104  
 interpretation 15–16  
 management 16–20  
 in maternal cardiac arrest 106  
 physiology of the FHR 12–15  
 spontaneous uterine rupture 202f. 23.1  
 standardization of definitions 7–12  
 electronic medical records (EMR)  
 benefits 32, 111, 197  
 risks/disadvantages 29, 112–113, 115  
 tracking best practice measures 133, 140  
 electronic prescriptions 112, 159, 167  
 electrosurgery  
 definitions 38  
 effects on tissue 39–40  
 history of 38  
 monopolar and bipolar devices 40–41  
 physics of 38–39  
 problems with 41–42  
 safe practice 42  
 emergency equipment (in offices) 4, 27–28  
 emergency response protocols 2–4  
 EMR *see* electronic medical records  
 evidence-based medicine 65, 123–124, 132  
 Failure Mode Effect Analysis (FMEA) 186  
 fatigue  
 contribution to medical errors 64, 145  
 countermeasures 145, 147–148  
 effect on cognitive ability 144, 145  
 night shifts 144–146  
 working after a sleepless night 146–147  
 fetal heart rate monitoring, *see* electronic fetal monitoring  
 financial considerations  
 barriers to change 124  
 costs of obstetric-gynecologic hospitalist program 48–49  
 costs of simulation training 95–96  
 for in-office procedures 1  
 setting up an integrated healthcare system 131–132, 140  
 fire, due to electrosurgery 41  
 fishbone diagrams 83–84, 188f. 21.1  
 follow-up procedures 4–5, 31–35, 119  
 force field diagrams 86–87  
 fulguration (electrosurgery) 39  
 GBS (group B streptococci) prophylaxis 165  
 goals, setting 82–83  
 governance  
 in clinicians' offices 1, 27  
 in hospitals 206  
 handoffs 50  
 case scenario 190, 192–193  
 confidentiality 196–197  
 documentation 193, 194–195, 198t. 22.3  
 environment of 192–193, 194  
 hierarchical culture 193, 195–196  
 increased due to working hour restrictions 190  
 intraoperative 64  
 methods of communication 193, 194–195, 198t. 22.3  
 recommendations for improvement 191, 193–199  
 scope of the problem 191–192  
 terminology use 193  
 training 191–192, 197, 214, 217t. 24.3  
 Health Insurance Portability and Accountability Act (HIPAA) (1996) 112, 196–197  
 health literacy 117–119  
 Healthcare Effectiveness Data and Information Set (HEDIS) 35t. 3.1  
 healthcare matrix 202–203, 212  
 healthcare records 34  
 accessibility 111, 187  
 summaries carried by patients 3  
*see also* electronic medical records  
 HELLP syndrome 203–208  
 hemorrhage  
 in an outpatient setting 26  
 postpartum *see* postpartum hemorrhage  
 hemostasis, electrosurgery 39  
 herbal medicines 162  
 hierarchy 195–196  
 clear chain of command 172–173  
 unwillingness to question a senior 64, 193  
 high-reliability organizations (HROs) 149–150  
 analysis of the problem 73–74  
 crew resource management 170

- seven steps to high reliability 74–79  
huddles 172  
hypoxia, fetal 14–16, 19t. 2.7  
hysterectomy 64, 146
- Incident Causation Model 206f. 23.2  
induction of labor 123, 126–129, 164t.  
18.4b  
oxytocin 162–163  
infusion pumps 161  
innovators and opinion leaders 87,  
125  
inspection of health facilities 206  
Integrated Healthcare Delivery  
Systems 139–140  
best-practice measures 133t. 15.1,  
136–137  
financial situation 131–132, 140  
Geisinger Women's Health Service  
Line 131  
model overview 132–133  
outcomes 136–139  
setting up the system 136  
interpreters 117  
interventional radiology 96
- Jehovah's Witnesses 201–203  
Joint Commission on Accreditation of  
Healthcare Organizations  
on disclosure 52  
Patient Safety Goals 35t. 3.2, 191  
Sentinel Alert (2004) 115, 169  
just culture 149–152, 155  
drift (deviation) from safe practice  
147–148, 150, 153–154  
failure in communication 154–155  
reporting adverse events/near-  
misses 6, 53, 77  
training at Duke University  
Hospital 152
- laboratory tests  
CLIA regulations 109–110  
critical values 33–34  
missing 207–209  
telling the patient 31–35, 119  
laborists 49  
*see also* obstetric-gynecologic  
hospitalists  
language difficulties 117, 154–155  
laparoscopy  
electrosurgical burns 41–42  
simulation training 92, 94, 95, 97  
latent errors 185–186  
legal issues  
CLIA and tests 109–110  
confidentiality/data protection 112,  
113, 196–197  
costs of malpractice suits 96  
and disclosure 52, 53–54
- electronic media use 111–114  
in-office procedures 110–111  
OSHA 110  
why patients sue 53–54  
lidocaine toxicity 25–26
- macrosomia 177–178  
magnesium sulfate 103, 163  
administration errors 157, 166  
reversal 106  
MamaNatalie birthing simulator 95f.  
10.5  
mannequins used in simulation  
training 92f. 10.2, 95  
maternal–fetal medicine (MFM)  
services 47, 48  
McRoberts maneuver 105  
medical directors 27  
medical errors, disclosure, *see*  
disclosure of adverse events  
medical liability insurance 53  
medication safety  
administration 158–159, 160–161,  
166, 167  
allergies 153–154, 165  
antibiotics 165–166  
case scenarios 29, 153–154, 157,  
166–167  
culture of safety 161  
dispensing 160, 166–167  
drugs that can/cannot be used in  
pregnancy 161–162  
error rates in obstetrics 158–159  
formulation and  
standardization 159  
high-alert medications 158  
magnesium sulfate 157, 163, 166  
methotrexate 164–165  
monitoring 166, 167  
order interpretation/transcription  
160, 166, 167  
outpatient settings 29–31  
anesthesia 2, 26–27, 110–111  
overdose 157  
oxytocin 157, 162–163, 166–167  
patients' input 119  
prescriptions 112, 159, 166, 167,  
217t. 24.3  
prostaglandins 157, 163–164, 167  
reconciliation 31  
metabolic acidemia, fetal 12–13, 14,  
15, 16  
methotrexate 164–165  
midwives 46  
mindfulness in an HRO 74  
minimally invasive surgery  
electrosurgical burns 41–42  
simulation training 92, 94, 95, 97  
misoprostol 157, 163–164, 167  
mistaken identity 29, 153–154
- mock drills 3–4, 29, 46  
*see also* simulation training  
monopolar electrosurgery 40,  
41–42  
mood disturbance, and fatigue 145  
morbidity and mortality (M&M)  
conferences 208–209, 212  
multitasking problems 64
- napping 147  
National Institute of Child Health  
and Human Development  
(NICHD), on EFM 7–12  
National Patient Safety Foundation  
(NPSF) 120–121  
near-misses 184  
case scenario 183–184,  
186–187  
reporting 6, 77  
night shifts 144–146  
NOELLE birthing simulator 92f. 10.2  
nominal group technique 85–86  
normalization of deviance 150,  
153–154  
“Not Invented Here” effect 85
- obstetric rapid response teams  
benefits 102–103  
case scenarios 100–101  
components of system 101–102,  
103  
eclampsia 103–104  
maternal cardiac arrest 100,  
106–107  
postpartum hemorrhage 100–101,  
102–103, 104–105  
shoulder dystocia 105–106  
training 103  
obstetric safety programs (Sentara  
Health System)  
changing physicians' behavior  
123–125  
discouragement of elective  
induction of labor 123,  
126–129  
initiation in a multi-hospital  
system 126  
obstetrics is different 125–126  
obstetric-gynecologic hospitalists  
benefits of 24/7 cover 45–47  
case scenario 44–45  
cost issues 48–49  
overview 49–50  
program structure 47–48  
occupational injuries whilst  
fatigued 145  
Occupational Safety and Health Act  
(OSHA) 110  
office safety *see* outpatient care  
operating room availability 187

## Index

- operating room checklists *see* checklists
- opinion leaders and innovators 87, 125
- outpatient care 25  
 accreditation/certification 1, 25, 110–111  
 anesthesia 2, 26–27, 110–111  
 CLIA-waived tests 109–110  
 emergency response protocols 2–4  
 legal environment 109–111  
 medication safety 29–31  
 mistaken identity 29  
 procedural control 1–4, 25–29  
 quality assessment 35–36  
 systems failure analysis 4–6  
 tracking and follow-up 4–5, 31–35, 119
- over-the-counter medications 162
- oxytocin 104, 157, 162–163, 166–167
- pain relief 162
- Pap smears, missing 207–209
- Pareto diagrams 84–85
- Patient and Family Advisory Councils 116
- patient records *see* electronic medical records; healthcare records
- patients 120–121  
 communication with the physician 115, 116, 117, 120  
 about medications 119  
 disclosure of adverse events 53–59, 119–120  
 poor command of English 117, 154–155  
 consent 5, 65–66, 117  
 cultural diversity 116–117, 154–155  
 first impressions 115  
 handoffs, *see* handoffs  
 health literacy 117–119  
 mistaken identity 29, 153–154  
 patient-centered care 116  
 response to adverse events 52–53, 59, 120  
 rights and responsibilities 119, 120  
 tracking and follow-up 4–5, 31–35, 119
- PDCA/PDSA (Plan, Do, Check/Study, Act) cycles 35, 79, 87–88
- perfection, unobtainable 65, 77–78
- pharmacists 160
- physicians' offices, *see* outpatient care
- pilot programs 87
- postpartum hemorrhage (PPH)  
 case scenarios 90, 100–101  
 management 104–105, 164t. 18.4b  
 and rapid response teams 102–103  
 and simulation training 90, 97
- preeclampsia  
 best-practice measures 137t. 15.2  
 checklists 179  
 magnesium sulfate 157, 166  
 prescriptions 112, 159, 166, 167, 217t. 24.3
- privileging 27
- process improvement programs, *see* quality improvement (QI) programs
- professional examinations 96
- prostaglandins 157, 163–164, 167
- ProvenCare® Perinatal model of integrated healthcare delivery 139–140  
 best-practice measures 133t. 15.1, 136–137  
 model overview 132–133  
 outcomes 136–139  
 setting up the system 136
- pulse oximetry, fetal 20–21
- quality improvement (QI) programs 78–79, 81, 125  
 cause and effect (fishbone) diagrams 83–84, 188f. 21.1  
 force field diagrams 86–87  
 introduction into the curriculum 211, 212  
 metrics 82, 125, 136–137  
 monitoring and surveillance 88–89  
 nominal group technique 85–86  
 in outpatient settings 35–36  
 Pareto diagrams 84–85  
 PDCA/PDSA cycles 35, 79, 87–88  
 run charts/control charts 82, 88  
 SMART goals 82–83  
 “Voice of the Customer” surveys 81–82  
 “Questions are the Answer” campaign 115
- rapid response teams, *see* obstetric rapid response teams
- recruitment and retention issues 47
- Red Flags Rule 35
- regulatory oversight and compliance 203–208  
 accreditation for outpatient procedures 1, 25, 110–111  
 reinforcement of new behaviors 88
- responsibility, for an adverse event 52, 56
- resuscitation of a pregnant patient 106–107
- root-cause analysis 5–6, 185–186  
 case scenario 183–184, 187  
 definition 184
- run charts 82, 88
- S-T segment analysis 21
- SCOPE (Safety Certification for Outpatient Practice Excellence) program 1, 25
- second victims 53, 55, 146, 184
- sedation *see* anesthesia
- seizures (in eclampsia) 103–104, 163
- shared decision-making 119
- shoulder dystocia 177–178  
 case scenario 177  
 management 105–106, 179  
 simulation training 92–93, 96, 179–181
- sign-outs 192  
*see also* handoffs
- siloization 169
- simulation training  
 benefits of 90–91, 179, 212  
 case scenario 90, 97  
 in credentialing and licensing 96  
 implementation and costs 94–96  
 laparoscopy 92, 94, 95, 97  
 mock drills 3–4, 29, 46  
 professional bodies' commitment to 90, 91, 96–97  
 shoulder dystocia 92–93, 96, 179–181  
 and team training 94–95, 103, 173–174  
 types of simulators 92, 95  
 umbilical cord prolapse 93–94
- sleep deprivation  
 contribution to medical errors 64, 145  
 countermeasures 145, 147–148  
 effect on cognitive ability 144, 145  
 night shifts 144–146  
 working after a sleepless night 146–147
- “slips” 185
- SMART goals 82–83
- smart infusion pumps 161
- smear tests, missing 207–209
- social media use 113–114
- special cause variation 82
- surgical checklists *see* checklists
- surveys on safety 81–82, 174
- Swiss cheese model (organizational accidents) 149, 151
- “teach-back” technique 117
- teams  
 checklist development 66  
 necessity of 78  
 rapid response, *see* obstetric rapid response teams  
 training 175

- basics 170  
evidence in favor of 171  
need for 169–170  
programs 171–174, 214, 217t.  
24.3  
simulation training 94–95, 103,  
173–174  
transient nature of 185  
TeamSTEPPS® program 171–172, 214  
teratogenicity of drugs 161–162  
termination of pregnancy 164t. 18.4b  
tests  
CLIA regulations 109–110  
critical values 33–34  
missing 207–209  
telling the patient 31–35, 119  
time-out checklists  
failure of 64, 65–66  
implementation of an interactive  
process 69–70  
tiredness *see* fatigue  
*To Err is Human* (Institute of  
Medicine) 170  
tracking and follow-up 4–5, 32–35,  
119  
training  
ACGME competencies and IOM  
aims 201–203, 215t. 24.2  
adding safety to the curriculum 211  
assessment methods 214  
by ob-gyn hospitalists 48, 49  
discharge procedures 217t. 24.3  
disclosure of error 217t. 24.3  
ethics 91  
handoffs 191–192, 197, 214, 217t.  
24.3  
healthcare matrix 202–203, 212  
in just culture 152  
M&M conferences 208–209, 212  
office staff 1–2, 27  
as part of an OB safety  
program 129  
prescribing 217t. 24.3  
regulatory compliance 203–208  
surgical/technical skills 217t. 24.3  
teaching methods 211–214  
*see also* simulation training; teams,  
training  
transfer (to the hospital) 3, 4, 28  
transformational change 74–77  
triage of obstetric patients 45–46, 48  
two-challenge rule 172  
umbilical cord prolapse 93–94  
unassigned patients 46  
uterine atony 104, 105  
uterine contraction frequency 8–9  
uterine rupture  
after a cesarean 183–184,  
186–187  
in a Jehovah's Witness 201–203  
vaginal birth after cesarean  
delivery 46  
variation, identification of in QI  
schemes 82  
vasovagal episode (mock  
drill) 30f. 3.2  
violations of safe practice 150–151  
case scenario 153–154  
due to fatigue 146  
virtual reality simulators 94  
“Voice of the Customer”  
surveys 81–82  
WHO surgical safety checklist 61–62  
work schedules  
and fatigue 145, 146–147  
limiting has increased  
handoffs 190  
Zavenelli maneuver 105–106