

## Index to useful tasks in Canoco 5

Here we index brief recipes describing useful minor tasks in the Canoco 5 software. These recipes are dispersed over the book, mostly in its tutorial parts. We include here neither general tasks (e.g. 'How to create a new analysis?') nor the tasks specific to a particular chapter or section (e.g. 'How to perform stepwise selection?'). Instead, we index only the generally useful titbits of working with Canoco. Each task is briefly characterised and the page (and footnote number, when the description appears there) is given. All these tasks are described in more detail in the Canoco 5 manual.

- analysis on a subset of cases, defining 281
- averaged data rows, creating project with 81n9, 323
- best-fitting response variables (e.g. species), choosing for plot 213, 217
- black and white diagrams, creating 277
- brief and non-brief analysis notebook, showing 31
- calibration axis for variable arrow, adding to diagram 188
- CANOCO 4.x data formats (outdated), exporting 123n3
- case scores derived from response variable scores, using in constrained ordination diagrams 187n4, 236
- classification of cases or variables, defining 304, 311
- compositional versus general data table, specifying 37
- direction of ordination axes, mirroring (flipping) 218
- dummy variables and factors, changing one into another 24n7
- envelopes (enclosing hulls), plotting 312
- equilibrium contribution circle in PCA/RDA plots, adding 214
- factor variable, changing reference level 276n15
- fuzzy variables, defining 24
- graph legend, adding 312
- graph legend, modifying contents 277n17
- group of variables (e.g. species) or cases, defining 148, 281
- interactions of explanatory variables, creating in data table 275n14, 284
- interactions of explanatory variables, defining in setup wizard 272, 327
- labels of ordination diagram axes, adding 36
- opaque background of labels, setting 213
- ordination scores, using in other analyses 293
- pie plot in ordination space, creating 204
- QuickWizard mode, switching off and on 26
- recreating graph 213
- relative scaling of different scores in biplots and triplots, adjusting 316
- response variables (e.g. species) with highest fit, choosing for plot 213, 218
- response variables (e.g. species) with highest weight, choosing for plot 229
- scaling of ordination diagram scores, changing 184
- series (successional vectors), creating 284
- species response curves diagram, creating 149
- symbol type, varying by classes 311
- transformation of variables, in XY(Z) plots 257n13
- transformation of variables, setting 239, 310
- t-value biplot, creating 290
- variable change across ordination space, colour-coded plot 335
- variable change across ordination space, contour plot 292
- variables or cases in ordination diagram, suppressing 303

## Subject index

- AIC. *See* regression, Akaike information criterion
- analysis of variance 116, 260, 265  
repeated measurements 270
- arch effect 28
- attribute plot 34, 202, 235, 249, 292, 326
- biplot rule 63, 187, 192, 196, 197
- Braun-Blanquet scale 8, 226, 246
- CA. *See* correspondence analysis
- calibration 51, 56
- Canoco  
analysis 15, 24–32  
analysis notebook 15, 31  
Analysis Setup Wizard 17, 26, 79, 104, 209  
data import 17, 208, 259  
data tables 12, 15, 19, 22, 37  
Graph Wizard 17, 33–35  
Log page 273  
project 15  
QuickWizard 26  
score pages 291, 341  
Summary page 31, 211, 216, 219, 227, 230, 251, 263, 340
- canonical axes. *See* constrained axes
- canonical correspondence analysis 62, 173, 230
- cases 4  
classification in graphs 202–204, 304, 311  
scores 58, 61, 62, 187, 189, 191, 196, 235  
series in graphs 204, 284  
standardisation by 10, 30, 97, 262, 265
- CCA. *See* canonical correspondence analysis
- centring. *See* data, centring
- centroid principle 196
- classification 112  
agglomerative 120  
divisive 121  
K-means clustering 114  
TWINSPAN 121–127, 237
- co-correspondence analysis 14, 69, 240–242
- co-inertia analysis 69
- constrained axes 61, 62, 63, 212
- correspondence analysis 58, 62
- covariables. *See* covariates
- covariates 5, 51, 219, 238, 270
- CVA. *See* linear discriminant analysis
- data  
centring 9. *See also* response variables, centring  
compositional 5, 10, 37  
standardisation 9. *See also* response variables, standardisation  
transforming 9, 96, 310
- db-RDA. *See* principal coordinates analysis, constrained
- DCA. *See* detrended correspondence analysis
- design  
BACI 45, 47, 267  
completely randomised 39  
factorial 44  
hierarchical 44, 79, 301, 309. *See also* design, split-plot  
Latin square 41  
nested. *See* design, hierarchical  
non-manipulative studies 48, 208, 239  
pseudoreplication 42  
randomised complete blocks 40, 258  
repeated measures 45, 81, 267  
split-plot 44, 267
- detrended correspondence analysis 61, 112, 227
- detrending 28–29
- discriminant analysis. *See* linear discriminant analysis
- dissimilarity coefficients. *See* similarity/dissimilarity
- distance measures. *See* similarity/dissimilarity
- diversity  
alpha 34, 177–182, 221–225, 235  
beta 177–182, 221–225  
functional 102, 159, 290  
gamma 177–182, 221–225  
measures 180
- downweighting 30
- eigenvalue 60
- environmental variables. *See* explanatory variables
- Excel data 17

- explanatory variables 5  
   biplot scores 63, 191  
   conditional effects 85  
   dummy 24, 37  
   factors 6, 23, 87, 192, 194, 198, 269  
   interactions 268, 327  
   nominal. *See* explanatory variables, factors  
   scores 190, 191  
   simple effects 85, 232  
   stepwise selection 83–85, 299, 314. *See also*  
     permutation tests, stepwise selection
- false discovery rate. *See* permutation tests, false  
   discovery rate
- forward selection. *See* explanatory variables,  
   stepwise selection
- functional traits. *See* species traits
- fuzzy coding 24, 193
- GAM. *See* regression, generalized additive models
- GLM. *See* regression, generalized linear models
- gradient analysis  
   direct. *See* ordination, constrained  
   indirect. *See* ordination, unconstrained
- gradients 1  
   length 27, 197
- indicator values 56
- inertia 88
- linear discriminant analysis 173–174, 237,  
   313–316
- loess. *See* regression, loess smoother
- missing values 12, 153–154
- model of species response 51  
   linear 53, 58, 187  
   unimodal 53, 58, 112, 150, 195
- Moran eigenvector maps. *See* PCNM
- NMDS. *See* non-metric multidimensional scaling
- non-metric multidimensional scaling 107–108
- ordination 1, 51  
   constrained 3, 13, 60, 66, 215, 230, 249, 270  
   diagnostics 201  
   diagrams 2, 36, 64, 207, 212–215, 228, 229–230,  
     234, 249, 264, 273, 280, 316  
   hybrid 61, 75  
   interpretable axes 211  
   linear methods 28, 30, 186  
   partial 6, 51, 219, 238, 262, 270  
   scaling scores 38, 184–186, 218, 263  
   selecting type 27, 53, 111, 227, 301, 321  
   unconstrained 13, 60, 66, 209, 227  
   unimodal methods 28, 61, 195, 225
- PCA. *See* principal components analysis
- PCNM 170–173, 324–336
- PCoA. *See* principal coordinates analysis
- permutation tests 66  
   Bonferroni correction 86, 91, 259  
   data in space and time 76  
   design-based versus model-based 75, 262  
   F statistic. *See* permutation tests, pseudo-F  
     statistic  
   false discovery rate 86, 91, 232  
   Holm correction 91  
   Mantel test 108–111  
   number of permutations 68, 74  
   of individual constrained axes 74–75, 231  
   PERMANOVA 111  
   pseudo-F statistic 73  
   significance 67, 74, 81, 87, 259  
   split-plot design 79, 81, 176, 273, 305  
   stepwise selection 87  
   use 75–81, 216, 219, 230, 249, 262, 272, 281,  
     305
- PRC. *See* principal response curves
- principal components analysis 58, 62, 210, 302, 310
- principal coordinates analysis 103–106, 171, 290,  
   317–319  
   constrained 106, 320–321
- principal response curves 168, 279
- Procrustes rotation 242–245
- R use 114, 116, 118, 120, 247, 260, 261, 270, 337
- RDA. *See* redundancy analysis
- redundancy analysis 62, 215, 218, 249, 262, 265,  
   268
- regression 51, 129, 247  
   Akaike information criterion 146  
   classification and regression trees 139, 296  
   generalized additive models 137, 146, 294  
   generalized linear models 133, 142, 342  
   linear versus RDA 294, 337–339  
   loess smoother 135, 141  
   mixed-effect models 138  
   parsimony 131, 146  
   species response curves 112, 150
- response variables 4  
   centring 30, 210  
   fit 202, 213, 217, 234, 277  
   frequency 259, 294  
   prediction 183  
   scores 58, 187, 189, 196, 197  
   standardisation 30, 210  
   weight 228, 234
- reverse analysis 70
- SD units. *See* turnover units
- similarity/dissimilarity 92  
   chi-square distance 99, 196, 197

- similarity/dissimilarity (*cont.*)  
 Euclidean distance 97, 189  
 Gower distance 100, 290  
 Hellinger distance 98  
 Jaccard coefficient 93  
 Morisita index 101  
 NESS 101  
 ordination methods 103–111  
 Pearson correlation coefficient 95, 100, 189  
 percentage similarity 99  
 simple matching coefficient 94, 318  
 Sørensen coefficient 93  
 $V$  and  $Q$  coefficients 95  
 spatial data analysis. *See* PCNM  
 species traits 102, 151–166, 286  
 plot-based approach 155, 158–162, 287–293  
 species-based approach 155, 162–166, 293–299  
 standardisation. *See* data, standardisation  
 stepwise selection. *See* explanatory variables,  
 stepwise selection  
 supplementary variables 6, 209, 227  
 time series. *See* design, repeated measures  
 traits. *See* species traits  
 transformation 96. *See also* data, transforming  
 log 7, 226, 239  
 ordinal 8, 226  
 square-root 8  
 TURBOVEG 226  
 turnover units 27, 54, 197  
 t-value biplot 205, 290  
 Van Dobben circles 207  
 TWINSpan. *See* classification, TWINSpan  
 variation partitioning 88–90, 252–255, 332–333  
 hierarchical 169–177, 300–308  
 weighted averaging 53, 56  
 whole-plot. *See* permutation tests, split-plot  
 design