

Index

abdominal wall defects, 177	angiotonoin II 27 41
	angiotensin II, 27, 41
acid-base balance, 7, 24	ankle blocks, 56
regulation, 1	ankle surgery, 231–3
acidosis, 7	ankylosing spondylitis, 2
acromegaly, 204	anticoagulants, 280
acute respiratory distress	antidiuretic hormone (A)
syndrome (ARDS),	41
18–19	anti-emesis, 96. See also r
adenomas, cortical, 133-4	vomiting
adrenalectomy	fundoplication patients
cortical tumors, 133–4	104–5
phaeochromocytoma, 134-6	posterior fossa surgery
adrenaline, 41	patients, 203
solution terminology, 188	antiplatelet therapy, 139-
with lignocaine, 164	280
adrenocorticotrophic hormone	antithrombotic drugs, 28
(ACTH), 41	anxiety, pain adverse effe
airway obstruction, 161-2,	43
211	anxiolysis, 59
albumin 4.5% solution, 11	aortic cross-clamping, 14
alkalosis, 7	aortic stenosis, 93
allodynia, 38	aortic surgery, 85
AMPLE history, 210	aortic valve disease, 282
anaemia, 92	APACHE (Acute Physiol
urological surgery patients,	and Chronic Hea
237	Evaluation) score
analgesia. See also specific drugs	apnoea
cardiothoracic surgery	infants, 175
patients, 80	sleep, 161, 248-9
colorectal surgery patients,	argon beam coagulation,
97	arrhythmias, 93
neurosurgery patients, 200	pre-operative manager
obese patients, 256–7	109
pain/analgesic ladder, 46	arterial blood gas analysi
pre-emptive use, 46	arteriovenous malformat
strategies, 39	(AVM), 206-7
analgesic response, 40	ASA (American Society
aneurysm	Anesthesiology Pl
aortic, 144	Status Classificati
endovascular aortic	System), 259–60
reconstruction (EVAR),	ascites, 118
142–3	aspirin, 139–40
hybrid procedures, 144	atherosclerosis, 138,
open repair, 141–3	See also vascular s
ruptured, 142–3	ATMIST handover, 209
intracranial, 201–3	atrial fibrillation, 93
angina, refractory, 89–90	autonomic dysreflexia, 20
angiotensin converting enzyme	axillary brachial plexus b
(ACE) inhibitors, 140	55
220	

```
balanced resuscitation, 209,
                  See also haemostatic
                  resuscitation
227
             trauma patients, 1
          bariatric surgery, 246
DH),
             anaesthesia principles, 252-3
             deep versus standard
                  neuromuscular
nausea;
                  blockade, 255-6
             drug dosing, 253
s,
             multi-disciplinary teams, 251
             patient positioning, 253-4
             pneumoperitoneum, 254-5
-40,
                muscle relaxants and, 255
             post-operative care, 256-7
80
               analgesia, 256-7
ects,
               mobilisation, 257
               monitoring, 256
             pre-operative assessment,
41
                  251 - 2
          basal metabolic rate, 4
          base excess/deficit, 8
          beach chair position, risks of,
ology
                  290
alth
          benzodiazepines, 60
             reversal agent, 60
e, 266
             safety in pregnancy, 61
             trauma patients, 219
          beta blockers, 100, 140
, 74
          Bier's block, 57
          bladder perforation, 245
          blood flow, 68-9.
ment.
                  See also cerebral blood
is, 6-8
                  flow (CBF)
          blood gas analysis, 6-8, 71
tion
          blood gas transport, 71
of
          blood pressure
Physical
             control, 21-2
               pathological influences, 23
ion
             invasive measurement, 69-70
             mean arterial pressure
                  (MAP), 79
               neurosurgery, 200-1
             vasodilator effects, 79
surgery
          blood transfusion, .11, 96
                  See also haemostatic
206
                  resuscitation
block.
             massive transfusion protocol,
                  213-14
```

Index

321

body mass index (BMI), 247. without cardiopulmonary mechanisms, 314-15 See also obesity bypass (CPB), 82 prevention, 315 boiling point, 66 cardiovascular physiology, prognosis, 316 Bolam test, 296 types of, 312 19 - 22brain. See central nervous autoregulation, 19 delirium, 312-14 system physiology blood pressure control, 21-2 post-operative cognitive dysfunction (POCD), brain relaxation, 198-9 cardiac output, 10 aneurysm surgery, 202-3 control of, 19-21 314 breast augmentation surgery, cardiac pressure cycle, 19 colloid solutions, 10-11, 274 colorectal surgery, 91 191 cardiothoracic surgery and, breast reconstruction, 192-6 anaesthetic considerations, free flap surgery, 193-6 pain adverse effects, 42 98-9 latissimus dorsi pedicled flap, carotid endarterectomy, analgesia, 96-7 patient position, 98-9 192 - 3144 - 5caudal anaesthesia, 240 bupivacaine, 171 pelvic bleeding, 99 burns patients, 221-2 CCS (Canadian Cardiovascular transanal endoscopic microscopy (TEMS), 99 fluid replacement, 275 Society grading of angina pectoris), 260 operative management, 95-6 calcitonin measurement, 127 central nervous system post-operative management, capacitors, 72-3 physiology, 29-34 99 - 100autoregulation, 32-4 pre-operative assessment, capacity for consent, 296 Gillick competence, 297 head injury effects, 33 91-5carbohydrate metabolism, 4-6 mean arterial blood coronary disease, 92-3 pressure, 32 carbon monoxide poisoning, fluid balance, 92 221 - 2space occupying lesions, 30 haemoglobin, 92 cardiac output, 10, 78-9 central neuraxial blockade nutrition and electrolytes, control of, 19-21 (CNB), 52-4 92 cardiac tamponade, 213 complications, 51-4 pneumoperitoneum, 91 cardiopulmonary exercise spinal versus epidural respiratory disease, 93-4 testing (CPET), 94-5 blockade, 53 thromboembolic disease, cardiothoracic surgery, 77 cerebral blood flow (CBF), 32 anaesthetic change during head injury patients, 220 compartment syndrome, 98, surgery, 81-2 PaCO₂ relationship, 33 232, 234 aortic surgery, 85 PaO₂ relationship, 34 conductive heat loss, 64 cardiac risk assessment, cerebral perfusion pressure confusion, post-operative, 31 306 - 8(CPP) maintenance, congenital anomalies, 176-7 cardiorespiratory congenital heart disease pharmacology, 79-80 cerebrovascular disease, 94 (CHD), 177-8 cardiorespiratory physiology, Child-Pugh scoring system, Conn's syndrome, 133-4 78 - 9117 - 18consciousness assessment, 216 coagulation management, children. See paediatric patients consent issues, 294 82 - 3cholecystectomy, 121-2. conditions of consenting, complications, 307 See also obese patient 296 ethical issues, 296-7 heart and lung case study clopidogrel, 139-40 transplantation, 84 capacity, 296 heart failure management, 84 coagulation Jehovah's Witness invasive monitoring, 81 assessment, 218 patients, 297 lung isolation, 81 management, cardiothoracic implied consent, 294-5 minimally invasive surgery, surgery, 82-3 informed consent, 295-6 coagulation defects paediatric patients, 168-9 post-operative care, 83-4 liver disease patients, 118 unconscious patients, 297 pulmonary hypertension trauma patients, 209 verbal consent, 294 (PH), 84-5cocaine, 164 written consent, 294 requirements of the cognitive impairment, continuous positive airway anaesthetist, 77-8 post-operative, 312–13 pressure (CPAP), team working, 78 management, 315 270 - 1

322 Index

convective heat loss, 64 echocardiography, 281-2 extracorporeal membrane coronary artery stents, 225-6 importance of, 282-5 oxygenation (ECMO), coronary disease 87-9 myocardial function, See also cardiothoracic 283 - 4extubation, 167 surgery shunts, 283 neurosurgery patients, 207 post-operative risk valvular pathology, 282-3 facelift, 188-9 elbow surgery, 233-4 management, 100 pre-operative assessment, elderly patients factor VII, 215 92 - 3pain management, 47 recombinant factor VIIa, 277 corticotrophin-releasing sedation, 61 familial hypocalciuric hormone (CRH), 41 electricity, 72-5 hypercalcaemia (FHH), cortisol, 41 capacitors, 72-3 131 fatty liver, 249 cosmetic surgery, 185, charge, 72 See also plastic surgery current, 72 femoral nerve blocks, 56 fever, 3 critical pressure, 66 direct and alternating current critical temperature, 66 applications, 73-4 fibrin sealants, 279 electrical resistance, 72 cryoprecipitate, 277 fibrinogen replacement, 215 crystalloid solutions, 10-11, impedance, 73 fight or flight response, 40 273 electrocautery, 279 flow metabolism coupling, 32 Cushing Reflex, 30 electrosurgery, 74, 279 flow volume loops, 15 emergence delirium (ED), 176 fluid balance, 10 Cushing syndrome, 133-4, 204 cystectomy, radical, 243 emergency airway, 162 daily requirements, 274 encephalins, 38, 40 pre-operative assessment, 92 encephalopathy, 118-19 urological surgery patients, 237 damage control resuscitation, 208-9, 213 endocrine surgery, 125-6 fluid replacement, 10 Davenport diagram, 7 neuroendocrine surgery, balanced resuscitation, 209 deep vein thrombosis (DVT). 204 - 5burns patients, 221, 275 See also thromboembendorphins, 38, 40 choice of fluid, 274-5 olism endovascular aortic colloid solutions, 10-11, 274 obese patients, 249-50 crystalloid solutions, 10-11, reconstruction (EVAR) paediatric patients, 173 abdominal, 142 273 defibrillators, 72 ruptured aneurysm, 142-3 massive blood loss, 11-12 definitive airway, 211 paediatric patients, 172-3, 276 thoracic (TEVAR), 143-4 delirium, 312-14 energy metabolism, 4 special circumstances, 275 diagnosis, 313 enhanced recovery, 91, 100, fluids, 65 flow, 67-70 emergence (ED), 176 310 prognosis, 316 benefits, 310-11 laminar flow, 67 risk factors, 313-14 hip surgery, 231 turbulence, 67-9 dementia, 94 key elements, 311 flumazenil, 60 desflurane, 220 Entonox®, 60 foot surgery, 231-3 Detsky's Modified Cardiac Risk epidural analgesia foreign body removal, 165 classification, 261 See also central Frank-Starling law, 19 dexamethasone suppression neuraxial blockade fresh frozen plasma (FFP), 215, test, 133 (CNB) 2.77 dextrose 5% solution, 11 complications, 51-2 Functional Status Assessment/ dextrose saline solution, 11 oesophagectomy patients, **Duke Activity Status** diaphragmatic hernia, Index, 262 110 fundoplication. See laparoscopic congenital, 177 paediatric patients, 171 diazepam, 47 epinephrine solution oesophageal difficult airway, 212-13 terminology, 188. fundoplication case See also adrenaline dorsal horn, 38 study etomidate, 218-19 EuroSCORE (European System gabapentin, 87 ear surgery, 166-7 ear, nose and throat (ENT) for Cardiac Operative gases, 65. See also fluids surgery. See ear surgery; Risk Evaluation), 266 properties of, 65-7

evaporative heat loss, 65

head and neck surgery

partial pressure, 66-7

Index

323

gastrointestinal surgery	hypotensive anaesthesia,	evaporation, 65
See colorectal surgery,	164	radiation, 64
upper gastrointestinal	local anaesthesia and	measurement, 63-4
surgery	vasoconstrictors, 164	heparin, 82, 279
gastro-oesophageal reflux	muscle relaxation, 164	bariatric surgery and, 249–50
disease (GORD), 103.	ear surgery, 166–7	hepatectomy, 152
See also laparoscopic	emergency airway, 162	hepatobiliary surgery, 116
oesophageal	extubation, 167	cholecystectomy, 121–2
fundoplication case	foreign body removal, 165	hepatic resection, 120–1
study	intubation, 163–4	porto-systemic shunts, 123–4
gastroparesis, 42	positioning, 163–4	post-operative management,
gastroschisis, 177	throat pack, 163	124
gelatin matrix/thrombin	laser surgery, 165	pre-operative factors, 116–17
sealants, 279	major reconstructive surgery,	pre-existing liver disease,
gelatin solutions, 11	166	117
general anaesthesia, 59.	microlaryngobronchoscopy (MLB), 165	transjugular intrahepatic
See also specific types of	neck dissection, 166	portal shunt (TIPS), 123
surgery Gillick competence, 297	post-operative care, 167	Whipples resection, 122–3 hepato-pulmonary syndrome,
Glasgow Coma Score (GCS),	pre-operative assessment,	120
263	161–2	hepato-renal syndrome, 120
Glasgow Outcome Scale, 264	airway obstruction,	hernia repair, 94
glaucoma, 94	161-2	hip surgery, 229–31
glucagon, 41	day case surgery, 162	holmium laser enucleation of
glutamate, 38	head and neck	the prostate (HoLEP),
glycine toxicity, 241–2	malignancy, 161	242
goitre, 127	secreting tumors, 162	homeostasis, 1-4
Goldmann Risk Classification,	tracheostomy, 166	neurosurgery patients, 200
260	ventilation, 164-5	osmosis, 3
Graves' ophthalmopathy, 127	head injury, 33, 220-1.	thermoregulation, 3-4
growth hormone, 41	See also neurosurgery	Hunt and Hess scale, 264
	heart failure	hydrocoele, 179
haemophilia, 227	management, 84	hypercalcaemia, 131-2
haemopneumothorax, 213	obese patients, 249	hyperdynamic circulation,
haemorrhage	heart transplantation, 154-7	119–20
control, 214.	donor considerations, 154	hyperglycaemia, 201
See also hypotensive	operative considerations,	hyperkalaemia, 215
resuscitation	155–6	hypernatraemia, 204
massive blood loss, 11-12	anaesthetic management,	free water deficit estimation,
neurosurgery patients,	156	275
200-1	surgical approach, 156	hyperparathyroidism
subarachnoid (SAH), 201–2	post-operative	primary, 131
haemostasis, neurosurgery	considerations, 157	peri-operative care, 132–3
patients, 200–1	pre-operative considerations,	post-operative care, 133
haemostatic agents, 279 haemostatic resuscitation, 209,	154–5	pre-operative assessment, 131–2
213	assessment, 161–2	
trauma patients, 214–16	preparation, 155 heart-lung transplantation, 84,	secondary, 131 tertiary, 131
haemothorax, 213	160	hyperthyroidism, 126
haloperidol, 315	heat, 63–5, <i>See also</i> thermo-	hypocalcaemia, 130–1, 215
hand surgery, 233–4	regulation	hyponatraemia, 200, 204
harmonic scalpel, 74, 280	as energy, 64–5	hypospadias, 178
Hartmann's solution, 10	intra-operative heat loss,	hypotension. See hypotensive
head and neck surgery, 161.	64–5	anaesthesia, permissive
See also thyroid surgery	conduction, 64	hypotension
anaesthesia maintenance, 164	convection, 64	hypotensive anaesthesia

324

Index

liver disease, .95, 116-17 anatomy, 25 hypotensive anaesthesia (cont.) contra-indications, 184 hormonal function, 25 See also hepatobiliary drugs used for hypotension loop of Henle, 24-6 surgery Child-Pugh scoring system, induction, 184 nephron, 23, 25 head and neck surgery, 164 outflow obstruction, 29 118 plastic surgery, 183 stones, 29 morbidity, 118-20 kidney position, problems with, anaesthesia and, 119 hypothermia, 3-4, 63, 183 neuroprotection, 201 ascites, 118 surgical exposure kidney transplantation, 147-50 coagulation defects, 118 relationship, 217 closure, 150 encephalopathy, 118-19 trauma patients, 216-17 donor considerations, 147-8 hepato-pulmonary hypothyroidism, 126 deceased donor kidneys, syndrome, 120 hypovolaemic shock, 28 148 hepato-renal syndrome, 120 live donor kidneys, 147-8 hyperdynamic circulation, implied consent, 294-5 patient preparation, 148-9 119 - 20infection control, orthopaedic post-operative management, obstructive jaundice, 119 liver transplantation, 151-4 surgery, 229 124 informed consent, 295-6, pre-operative assessment, 148 donor considerations, 152 See also consent issues reperfusion, 149 operative considerations, infra-clavicular nerve block, 55 surgical approach, 149 152 - 3inguinal hernia, 179 anhepatic phase, 152-3 paediatric patients, 47 insulin, 5 knee surgery, 231-3 hepatectomy, 152 intercostal nerve blocks, 56-7, 86 reperfusion, 153 interleukin 1, 41 laminar flow, 67 patient preparation, 152 intermittent positive pressure laparoscopic oesophageal post-operative management, ventilation (IPPV), 271 fundoplication case 154 interscalene nerve block, 54 study, 102-5 pre-operative assessment, intestinal atresia, 177 anaesthesia induction and 152 intracranial pressure (ICP), 30 maintenance, 103-4 Lloyd Davies position, risks of, management, 198-201 case history, 103 292 - 3aneurysm surgery, 202-3 pneumoperitoneum, local anaesthetics, 48-9 fluids, 275 anaesthetic complications, 49-52 head injury patients, 220 central neuraxial blockade considerations, 104 reduction, 30-1, 33 post-operative nausea and (CNB), 51-2 space occupying lesion vomiting, 104-5 lipid rescue, 50 effects, 30 pre-operative assessment, nerve damage, 50-2 peripheral nerve blockade intravenous regional anaesthesia (IVRA), 57 (PNB), 50-1laparoscopic surgery risks, intubation, 163-4 240 - 1systemic toxicity, 49-50, 186 - 7burns patients, 221 laryngeal mask airway (LMA), ease of intubation 129, 142, 145 toxic levels, 186 laser coagulation, 279 paediatric patients, 171 assessment, 212 neurosurgery patients, 198 laser surgery, 165 pharmacology, 48-9 lateral position, risks of, 290-1 positioning, 163-4 plastic surgery, 185-6 latissimus dorsi pedicled flap, trauma patients, 211-13 safe doses, 49, 186 intussusception, 179 192 - 3terminology, 187 ischaemic heart disease, 93 Lee Modified Cardiac Risk urological surgery, 239-40 isoflurane, 220 Index, 262, 306 LODS (Logistic Organ left ventricular function, 283-4 Dysfunction Score), 267 jaundice, obstructive, 119 loop of Henle, 24-6 failure, 93 jaw thrust, 211 lethal triad, 208-9 lower limb surgery, 231-3 Jehovah's Witness patients, 297 LigaSure, 74 lumbar plexus blockade, 55 liposuction, 189-91 lung functions, 14–15 ketamine, 60, 218 liquids, 65. See also fluids flow volume loops, 15 kidney, 23. See also renal lithotomy position, risks of, lung volumes, 16

292 - 3

physiology

spirometry, 15

Index

325

myocardial function, 283-4 lung transplantation, 157-60. posterior fossa surgery, See also heart-lung myocardial infarction, 140 203 - 4transplantation myocardial ischaemia, 140 post-operative care, 207 donor considerations, 157 pre-operative assessment, operative considerations, naloxone, 60 197 - 8159 - 60nasogastric tube (NG tube), spinal surgery, 205-6 163 NEWS (National Early post-operative considerations, 160 nausea Warning Score), 268 pre-operative considerations, pain adverse effects, 43 nimodipine, 201 N-methyl-D-aspartate 157 - 9post-operative fundoplication patients, (NMDA) receptors, 38 magnesium, 47 nociception. See pain Mallampati classification, 212 plastic surgery patients, non-steroidal antimannitol, 199, 202 183 - 4inflammatory drugs massive blood loss, 11-12 risk factors, 184 (NSAIDs), 87, 227 mastectomy, breast neck dissection, 166 noradrenaline, 41 NYHA (New York Heart reconstruction. NEMS (Nine Equivalents of See breast Nursing Manpower Association reconstruction Use Score), 268 Classification of heart mastopexy, 191-2 nephrectomy, 243-4 failure symptoms), 260 nerve injury, 298 maxillofacial surgery. See head central, 299 and neck surgery obese patients mean arterial pressure (MAP), pain and, 301 anaesthesia principles, 252-3 neuropathic pain, 301 case study, 105-7 peripheral, 299 neurosurgery, 200-1 causes of peri-operative mechanical ventilation, 269 prevention, 298-9 mortality and invasive, 270-2 traumatic, 300 morbidity, 249-51 non-invasive, 270 visual loss, 300 anastomotic breakdown, medullary thyroid carcinoma neural tube defects, 178 250 - 1cardiac, 249 (MTC), 127 neuroendocrine system, 41-2 MELD (Model for End-stage pain adverse effects, 43 multiple organ failure, Liver Disease), 117, 118 neurogenic shock, 206 250 neuropathic pain, 301 MEN2 syndrome, 129 thromboembolic, 249–50 metabolic pathways, 4-6 neuroprotection, 201-2 deep versus standard metabolic syndrome, 248 aneurysm surgery, 203 neuromuscular MEWS (Modified Early spinal cord, 205 blockade, 255-6 Warning Score), 267 drug dosing, 253 neurosurgery, 197 anaesthesia induction, 198 microlaryngobronchoscopy patient positioning, 253-4 (MLB), 165 anaesthesia maintenance, pneumoperitoneum, 254-5 midazolam, 60, 219 198-200 post-operative care, 256-7 aneurysm surgery, 201-3 pre-operative assessment, mitral valve regurgitation, 282 mitral valve stenosis, 282 AVM surgery, 206-7 251 - 2awake craniotomies, 205 Obesity Surgery Mortality MODS (Multiple Organ Dysfunction Score), 267 brain relaxation, 198-9 Risk Score (OS-MRS), monoamine oxidase inhibitors cerebral perfusion pressure 251 - 2(MAOIs), 227 (CPP) maintenance, obesity, 246. See also obese multiple organ failure, 250 2.00 patients muscle relaxants extubation, 207 co-morbidities, 248-9 cardiothoracic surgery, 80 intracranial pressure (ICP) fatty liver, 249 obese patients, 255 management, 198-9 metabolic syndrome, 248 deep versus standard intubation, 198 sleep apnoea, 248-9 neuromuscular mean arterial pressure fat distribution significance, blockade, 255-6 (MAP) management, 247 - 8health risks, 246-7 trauma patients, 219-20 2.00 - 1muscle spasm, 43 pituitary/neuroendocrine oesophageal atresia, 176-7 management, 47 surgery, 204-5 oesophagectomy, 107-14

326

Index

1	1 225	
oesophagectomy (cont.)	pacemakers, 226	immune suppression, 43
anaesthesia induction and	paediatric patients	musculoskeletal effects, 43
maintenance, 109, 119	anaesthetic considerations,	neuroendocrine/metabolic
one lung anaesthesia,	174-6	effects, 43
111–13	cardiovascular and	psychological and
case history, 108	respiratory reserve, 175	cognitive effects, 43
peri-operative pain	emergence delirium (ED),	respiratory effects, 42
management, 109–10	176	urinary effects, 42
post-operative management,	maximum doses, 171	analgesic response, 40
113–14	need for general	anatomy and physiology,
pre-operative assessment,	anaesthesia, 168	37–40
108-9	neurotoxicity, 175	assessment, 44–5
omphalocoele, 177	post-operative apnoea, 175	aggravating factors, 44
oncotic pressure, 3	recent upper respiratory	associated symptoms, 45
one-lung anaesthesia, 111–13	tract infection, 175	impact, 45
physiology, 111–12	regional anaesthesia, 171	intensity, 44–5
ventilatory strategies, 112–13	syndromes, 176	nature of pain, 45
opioids	common surgical	neutralising factors, 45
cardiothoracic surgery, 80	procedures, 179–80	place and pattern of pain,
post-thoracotomy analgesia,	hydrocoele, 179	44-5
86–7	inguinal hernia, 179	chronic, 36–7, 43
reversal agent, 60	intussusception, 179	definition, 36–7
sedation, 60	pyloric stenosis, 179	fast pain, 37
spinal injections, 86	testicular torsion, 180	gate theory, 38
trauma patients, 219	consent issues, 168–9	management
urological surgery patients,	definitions, 180	analgesic strategies, 39
238	examination, 174	deficiencies, 37
organ transplantation, 147.	fluid management, 172–3,	elderly patients, 47
See also specific organs	276	muscle spasm, 47
post-transplant surgery, 227 orthopaedic surgery, 223	history taking, 173–4 kidney transplantation, 47	orthopaedic surgery, 227 paediatric patients, 47,
complicating co-morbidities,	nutritional requirements,	171–2
224–8	173	pain/analgesic ladder, 46
anticoagulation and anti-	pain management, 47, 171–2	role of anaesthetist and
platelet therapy, 225–6	peri-operative	surgeon, 36
cardiac disease, 224–5	considerations, 169–71	services, 47
pacemakers, 226	thermoregulation, 170–1	nerve injury and, 301
respiratory disease, 226	post-operative care, 171–3	neuropathic pain, 301
early mobilisation and	pre-operative care, 168–9	post-operative
rehabilitation, 227–8	sedation, 61	modifying factors, 43–4
hip surgery, 229–31	surgical issues, 176–9	oesophagectomy patients,
intra-operative management,	congenital heart disease	109–10
229	(CHD), 177–8	thyroid surgery patients,
lower limb surgery, 231-3	correctable congenital	131
paediatric patients, 179	anomalies, 176-7	pre-emptive therapy, 46
pain control, 227	neural tube defects, 178	receptors, 40
post-operative care, 234	orthopaedic surgery, 179	slow pain, 37
pre-operative assessment,	urological anomalies, 178	pancreas transplantation,
223-9	vascular access, 176	150-1
upper limb surgery, 233-4	weight estimation, 180	paracetamol, 87
venous thromboembolism	pain, 35-6	paraganglioma, 134
risk management, 228,	acute, 36–7	parathyroid hormone (PTH)
230	adverse effects of, 42-3	levels, 132
osmosis, 3	cardiovascular effects, 42	parathyroid surgery, 131-3
oxidised regenerated cellulose,	gastrointestinal effects,	paravertebral blocks and
279	42–3	infusions, 86

Index

327

parenteral nutrition, paediatric	porto-systemic shunts, 123-4	radiative heat loss, 64
patients, 173	positive end expiratory	recombinant factor VIIa, 277
Parsonnet additive risk	pressure (PEEP), 271	recurrent laryngeal nerve
stratification model, 265	positive pressure ventilation,	(RLN) palsy, 131
partial pressure, 66–7	271	reduction mammoplasty, 191-2
blood gases, 71	POSSUM (Physiological and	reflex escape response, 40
peripheral nerve blockade	Operative Severity	remifentanil, 219
(PNB). See also specific	Score for the	renal disease, 95
nerve blocks	enUmeration of	renal failure, 237
intravenous regional	Mortality and	anaesthetic drugs and, 238-9
anaesthesia (IVRA), 57	morbidity), 263	causes, 27–9
lower limb blocks, 55–6	posterior fossa surgery, 203–4	pharmacodynamic changes,
nerve damage, 50–1	post-operative cognitive	238
nerve location, 52 truncal blocks, 56–7	dysfunction (POCD),	pharmacokinetic changes,
	312-14	237
upper limb blocks, 102	diagnosis, 314	types of, 29 acute kidney injury (AKI),
peripheral vascular disease, 145–6	mechanisms, 314–15	29
permissive hypotension, 213,	prevention, 315 prognosis, 316	chronic renal failure, 29
See also hypotensive	risk factors, 314	renal physiology, 23–9
anaesthesia	post-operative nausea and	acid-base balance, 24
trauma patients, 214	vomiting (PONV).	autoregulation, 26
pH, 7	See nausea; vomiting	counter-current multiplier,
regulation, 1	pregabalin, 87	24–6
phaeochromocytoma, 134–6	pregnant patients, sedation, 61	renin, 27, 41
pituitary surgery, 204–5	premedication, 96	renin–angiotensin system, 27
plastic surgery, 181	pre-operative investigations,	respiratory disease
bleeding control, 183	302-3. See also specific	oesophagectomy patients,
breast surgery, 191-6	types of surgery	114
breast augmentation, 191	guidelines, 303-4	pre-operative assessment,
onco-plastic surgery, 192-6	routine testing, 304–6	93-4
reduction mammoplasty	targeted investigation,	respiratory failure, 18, 114
and mastopexy, 191-2	306-8	causes, 17
intra-operative patient	pressure, 65	respiratory physiology, 13-15
access, 182	partial pressure, 66-7	cardiothoracic surgery and,
liposuction, 189–91	pressure control ventilation	78–9
local anaesthesia, 185-6	(PC), 271	lung functions, 14–15
multiple team involvement,	pressure support (PS), 271	pain adverse effects, 42
182	primary hyperaldosteronism	ventilation control, 13–14
post-operative nausea and	(PHA), 133	RET gene mutation, 129
vomiting management,	prone position, risks of,	reverse Trendelenberg position,
183-4	289–90	risks of, 292
prolonged surgery, 182–3	prophylactic antibiotics, 229	rhinoplasty, 188
rhinoplasty, 188	propofol, 60, 201, 219	rhytidectomy, 188–9
rhytidectomy (facelift), 188–9	cardiothoracic surgery, 79, 81	Ringer's lactate solution, 10
	fundoplication surgery, 103	risk scoring, 137–8
pleural effusion, 94 pneumoperitoneum, 65, 91	overload syndrome, 79 plastic surgery, 184	risperidone, 315 robotic surgery risks, 240–1
anaesthetic considerations,	prostatectomy, radical, 244–5	rocuronium, 219
104	protamine, 82, 278	ROTEM® test, 218
obese patients, 254–5	prothrombin complex	ROTENIO test, 210
muscle relaxants and, 255	concentrate, 277	saline, 10
physiological effects, 240–1	pulmonary embolus, 94	SAPS (Simplified Acute
risks of, 288–9	pulmonary hypertension (PH),	Physiology Score),
pneumothorax, 191, 213	84–5	267
portal hypertension, 116	pyloric stenosis, 179	sciatic blocks, 56
* **		

328

Index

sedation	tapentadol, 87	tranexamic acid, 278
complications, 62	targeted investigation, 306-8	trauma patients, 215
definition, 59	temperature, 63–5.	transanal endoscopic
drugs used, 59-60	See also thermo-	microscopy (TEMS), 99
elderly patients, 61	regulation	transcranial Doppler (TCD),
levels of, 59	tension pneumothorax, 213	145
monitoring, 61	testicular torsion, 180	transjugular intrahepatic portal
paediatric patients, 61	thermistors, 63	shunt (TIPS), 123
pregnant patients, 61	thermocouples, 63	transoesophageal
requirements for, 61-2	thermopiles, 64	echocardiography
safety guidelines, 60	thermoregulation, 3-4.	(TOE), 83, 281
seizures, 198, 205	See also heat;	transthoracic echocardiography
sepsis, 8–9	temperature	(TTE), 281
septic shock, 8-10, 28	intra-operative management,	transurethral resection of
shock, 27	96	bladder tumour
cardiogenic, 28	paediatric patients, 170-1	(TURBT), 243
hypovolaemic, 28	thoracic anaesthesia, 86	transurethral resection of the
septic, 8-10, 28	thoracotomy	prostate (TURP), 241-2
shoulder surgery, 233-4	analgesia, 80, 86-7	transversus abdominus plane
sickle cell disease, 227	post-operative pain, 301	(TAP) blocks, 57
sitting/beach chair position,	throat pack, 163	trauma patients, 208-9
risks of, 290	thrombin sealants, 279	airway management, 210-13
sleep apnoea, 161, 248-9	thromboembolism	anaesthetic drugs, 218–20
SOFA (Sequential Organ	obese patients, 249-50	burns, 221–2
Failure Score), 267	orthopaedic surgery and,	circulation management,
solubility, 70–2	225–6, 228	213–16
spinal anaesthesia, urological	hip surgery, 230	consciousness assessment,
surgery, 239–40	pre-operative assessment, 92	216
spinal analgesia. See central	pulmonary embolus, 94	head injury, 220–1
neuraxial blockade	urological surgery patients,	hypothermia, 216–17
(CNB)	239	initial assessment, 209–10
spinal arthritis, 95	thyroid function tests (TFTs),	monitoring, 217–18
spinal injury, 221	126-7	spinal injury, 221
spinal shock, 206	thyroid surgery, 126–31, 165–6	traumatic brain injury (TBI).
spinal surgery, 205–6	anaesthetic technique, 129–30	See head injury
spirometry, 15		Trendelenburg position, risks of, 291–2
starch solutions, 11	post-operative care, 130	
statins, 140	post-operative	trisomy 21, 175 turbulence, 67–9
sternotomy, analgesia, 80	complications, 130–1 haemorrhage, 130	TURP syndrome, 241–2.
subarachnoid haemorrhage (SAH), 201–2	hypocalcaemia, 131	See also transurethral
substance P, 38	pain, 131	resection of the prostate
supraclavicular nerve block,	recurrent laryngeal nerve	(TURP)
54–5	(RLN) palsy, 131	(Told)
surgical complexity, 304	tracheomalacia, 131	ultrasound activated scalpel,
surgical exposure, hypothermia	pre-operative assessment,	280
and, 217	126–9, 131–2	upper gastrointestinal surgery,
surgical risk score, 138	anaesthetic assessment, 129	102
suxamethonium, 219	TISS (Therapeutic Intervention	laparoscopic oesophageal
sympathetic nervous system, 41	Scoring System), 268	fundoplication case
synchronised intermittent	total parenteral nutrition,	study, 102–5
mandatory ventilation	paediatric patients, 173	obese patient case study,
(SIMV), 271	tourniquet, 231–2	105–7
systemic inflammatory	tracheomalacia, 131	oesophagectomy case study,
response syndrome	tracheostomy, 163, 166	107–14
(SIRS), 8–10	tramadol, 87	upper limb surgery, 233-4
		.

```
mic acid, 278
na patients, 215
al endoscopic
microscopy (TEMS), 99
anial Doppler (TCD),
145
gular intrahepatic portal
shunt (TIPS), 123
sophageal
echocardiography
(TOE), 83, 281
oracic echocardiography
(TTE), 281
ethral resection of
bladder tumour
(TURBT), 243
ethral resection of the
prostate (TURP), 241-2
rsus abdominus plane
(TAP) blocks, 57
patients, 208-9
ny management, 210–13
sthetic drugs, 218-20
s, 221–2
lation management,
213 - 16
ciousness assessment,
216
injury, 220-1
thermia, 216-17
l assessment, 209-10
itoring, 217-18
ıl injury, 221
tic brain injury (TBI).
See head injury
lenburg position, risks
of, 291-2
21, 175
nce, 67-9
syndrome, 241-2.
See also transurethral
resection of the prostate
(TURP)
und activated scalpel,
280
```



Index

329

upper respiratory tract infection (URTI), paediatric patients, 175 urological surgery, 236 anaesthetic drugs used, 238-9 bladder perforation, 245 intra-operative management, 239-40 anaesthesia, 239-40 deep vein thrombosis prophylaxis, 239 hypothermia prevention, 239 laparoscopic/robotic surgery risks, 240-1 post-operative care, 245 pre-operative management, 236-8 anaemia, 237 fluid balance, 237 pre-assessment, 236 radical cystectomy, 243 radical/partial nephrectomy, 243-4 radical prostatectomy, 244 - 5transurethral resection of bladder tumour (TURBT), 243 transurethral resection of the prostate (TURP), 241-2

vascular access paediatric patients, 176 trauma patients, 210 vascular patients, 138 pharmacotherapy, 139-40 vascular surgery, 137 anaesthesia general principles, 140-1 carotid endarterectomy, 144-5 endovascular aortic reconstruction (EVAR), 142 - 3thoracic (TEVAR), 143-4 hybrid procedures, 144 open aortic aneurysm repair, 141 - 3peripheral vascular disease, 145 - 6pre-operative assessment, 138-9 risk scoring, 137-8 ruptured aortic aneurysm, 142 - 3vasopressin, 41 venous gas embolism, 241 venous thromboembolism (VTE). See thromboembolism ventilation. See also mechanical ventilation

control, 13-14 head and neck surgery, 164 - 5verbal consent, 294 video assisted thoracoscopic surgery (VATS), 86 visual loss, 300 vitamin K, 277 deficiency, 119 vocal cord palsy, 127 volume control ventilation (VC), 271 vomiting pain adverse effects, 43 post-operative fundoplication patients, 103-5 plastic surgery patients, 183 - 4posterior fossa surgery patients, 203 prevention, 96 risk factors, 184 warfarin, 225 weight estimation, paediatric patients, 180 WFNS SAH grading scale, 264 Whipples resection, 122-3

written consent, 294