

Index

- Aboriginal health care, 230–2, 233
 analysis and reflection, 235–6
 implications for practice, 237–9
 practice examples, 234–5, 241–2
 theoretical links, 239–40
- Aboriginal and Torres Strait Islander people
 culture, 232–4
 and families, 235–6
 health disparities, 232
 and informed consent, 192
 perspectives on health, 231
 in remote areas, 52
 worldviews, 231
- acceptance, 81
- access to health care, 55, 57
- Accidents Compensation Commission, 326
- accountability, 318
- active listening, 151, 198
- Advancing Quality (AQ), 292
- adverse events, 322
- ageism, 131
- Agency for Clinical Innovation, 59
- aggression, 127–8, 131
- alerts, 275
- analogic communication, 126
- Angelelli, C. V., 250
- anger, 79
- apologies, 303, 311, 323
- apology laws, 323–4
- Armstrong, D., 22
- assertiveness, 9, 18
 graded, 269, 272, 274, 276
- Australian Bureau of Statistics (ABS), 50
- Australian Commission on Safety and Quality
 in Health Care (ACSQHC), 111, 284, 304,
 322
- Australian Competition and Consumer
 Commission (ACCC), 285
- Australian Council of Social Services (ACOSS),
 53
- Australian Health Practitioner Regulation
 Agency (AHPRA), 284, 285, 323, 324
- Australian Institute of Health and Welfare,
 52
- Australian Open Disclosure Framework*, 303,
 304
- Australian Standard Geographical Classification –
 Remoteness Areas system (ASGC-RA), 50–2
- autonomy, 191, 198–200
- bad news for patients, 206–8
 analysis and reflection, 210–11
 how to communicate, 208–9, 211
 implications for practice, 212–13
 and interpreters, 250
 practice examples, 209–10, 214
 theoretical links, 211–12
 See *also* open disclosure; empathic
 communication
- Balint, Michael, 23, 24
- biomedical approach, 39
- biopsychosocial approach, 23–4, 39
- birth of the clinic, 19
- Braaf, S., 114
- Braithwaite, John, 285, 286
- Brawer, J. R., 126
- Brown, B., 170
- Brundisini F., 61
- Bureau of Health Information, 5
- cancer, 245, 246, 250
- cardiac wards
 practice examples, 14–15
- care coordination, 37, 50, 59
- Care Coordination Reference Manual*, 59
- care co-production, 31
- Cartwright, C., 225
- challenges, 275
- channels of communication, 4–5
- checklists, 110, 111, 274
- child and family health services, 150–1
 analysis and reflection, 153–4
 implications for practice, 154–5
 and partnerships, 149, 150, 151, 155–7
 practice examples, 151–3, 157
 theoretical links, 156
- choices, 168
- civil liability, 324, 325

- clinical handovers. *See* handovers
- clinical incidents, 8, 11
- clinical networks, 58, 294
- clinics
 - origins of, 19
- co-diagnostician behaviours, 250–1
- cognitive dissonance, 183
- cognitive impairment, 124, 125–6
 - See also* people with cognitive impairment
- collaborative practice, 184
- Commonwealth Fund, US, 5
- communication
 - as part of care, 101
 - defined, 3, 109, 231
 - failures, 110, 112–14
 - kinds of, 56
 - models of, 39
 - in the moment, 31
 - principles, 4, 137, 140–1
- communication processes
 - family meetings, 85
 - informed consent, 196
 - open disclosure, 305–7, 310
 - people with dementia, 129
 - shared decision-making, 197–8
 - SPIKES protocol, 208–9, 211
 - telehealth, 224
- compensation, 326
- complaints, 7, 324
- complaints commissioners, 285
- complexity, 9, 18
- complexity of care, 9, 25–7
- confidentiality, 323
- conflict, 272
 - fear of, 178
 - interprofessional, 181, 182–3, 184
- confused patients
 - practice examples, 32
- consent. *See* informed consent
- consistency of care, 141
- consultations. *See* general practitioner consultations
- continuity of care, 10, 71
- control
 - loss of, 167–8, 169
- co-production. *See* partnerships
- Cordasco, K., 196
- coroners, 285, 325
 - practice examples, 318–20, 327–9
- Coroners Act*, 320
- courts, 285, 325
- Crawford, P., 170
- criminal prosecution, 325
- critical situations
 - analysis and reflection, 272
 - implications for practice, 274–5
 - practice examples, 271, 276–7
 - theoretical links, 272–3
- critically ill patients, 77
- cross-cultural communication, 249, 251
- cues from patients, 151, 169, 207, 262
- cultural safety, 234, 239–40
- culturally and linguistically diverse patients
 - analysis and reflection, 249–50
 - implications for practice, 250–1
 - practice examples, 248–9, 253–4
 - theoretical links, 251–2
- culture, 231, 247–8
- death
 - human aspects of, 101
 - impending, 96–7
 - and pain, 96
 - preparing for, 88
 - rituals of, 87
 - See also* end-of-life care
- death anxiety, 97
- debriefs, 207, 251
- decision-making. *See* family meetings
- delirium, 125–6
- dementia, 124
- Department of Health, 284
- depression, 81
- detached concern, 23
- disease-centred approach. *See* illness-centred approach
- do not resuscitate (DNR) orders, 96
- doctor-centred model. *See* paternalistic approach
- doctors
 - early, 19–21
 - paternalism, 24, 39
- Downie, J., 317
- downstream factors, 231, 233, 237, 239
- ecological approach, 153
- Edmondson, A., 273

- e-health, 218–19, 226
 - analysis and reflection, 223–4
 - benefits, 220–1
 - defined, 217
 - implications for practice, 224–5
 - practice examples, 222–3, 226–7
 - theoretical links, 225–6
- elderspeak, 128
- electronic medical records. *See* e-health
- embodied knowledge, 200–1
- emergency action, 275
- emergency care clinicians, 67
 - consultations, 69, 72
 - repeatedly asking questions, 68, 71, 72
- emergency departments (ED), 67, 71–2
 - analysis and reflection, 29–30, 69–70
 - complexity of, 71–2
 - continuity of care, 71
 - handovers, 67–8
 - implications for practice, 70–1
 - practice examples, 27–9, 68–9, 72–4
 - theoretical links, 71–2
- emotion-centred communication, 212
- emotional cues, 207, 262
- emotional labour, 97
- emotional resonance, 259, 262, 264
- emotions, 201
- empathic communication, 88, 212, 258–9
 - analysis and reflection, 261–2
 - general practitioner consultations, 263
 - implications for practice, 262–3
 - practice examples, 260, 264–5
 - theoretical links, 263
 - VALUE mnemonic, 88
- empathy, 168, 259, 263
 - defined, 88, 139, 258, 259
- empowerment, 141, 171
- end-of-life care, 26, 94
 - analysis and reflection, 99
 - clinical factors, 96–7
 - defined, 94
 - educational factors, 97
 - implications for practice, 99–101
 - organisational factors, 94–6
 - personal factors, 97
 - practice examples, 98, 102–4
 - theoretical links, 101
- Enhanced Scope of Practice model of care project, 60
- ethical dilemmas, 26
- ethical obligations, 324
- ethical principles
 - and informed consent, 197
- Ethnic Communities' Council of Victoria, 252
- experimental knowledge, 200–1
- families
 - and Aboriginal and Torres Strait Islander people, 235–6
 - and end-of-life care, 100
 - and grief, 85, 89
 - and intensive care units (ICU), 78–9
 - as interpreters, 249, 251
 - as surrogate decision-makers, 78, 83–4
 - See also* child and family health services
- family meetings, 78
 - practice examples, 81–3, 89–90, 234–5, 241–2
 - structure of, 84–7
- family partnership model (FPM), 151, 157
- fear of conflict, 178
- feedback, 8
- Foucault, Michel, 19
- Garber, J., 26
- Garling, P., 178
- general practice, 38, 258
- general practitioner consultations
 - analysis and reflection, 41–2
 - empathic communication, 263
 - first half, 38–9, 42–3
 - implications for practice, 42–3
 - information-gathering, 38–9, 42–3
 - information sharing, 44
 - length of, 39
 - and management plans, 43–4
 - models of communication, 39
 - and patient-centred approach, 39
 - practice examples, 40, 45–6, 209–10
 - second half, 43–4
 - theoretical links, 44
- general practitioners (GPs), 6, 37
- generalist practitioners, 54
- Gillespie, B. M., 114
- Glaser, B., 24
- graded assertiveness, 269, 272, 274, 276
- grief, 78, 80–1, 85, 89

- Halverson, A. L., 114
 handovers, 67–8, 117
 See also continuity of care
 harm, 317
 healing effects of communication, 12–14
 health literacy, 251–2
Health Practitioner Regulation National Law Act 2009, 322
Health Practitioner Regulation National Law Act 2010 (NT), 296, 298
 health professionals
 behaviour, 292–3
 and dying patients, 96–7
 impact on others, 141
 and improvement activities, 294
 personal and professional boundaries, 54
 and regulation, 285, 322–3
 and regulatory mechanisms, 294–6
 See also rural health professionals, teams, general practitioners (GPs)
 health system
 and end-of-life care, 94–6
 responsiveness, 25
 health care
 history of, 17–18, 19–21
 healthcare communication
 benefits of good, 11–12, 14
 defined, 18
 healing effects of, 12–14
 history of, 17–18, 22–5
 importance of, 2–4, 9, 14
 problems with, 5–8
 types of, 5
 what is good?, 11
 HealthPathways, 225
 Healy, J., 284, 285, 286
 hierarchical approach to communication, 270–1
 hierarchy, 118, 269
 history of health care, 17–18, 19–21
 history-taking, 69
 Hoffmann, T., 198
 holistic approach, 230
 holistic health, 231, 239–40
 Hsieh, E., 251
 humanity, 101
 Hutchinson, T. A., 126
 identification of patients, 111
 illness-centred approach, 24, 95, 212
 immigrants, 245
in situ communication, 3, 4
 inadequate communication, 7
 incident disclosure, 303, 304, 311
 See also open disclosure
 incidents, 303
 Independent Hospital Pricing Authority (IHPA), 284
 information and communication technologies (ICTs), 3, 50, 218
 See also e-health
 information-gathering, 38–9, 42–3
 information provision, 169, 212–13
 general practitioner consultations, 44
 and informed consent, 192–6
 lack of, 167
 and patient understanding, 192, 212
 See also bad news for patients
 informed consent, 8, 201–2
 analysis and reflection, 196–7
 defined, 119, 189–90
 implications for practice, 197–8
 practice examples, 202
 principles, 191–2
 process, 196
 theoretical links, 198–201
 inquiries, 324
 Integrated Care Program, 61
 intensive care unit professions, 88–9
 See also family meetings
 intensive care units (ICU), 77, 79
 analysis and reflection, 83
 challenges for communication, 79–81
 defined, 81
 and families, 84–7
 implications for practice, 83–7
 practice examples, 81–3, 89–90
 theoretical links, 87–9
 inter-group differentiation, 183
 International Medical Interpreters Association and Education Development Center, 250
 interpreters, 245
 and bad news for patients, 250
 and cancer, 250
 family members as, 249, 251
 meetings with, 250–1

- interprofessional communication, 87, 177
 analysis and reflection, 180–1
 defined, 71
 implications for practice, 182–3
 practice examples, 179–80, 184–6, 271
 theoretical links, 183–4
- intraoperative care, 109
- intra-professional communication. *See* interprofessional communication
- Killick, J., 132
- Kitwood, Tom, 130, 131
- knowing, 318, 323–5
- knowledge, 200–1
- Kübler-Ross grief stages, 80–1, 85
- labels for patients, 128, 130, 169, 171
- language, 130, 246
- law, 317
- Leadbeater, C., 26
- learning, 150
- legal aspects, 317–18
See also patient safety law
- legal obligations, 324
- liability, 325
- Lingard, L., 114
- litigation, 325
- local health districts, 57–9
- loss of control, 167–8, 169
- malignant social positioning, 131
- management plans, 43–4
- McNeil, K., 54
- Meagher, D. J., 126
- medical history, 7
- medical professionals, 285
- Medical Specialist Outreach Assistance Program (MSOAP), 60
- medicalisation, 18
- medically unexplainable symptom, 12
- medicine
 early, 19–21
- meetings
 with interpreters, 250–1
See also family meetings
- mental health, 137
- mental health care, 137–8
- midstream factors, 231, 233, 237, 239
- migration, 246, 247
- minority groups, 245, 246
- multidisciplinary healthcare teams
 defined, 78, 178
 and end-of-life care, 100
 and hierarchy, 118
 in intensive care units (ICU), 80–1, 87
 and submissive behaviours, 118
- muttering, 272
- Nagpal, K., 114
- narrative ethics, 311
- National Aboriginal Health Strategy Working Party, 239
- National Coroners Information System (NCIS), 325
- National Health Performance Authority (NHPA), 284
- National Registration and Accreditation Scheme, 284
- National Rural Health Alliance (NRHA), 53
- National Safety and Quality Health Service Standards, 111, 303, 304, 322
- National Strategic Framework for Rural and Remote Health*, 50, 51, 53, 54
- negligence, 325
- New South Wales Agency for Clinical Innovation, 294
- nursing, 22
- Nursing and Midwifery Board of Australia*, 296–8
- ombudsman, 285, 324
- open disclosure, 8, 303, 324
 analysis and reflection, 309–10
 components, 305–7
 implications for practice, 310
 key actions, 310
 practice examples, 307–8, 312–13
 theoretical links, 310–11
See also knowing
- openness, 311
- operating list, 120
- outcomes of care, 114, 125, 131
- outreach clinics, 60–1
- PACE approach, 274–5
- pain
 and death, 96

- palliative care
 - defined, 258
 - practice examples, 9–10
 - See *also* end-of-life care
- palliative care education, 97
- parliaments, 325
- partnerships
 - and child and family health services, 149, 150, 151, 155–7
 - defined, 150
- paternalistic approach, 24, 39
- Patient Assisted Travel Scheme (PATS), 59
- patient-centred approach, 24, 212
 - and bad news for patients, 207
 - defined, 5, 37, 165, 207
 - and general practitioner consultations, 39
- patient compliance, 169
- patient experiences, 165–6
- patient feedback surveys, 8
- patient perspectives, 165
- patient records, 41, 118, 180
 - See *also* e-health; Person Controlled Electronic Health Record (PCEHR)
- patient safety, 310
- patient safety incidents, 317
- patient safety law, 317
 - analysis and reflection, 320–1
 - implications for practice, 321–2
 - practice examples, 318–20, 327–9
 - theoretical links, 322–6
- patient trackers, 8
- Patientinfo, 225
- patients
 - being friendly and cooperative, 169
 - as individuals, 100
 - labels for, 128, 130, 169, 171
 - not being heard, 168–9
 - seeing whole person, 141
- patient's voice
 - development of, 20, 22–5
- patients with limited ability to communicate, 8, 79
- pay-for-performance programs, 292
- pedagogy, 150, 156, 310
- peer interaction, 44
- people experiencing mental illness, 136, 138
 - analysis and reflection, 139–40
 - implications for practice, 140–1
 - practice examples, 138–9, 143–4
 - theoretical links, 142
- people with cognitive impairment, 126
 - analysis and reflection, 127–8
 - implications for practice, 128–30
 - practice examples, 127, 132–3
 - theoretical links, 130–1
- people with dementia, 125
 - and aggression, 127–8, 131
 - communication strategies, 129
 - and language, 130
 - and safety, 131
 - perioperative pathway, 110
- perioperative teams, 110
- person-centred approach, 129, 130–1, 142
 - defined, 37, 130, 165
 - See *also* patient-centred approach
- Person Controlled Electronic Health Record (PCEHR), 219
- personal and professional boundaries
 - rural health professionals, 54
- personhood, 131
- physical environment, 69, 80, 84
- Picker Institute, 8
- population distribution, 52
- Porter, Roy, 87
- postoperative period, 109
- preoperative care, 109
- preventing, 317, 322–3
- primary health care, 37
- proactive communication, 56, 59
- probe, 274
- professional conduct, 285
- professional identity, 182, 183
- professional judgment, 264
- professional misconduct, 296–7
- prospective regret, 201
- psychiatry, 139
- public expectations, 19
- qualified privilege, 323
- Quality in Australian Health Care (QAHC) study, 304
- quality of care, 4, 10
- questions
 - closed, 39
 - open, 39
 - repeatedly asking, 68, 71, 72
 - and shared decision-making, 197–8
- Quick, O., 293

- rapport, 141
 recovery-oriented models of care, 142
 regret, 201
 regulation
 analysis and reflection, 292–3
 and behaviour, 292–3
 defined, 293, 296
 and health professionals, 322–3
 implications for practice, 293–4
 practice examples, 287–92, 296–8
 responsive, 285–7
 theoretical links, 294–6
 regulations, 283
 regulatory entities, 283
 regulatory mechanisms, 283, 285–7, 294–6
 relational autonomy, 198–200
 remote areas, 51
 See also rural and remote health care
 repetitiveness, 68, 71, 72
 resistiveness, 129
 respect, 137
 responding, 317, 325–6
 responsiveness, 25
 restorative justice theory, 311
 retrospective communication, 57, 59
 risk communication, 44
 Rogers, Carl, 142
 Royal Australasian College of Surgeons, 111
 Royal Australian College of General Practitioners (RACGP), 37
 Runciman, B., 285
 rural and remote areas, 53, 55, 57
 rural and remote health care
 analysis and reflection, 56–7
 challenges, 52–5
 challenges for, 61–2
 implications for practice, 57–61
 practice examples, 55–6, 62–3
 theoretical links, 61–2
 Rural Doctors Network (RDN), 60
 rural health professionals, 53, 54, 60
 rural patients
 access to health care, 55, 57
 challenges for, 61–2
 vulnerability of, 56–7, 61
 rurality
 consequences of, 52–3
 defined, 50–2

 Sabesan, S., 224
 safety, 4, 110–11, 131
 See also surgical safety checklists
 safety of care, 10
 scorecards, 287–92
 service delivery, 53
 service users, 150
 Shahid, S., 239
 shared decision-making, 165
 analysis and reflection, 167–9
 defined, 8, 44, 165
 described, 171
 general practitioner consultations, 44
 implications for practice, 169–70
 and informed consent, 197–8
 practice examples, 166, 172
 questions to guide, 197–8
 suggestions for, 170
 theoretical links, 171
 silence
 deliberate, 83, 261
 remaining, 274
 situation awareness, 269–70
 social identity theory, 183
 socio-economic context, 190
 speaking up, 270–1, 274
 SPIKES protocol, 208–9, 211
 standards. *See* National Safety and Quality Health Service Standards
 Strauss, A., 24
 Street, R. L., 12, 14
 strength-based approach, 154
 submissive behaviours, 118
 Suchman, A., 263
 Surbone, A., 250
 surgery
 analysis and reflection, 116–17
 and communication failures, 112–14
 implications for practice, 117–18
 practice examples, 115–16, 119–20, 271, 276–7
 and safety, 110–11
 theoretical links, 118–19
 surgical safety checklists, 110, 111
 surrogate decision-makers, 79
 family members as, 78, 83–4
 sympathy, 259
 teaming, 273
 teams
 situation awareness, 269–70

- speaking up, 270–1, 274
 See also perioperative teams, multidisciplinary healthcare teams
- teamwork
 critical situations, 272–3, 276
 defined, 177
 dysfunctional, 178–9
 effective, 177, 178
 ineffective, 178
 skills for, 178
- telecare, 225
- telehealth, 50, 219–20, 221, 224
- tender directiveness, 265
- therapeutic communication, 137–8, 169, 224
- Therapeutic Goods Act 1989 (Cth)*, 323
- time out procedures, 116
- time spent with patients, 5, 39
- transformative events, 156
- transport to health care, 59
- triage, 69
- trust, 141, 178
- Turner, J. C., 183
- Ubel, Peter, 24
- uncertainty, 268
- unconditional positive regard, 142
- unmet needs, 128
- unnecessary delays, 321
- unpopular patients, 169, 171
- unprofessional conduct, 297
- upstream factors, 231, 232, 237, 239
- urgency of care, 80
- VALUE mnemonic, 88
- values, 179, 183, 237
- values-based practice, 179
- verbal de-escalation, 143
- very remote areas, 51, 53
 See also rural and remote health care
- videoconferencing. See telehealth
- visiting medical officers (VMOs), 53
- vulnerability, 56–7, 61, 128, 151
- Western medicine, 20, 94, 232, 233
- wicked problems, 9–10, 12, 26
- Williams, K. N., 129
- World Health Organization, 25, 37, 110, 111, 117
- Yip, M.-P., 251
- Young v Central Australian Aboriginal Congress Inc & Ors* [2008] NTSC, 12–14, 327–9
- zone of proximal development (ZPD), 156