

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

GENERAL INDEX.

- Acarus domesticus*, remarks upon, 290.
- *telarius*, of Linnæus, 294.
- Animals, their habits and instincts much varied, 7.
- history of those most familiar to us not always the best understood, 12.
- remarks on the sounds of, as indicating the progress of the seasons, 16.
- apparently in the enjoyment of much happiness, notwithstanding the dangers to which they are exposed, 22.
- how the balance amongst different species is kept up, 22.
- their instincts strong evidence of a Creator's care, 24.
- moral lessons to be reaped from observing their instincts, 25.
- distinguish others of their own species more by the smell than by the sight, 52.
- different instances of their deviating from their usual food, 54.
- Anthomyia canicularis*, notice of a case in which large numbers of the larvæ were expelled from the human intestines, 278.
- Anthomyia*, a species of, affected in a peculiar way, 280.
- Aphides*, immense swarm of, 283.
- Apion flavipes*, resorts in great numbers to evergreens in the autumn, 243.
- Aplexus hypnorum*, found in large quantities in a puddle, 319.
- Argulus foliaceus*, notice respecting, 296.
- Ash-rods, much resorted to by wasps, to obtain materials for their nests, 257.
- B.
- Barbastelle, one taken on wing during day, 60.
- Bat, great, withdraws earlier than the common species, 57.
- long-eared, devoured by a cat in one instance, refused in another, 54.
- long-eared, appears to retire early like the noctule, 59.
- long-eared, the sexes at certain periods keep separate, 59.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

430

GENERAL INDEX.

- Bat, each species has its own place of resort, 55.
 — mode in which the young adhere to the body of the mother during flight, 58, *note*.
 Beans, instance of great havoc in the crops of, from the attacks of a *Bruchus*, 244.
 Bees, fatally affected by sucking the blossoms of Dahlias, 262.
 — instance of their forcing open the buds of the box to get at the pollen, 263.
 Birds, get their song by degrees, 86.
 — occasionally heard singing out of season, 87.
 — table of, shewing times of commencing and ceasing song, with remarks, 88.
 — order in which they are first heard on a summer's morning, 95.
 — clamorous before going to roost, 99.
 — some heard in the night, 102.
 — of summer passage, table of, 103.
 — of double passage, 105.
 — of winter passage, table of, 106.
 — flocking of, in winter, 109.
 — nests of, often constructed some time before wanted, 111.
 — why they appear fat in winter, 112.
 — inquiries respecting the mortality among, 113.
 Bivalves, small fresh-water, their different habits, 324.
 Blackbird, appears partial to damp weather, 94.
 Bream, Pomeranian, one taken in the water in Bottisham park, 212.
Bruchus granarius, notice respecting, 244.
 Bull-head, river, one choked in attempting to devour one of its own species, 210.
 Bunting, common, remarks on, 138.
 — reed, remarks on the note of, 139.
 — snow, sometimes called white larks, 138.
 Bustard, one seen near Swaffham Prior, 176.
 Butterflies, notes respecting various species of, 263.
 Butterfly, admiral, much attracted by ripe fruit, 265.
 — orange-tip, the males much more plentiful than the females, 264.
 — tortoiseshell, sometimes on wing in winter, 264.
 Buzzard, honey, one trapped at a wasp's nest, 119.
- C.
- Calendar of Periodic Phenomena in Natural History, its uses, 331.
 — its application to the purposes of gardening and husbandry, 334 and 336.
 — its application to the subject of the laws of climate, 337.
 — explanation of the one in this work, 356.
Carabus violaceus, its power of ejecting an acrid fluid *per anum*, as a mode of defence, 234.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

GENERAL INDEX.

431

- Cat, domestic, devours the common lizard, 66.
 — instance of its seizing a stoat, 67.
 — its different behaviour towards its kitten at different times, 67.
 — and water wag-tail, note respecting, 68.
- Caterpillars, small green, often found scattered about the windows, brought there by mason-wasps, 251.
- Centipede, electric, particulars respecting, 296.
- Ceutorhynchus sulcicollis*, larvæ of, attack turnips, 242.
- Chelifer geoffroyi*, four specimens of, taken from one fly, 295.
- Cheyletus eruditus*, some particulars respecting, 291.
- Chiff-chaff, remarks on, 134.
 — a new note uttered by, 135.
- Chironomus prasinus*, notice of, 272.
- Clay-worm, notice respecting, 302.
- Coccinella globosa*, much attached to the field campion, 246.
- Cock, domestic, remarks on the crowing of, 170.
- Cockchaffer, large, not common at Swaffham Bulbeck, 236.
- Cockchaffer, smaller, or midsummer dor, very abundant, as well as punctual in the time of its appearance, 237.
 — grubs of, their mode of feeding, 238.
 — sometimes destructive to young lettuces, 238.
- Coincidences of date, instances of, between certain periodic phenomena, 333.
- Collectors, should note down facts in illustration of the specimens they get, 11.
- Concretions, two taken from the stomach of a calf, 82.
- Crake, little, note respecting, 185.
 — spotted, note respecting, 184.
- Creepers, common, nest and song noticed, 156.
- Cuckoo, note of the female, 158.
- Curlew, note respecting its nest, 180.
- Cyclopsina castor*, particulars respecting, 295.
- Cyclostoma elegans*, large quantities of dead shells found in Reche Chalk-pits, 322.
- D.
- Dabchick, note respecting, 191.
- Deathwatch, particulars respecting, 240.
- Decoy, near Crowland, note respecting, 189.
- Ditch-worm, small red, its great powers of reproduction when divided into pieces, 299.
- Dog, anecdotes of the, 70, 71.
 — and Cat, anecdote of, 71.
 — one that lived to a great age, 72.
- Dotterel, notes respecting, 177.
- Dove, ring, remarks on its habits and cooing notes, 164.
 — a young one overpowered by swarms of flies, 165.
 — stock, remarks on its nest and habits, 166.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

- Dove, turtle, not known in the neighbourhood of Bottisham before 1823, 168.
- Doves, ring and stock, subject to tumours on the head and feet, 167.
- Dragon-fly, mode in which the female lays her eggs, 250.
- Duck, domestic, monstrosity of, 187.
- Dung of caterpillars, remarks on, 232.
- Dung-flies, carnivorous in their perfect state, 281.
- Dunlin, notes respecting some found in the fens in July 1824, 181.
- E.
- Earth-worms, a large number found together in a hole under ground, 301.
- their phosphorescence at certain times, 301, *note*.
- Earwigs, seem partial to newly-painted houses, 248.
- Eel, two very large ones, 221.
- supposed by some to be viviparous, with curious fact relating thereto, 222, *note*.
- Eel-pout, sometimes found of large size in the Cam, 220.
- a singular variety of, 221.
- Entomostraca*, notes respecting certain species, 295.
- Eriosoma*, a species of, that attacks lettuces, 284.
- another species that attacks the *Lysimachia nummularia*, 285, *note*.
- Eristalis tenax*, its habit of entering houses in the autumn, 277
- Ewe, case of one with a strange lamb, 84.
- F.
- Facts, the different kinds of, wanted by the Naturalist, 6.
- the most trivial should be noticed, 13.
- their importance cannot be determined at the moment of observation, 13.
- the best manner of searching for, 40.
- Fascination, remarks on the supposed cases of, in animals, 69.
- Fasciola terrestris*, Müll. notice respecting, 314.
- Fieldfare, remarks on the nature of its food, 126.
- Flies, the kinds that settle on horses to suck the perspiration, 273.
- dead, having the appearance of life, found on the leaves of trees in autumn, 273.
- extraordinary swarm of, 275.
- Fluke, ground, some account of, 314.
- liver, found in sheep, particulars respecting, 312.
- Frog, common, its periods of spawning, hatching, &c., 199.
- edible, its occurrence in Cambridgeshire, 207, *note*.
- G.
- Gannets, two killed in Cambridgeshire, 192.
- Geese, wild, much less plentiful than formerly, and reason why, 186.
- Giraffe, remarks on the apparent way in which it moves its legs when in action, 50.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

GENERAL INDEX.

433

- Giraffe, mode of suckling its young, 51.
- Glow-worms, sometimes continue their light till after midnight, 238.
— said to put out their light after connexion with the male, 239, *note*.
- Gnats (*Chironomæ*) a cloud of, resembling smoke, 271.
— a small jet-black species, very active during winter, 272.
— (*Culices*), only the females that bite, 269.
— extremely abundant in houses in 1828, 270.
— their immense numbers in South America, 270, *note*.
- Gold-fish, a monstrosity of, 211.
- Gonepteryx rhamni*, fond of the red valerian in autumn, 264.
- Gordius aquaticus*, 303.
— *argillaceus*, 303.
- Grampus, skeleton of one found near Thorney, 85.
- Grasshoppers, different species of, capable of being distinguished by their notes, 249.
- Groundling, note respecting its habits, &c., 215.
— two varieties of, described, 216.
- Gull, coddly-moddy, a sort found inland in Cambridgeshire in autumn, 194.
— common, a tame one that brought up a young duck, 195.
- H.
- Habits of observing, productive of much pleasure, 17.
- Habits peculiarly adapted to a country life, 20.
— in Natural History, tend to foster a devout turn of mind, 21.
— tend to sharpen the senses, 28.
- Hare, common, one without ears, 77.
- Harrier, marsh, remarks on, 119.
- Hawkmoth, death's-head, weight of the caterpillar, 266.
- Hedge-hog, its mode of feeding, 61.
- Helix carthusiana*, its peculiar habit when handled, 322.
— *lapicida*, notice respecting, 321.
- Helodes phellandriæ*, notice respecting, 246.
- Hen, common, anecdote of, 171.
- Hornet, small nest of one found in an empty bee-hive, 261.
- Horse and Elephant, remarks on the order in which they lift their feet from the ground, 50.
- Horses, their mode of standing out at pasture in hot weather, 81.
— and oxen, their modes of lying down and rising from the ground, different, 49.
- Humming in the air in summer, remarks on, 227.

N

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

I.

- Jackdaw, its habit of building in chimneys, 152.
 — a white variety of, 153.
 — attacks stacks in April, 153.
 — occasionally seizes young birds, 153.
- Jays, remarks on their food, 154.
- Insects, the sorts first seen on wing in the spring, 225.
 — wet probably more prejudicial to them than cold, 226.
 — some found in odd situations, 229.
 — great scarcity of, in 1845, 229.
- Isanthesic lines, 338.
- Juncus articulatus*, monstrosity of, caused by the attacks of the *Livia juncorum*, 282.

K.

- Kestrel, nest of, 118.
 — feeds occasionally on insects, 118.
- King-fisher, its shrill piercing note, 158.

L.

- Landrail, remarks on its note, 183.
 — its nest and eggs, 184.
- Lettuce-blight, some particulars respecting; caused by a species of *Eriosoma*, 284.
- Lice, not proportioned in size to that of the animal they infest, 286.

Lice, much more abundant on some birds than others, 287.

Limneus glutinosus, notice of its occurrence in large quantities, 318.

Livia juncorum, notice respecting the *nidus* of, 281.

Lixus productus, notice of its habits, 242.

Lizard, common, remarks on the reproduction of the tail after fracture, 197.

Lizard, sometimes produces a large number of living young, 198.
 — its food, 199.

Lock of a drawer containing the nest of a mason-wasp, 252.

Lumbricus variegatus, notice of, 299.

M.

- Martin, house, time of its appearance and disappearance, 160.
 — its nest often seized by sparrows, 160.
 — its practice of daubing walls with mud, 161.
- Martin, sand, supposed to have been found torpid in one instance, 162.
 — not common in Cambridgeshire, 162.
- Mason-wasp, some particulars respecting, 250.
 — nest of one in the lock of a drawer, 252.
- Meloe proscarabæus*, note respecting the supposed larvæ of, 247.
- Merganser, redbreasted, one taken alive in summer, 190.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

GENERAL INDEX.

435

- Mermis* Dujard., a new genus of intestinal worms, some account of, 303, *note*.
- Mite, one found on slugs, with some account of its habits, 291.
- one that infests fruit-trees, 293.
- Mites, notes respecting various species of, 288.
- Mole, water, a black variety of the water-rat so called, 76.
- Mollusks, instances of their appearance in large quantities in peculiar situations, 318, 320.
- means by which certain aquatic kinds walk on the under side of the surface of the water, 326, *note*.
- Moorhen, nest of one in a tree, 185.
- Moth, herald, its listlessness and inactivity, 268.
- pink-underwing, the caterpillars extremely abundant some years, 267.
- a singular variety of, 267.
- Moth vapourer, facility with which the sexes find each other out, 266.
- Mouse, common, remarks on those found in stacks, 75.
- harvest, nest and young, 74.
- long-tailed field, one taken in a house, 74.
- stores up beech-mast, 74.
- N.
- Natter-jack, some particulars respecting its food and habits, 204.
- Natural History, not simply a study of facts, 3.
- seeks to refer facts to general principles, 3.
- some professed lovers of, want further stimulus, 19.
- Naturalist, the in-door and out-of-door; both equally wanted, 8.
- the out-of-door, has the advantage over others in some respects, 9.
- Naturalist, the young, should be guided in the choice of his studies by the particular situation in which he is placed, 9.
- the, more quick and ready in observing all things than other persons, 30.
- Nature, the inexhaustible field it opens to the observer, 12.
- the study of, should not lead to the neglect of revealed religion, 27.
- Noctule, notice of three old females with young ones, 56
- Nuthatch, resorts to favourite trees to crack nuts, 157.
- feeds sometimes on flesh, 157.
- O.
- Observation, a means to the rue end of the science of Natural History, 4.
- Observations, in any department of Nature, essential that they be correct, 5.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

- Observations, in Natural History, may assist in forming the statistics of meteorology, 14.
- Observer, the, and the theorist, in Natural History, almost necessarily separated, 6.
- must guard against being influenced by prejudices, 33.
- much patience necessary on the part of, 42.
- should visit the same spots repeatedly, 44.
- Observers, mere, employ their time both usefully and agreeably, 4.
- the facts they collect often of much value to others, though not used by themselves, 5.
- a matter of regret that there are not more, 18.
- Observing, rules for, 31.
- accurately, the importance of, 32.
- facts in a sufficient number of instances, the importance of, 36.
- in instances, in which the attending circumstances are different, the importance of, 36.
- Omascus aterrimus*, notice respecting its habits, 235.
- Owl, long-eared, nest of, 120.
- short-eared, common in Cambridgeshire, 120.
- tawny, an early breeder, 124.
- white, remarks on, 121.
- anecdote of a tame one, 122.
- Oxen, said to lie, when chewing the cud, mostly on the left side, 81.
- Oyster-catcher, note respecting, 180.
- P.
- Padlock, one containing the nest of some hymenopterous insect, 253.
- Papilio machaon*, abundant in the fens of Cambridgeshire, but less so than formerly, 263.
- the larvæ of, much attached to the marsh milk-parsley, 264.
- Partridge, common, its time of hatching, 173.
- red-legged, notes respecting, 175.
- Partridges, numbers found dead from the attacks of lice, 173.
- a brood of white ones, 173.
- combat between two and a carrion crow, 174.
- Peas, some that had sprouted in the crop of a stock-dove, 166.
- Pettychaps, remarks on, 131.
- Pheasant, feeds much on the roots of the buttercup, 172.
- a fierce one that was in the habit of attacking men, 172.
- Phenomena, natural, much pleasure in watching and registering, 16.
- Phenomena, periodic, in Natural History, connected with the progress of the seasons, 14.
- the regularity with which they succeed each other, 15.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

GENERAL INDEX.

437

- Phenomena, tabular arrangement of those most worthy of record, 341.
- average range of variation of, 346.
- the mean date of, how obtained, 347, *note*.
- a selection of, best for purposes connected with climatological inquiries, 348.
- M. Quetelet's plan for observing, 349, 351.
- M. Quetelet's directions for observers of, 354.
- Philodromus limacum*, a mite found on slugs, some particulars respecting, 291.
- Pike, instances of its voracity, 217.
- mode of taking in the fens, 218.
- Pike-louse, notice respecting, 296.
- Pipistrelle, taken on wing, with the young adhering to the breast, 58.
- Pipit, tree, nest and eggs of, 135.
- Plover, great, notes respecting, 177.
- ringed, numbers in the fens in the summer of 1824, 179.
- Pontia cardamines*, the males apparently more plentiful than the females, 264.
- Prejudices, those likely to interfere with correct observation, 33, 35.
- Ptinus fur*, destructive to books, 239.
- Q.
- Quadrupeds, the mode in which various kinds suckle their young, 51.
- Quail, remarks on its note, 176.
- R.
- Rabbits, sometimes found with the incisor teeth of monstrous growth, 78.
- many found dead with their livers full of flukes, 80.
- Rail, water, notes respecting, 182.
- Raven, one that ate a bat entire, 140.
- Razorbill, one picked up alive near Wimpole, 191.
- Redbreast, anecdote of, 127.
- Redbreast, instances of its pugnacious disposition, 129, 130.
- singing in severe frost, 130.
- Red-eye, or shallow, note respecting, 214.
- Red-spider, a mite that infests fruit trees, some account of, 293.
- Redwing, remarks on the nature of its food, 125.
- Rookeries, strong smell proceeding from, 146.
- Rooks, their different times of coming home to roost, 140.
- often restless during the night, 142.
- remain much upon their nest trees before the breeding-season actually commences, 143.
- sound the note of alarm to their companions on the approach of danger, 143.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

- Rooks, have the greatest dread of a gun, 144.
 ——— periods of building and hatching, 145.
 ——— construct their nests of fresh twigs, 145.
 ——— resort much to pastures in April, 147.
 ——— suck partridges' eggs, 147.
 ——— do not always discover the grubs of the cockchaffer by scent, as supposed, 148.
 ——— their food during severe frost, 149.
 ——— anatomical notes respecting, 149.
 ——— some varieties of, 150.
 ——— sometimes prey on fish, 150.
 ——— one with a monstrous bill, 151.
- Rot in sheep, 312.
- Ruffe, singular monstrosity of, 208.
- Rules for observing, 31.
- S.
- Sandpiper, green, note respecting, 180.
- Sarcoptes passerinus*, remarks upon, 289.
- Shallow, the, of Cambridgeshire, 214.
- Sheep, terribly worried by horse-flies, 82.
 ——— long-woolled, much infested by lice, 83.
- Sheep-paths, note respecting, 85.
- Shepherds, their precaution in putting a strange lamb to a ewe that has lost its own offspring, 52.
- Shrew, common, instance of its extreme voracity, 62.
- Shrike, red-backed, remarks on its food, 124.
- Sinonendron cylindricum*, note respecting, 236.
- Siskins, feed much on the seeds of the alder, 139.
- Smelts, notes respecting, 219.
- Smew, note respecting its food, 191.
- Snake, common, its power of remaining a long time under water, with other particulars respecting, 199.
- Snipe, common, young obtained from Burwell fen, 181.
- Sporendonema muscæ*, a peculiar mould or fungus found on flies, 275, *note*.
- Squirrel, its nest, 73.
 ——— note respecting, 73.
- Stickleback, ten-spined, a large specimen of, 210.
- Stoat, instance of its boldness, 63.
 ——— feeds occasionally on yew-berries, 64.
 ——— instance of its preying on eels, 65.
- Sturgeon, one taken in the Ouse near Ely, 224.
- Swallow, time of its arrival, &c., at Swaffham Bulbeck, 158.
 ——— white variety of, 159.
 ——— its peculiar note at break of day, 159.
- Swan, tame, note respecting its eating fish, 187.
- Swifts, the number of pairs at Swaffham Bulbeck, 163.
 ——— stay late at Ely, 163.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

GENERAL INDEX.

439

T.

- Tern, black, particulars respecting, 193.
- Thread-worms, instance of large numbers being found in a garden after rain, 303.
- Thrush, missel, remarks on the song of, 124.
- song, remarks on its hours of singing, 94.
- resorts to favourite stones to break snails, 127.
- Tick, a large one found on a blue titmouse, 288.
- Titmice, remarks on the notes of different species, 136.
- Titmouse, long-tailed, nest and eggs of, 137.
- Toads, remarks on the question where they pass the winter, 200.
- their abundance in ponds in the spring compared with the few seen about at other seasons, 202.
- the case of some shut up in a cellar, 203.
- appear to have deserted the piece of water in Bottisham Park, 204.
- Trichocera hiemalis*, its power of resisting cold, 272.
- Turnip-weevil, some particulars respecting, 241.
- Turtle, collared or African, its mode of feeding its young, with remarks, 169.
- common, remarks on, 168.

V.

- Valerian, red, much visited by brimstone butterflies in autumn, 264.
- Vanessa antiopa*, notices respecting, 265.
- Vespa vulgaris* and *V. rufa*, the difference in their nests and larvæ pointed out, 259.
- Vinegar-eels, will not live long in fresh vinegar, 311.
- Vole, bank, destructive to flower-beds, 77.
- water, its food and mode of feeding, 75.

W.

- Wagtails, more seen in autumn than at other seasons, 135.
- Warbler, willow, its nest and eggs, 133.
- willow, sometimes sings in its flight, 134.
- wood, rare in Cambridge-shire, 133.
- Wasp, common, notes respecting its nest, 257.
- queen, found in great plenty in white-thorn hedges in spring, 255.
- queen, period of its waking from winter sleep, 256.
- tree, its nest described, 259.
- Weasels, two caught at once in the same mole trap, 63.
- Weever, great, one captured in the river Ouse, 209.

Cambridge University Press

978-1-108-06986-1 - Observations in Natural History: With an Introduction on Habits of Observing, as Connected with the Study of that Science

Leonard Jenyns

Index

[More information](#)

440

GENERAL INDEX.

- | | |
|--|--|
| <p>White's Natural History of Selborne, the influence it has had on the present generation, 10.</p> <p>Whitethroat, lesser, its nest and eggs, 131.</p> <p>Woodpecker, great-spotted, seen at Bottisham mostly in spring and autumn, 155.</p> <p>— much infested by a minute <i>Acarus</i>, 155.</p> | <p>Worm, a peculiar kind infesting the gills of smelts, 219.</p> <p>— one found in a gnat, 311.</p> <p>Worms, remarks on those inhabiting the land and fresh-water, 298.</p> <p>— thread, instance of great numbers found after rain, 303.</p> |
|--|--|

THE END.

ERRATA.

- Page 81, line 2 from the bottom, *for* calculi, *read* concretions.
- „ 89 „ 12 from the top, *for* hear, *read* heard.
- „ 298 „ 6 from the bottom, *for* molluscks, *read* mollusks.
- „ 299 „ 3 from the bottom (notes), the asterisk (*) should be a dagger (†).

LONDON :

Printed by S. & J. BENTLEY, WILSON, and FLET,
Bangor House, Shoe Lane.