

Index

- abuse *see* childhood trauma
 acute phase proteins 276–277
 addiction *see* substance use disorders
 adult trauma 130–131
 studies of 132
 affect, early theories of 3–4
 affective disorders
 serotonin (5 HT) system candidate
 gene studies 269–270
 suicide risk in patients with 151
 see also anxiety disorders;
 depressive disorders
 affective neuroscience, Panksepp
 341–342
 affective priming paradigm 52
 affective priming effect, auditory
 material 254–255
 emotional language processing
 94–95
 affect regression 4–5
 affect regulation *see* emotion regulation
 age and alexithymia 35–36
 alcoholism *see* substance use disorders
 alexithymia definition 190
 allostatic load 292–294
 from hypo-arousal emotional
 reactivity 302–303
 from tonic hyper-reactivity 303
 alpha function of primary caregiver,
 Bion 5–6
 alpha waves 251
 altruistic behavior 181
 amygdala
 impaired interaction with
 hippocampus 208–209
 reduced response to emotional
 stimuli 210–212
 anger priming experiments 95
 anorexia nervosa (AN) *see* eating
 disorders
 anterior cingulate cortex (ACC) and
 emotional awareness 213–214
 Lane et al. hypothesis 208
 structural MRI studies 217–218
 anticipatory hypo- or hyper-arousal
 298
 anxiety disorders 146–147
 suicide risk in patients with 150–151
 treatment outcome studies 147
 anxious attachment style 134–136
 assessment of alexithymia 17, 209–210
 observer-rated measures 22–24
 performance-based measures 26–28
 self-report scales 17–22
 structured interviews 24–26
 summary and discussion 28
 translation of alexithymia scales
 34–35
 asthma 114
 attachment theory 9–10, 127
 adult trauma 130–131
 case example 136–137
 and childhood trauma 127–130
 research findings on trauma
 131–133
 studies on attachment and
 alexithymia 133–136
 summary 137
 autism spectrum disorder (ASD)
 empathy deficits due to alexithymia
 184
 interoceptive impairment 183
 interpersonal deficits 182–183
 autobiographical memory
 less communication of negative
 events 55
 role of interoception 82–83
 time taken to recollect 79
 autonomic hyper-arousal 296–297
 autonomic hypo-arousal 295–296
 avoidance of aversive experiences 60
 avoidance of people in distress 181
 avoidant attachment style 134–136

*Bermond–Vorst Alexithymia
 Questionnaire* (BVAQ) 20–22
 beta waves 251
 binge eating disorder (BED) *see* eating
 disorders
 birth cohort effects 35–36
 blindfeel hypothesis 213
 blindsight 208
 body awareness 321
 connecting alexithymia with 325
 empirical evidence for
 interoceptive deficits 327–328
 theoretical approaches 325–327
 interoception 321–322
 emotional processing and emotion
 regulation 323–324
 neuroanatomical basis of 322–323
 therapeutic approaches to enhance 329
 body ownership 324–325
 empirical evidence for deficits in
 328–329
 future research directions 329
 neuroanatomical basis of 325
 borderline personality disorder (BPD)
 148
 brain derived neurotrophic factor
 (BDNF) 269
 bronchial asthma 114
 bulimia nervosa (BN) *see* eating
 disorders

California Q-set Alexithymia Prototype
 (CAQ-AP) 22–23
 cancer 116
 psychotherapy effectiveness 119
 candidate gene studies 268–270
 cardiology
 cardiovascular disorders 113–114
 cardiovascular reactivity studies
 294–295
 hyper-arousal 296–297
 hypo-arousal 295–296
 group therapy for coronary heart
 disease 118
 catechol-O-methyl-transferase
 (COMT) 268
 childhood trauma 128–130
 and attachment insecurity 135–136
 and disordered eating 166
 studies of 131–132
 “Chinese somatization” 39–42
 chronic pain 117–118
 improvements following
 psychological interventions 197
 psychoeducation intervention 119
 clinical practice, advances in 342–345
 cognitive behavioral therapy (CBT),
 treatment outcome studies
 alexithymia unrelated to outcome 193
 obsessive-compulsive disorder 198
 substance users 160
 better outcomes with
 computerized CBT 194

- versus group motivational interviewing (MI) 194
- cognitive control *see* executive functions
- cognitive and emotional brain areas, functional connectivity between 216
- cognitive reappraisal strategy of emotion regulation 59
- experimental studies 61
- comprehension of verbal emotional language 94–96
- constructionist approaches to emotion 43–44
- conversion disorders and alexithymia 111
- conversion versus somatization 106
- core affect 43–44
- coronary heart disease (CHD), treatment outcome study 118
- cortisol *see* hypothalamic–pituitary–adrenal (HPA) axis
- cortisol awakening response (CAR) 273
- countertransference 11–12, 201
- craving, substance users 159–160
- C-reactive protein (CRP) 276–277
- cultural psychology 37–38
- cultural shaping of alexithymia 33–34
- Chinese somatization 39–42
- cultural-historical origins 38–39
- culture, mind, and brain 37–38
- future research 42–44
- sociodemographics 34–37
- culture and emotion 43–44
- cytokines, immune system 275–276
- alexithymia studies 284–285
- studies with healthy populations 276
- decision-making
- in autistic spectrum disorder (ASD) 183
- emotion-based biased signals 214
- decoupling hypothesis 299–300
- default mode network (DMN) brain areas, functional connectivity 216
- defense mechanism, alexithymia as 8
- delta waves 251
- denial 113
- depression
- in Chinese people 39
- and craving, alexithymia as moderator 159–160
- cultural variation in 41–42
- independent construct from alexithymia 199
- and suicide risk 151
- depressive disorders 142
- clinical vignette 152
- etiological theories 142–143
- prevalence of high levels of alexithymia 143–144
- explanations for 144–146
- treatment outcomes 146
- diabetes mellitus 115–116
- Diagnostic Criteria for Psychosomatic Research – Alexithymia (DCPR-A) 24
- dorsomedial prefrontal cortex (dmPFC) dysfunction 215
- dream experiences, recounting of 92
- drives and affects 3–4
- dysregulation model of disease 108–109
- early maladaptive schemas (EMSs) and chronic pain 118
- eating disorders 163–164
- clinical implications 166–167
- emotion regulation deficits 165–166
- evidence from non-clinical samples 164–165
- and high alexithymia levels 164
- neural correlates 166
- stability of alexithymia scores 164
- and suicide risk 151–152
- summary and future directions 167
- symptoms of, alexithymia and 165
- education and alexithymia 36
- electrodermal reactivity studies 294–295
- electroencephalogram (EEG) studies 250–251
- auditory domain, emotional speech prosody and music 254–256
- clinical applications 256–257
- ERP (event-related potentials) 252–253
- ERS (event-related synchronization) studies 251–252
- frequency bands 251
- future directions for research 256
- prosody comprehension 97–98
- summary and discussion 256
- visual domain, emotional faces and pictures 253–254
- electromyography (EMG) *see* facial electromyography (EMG)
- embodiment, phenomenological 325–327
- emotion 49–50
- and cognition, interaction between 209
- culture shaping 43–44
- emotional arousal, slow recovery from 298
- emotional attention, role of amygdala 210–212
- emotional awareness, role of ACC 213–214
- emotional information, recall of 79–80
- emotional intelligence (EI) 174–175
- and drug use in adolescence 161
- emotional Visual Remapping of Touch (eVRT) 57
- emotion contagion 179
- emotion knowledge (EK) 50–51
- detecting, identifying, and recognizing emotions 51–53
- moderating impact of alexithymia on 51
- recommendations for future research 62–63
- understanding and attributing emotions 57–58
- emotion labeling 50–57
- emotion regulation 58–59
- disrupted by childhood trauma 128
- and eating disorders 165–166
- and empathic response 181
- four premises of healthy 292–293
- lateral prefrontal cortex 215
- orbitofrontal cortex (OFC) role 214
- recommendations for future research 62–63
- studies of 59–62
- substance use disorders and eating disorders 158
- substance users 163
- emotion-related learning, role of OFC 214
- emotion schemas 7, 108, 128–129
- dissociation within 108, 129
- empathy 177
- avoidance and prosocial behaviors 181
- emotion contagion 179
- empathic concern and personal distress 180–181
- moral judgment 181–182
- neural instantiation of 179–180
- simulation theory (“*imagine self*”, “*imagine other*”) 177–178
- theory of mind (ToM) 178
- endocrine system 271
- hypothalamic–pituitary–adrenal (HPA) axis 271–274
- oxytocin 274–275
- renin–angiotensin–aldosterone system 274
- environment–gene interaction 271
- ethnicity and alexithymia 34–35
- event-related potentials (ERPs) 252–253
- emotional faces and pictures 253–254
- emotional speech prosody and music 254–256
- executive functions 83–84
- empirical investigations 84–86
- in substance users 162–163
- summary and discussion 86
- experiential avoidance 60

Index

- externally oriented thinking (EOT)
and cultural values 40–41
culture determining 41–42
and poorer cognitive control 81
reliability of subscale 35
exteroceptive multi-sensory integration
324–325
- facial electromyography (EMG) 295
alexithymia hypo-reactivity 296
decoupling of subjective and
physiological reactivity 300
facial expressions of emotion
impaired imitation of 179
labeling of 55–57, 69–70
understanding and making
inferences from 57–58
visual short-term memory 82
fading of affect bias (FAB) 82–83
family studies, heritability 267–268
fear
processing difficulties in HA 52
remapping deficit in HA 57
feelings of others, understanding of
57–58
five-factor model (FFM) of personality
148–149
forgetting and cognitive control 81
functional connectivity between
cognitive and emotional brain
areas 216
functional gastrointestinal disorders
(FGIDs) 111–112
functional magnetic resonance imaging
(fMRI) studies 210
amygdala hypoactivity 210–211
eating disorder studies 166
emotional prosody perception 98
functional neuroimaging studies 210
amygdala and emotional attention
210–212
anterior cingulate cortex and
emotional awareness 213–214
functional connectivity between
emotional and cognitive brain
areas 216
insula and emotional experience
212–213
prefrontal cortex and emotional
learning and imagery 214–215
summary and discussion of findings
216–217
- gambling 161–162
gamma waves 251
studies 252
gastrointestinal disorders 111–112
generalized anxiety disorder (GAD)
147
- genetic factors 267
candidate gene studies 268–270,
279–280
family and twin studies 267–268
gene–environment interaction 271
genome-wide association studies
(GWAS) 271
glycemic control management, diabetes
115–116
gray matter volume, structural brain
imaging studies 217–218
group therapy
encouraging empathy 201–202
for HA substance users 194
post-myocardial infarction patients
118
- habituation in alexithymia 299
heritability of alexithymia 267–268
hippocampal–amygdala interaction,
impairment in 208–209
history of alexithymia 1–2
British psychoanalyst, Bion 5–6
mentalization 6–8
North American and French
influences 2–3
drives and affects 3–4
mechanisms of symptom
formation 4–5
summary 12
therapeutic considerations 10
countertransference 11–12
trauma 8–10
hyper-arousal, electrodermal responses
296–297
anticipatory 298
hypo-arousal, physiological studies
295–296
anticipatory 298
hypothalamic–pituitary–adrenal
(HPA) axis 271–274
studies of HPA axis and alexithymia
281–283
- illness behavior, alexithymia
influencing 107–108
illness-related words, memory bias for
79–80
image processing, EEG power spectra
251–252
imagination impairment 6
“imagine self”/“imagine other”
perspective 177–178
immune system 275–276
acute phase proteins 276–277
cytokine studies 284–285
healthy populations 276
patient populations 277
inferences about emotions of others 58
- insecure attachment style 127–128,
133–134
insula
and body ownership 325
emotion processing 212–213,
216
empathy for pain 180
interoception role 323
interhemispheric transfer deficit model
208
interoception 321–322
and emotion perception/processing
323–324
empirical evidence for interoceptive
deficits in alexithymia 327–328
and memory functioning 82–83
neuroanatomical basis of 322–323
Interpersonal Reactivity Index (IRI)
177–178
interpersonal relationships
concern for and involvement in
social relationships 176–177
and emotional intelligence (EI)
174–175
and making inferences about
emotions of others 58
measurement of using RAS 27
self-construal and self-assertiveness
175–176
- labeling of emotions 50
in oneself and others 54–57
language 90–91
comprehension 94–96
discussion and future directions
98–100
non-verbal language 96–98
production 91–94
translation of alexithymia scales
34–35
lateralization of brain for emotions 208
levels of emotional awareness model
106–107
lexithymia (absence of alexithymia) 33
limbic system 207
see also amygdala
Linguistic Inquiry and Word Count
(LIWC) program 92–93
- memory functioning 78–79
emotion and illness-related words
79–80
and interoceptive sensitivity 82–83
research 79
role of context and memory control
80–81
short-term memory 81–82
summary 83
mentalization 6–8

- Met allele 268–269
mirror neuron system, dmPFC 215
Modified Beth Israel Hospital Psychosomatic Questionnaire (M-BIQ) 22
moods versus emotions 50
moral judgment 181–182
multiple code theory of emotion
 processing 7, 108, 128–129
music
 impaired sensitivity to emotional aspects of 254–255
 and memory encoding 80–81, 95
negative affectivity (NA) 107
neurasthenia 39
neuroimaging studies
 functional imaging 210–217
 limitations of 219
 structural imaging 217–219
neuroscience research 207
 current neurobiological models 207–209
 early proposals of underlying mechanism 207
 interaction between emotional and cognitive processes 209
 measures of alexithymia used 209–210
 neural correlates of empathy 179–180
neuroticism and somatic complaints 107
non-verbal emotional vocalizations (NEV) 98
 HA deficits in recognizing negative 53
non-verbal language 96–97
 speech prosody 97–98
 vocalizations (meaningful sounds) 98
noradrenaline release, stress response 272–273
observed emotions, remapping deficits 57
Observer Alexithymia Scale (OAS) 23–24
observer-rated measures
 California Q-set Alexithymia Prototype (CAQ-AP) 22–23
 Modified Beth Israel Hospital Psychosomatic Questionnaire (M-BIQ) 22
 Observer Alexithymia Scale (OAS) 23–24
obsessive-compulsive disorder (OCD) 135–136, 150–151, 267–268
openness-to-experience, alexithymia negatively correlated with 149
orbitofrontal cortex (OFC) 214–215, 217
oxytocin 274–275
 administration of improving empathy deficits 184–185
 genetic variants of oxytocin receptor (OR) 270
pain *see* chronic pain
pain empathy 180
 lower insula activity 212–213
panic disorder (PD) 146
 and childhood trauma 132
 and increased suicidal ideation 151
parental failures of care and insecure attachment 133–134
pathological gambling 161–162
performance-based measures 26–28
personal distress 180–181
 and avoidance of people in distress 181
personality disorders 147–148
personality trait dimensions 148–149
physical illness, psychosomatic approach 105–106
 empirical investigations 110
 bronchial asthma 114
 cancer 116
 cardiovascular disorders 113–114
 chronic pain 117–118
 diabetes 115–116
 gastrointestinal disorders 111–112
 skin disease 114–115
 Somatoform Disorders and Somatic Symptom Disorder (SSD) 110–111
 treatment outcome studies 118–119
 future directions 119–121
 theoretical considerations 106–110
physiological flexibility 292
physiology of emotion 291–292
 allostatic load 292–294
 from hypo-arousal emotional reactivity 302–303
 from tonic hyper-reactivity 303
 decoupling of subjective and physiological reactivity 299–300
 emotional reactivity 293–295
 hyper-arousal 296–297
 hypo-arousal 295–296
 future research agenda 303–304
 reactivity to repeated emotional exposures
 anticipatory hypo- or hyper-arousal 298
 deficient habituation 299
 research limitations 301–302
 summary 300–301
 tonic activity 297–298
pictures, processing of 61, 253–254
polymorphisms
 candidate gene studies 268–270
 genome-wide association studies 271
 interactions with environmental factors 271
positron emission tomography (PET) studies 210
post-traumatic stress disorder (PTSD) childhood trauma and alexithymia 132–133, 136
 suicide risk in 151
predictive coding 327
prefrontal cortex (PFC), role in emotional learning and imagery 214–215
prosocial behavior 181
prosody (speech melody) 97–98, 254–256
psychoanalysis and the history of alexithymia 1–2
 British contribution, Bion 5–6
 childhood trauma 8–10
 mentalization 6–8
 North American and French approaches 2–5
psychotherapy 10
 countertransference 11–12
 summary 12
psychoeducation intervention 119
psychological flexibility 292
psychotherapy 190–191
 clinical issues 199–202
 effects of treatment 196–198
 engagement with treatment 191–192
 future research directions 198–199
 psychoanalytic 10–12
 therapy processes 195–196
 treatment outcomes 192–195
Reading the Mind in the Eyes test (RMET) 52–53, 275
referential activity/processes, Bucci 7 and attachment trauma 129
regression of affect 4–5
remapping of emotions, deficits in HA 57–58
renin-angiotensin-aldosterone system (RAAS) 274
research
 genetic, endocrine and immune system functioning 277–278
 memory and executive functioning 78, 86–87
 summary of advances in 335–339
right- versus left-hemisphere lateralization for emotion 208
Rorschach Alexithymia Scale (RAS) 26–28

Index

- Rorschach inkblot method (RIM) 26
rubber hand illusion (RHI) paradigm,
body ownership 324, 328–329
- self-construal and self-assertiveness
175–176
- self-medication and substance use 162
- self/other distinction 180–181
- self-report scales
20-Item Toronto Alexithymia Scale
(TAS-20) 17–20
Bermond–Vorst Alexithymia
Questionnaire (BVAQ) 20–22
- serotonin levels, reduced in alexithymia
269–270
- sex differences 36
- short-term memory 81–82
- simulation theory (“imagine self”/
“imagine other”) 177–178
- skin conductance (SC) studies 294
hypo- and hyper-arousal 295–297
during baseline and resting states
297–298
- skin diseases 114–115
- social anxiety disorder (SAD) 147
- social/interpersonal issues 174
autism spectrum disorder (ASD)
example 182–183
empathy 177–182
interpersonal relationships 174–177
summary and future directions
183–185
- social relationships 176–177
- sociodemographics 34–37
- socioeconomic status (SES) 36, 38
- Somatic Symptom Disorder (SSD)
110–111
clinical vignette 109–110
- somatization 106
Chinese somatization 39–42
levels of emotional awareness model
106–107
neuroticism and negative affect (NA)
107
psychoanalytic approaches 5
- somatoform disorders 110–111
treatment outcome 119
- somatosensory amplification 107
- speech prosody 97–98, 254–256
- stress
and cortisol levels 273–274
and HPA axis dysregulation
271–272
immune system effects 275–276
- oxytocin’s stress-buffering effect
274–275
- RAAS activity during acute social
stress 274
and skin disease 114
- Stroop paradigm 94
- structural neuroimaging studies
structural correlates of alexithymia
and its facets 217–218
structural correlates of postulated
alexithymia types and
dimensions 218–219
summary and discussion 219
- structured interviews
Diagnostic Criteria for
Psychosomatic Research –
Alexithymia (DCPR-A) 24
Toronto Structured Interview for
Alexithymia (TSIA) 24–26
- subjective and physiological reactivity,
decoupling of 299–300
- substance use disorders 158
executive function and regulation
162–163
influence of alexithymia on
treatment of 160
links with alexithymia 159–160
neural correlates 162
stability of alexithymia in 160–161
substance use as self-medication 162
summary and future directions 163
symptoms, prevalence and
background theory 158–159
- subsymbolic and symbolic
representations of emotion,
Bucci’s multiple code theory
90, 108, 128–129
- suicide risk
clinical samples
clinical vignette 152
patients with affective disorders
151
patients with anxiety disorders
150–151
patients with eating disorders
151–152
studies on suicide attempters 150
in the general population 150
in psychiatric disorders 149, 153
suppression strategy of emotion
regulation 59
experimental studies 61–62
and greater distress responses 181
- tactile perception 57
- theoretical advances 339–342
- theory of mind (ToM) 178
- therapeutic issues 190–191
advances in clinical practice 342–345
directions for future research
198–199
therapeutic success 199–202
therapy processes 195–196
treatment effects on alexithymia
196–198
treatment engagement 191–192
treatment outcomes 192–195
- theta waves 251
- tonic activity, autonomic arousal
studies 297–298
- Toronto Alexithymia Scale, 20-Item*
(TAS-20) 17–20
international dissemination of 34–35
- Toronto Structured Interview for*
Alexithymia (TSIA) 24–26
- Trait Emotional Intelligence*
Questionnaire (TEIQue) 175
- transcranial magnetic stimulation
(TMS) studies 210
- translation of alexithymia scales 34–35
- trauma 8–10
adult trauma 130–131
and attachment style 133–136
childhood trauma 127–130
empirical findings linking to
alexithymia 131–133
- treatment outcome
patients with physical illness
118–119
substance users 160
- twin studies 268
- ventromedial prefrontal cortex
(vmPFC) 214–215
functional connectivity studies 216
- verbal emotional expressiveness 91–94
- verbal labeling of emotions in oneself
and others 54–57
- visual domain ERP studies, emotional
faces and pictures 253–254
- vocalizations, non-verbal 98
HA deficits in recognizing negative
53
- WEIRD people 33
- written reports of emotional
experiences 91–92