

## Index

---

- () , 206
- (++), 47, 353
- (.), 354
- (,,), 354
- (-) (negation), 114
- (.), 80
- (/=), 111
- (j), 355
- (j=), 355
- (=ij), 220
- (==), 106
- (;), 355
- (;=), 355
- (&&), 164
- ::, 10
- (^), 170
  
- abs*, 114
- abstraction, 12–21
  - data, 18–21
  - functional, 16
  - naming, 13–15
  - principle, 13
- accumulator, 55, 358
- action (IO), 205
- algebraic properties, 175
- all*, 352
- and*, 352
- any*, 352
- arithmetic sequence, 79
- associativity, 18
  
- binding, 15
- bottom, 9, 60, 163
- Bounded*, 118, 357
- break*, 349
  
- case**, 369
- case sensitivity, 10
- Char*, 9, 106, 365
- chord*, 51
- class, 104, 105
  - class**, 108
  - deriving**, 118
  - declaration, 108
  - default method, 111
  - derived instance, 118
  - inheritance, 112
  - instance, 108
  - laws, 122
  - method, 108
  - multiple inheritance, 112
  - operation, 108
  - subclass, 112
  - superclass, 112
- comments, 14
- compare*, 355
- composeM*, 219
- computation by calculation, 4
- concat*, 53, 353
- concatMap*, 353
- conditional expression, 50
- Curry, Haskell B., 57
- cycle*, 351
  
- deriving**, 118
- do**, 207
- Double*, 24
- drop*, 348
- dropWhile*, 349
  
- efficiency, 5, 49, 53, 171
- elem*, 352

382

*Enum*, 118, 356  
*enumFrom*, 356  
*enumFromThen*, 356  
*enumFromThenTo*, 356  
*enumFromTo*, 356  
*Eq*, 106, 111  
 equality, 106  
*error*, 60, 348  
 errors, 60  
 expressions, 8

field labels, 131  
*FilePath*, 207  
*filter*, 349  
*fix*, 77  
*flip*, 59  
*Float*, 24  
*fmap*, 211  
*fold*, 49  
 fold (in a calculation), 7  
*foldl*, 52, 350  
*foldl1*, 350  
*foldr*, 52, 157, 350  
*foldr1*, 350  
 fractal music, 148  
*fromEnum*, 356  
*fromInteger*, 115  
 function  
   anonymous, 75  
   application, 11, 56  
   composition, 80–83  
   currying, 56–60  
   strict, 163  
   type, 11–12

generalization, 161  
 generator, 78  
*getLine*, 207  
 GHC, xiii

*head*, 43, 347  
 Hindley-Milner type system, 46

**if then else**, 50  
 ill-typed, 11, 106  
**import**, 66  
*index*, 362  
 induction, 156  
 infix, 12  
 infix constructors, 31, 366  
*init*, 347

Index

*inRange*, 362  
*InstrumentName*, 33  
*Int*, 25, 365  
*Integer*, 9, 24, 106, 365  
*IO*, 206  
*iterate*, 351  
*Ix*, 118, 362

kinds, 225

*last*, 347  
 layout rule, 37  
*length*, 43, 158, 348  
**let**, 15, 36, 216  
*lex*, 361  
 lexicographic ordering, 123  
*line*, 51  
*lines*, 351  
*List* (library), 346  
 list, 8, 18  
   indexing, 40, 348  
 list comprehension, 220  
*lookup*, 352

*Main*, 205  
*main*, 205  
*map*, 45, 353  
*mapM*, 220  
*mapM\_*, 220  
*max*, 355  
*maxBound*, 357  
*maximum*, 353  
*maxPitch*, 51  
*Maybe*, 217  
 MIDI, 125  
*min*, 355  
*minBound*, 357  
*minimum*, 353  
 modularity, 23  
 module  
   **import**, 66  
   interface, 66  
**module**, 65  
*Monad* (library), 214  
*Monad* (type class), 214  
 monad laws, 216  
*mplus*, 221  
*mzero*, 221

*negate*, 114  
*notElem*, 352

- null*, 348
- Num*, 105, 113, 364
- number systems, 23–26
- numerical analysis, 24
- operators, 12
- or*, 352
- Ord*, 112, 355
- pair, 8
- parser, 360
- pattern, 20
  - as-pattern, 367
  - guard, 368
  - irrefutable, 367
  - lazy, 368
  - matching, 20, 164, 367–369
  - refutable, 367
  - wildcard, 367
- polymorphism, 42–44
- precedence, 12, 170
- PreludeList*, 346
- product*, 353
- putCharList*, 209
- putStr*, 206, 209, 221
- quot*, 172
- range*, 362
- Rational*, 24
- Read*, 118, 357, 360
- read*, 362
- readList*, 361
- readParen*, 361
- ReadS*, 360
- reads*, 360, 362
- readsPrec*, 361
- recursion, 20, 156
- repeat*, 351
- replicate*, 351
- return*, 206
- reverse*, 54, 59, 160, 352
- scanl*, 350
- scanl1*, 350
- scanr*, 350
- scanr1*, 350
- section, 74
- self-similar music, 148
- selfSim*, 149
- sequence*, 220
- sequence\_*, 208, 220
- Show*, 118, 357
- show*, 357, 359
- showList*, 359
- ShowS*, 358
- shows*, 358, 359
- showsPrec*, 359
- signum*, 114
- simple*, 5
- sort*, 112
- span*, 349
- splitAt*, 348
- state monad, 222
- sum*, 353
- tail*, 43, 347
- take*, 348
- takeWhile*, 349
- toEnum*, 356
- tuples, 366
- type, 9, 11, 365
  - constructor, 211
  - higher-order, 211
  - inference, 11
  - polymorphic, 42–44
  - principal, 46
  - qualified, 104, 122
  - recursive, 32
  - signature, 11
  - variable, 43
- unfold (in a calculation), 6
- unit type, 206, 366
- unlines*, 351
- unwords*, 351
- unzip*, 354
- unzip3*, 354
- values, 8
- well-typed, 11
- words*, 351
- writeFile*, 207
- zip*, 353
- zip3*, 353
- zipWith*, 354
- zipWith3*, 354