

Index

- $1/\beta^2$ energy loss regime, 426
- V^0 decays, 449
- V^0 particles, 449
- $E[x]$, 42
- $\text{Var}[x]$, 44
- α -point, 41
- χ^2 test, 268
- γ_1 , 46
- γ_2 , 47
- $\langle x \rangle$, 42
- $\text{Kurt}_{\text{old}}[x]$, 47
- $\text{Skew}[x]$, 46

- accelerator tuning, 407
- acceptance, 583
 - correction, 584
- acceptance/rejection method, 650; *see* pseudorandom numbers
- accuracy, 579
- ADC, 465
- addition theorem, 68
- alternative hypothesis, 255
- analog to digital conversion, 465
- analog-to-digital converters (ADC), 460
- anisotropic flow, 558; *see* flow
- anisotropic particle generation (flow), 676
- autocorrelation, 524
- average value, 42; *see* mean

- balance function, 522
- Bayes factor, 366, 368
- Bayes' theorem, 22, 55
- Bayesian inference, 31, 605
- Bayesian inference paradigm, 31
- Bayesian interpretation of probability, 30
- Bayesian network, 605
- Bayesian statistics, 31
- Bayesian unfolding, 605
- bell curve, Gaussian distribution, 118
- Bernoulli distribution, 88
- beta distribution, 115
 - definition, 115
 - properties, 115
- bias, 586

- Bichsel functions, 428
- bimodal distribution, 42
- bimodal functions, 43
- bin-by-bin method, 595
- binomial coefficients, computation, 96
- binomial distribution, 89
 - definition, 89
 - moments, 91
 - properties, 91
- Breit–Wigner distribution, 132
 - definition, 132
 - moments undefined, 133
 - relativistic, 133

- calorimeter
 - compensation, 420
 - homogeneous, 420
 - sampling, 420
- Cauchy distribution, definition, 133
- cause-effect network, 606
- centered moment, 44
- centered moments
 - robust, 156
- central interval, 231
- central limit theorem (CLT), 70
 - derivation, 70
 - generalized, 125
- characteristic function (CF), 66
 - definition, 67
 - moments of a PDF, 67
- Cherenkov radiation, 425
- chi-square distribution, 128
 - combining datasets, 131
 - definition, 128
 - derivation, 130
 - moments, 129
 - properties, 129
- chiral magnetic effect (CME), 568
- classical inference, 29
- classical statistics, 29
- closure test, 632
- collider experiments, 398
- collision diamond, 490
- combinatorial decays, 449
- composite midpoint rule, 645
- conditional PDFs, 56

- conditional probability, 21
- conditional probability density function, 53
- confidence interval, 229
 - ML and LS fitsn, 251
 - binomial, 248
 - central interval, 231, 242
 - confidence belt, 242
 - discrete variable, 237
 - empty intervals, 244
 - flip-flopping, 244
 - Gaussian, 249
 - Gaussian distribution, 230
 - general case, 241
 - likelihood ratio ordering, 245
 - lower limit, 243
 - minimal interval, 232
 - Neyman construction, 241
 - one-sided, 243
 - ordering principle, 245
 - Poisson, 245
 - unified approach, 245
 - unphysical values, 244
 - upper limit, 243
- confidence level, 229
- confidence region, 234
- conformal mapping method, 473
- conjugate distributions, 115
- conjugate priors, 314
- continuous random variable, 36
- contravariant vector, 392
- correction coefficient method, 595; *see* bin-by-bin method
- correlation coefficient, 65
 - intepretation, 65
- correlation functions, motivation, 503
- covariance, 61
 - calculation, 61
 - correlation coefficient, 65
 - definition, 61
 - estimator, 156
 - interpretation, 61
 - matrix, 64
- coverage, property, 229
- credible range, 49
- cumulants, 81
 - definition, 82, 505
 - joint, 84
 - scaling, 508
- cumulative density function (CDF), 38
- cumulative distribution function (CDF), 38

- Dalitz plot, 446
- data analysis workflow, 461
- data probability model, 88, 287
- decay topology, 440
- decay topology technique, 440
- deciles, 49
- degrees of freedom, 128
- design luminosity, 407
- detection, efficiency, 143
- detection acceptance, 583; *see* acceptance
- detection bias, 586; *see* bias
- detection efficiency, 584; *see* efficiency
- detector alignment, 473
- differential flow, 566
- Dirichlet distribution
 - definition, 117
 - properties, 118
- discrete random variable, 36
- displaced vertex, 440
- displaced vertex technique, 440
- distribution properties
 - bimodal, 42
 - deciles, 49
 - expectation value $E[x]$, 42
 - full width at half maximum (FWHM), 49
 - median, 41
 - mode, 42
 - multimodal, 42
 - percentiles, 49
 - population mean, 42
 - unimodal, 42
- efficiency, 584
- EGS, 685
- embedding
 - track, 631
- Erlang distribution, 114
- error function, definition, 120
- estimator, 140
 - asymptotically unbiased, 150
 - biased, 149
 - consistent, 147
 - covariance, 156
 - definition, 145
 - information, 175
 - mean square error (MSE), 150
 - minimal variance bound (MVB), 152
 - Pearson correlation coefficients, 156
 - unbiased, 149
 - variance, 154, 184
- event builders, 460
- event plane
 - calculation, 562
- event plane method, 562; *see* standard event plane (EP) method
- event plane resolution, 564
- event reconstruction, 460
- event triggering, 637
- excess kurtosis, 47
- exchangeable distributions, 98

- expectation value $E[x]$, 42
- exponential distribution, 110
 - definition, 110
 - moments, 112
 - properties, 111
- extended sum rule, 52
- extrapolation, 206
- F* distribution, 131
- factorial moments, 506
- factorization method, 655; *see* pseudorandom numbers
- falsifiability, 4
- fast simulators, 678
- first moment, 42
- Fisher information, 167
 - definition, 167
 - derivation, 167
 - matrix, 169
 - properties, 170
 - reparametrization, 170
- Fisher–Snedecor distribution, 131
- fixed target experiments, 398
- flat rapidity distribution
 - simulation, 666
- flow
 - triangular flow, 560
 - directed flow, 560
 - elliptic flow, 560
 - fluctuations, 561
 - pairwise correlation method, 565
 - quadrangular flow, 560
 - two-particle cumulant method, 566
- FLUKA, 685
- forward–backward correlations, 542
- four momentum vector, 392
- Fourier transform, 66
- frequentist inference paradigm, 29
- frequentist interpretation of probability, 29
- frequentist statistics, 29
- full width at half maximum (FWHM), 49
- functions of random variables, 39
- gamma distribution, 113
 - definition, 113
 - moments, 115
- Gaussian distribution, 118; *see* normal distribution
 - moments, 119
- Gaussian generator, 656; *see* pseudorandom numbers
- Gaussian test, 265
- GEANT, 685
- generalized entropy, 302
- global likelihood, 369
- goal function, 178; *see* objective function
- goodness-of-fit, 140
- goodness-of-fit test, 268
- hierarchical boundary method, 655; *see* pseudorandom numbers
- histogram, 159
 - 1D, 160
 - 2D, 164
 - concept, 159
 - definition, 159
 - errors, 163
 - multidimensional, 164
 - profile, 166
- histograms compatibility test, 272
- hit, definition, 412
- Hough transform method, 473
- hypergeometric distribution, 99
- hypothesis testing, 253
 - alternative hypothesis, 255
 - definition, 254
 - discriminating power, 255
 - null hypothesis, 254
 - significance level, 255
 - test properties, 257
- ill conditioned, 198
- information entropy, 300
- informative priors, 291; *see* priors
- instrumental correlations, 622
- integrated histogram method, 653; *see* pseudorandom numbers
- interquartile range, 49
- interval estimation, 229
- inversion method, 648; *see* pseudorandom numbers
- isotropic exponential distribution, 664
- joint probability density function, 50
- Kalman filter, 209
 - algorithm, 213
 - control, 210
 - extended, 218
 - features, 210
 - gain matrix, 216
 - gain matrix derivation, 220
 - optimal estimation, 210
 - origin, 209
 - smoother, 210, 218
 - state vector, 213
- kinetic theory, 135
- Kolmogorov–Smirnov test, 273
- Kullback entropy, 302
- kurtosis, 47
 - leptokurtic, 48
 - mesokurtic, 48
 - mesokurtotic, 48
 - platykurtic, 48
- Landau distribution, 427
- Laplace transform, 66

- law of total probability, 23, 146
 with PDFs, 56
- least squares method (LS), 190
 binned data, 203
 correlated data points, 198
 derivation, 191
 errors, 201
 estimators, 193
 generalized linear models, 199
 goodness-of-fit, 205
 Hessian matrix, 352
 Levenberg–Marquardt, 353
 modified least squares (MLS), 204
 numerical methods, 205
 polynomial, 196
 recursive, 210
 steepest descent, 353
- likelihood, 31
 function, 149
 global, 146
- linear regression, 193; *see* straight line fit
- log normal distribution, 124
 definition, 124
 generalized CLT, 125
 moments, 124, 126
- Lorentz transformation, 393
- Mandelstam variables, 397
- marginal PDF, 52
- marginal probability density function, 51
- marginalization, 51, 52
- maximum likelihood method (ML), 179
 binned data, 187
 extended, 188
- Maxwell speed distribution, 134; *see*
 Maxwell–Boltzmann distribution
- Maxwell–Boltzmann distribution, 134
 definition, 134
 derivation, 135
 properties, 134
 simulation, 667
- mean
 arithmetic, 152
 estimator, 153
 geometric, 158
 harmonic, 158
 sample, 153
- mean square error (MSE), 150, 153, 586
 mean, 153
 variance, 155
- mean value theorem, 645
- measurement noise, 12, 214, 578
- measurement precision, 585; *see* resolution
- measurement resolution, 585; *see* resolution
- median, 41
- merit function, 178; *see* objective function
- method 1, 529
- method 2, 529
- minimum ionizing particle (MIP), 426
- mode of a distribution, 42
- moment, 44
 Var[x], 44
 Kurt_{old}[x], 47
 Skew[x], 46
 calculation w/ characteristic function, 67
 centered, 44
 first, 42, 60
 fourth, 47
 generating function (MGF), 66
 kurtosis, 47
 multivariate, 60
 second, 44, 60
 skewness, 46
 standardized, 45
 third, 46
- moment about the mean, 44; *see* centered moment
- moment generating function (MGF)
 definition, 67
- moments
 robust, 156
- Monte Carlo integration, 644
 rule, 645
- most powerful test, 261
- MSE, 586; *see* mean square error (MSE)
- multimodal distribution, 42
- multimodal functions, 43
- multinomial distribution, 96
 definition, 96
 moments, 98
 properties, 98
- multivariate function, 57
 moment, 60
- multivariate probability density, 57
- negative binomial distribution
 definition, 95
 formula, 96
- Neyman–Pearson test, 276
 formulation, 277
 sample mean comparison, 278
- noninformative priors, 291; *see* priors
- nonflow effects, 561
- normal distribution, 118
 central limit theorem, 122
 definition, 118
 moments, 119
 multidimensional, 122
 probability of one, two, ..., sigmas, 122
- normalized deviate, 205
- normalized correlation functions, 511
- normalized factorial moments, 511
- normalized inclusive densities, 511
- normalized scientific notation, 580
- null hypothesis, 254

- objective function, 178
- Occam factor, 369
- Occam's razor, 269, 367, 369, 378
- offline analysis, 460
- online analysis, 460
- orthogonal functions, 199
- orthogonal polynomials, 198
- orthogonal transformation, 77
- oversampling, 630
- parent particle, 440
- parent population, 141
- participant nucleons, 402
- particle density
 - semi-inclusive, 514
- particle discovery, 455
- particle identification (PID), 425
 - Armenteros–Podolansky plot, 452
 - calorimetry, 440
 - Dalitz plot, 445
 - specific energy loss technique, 425
 - three-body decays, 445
 - time of flight (TOF), 430
 - V^0 topological reconstruction, 447
- Pearson correlation coefficient, 65
 - estimator, 156
- percentiles, 49
- physics analysis, 460
- Poisson distribution, 99
 - definition, 99
 - large λ limit, 105
 - large N limit of binomial distribution, 104
 - moments, 101
 - properties, 101
- Poisson fluctuations, 103
- Poisson noise, 103; *see* Poisson fluctuations
- population mean, 42
- position calibration, 471
- posterior, 286
 - calculation, 293
 - summaries, 293
- posterior marginalization, 368
- posterior predictive distribution, 297
- power function, 260
- power law distribution, 664
- precision, 579, 585
- precision parameter, 318
- primary vertex reconstruction, 490
- prior, 286
- prior probability, 31
- priors
 - informative, 291
 - noninformative, 291
- priors odds ratio, 366
- probability
 - axioms, 20
 - foundation, 19
 - properties, 21
- probability density, 37
- probability density function (PDF), 37
 - conditional, 53
 - joint, 50
 - marginal, 51
 - posterior, 146
 - prior, 146
- probability distribution closure, 315
- probability distribution function (PDF), 36
 - multivariate, 57
- probability sample, 142
- process noise, 12, 214, 579
- pseudorandom numbers, 646
 - acceptance/rejection method, 650
 - definition, 646
 - factorization method, 655
 - Gaussian generator, 656
 - hierarchical boundary method, 655
 - integrated histogram method, 653
 - inversion method, 648
 - transformation method, 648
 - uniform deviate method, 647
 - weighing method generator, 660
- pseudorapidity, 395
- quality criteria, 408
- quality cuts, 408
- quantile of order α , 41; *see* α -point
- radial flow, 558
- random variable, 21
 - continuous, 36
 - discrete, 36
- random walk, 78
- Rao–Cramer–Frechet inequality (RCF), 186
- rapidity, 394
- rapidity gap, 542
- reduced cumulants, 511; *see* normalized correlation functions
- reduced densities, 511; *see* normalized inclusive densities
- reduced factorial moments
 - normalized factorial moments, 511
- regularization function, 598
- resolution, 585
- robustness function ξ , 623
- robustness measure ξ , 626
- run test, 272

- sagitta
 - definition, 414
- sample
 - biased, 142
 - probability sample, 142
 - random, 142
 - unbiased, 142
- sampling, 143
 - efficiency, 143
- scalar product method, 566
- score, 168
- semi-inclusive cumulants, 514
- Shannon's entropy
 - information entropy, 300
- Shannon–Jaynes entropy, 302
- significance level, 255
- skewness, 46
 - left-skewed, 46
 - right-skewed, 46
- slow control data, 460
- Snedecor's F distribution, 131
- sparification, 460
- specific energy loss, 425
- spectator nucleons, 402
- spherical coordinates, 396
- split tracks, 417
- standard deviation (σ), 44
- standard event plane (EP) method, 562
- standard normal distribution, 38
 - definition, 120
- standard uniform distribution, 107
- standardized moment, 45
- statistic
 - function, 145
- statistical estimator bias, 580
- statistical independence, 21, 56
- statistical test
 - χ^2 , 268
 - bias, 262
 - binomial, 263
 - consistency, 261
 - discovery, 264
 - Gaussian, 265
 - goodness-of-fit, 268
 - histograms compatibility, 272
 - Kolmogorov–Smirnov, 273
 - most powerful test, 261
 - Neyman–Pearson, 276
 - Neyman–Pearson formulation, 277
 - optimization, 276
 - Poisson, 264
 - power, 258
 - run test, 272
 - Student's t , 266
 - uniformly most powerful test, 261
- steepest descent method, 352
- Stirling factorial formula, 96
- straight line fit, 193
 - errors, 195
 - formula, 195
- Student's t test, 266
- Student's t -distribution, 126
 - definition, 126
 - derivation, 280
 - moments, 127
 - properties, 127
- subjective probability, 29
- summaries of posterior, 293; *see* posteriors
- TDC
 - calibration, 469
- ternary plot, 446
- test bias, 262
- test power, 258
- time to digital converter
 - calibration, 469
- time-based correlation functions, 524
- track
 - definition, 412
- track finding
 - road finders, 475
- track template, 475
- track following, 475
- track merging, 621
- track reconstruction, 472
 - effect of detector materials, 480
 - error propagation, 480
 - hit outlier removal, 488
 - hybrid methods, 489
 - measurement model, 480
 - track model, 479
 - track parameterization, 477
- track splitting, 621
- track template method, 473
- transformation method, 648; *see* pseudorandom numbers
- transition radiation, 425
- transverse momentum, 392
- trigger
 - minimal bias, 142
- uniform deviate method, 647; *see* pseudorandom numbers
- uniform distribution, 106
 - definition, 106
 - moments, 107
 - properties, 107
 - random number generation, 108
- uniformly most powerful test, 261
- unimodal distribution, 42

- variance
 - calculation, 45
 - definition, 44
 - estimator, 154
 - mean square error (MSE), 155
- vertex
 - definition, 412
- vertex reconstruction
 - Billoir vertex fitting, 495
 - cluster finding methods, 491
 - divisive clusterizer, 493
 - histogramming finder method, 492
 - linear vertex finding, 493
 - mapping finder method, 492
 - topological vertex finders, 495
 - vertex finding, 491
 - vertex fitting, 495
- weighing method generator, 660; *see* pseudorandom numbers
- weighing techniques, 626
- weighted averages (\overline{WA}), 207
- world average, 208