

## Index

- 26 s microseism, 147, 153, 156–158
- acoustic waves, xvii, 69, 92, 93, 112, 115, 119, 120, 122, 128, 188, 191, 192, 201, 204, 205
- acoustic-gravity modes, 72
- active source, 129, 257, 258, 267, 269–271, 279, 288
- adaptive beamforming, 30, 37, 43
- Airy phase, 80, 86, 87, 95
- aliasing, 83, 84, 249, 260
- anisotropic media, 230
- ARF, 35–38, 43–47, 49–51
- Aso volcano, 147, 158
- attenuation, 2, 98, 111, 116, 122, 127, 128, 130, 132, 181, 188, 219, 231, 232, 240, 253, 257
- ballistic wave, 180, 181, 198, 201, 203, 207, 273, 275, 276, 293
- beamforming, xvii, xxiv, xxv, 30, 31, 33–36, 38–40, 42, 43, 46–48, 50–56, 61–63, 227, 240, 243, 244, 247–249, 251, 256
- Bernoulli's equation, 87
- Bessel function, 117, 161, 229, 251, 308, 311–313
- Boltzmann's constant, 293
- boundary condition, 87
- Calaveras fault, 269, 325, 330, 331
- causality, 216
- Chapman-Kolmogorov equation, 191, 192, 215–217
- characteristic time, 293
- coda wave interferometry, 188, 190–193, 269, 271, 276
- coda waves, xvi, xxv, xxvi, 135, 180, 188–192, 194, 198, 202, 204, 210, 242, 271, 274, 275, 278, 293
- coherency, 150, 178, 239, 245, 247, 249, 258, 260, 312
- coherent wave, 249
- Columbia Glacier, 9, 10
- compliance, 73, 75, 166–168, 182
- compressibility, 90, 98
- conversion, 205, 208
- convolution, 37, 45, 46, 92
- core, 253
- correlation coefficient, 272
- coseismic velocity change, 267, 287, 291
- cracks, 267, 290–292, 294
- cross section, 36, 331
- cross spectral density matrix, 33, 56, 60
- crust, xviii, 72–74, 92, 93, 96, 110, 123, 144, 176, 177, 182, 227, 229, 230, 242, 243, 245, 255, 256
- cultural noise, 7, 8, 15, 16, 257
- curvelet transform, 180
- damping, 14, 114, 315
- decibels, 26
- deconvolution, 25, 26, 45–47, 62, 110, 135, 182, 284, 293
- diagonal loading, 39
- diffusion equation, 192, 195–197, 215, 216
- dispersion
  - curve, 72, 161, 171, 174, 176, 177, 223–226, 229, 230, 305, 306, 310, 315–320, 324, 326–329
  - measurement, 173
- double beamforming, 227, 246, 247
- double-frequency microseisms, 74, 91
- dynamic
  - softening, 290, 292
  - strain, 267, 283–287, 289, 294
- earthquake
  - monitoring, xxiv, 1, 2, 4, 13, 15, 17
  - seismology, 39
- eigen decomposition, 54
- eigenfunction, 98, 112, 221, 222
- eigenvalue, 48, 54, 57
- eigenvector, 54, 55, 57, 58
- Eikonal
  - equation, 228, 232

- tomography, 229  
 elastic wave, 115, 119, 122, 125, 129, 188, 191, 192, 198, 204–206, 230, 286, 294  
 energy density, 188, 191–193, 195–197, 201, 206  
 ensemble average, 125, 150, 151  
 envelope, 72, 89, 161, 166  
 equation of motion, 87, 92  
 equipartitioning, xxv, 109, 111, 113, 115, 135, 136, 219  
 equivalent body force, 241  
 excitation mechanisms, 239, 242, 287
- f-k analysis, 62, 63, 251, 305  
 F-net, 256  
 far-field
  - approximation, 32, 118, 161, 163
  - contribution, 116
  - source, 116
- fault zone, 111, 125, 267, 286  
 Fermat's theorem, 193  
 FFT, 24, 25  
 finite difference, 201, 314, 333  
 fractional
  - change, 290
  - fluctuation, 260
- free surface, 90, 94, 96, 201, 203, 207–209  
 frequency smoothing method, 44  
 Fresnel zone, 128, 201
- Gauss's theorem, 120  
 geometrical spreading, 98, 99  
 geotechnical monitoring, 190, 288  
 geothermal reservoirs, 111  
 GPS, 282, 284, 326  
 granite, 188, 189  
 granular materials, 291, 292  
 ground motion, xxvi, 26, 100, 149–151, 240, 267, 288, 293, 320, 325, 331, 333  
 GSN, 2, 3, 27–29  
 Guantanamo Bay, 10, 11  
 guided waves, 319  
 Gulf of Guinea microseism, 147, 167
- Hankel function, 116  
 Hayward fault, 325, 329–333  
 helioseismology, 111, 125  
 Helmholtz tomography, 173, 174  
 Hermitian matrix, 34, 53, 178  
 Hi-net, 46, 244, 246  
 higher mode, 243, 305, 310, 315, 317–319, 328  
 Hilbert transform, 58, 133, 160  
 Hooke's law, 289, 290  
 hum, xvi, 14, 15, 70, 74, 75, 84, 100–102, 241, 245, 253, 261  
 HVSR, 306, 325–330  
 hydrodynamics, 76  
 hydrophone, 207, 208
- hydrothermal systems, 287  
 hysteresis, 290–292  
 hysteretic elastic units, 291
- impedance, 98, 256, 259  
 impulse response, 145  
 induced earthquakes, 16  
 infragravity waves, 4, 75, 78, 86, 99, 100, 102  
 inner core, 111, 252  
 IRIS, 26–29, 183  
 island arcs, 2
- Laplace equation, 76, 87  
 local site effect, 320  
 Loma Prieta earthquake, 269  
 Los Angeles basin, 246, 280  
 lunar surface, 281
- major arc, 240  
 mass conservation, 76  
 MASW, 304, 305, 310, 317, 325–327  
 Merapi volcano, 275, 279, 283  
 mesoscopic nonlinearity, 291, 294  
 micro-heterogeneous material, 290  
 microbaroms, 72  
 microseisms, xv–xvii, xx, xxii, 4, 10–14, 16, 26, 30, 31, 38, 42–44, 46, 48, 49, 54, 70, 72, 74, 85, 86, 99, 100, 102, 103, 147, 152, 153, 156, 158, 167, 171, 241–243, 245, 261, 275  
 microtremor, xv, 302, 305, 307, 308, 310, 312, 321, 326  
 Mid-Niigata earthquake, 284  
 Moho, 255  
 momentum conservation equation, 87  
 Monte Carlo method, 197, 225, 314  
 Moore-Penrose pseudo inverse, 39  
 moving window cross-spectral analysis, 273  
 multi-dimensional deconvolution, 110, 135  
 multiple scattering, xxv, 198, 201, 203, 242
- NHHM, 2, 3, 6, 12, 13, 17, 18, 25  
 NLNM, 2, 3, 6, 12, 14, 16–18, 25, 26  
 noise sources, xvi, xxv, 2, 4, 6, 7, 11, 70, 99, 103, 109, 111, 114, 115, 118, 121, 122, 124–127, 129–136, 151, 157, 158, 164, 165, 168, 169, 171, 181, 220, 221, 223, 231, 232, 240, 250, 252, 253, 255, 257, 259, 261, 274, 275, 277  
 normal mode, 96, 98, 112, 115, 151, 239  
 North-Anatolian fault, 269
- ocean
  - gravity waves, 70, 73, 75, 76, 90, 91, 102, 166, 167
  - swell, 11, 14, 78, 80, 89, 92, 99, 241, 242
  - wave intensity, 14
  - wave models, 69, 70, 75, 78, 79, 90, 99, 103
- organ-pipe mode, 74, 98

- orthogonality, 112–114
- Pacific storm, 12, 13
- Parkfield earthquake, 284
- particle motion, 53, 56–59
- path integral formulations, 216
- PcP, 245
- Pg waves, 243
- Piton de la Fournaise volcano, 250, 282, 289
- PKP, 245
- plane waves, 30, 32–36, 38, 39, 43, 45, 51–54, 63, 96, 115–117, 119, 121–124, 249, 251
- Poisson medium, 192, 207, 209
- polarization, xxiv, xxv, 30, 31, 52–63, 123, 205
- pore pressure, 280, 287, 288
- postseismic relaxation, 284, 292
- power spectral density, 1, 4, 69, 75, 78–81, 84, 90, 96, 98, 100, 125, 130, 132
- Preisach-Mayergosz model, 291, 292
- pressure fluctuation, 89
- primary
  - mechanism, 71, 74, 75, 80, 81, 102
  - microseisms, 70, 71, 83, 100, 102, 103, 241, 245
- principal component analysis, 55–57
- probability density function, 1, 4, 26
- prograde, 57
- propagator matrix method, 72, 74, 96
- Q, 98, 178, 224, 231, 255
- quantum mechanics, 216
- radial component, 52, 55, 243
- radiation pattern, 89, 208, 241
- radiative transfer, 188, 191, 192, 198–200, 203, 204, 216, 217
- random media, 197
- ray theory, 96
- ray tracing, 218
- receiver function, 286
- reciprocity, xvi, 120, 199
- reflection, 91, 94, 96, 99, 100, 103, 251, 257, 258, 302, 303, 305
- reflection coefficient, 91, 99
- reflectivity method, 333
- refraction, 302, 303, 305, 320
- representation theorem, 109, 112, 118, 121, 124, 125, 129, 136
- resolution, xxv, 2, 30, 35–38, 45, 46, 55, 59, 111, 132, 135, 136, 239, 249, 252, 255, 258, 274, 281, 305
- retrograde, 57
- Ricker source time function, 93
- RMS, 101, 155, 159, 160, 170, 175, 308
- robustness, xvii, 38–41, 43, 52, 59, 60, 63
- Salton Sea geothermal field, 287
- San Jacinto fault, 280
- scattered wave, 188, 191, 193, 200–202, 218, 251–253, 269, 274, 276
- scattering, xvi, xvii, 192, 193, 197, 198, 200–203, 208, 210, 241, 242, 245, 247, 278, 280
- scattering medium, 192, 197, 198, 208
- sea ice, 10, 14, 77
- seafloor topography effects, 102
- secondary
  - mechanism, 70, 71, 74, 80, 101–103
  - microseisms, 9–11, 14, 59, 70, 71, 74, 90–92, 94–97, 100, 103, 158, 241
- seismic array, xxiii, xxv, 30–33, 35, 37, 42, 50, 51, 144
- sensitivity kernel, 129, 131, 188, 191, 197, 200, 201, 206, 277
- Seward Peninsula, 10, 14
- shear-coupled PL wave, 245
- Sichuan basin, 280
- signal-to-noise ratio, 32, 41, 43, 44, 148, 154, 155, 159, 160, 167, 170, 173, 179, 180, 182, 240, 245–247, 249–252, 255, 256, 258, 259, 273
- single-frequency microseisms, 74
- site amplification, 231, 232, 325
- slowness plane, 36
- source site effect, 69, 74, 90, 96–98, 242
- source spectrum, 150
- SPAC, xxvi, 229, 251, 252, 302, 303, 305–308, 310, 312, 313, 322, 326
- spatial sensitivity, 127, 277, 278, 281
- specific intensity, 199, 200, 216
- spectral
  - coherence function, 229
  - correlation function, 229
  - element method, 93, 94, 206
  - leakage, 41
  - ratio, 306, 327, 329, 330
- stationary zone, 117, 118, 133, 240, 241, 259, 261
- statistical mechanics, 216
- suspension PS-logging, 321, 324
- take-off angle, 92–94, 96
- teleseismic
  - earthquake, 12
  - P-wave, 242, 245
- thermoelastic stress, 294
- tidewater, 9
- time-lapse monitoring, 109, 110, 125, 191
- tomography, xvii, xxii, 50, 70, 109, 110, 133, 134, 150, 156, 163–165, 174, 175, 177–180, 183, 219, 221, 225–228, 232, 240, 247, 256, 258–260, 268, 270, 274, 276, 281, 303
- total energy, 195, 204–206
- transfer function, 7, 18, 25, 26
- transmission coefficient, 94, 96
- transverse component, 52, 243
- ultrasound, 188, 189, 267

344

*Index*

underground mines, 267  
upper mantle, 144, 163, 176, 177, 182, 227, 229, 242,  
244, 255, 256

vertically incident wave, 258  
volcano monitoring, 190  
von Karman distribution, 207

wave equation, 232, 251  
wavefront bending, 52, 55

wavelet transform, 56  
Welch's method, 134, 178  
Wenchuan earthquake, 180, 284

wind  
noise, 11  
sea, 77, 80  
speed, 11, 77, 79, 80  
waves, 1, 75, 78

WKB method, 80

Yellowknife, 243