

Index

- H_∞ , *see* H-infinity control
 $\alpha\beta\gamma$ transform, *see* Clarke transform
pv curve, 288–292
 dqo transform, *see* Park transform
- ABB (ASEA Brown Boveri), 91
 Abengoa Solar, 85
 Adaptive control, 227
 Advanced rail energy storage, 78–80
 averaged model, 180, 181
 AGC (Automatic Generation Control), 17, 18, 25,
 112, 120, 216, 243, 256–259, 293, 331, 332
 Ageing, 38, 259
 AIMD (Additive Increase Multiplicative Decrease),
 228, 247–249, 259, 261–268
 Albert Einstein, 215
 Alcohol fuel, 68
 Alcázar de San Juan, Spain, 85
 Aldiere, Granada, Spain, 85
 Alessandro Volta, 61
 All-island Irish system, 23, 95, 106, 109, 228,
 250–256, 271, 281, 283–285, 339
 Allegheny Mountains, Virginia, 78
 Aluminium, 65, 69, 72, 100
 Aluminium alloy, 54, 55
 Amber Kinetics, 81, 82
 Amine acetate, 70
 Ammonium, 69
 Ammonium lactate, 70
 Andasol Solar power plant, 85
 Anode, 60, 61, 63, 65, 70, 190, 192, 195, 196
 Ansaldo, 73
 Anti-reset wind-up, 167
 Arbitrage, 39–41, 89
 Argon, 57
 ARPA-E (Advanced Research Projects Agency for
 Energy), 91
 Asahi Kasei, 63
 Aste Solar power station, 85
 Australian Energy Market Operator, xii
 Autonomy, 37
 AVR (Automatic Voltage Regulator), 109, 112–114,
 269, 325, 332, 339
 aXcessaustralia LEV, 90
- Baghdad, Iraq, 61
 Basalt fibre, 55
 Bath County pumped storage station, 78
 Battery, 22, 33, 35, 36, 61, 62, 89, 176
 advanced lead acid, 62, 86
 aqueous hybrid ion, 89
 Edison, 48
 flow, *see* Flow battery
 lead acid, 48, 62, 71, 74, 77, 90, 91, 137, 141
 lithium ion, xii, 38, 48, 61–64, 71, 73–75, 77,
 86–88, 137, 141, 188, 189, 334, 335
 molten salt, *see* salt water
 nickel cadmium, 48, 63, 74
 nickel metal hydride, 62, 63
 primary, 61
 reserve, 61
 salt water, 48, 86, 89
 secondary, 61–64, 86, 87, 188–191
 sodium sulphur, 48, 61–63, 74, 77, 86, 87, 137
 solid state, 63
 ultra, *see* Ultrabattery
 valve-regulated lead acid, 62
 Battery energy storage, 42, 189–191, 207, 209, 210,
 215, 217–220, 222, 233–235, 250, 251, 254,
 255, 257, 258, 271–276, 281, 283, 284, 286,
 287, 291, 292, 334–336
 averaged model, 188–191
 Beacon Power, 81
 Bearing, 181, 182
 conventional, 53
 magnetic, 53, 81
 superconducting, 81, 82
 Berlin, Germany, 84
 Bernoulli equation, 193
 Betz limit, 125
 Biasca, Switzerland, 81
 Big data, 136
 Biodiesel, 68
 Biofuel, 67, 68, 74
 Biogas, 67
 Biological energy storage, 68
 Biological methanation, 67
 Biomass generation, 19, 20, 47, 68
 Bitumen tank, 138

- Black start, 39, 41
 Blackout, 4, 41
 Bloomberg New Energy Finance, xii
 Boltzmann constant, xx, 55, 178
 Borehole heat exchanger, 59
 Boric acid, 69
 Boron, 65
 Brookhaven National Laboratory, 91
 Buzen power plant, 86, 87
 Buzen substation, 86
- C-rate, 34, 64
 Cadmium, 63
 California, 88
 California ISO, 31
 Capacitor
 electrochemical, 28, 48, 61, 70–74, 77, 88, 90, 176
 double-layer, 70–71
 electrolytic, 69–71, 74
 electrostatic, 68, 70, 71, 74
 Capital construction cost, 44
 Carbon fibre, 53–55, 81
 Cascading phenomenon, 269
 Cathode, 60, 61, 63, 70, 190, 192, 195, 196
 ray tube, 69
 Causality, 316
 Cavern, 53, 55, 56
 underground, 56
 CDF (Cumulative Distribution Function), 132
 Center of Advanced Power Systems, Florida, 91
 Centre of inertia, 13, 21, 112, 119, 158, 233, 244, 260–262, 264, 285, 312–314, 316–318
 Champéry, Switzerland, xi
 Characteristic impedance, 100
 Chattering, 240
 Chiotas dam, 78, 79
 Clark County, Nevada, 79
 Clarke transform, 311
 Claude cycle, 60
 Clock tower, 53
 Coal, 20, 47, 49, 68
 Coiapó, Atacama Region III, Chile, 85
 Combined heat power, 66
 Compressed air energy storage, 27, 28, 39, 41, 42, 48, 55–57, 77, 82–84, 176, 182–187, 196, 207, 209, 210, 215, 222–224, 272, 276, 292, 334, 336–338
 adiabatic, 74
 advanced adiabatic, 48, 56, 183
 averaged model, 182–186
 conventional, 33, 56, 74
 general, 56
 isothermal, 57, 74, 183
 tank-based, 56
 Concentrated photovoltaic, 87
 Congestion relief, 39–41
 Control capability, 26, 37, 147, 233, 255
 Converter-interfaced generation, 22, 23, 25, 26, 42, 120, 133–135, 145, 147, 157
 Copper, 61, 72
 Crescent Dunes solar energy plant, 85
 Cryogenic energy storage, 60, 187, 196
 CSIRO (Commonwealth Scientific and Industrial Research Organisation), 71, 90
 Current-sourced converter, 8
 Cycling capacity, 37
 Cycloconverter, 52
- DAE (Differential Algebraic Equation), 96–98, 119, 188, 210, 222–224, 299–301, 316
 semi-implicit, 95, 96, 110, 300, 301
 stiffness, 223, 272, 299, 301
 stochastic, 96–99, 117, 119, 173, 249, 278, 299, 300, 303–305
 Danbury, Connecticut, 88
 DASSL software tool, 299
 Deadband, 17, 228–231, 240, 272, 293
 Defibrillator, 69
 Demand response, 19, 136–138, 143
 Denver, Colorado, xi
 Department of Energy, 75–77
 Depreciation schedule, 45
 Depth of discharge, 32, 33
 Direct storage, 68
 Discharge time, 25, 33–37, 40, 61, 68, 69, 73, 80
 Discount factor, 44
 Discount rate, 44, 45
 Discrete energy storage system, 81
 Discrete-event system, 158, 227
 Discrete-time system, 236, 242, 265, 266
 Distributed control, 243
 Distributed energy resource, 137–139, 141, 260, 261, 263, 294, 331–333
 District heating, 84
 Dome software tool, 207
 Dominion Generation, 78
 Droop, xviii, 16, 17, 111, 112, 231, 237, 248, 257, 292, 293
 virtual, 257, 258
 Dublin, Ireland, xi
 Durability, 37
- E-rate, 34
 ECOMmodore, 90
 EDF (Electricité de France), 44
 Edison Power Company, 89
 EirGrid Group, 23, 339, 340
 Electric vehicle, 31, 36, 37, 41, 43, 48, 61, 63, 70, 88, 90, 137–139, 143, 245, 263
 hybrid, 70, 90, 143
 Electricity market, 99, 119, 120

- real time, 119
- spot, 119, 141
- Electricity price, 19, 40, 119, 141, 142, 260, 261, 263, 331
- Electrochemical capacitor energy storage, 200, 201, 207, 208, 239, 292
 - averaged model, 198–201
- Electrochemistry, 61
- Electrolyser, 66, 67, 88, 188, 194
 - model, 195, 196
- Electrolysis, 65–67, 74, 188
- Electromagnetic transient, 5, 25, 145, 165, 201, 296, 317
- Electromechanical oscillation, 5, 11–15, 25, 109, 114, 119, 131, 269, 314
 - inter-area, 269, 314
- Elon Musk, xii
- EMF (ElectroMotive Force), xvii, 13, 108, 314, 315, 317
- Emmaboda, Sweden, 84
- Enercon, 88
- Energy density, 36, 55, 62, 63, 67, 69–71, 143
- Energy Information Administration, 47
- Energy leakage, 36
- Energy management system, 138–142, 259, 260, 263, 333
- Energy Vault, 80
- Energy vector, 65
- Enipedia, TU Delft, 48
- Entracque, Alta Valle Gesso, Cuneo, Italy, 78, 79
- Entropy, xviii, 66
- ENTSO-E, 23, 46
- Escondido substation, 86
- Extresol solar power station, 85
- Exxon, 65

- FACTS (Flexible AC Transmission System), 42, 161, 236, 270, 271, 288
- Faraday constant, xx, 65, 198
- Faraday's first law, 65
- Fault detection, 227
- Fault-ride-through capability, 8
- FERC (Federal Energy Regulatory Commission), 52
- Ferromagnetism, 74
- Fife, UK, 88
- Filter
 - lead-lag, 106, 115
 - low pass, 120, 163, 171, 188, 191, 229, 241, 267, 274, 275, 318
 - washout, 115, 292
- First law of thermodynamics, 57
- Fischer–Tropsch diesel, 68
- Flapping, 245, 246
- Flexibility, 24, 137
- Flow battery, 39, 61, 62, 64–66, 74
 - iron chromium, 65, 74
- redox, 61, 64, 87, 88, 137
- solid oxide, 196
- vanadium redox, 65, 74, 77, 88, 188
 - model, 191–194
- zinc-bromine, 65, 74
- Flygt factory, 84
- Flywheel, 20, 25, 28, 33, 35, 48, 53, 61, 73, 77, 81
- Flywheel energy storage, 42, 53, 54, 74, 81, 82, 108, 121, 176, 181, 204, 207, 210, 211, 239, 250, 251, 254, 255, 258, 276, 281, 283–286
 - averaged model, 181–182
- Fokker–Planck equation, 133
- Ford Motor Company, 63
- Forecasting technique, 141
- Fortran, 238
- Fourier transform, 307
 - recursive discrete, 157
- Francis turbine, 52
- Frequency containment reserve, 42
- Frequency control, 42
 - primary, 5, 15–17, 20–23, 25, 26, 42, 81, 109–112, 145, 146, 228, 243, 250, 255–257, 270, 313, 319
 - secondary, 5, 17, 20, 21, 25, 26, 41, 42, 89, 99, 109, 112, 120, 137, 185, 256–259, 270, 313
 - tertiary, 20, 21
 - variable droop, 257
- Frequency divider formula, 158, 255, 313–319
- Frequency stability
 - analysis, 292, 293, 314, 326
 - definition, 292
- Fresno, California, 81
- Fuel cell, 39, 66, 67, 74, 88
 - alkaline, 66
 - model, 196–198
 - molten carbonate, 66
 - phosphoric acid, 66
 - polymer exchange membrane, 66, 74
 - solid oxide, 66, 74, 188
- Fuelcell Energy, 88
- Furukawa Electric, 81
- Fusion reactor, 73
- Fuzzy logic control, 228, 236

- Galloping, 51
- Gas turbine, 42, 49, 67
- Gaston Planté, 62
- GE Energy Ventures, 67
- Gelion, 65
- Gemasolar thermosolar plant, 85
- Generalised ESS model, 204–211, 215–225, 228, 237, 239–241, 243, 272–274, 334–338
- Geothermal generation, 19, 20, 47
- Gibbs free energy, 66
- Gila Bend, Arizona, 85
- Gladstone power station, 87

- Glass fibre, 54, 55
 Global energy storage database, 75, 77
 Glycerol-ammonium borate, 70
 Goldcap, 70
 Gravel potential energy storage, 74
 Gravel thermal energy storage, 57
 Gravity, 51, 180
 Greentech Media, 67
 Grey energy, 3
 Grid following, 154, 177
 Grid forming, 154, 177
 Groundwater well, 59
 Groundwater-bearing layer, 59
 Guangdong pumped storage power station, 78
 Gyeonggi Green Energy, 88
- H-infinity control, 96, 209, 228, 236–239, 243, 250, 251, 254–256, 258, 259, 265–267, 300
 Hazle Township, Pennsylvania, 81
 Heat
 compression, 56, 57
 cryogenic, 74
 engine, 59
 exchanger, 58, 60, 183, 184, 187
 latent, 58–60, 74, 186, 187, 205
 pump, 59, 138
 sensible, 57–59, 74, 205
 transfer, 58, 178, 189
 Helium, 3
 Helmholtz layer, 71
 Highview Enterprises, 83, 84
 Hilbert transform, 307
 Hinkley Point C, 44
 Holden, 90
 Holy grail, 43, 137
 Hornsdale Power Reserve, South Australia, xii, 75, 86–88
 Huizhou pumped storage power station, 78
 Huntorf, Germany, 82
 HVAC (Heating, Ventilation and Air Conditioning), 138
 Hwasung City, South Korea, 88
 Hybrid dynamical system, 227
 Hybrid energy storage system, 89, 250–256, 258, 265, 266
 Hydroelectric generation, 20, 47
 Hydrogen, 3, 35, 39, 48, 65–68, 74, 77, 88
 Hydrostor, 83
 Hysteresis, 240
- ICT (Information and Communications Technology), 95, 136
 IDA software tool, 299
 Ideal gas law, 55
 IEEE (Institute of Electrical and Electronics Engineers)
 anti-wind-up limiter, 166–168, 174
 benchmark system, 11, 326
 PES General Meeting, xi, 145
 PES T&D, xi
 Power & Energy magazine, xi
 PSDP Committee, 270, 294
 Task Force on Microgrid Stability Analysis and Modeling, 296
 Type DC1 exciter, 113, 114
 IFAC (International Federation on Automatic Control), 227
 IGBT (Integrated Gate Bipolar Transistor), 27, 148
 IGCT (Integrated Gate Commutated Thyristor), 148
 Indirect storage, 68
 Induction machine, 20, 72, 84, 121, 122, 175, 177, 181, 183, 186, 210, 211, 239, 269
 doubly fed, 28, 29, 52, 179
 Inductive energy storage, 73
 Inertial response, 21–23, 26, 87, 269, 314
 Infrastructure investment deferral, 39, 40, 63
 Integration of intermittent resources, 39, 41, 42
 Integration scheme, 299–305
 A-stable, 299, 300
 backward differentiation formula, 302
 backward Euler method, 301, 302
 Crank–Nicolson, 301
 Euler–Maruyama, 299, 300, 304, 305
 Hammer–Hollingsworth, 300
 implicit trapezoidal method, 219, 301, 302
 L-stable, 299, 300, 302
 Lobatto, 300
 Milstein, 299, 300, 304, 305
 Radau, 300
 Runge–Kutta, 299, 300
 Intelligent control, 227
 Intercapacity time, 248
 Intermittency, 26, 37–39, 41, 46, 63, 84
 Internal energy, 58
 International Energy Agency, 39, 47
 International Renewable Energy Agency, 75, 77
 Internet of things, 136
 Inverter stability, 296
 Iridium, 71
 Irish system, *see* All-island Irish system
 Iron alloy, 72
 Iron-core inductor, 10, 34, 72, 73
 Isentropic, 57
- Jump diffusion process, 118
- Kalman filter, 33, 157
 synchronisation method, 157
 Kevlar, 54, 55
 Kinetic energy, 14, 15, 17, 20–22, 25, 51, 53, 54, 74, 178, 186, 205
 translational, 54

- Kirchhoff laws, 46
 Kofy, Japan, 81, 82
 Komekurayama solar power station, 81, 82
 Korea Train eXpress, 89
 Kubotek Corporation, 81
 Kyushu Electric Power Company, 86, 87
- Lake Ontario, Toronto, Canada, 83
 Laplace transform, xvi, xviii
 Lazard, 45
 Level of comfort, 141, 245
 Levelised cost of electricity, 44–47
 Levelised cost of storage, 45
 Levelised energy cost, 44
 Lifetime, 38, 44, 46–48, 63, 66, 67, 72, 80, 81
 costs, 44, 45
 cycles, 62, 64, 71
 Linear-quadratic control, 236, 242
 Liquid air energy storage, 41, 60, 74, 77, 83, 84
 averaged model, 187
 Lithium, 63
 Load
 following, 41
 levelling, 5, 18, 19, 38, 39, 41, 89
 stochastic model, 116–118
 thermostatically controlled, 137, 138
 Los Alamos Scientific Lab, 73
 Loy Yang power station, 87
 Ludington pumped storage power plant, 78
 Luigi Einaudi pumped storage power plant, 78, 79
 Lumped model, 5, 99, 103, 201
 Lumped parameter, 100, 101
 Lyapunov asymptotic stability, 239
- Marine current turbine, 90
 Mark Wight, 67
 Marx tower, 69
 Mass spectrometer, 73
 Maximum power point tracking, 52, 126–128, 131, 135
 Maxwell Technologies, 89
 McIntosh, Alabama, 83
 Mean-reverting process, 117
 Membership function, 236
 Methanation reaction, 67
 Methane, 65–67, 74
 Michael Faraday, 63, 65
 Microgrid, 39, 41, 88, 109, 119, 137–141, 143, 228, 248, 249, 259–263, 294, 296, 314, 331, 333
 model, 139–141
 stability analysis, 294–296
 stability definition, 296
 Minamisōma substation, 86
 Minto, Ontario, Canada, 81
 Mira Loma Substation, 86
 Mirapro, 81
- MIT Technology Review, 196
 Mitsubishi Electric Corporation, 86, 87
 Mitsui, 65
 Molecular solar thermal, 68
 Monte Carlo method, 250
 MPC (Model Predictive Control), 227, 228, 242–245, 265–268
 MRI machine, 73
 Mt. Holly, North Carolina, 89
- N-1 criterion, 277
 Nakskov, Denmark, 88
 NASA, 65
 Natural gas, 20, 47, 67, 68
 Neoen, 88
 Nernst voltage equation, 193, 198
 Neubrandenburg, Germany, 84
 New Energy and Industrial Technology
 Development Organisation, 81
 New England 39-bus system, 95, 109, 228, 243, 244, 246, 249, 260–264, 326–333
 Newton method, 300
 NGK Company, 63
 Nickel oxide hydroxide, 63
 Niobium, 69
 Niobium-titanium alloy, 73
 Non-linear control, 227
 Non-spinning reserve, 39, 42
 Non-synchronous generation, 3, 20–24, 26, 42, 136, 158, 292
 Norbornadiene, 68
 Norsk Hydro, 88
 Nose curve, *see* *pv* curve
 NRStor, 81
 Nuclear Energy Agency, 47
 Nuclear power generation, 20, 40, 44–47, 49
 Nye County, Nevada, 79, 85
- Occam's razor, 215
 ODE (Ordinary Differential Equation), 301
 Off-grid operation, 41
 Okutataragi pumped storage power station, 78
 OMIB (One Machine Infinite Bus), 271, 278–282
 Operational cost, 37
 Organisation for Economic Co-operation and
 Development, 47
 Ornstein–Uhlenbeck process, 116–118, 133, 233, 250, 299, 305, 333
- Pacific Gas and Electric, 81
 Parabolic trough, 84, 85
 Parco Naturale Alpi Marittime, 79
 Park
 tensor, xvii, 170, 310
 transform, xvi, 104, 153–155, 307–312
 vector, xvi, xix, 104, 105, 154, 155, 311, 312

- Partial discharge, 38
 Particle accelerator, 73
 Pauling scale, 63
 PDF (Probability Density Function), 117, 132–134, 251
 Peak power, 33
 Peak shaving, *see* Load levelling
 Peninsula of Islandmagee, Northern Ireland, 83
 Penstock, 34, 51, 179
 Perfect tracking controller, 17, 156
 Phase change material, 59, 187
 PI (Proportional Integral) control, 156, 161–163, 166, 167, 171, 174, 218–220, 222, 243–245, 251, 254–256, 259, 318
 back calculation, 167
 IEEE limiter, 166, 167
 limiters, 166–169
 Piastra dam, 78
 PID (Proportional Integral Derivative) control, 17, 216, 227–229, 235–237, 243, 250, 251, 265, 267, 276, 292, 335–337
 adaptive, 235, 236
 Pilot bus, 112, 314
 Pilsworth Landfill, Bury, UK, 83, 84
 Pitch angle, xviii, 124–126
 control, 124–126
 PJM Interconnection, 81
 PLL (Phase-Locked Loop), 130, 134, 156–158, 170, 171, 216, 295, 296, 313, 316–319
 loop filter, 156, 171, 318
 phase detector, 156, 170, 171
 voltage controlled oscillator, 156, 171
 PMU (Phasor Measurement Unit), 136
 Pneumatic clock, 53
 Point of common coupling, 166, 168, 170, 171, 174, 204, 216, 217, 219, 221, 223, 229, 230, 288, 335
 Poisson process, 117
 Pomona substation, 86
 Portland, Oregon, 145
 POSCO Energy, 88
 Potassium, 63
 Potassium nitrate, 60
 Potential energy, 38, 49, 51–53, 68, 74, 78
 Power density, 37, 62–64, 67, 70, 71
 Principle of conservation of energy, 57
 Process data analytics, 227
 Propagation constant, 100
 PSCC (Power System Computation Conference), xi
 Pseudocapacitance, 199
 Pseudocapacitor, 70, 71, 199
 PSS (Power System Stabiliser), 109, 114, 115, 331, 332, 339
 Public Enterprise Bureau of Yamanashi Prefecture, 81
 Pumped hydroelectric energy storage, 5, 18, 19, 25, 27, 33, 34, 36, 38, 40–42, 44, 48, 51–53, 74–79, 84
 closed loop, 52
 open loop, 52
 sub-surface, 53, 74
 surface reservoir, 29, 52, 74
 variable speed, 29, 52, 74, 178, 179
 model, 178, 179
 variable-speed, 52, 53
 PWM (Pulse-Width Modulation), 146–148, 161, 170, 171
 Python language, 207

 Q-ratio, 72
 Quadricyclane, 68

 Railway Technical Research Institute, 81, 82
 Refrigerator, 73, 138
 Reichstag building, 84
 Renewable energy source, 3, 20, 23, 24, 26, 86, 96, 97, 128, 271, 272, 277, 287, 296, 313
 Reserve capacity, 42
 Response time, 10, 11, 33, 35, 37, 42, 55, 70, 80, 199, 204
 Rhode, County Offaly, Ireland, 250
 Riccati equation, 238
 Ridgeline©, 80
 Robust control, 227
 RoCoF (Rate of Change of Frequency), 14, 23, 26, 38, 39, 146, 269, 292, 293
 control, 39, 42, 90
 Rotor angle stability
 analysis, 271
 definition, 271
 Round-trip efficiency, 35, 36, 52, 56, 60, 62, 71, 80, 183
 Run-of-the-river hydroelectric power plant, 49
 Ruthenium, 71

 Sabatier reaction, 67
 Sakti3, 63
 Salvage value, 45
 Samsung, 63, 86
 Sandia Corporation, 75
 Santa Barbara, California, 78
 SCADA (Supervisory Control And Data Acquisition), 136
 Schwungrad Energie, 250
 SDE (Stochastic Differential Equation), 97, 132–134, 303
 Seasonal storage, 4, 38–40
 Self-discharge, 32, 36, 38, 54, 62, 70, 256
 Shadow effect, 123, 124, 128
 Shaft stiffness, 122, 124, 180
 Shepherd's model, 188
 Silicon, 65

- Sliding mode control, 96, 228, 239–241, 243, 250–252, 254–256, 258, 259, 265, 267
- Sliding surface, xviii, 239–241, 255, 265, 267
- Small-disturbance angle stability
 analysis, 271–276
 definition, 271
- Smart building, 141
- Smart grid, 135–137
- Smart house, 39, 41, 59, 137, 141, 245, 263
- Smart meter, 136
- Smart transformer, 99
- Sodium, 63
- Sodium borate, 69
- Sodium nitrate, 60
- Soft sensing, 227
- Solana generating station, 85
- Solar generation, 4, 20, 24, 37, 41, 43, 46
 photovoltaic, 19, 20, 22, 37, 45, 47, 49, 56, 84, 89, 90, 133, 135, 137, 138, 141, 146, 271
 thermal, 47
- Solar power tower, 84, 85
- Solar thermal fuel, 67, 68
- SolarReserve, 85
- Solid-masses potential energy storage, 38, 53, 78
- Sony, 63
- Specific energy, 36, 62, 64, 70, 71
- Specific heat capacity, 58, 178, 197
- Specific latent heat, 58
- Specific power, 37, 62, 64, 71
- Spinning reserve, 25, 39, 42, 109
- Spot price, *see* Electricity price
- SRAM (Static random-access memory), 70
- Stanford University, California, 43
- STATCOM (Static synchronous compensator), 42, 166–169, 236, 278–281, 283, 284, 286, 288–292
- State of charge, 33, 188, 191, 193, 194, 218, 220, 222, 233, 234, 245, 258, 335
- State of energy, 32, 33, 38, 140, 142, 176, 222, 225, 230, 243, 245, 259
- State of health, 38
- Steam generator, 58
- Steel, 53–55, 81
- Stephen Berberich, 31
- Stephentown, New York, 81
- Stochastic control, 245–249
- Stochastic energy source, 22, 255
- Stochastic process, 96–98, 116–118, 132, 133
- Stochastic stability, 277, 278
 analysis, 95
- Stockbridge damper, 51
- Storage input limiter, 232–235, 243, 265–267, 336
- Strategen Consulting, 75
- Sumitomo Electric Industries, 87–89
- Sundials, 299
- Sunvault Energy, 89
- Supercapacitor, 22, 35, 36, 70, 71, 74, 88–90, 199
 graphene, 89
- Supercondenser, 70
- Superconducting coil, 28, 61, 73, 74, 176, 208
 critical temperature, 73, 91
- Superconducting magnetic energy storage, 34, 48, 73, 74, 90, 91, 202, 204, 207–209, 215, 221–223, 230–232, 239, 241, 272, 276, 292–295, 334–337
 averaged model, 201–203
 pancake, 201
- Superflywheel, 53
- SuperPower, 91
- Switched linear system, 248
- Switching model, 148
- Synchronisation, 155
- Synchronous machine, 5, 10–15, 19–23, 42, 51, 52, 54, 56, 68, 72, 75, 81, 84, 87, 95, 99, 104–109, 112, 114, 121, 129, 133, 140, 145–147, 216, 225, 250, 254–256, 258, 269–273, 275, 276, 278, 281, 283, 284, 286–288, 312–314, 316–318, 339
 4th order model, 106–108
 6th order model, 106
 classical model, 108
 mechanical equations, 105
 permanent magnet, 108, 109, 175, 177, 181, 210
 stator equations, 105
- Synchronverter reaction, 87
- Synthetic natural gas, 39, 67, 74
- System identification, 227
- Tantalum, 69
- Tehachapi, California, 79, 80
- Tensile strength, 54, 55
- Tesla Inc., xii, 86
- Tesla Model S, xi
- Tesla solar plant, 86
- Thermal capacity, 58
- Thermal conductivity, 58
- Thermal degradation, 38
- Thermal diffusivity, 58
- Thermal energy storage, 37, 57–60, 77, 84, 85
 aquifer, 58, 84
 borehole, 58, 84
 cavern, 58
 high temperature underground, 59, 74
 latent heat, 59
 molten salt, 60, 74, 84, 85
 pumped heat, 59
 seasonal, 39, 59, 74
 underground, 39, 58, 74
- Thermal runaway, 38
- Thévenin equivalent, 6, 8
- Time-value for money, 44
- Titanium, 69

- Titanium alloy, 54, 55
 Tokyo Electric Power Co. (Tepco), 81
 Tonopah, Las Vegas, Nevada, 85
 Tony Seba, 43
 Toronto Hydro, 83
 Torre de Miguel Sesmero, Spain, 85
 Tracking anti-wind-up with high gain, 167
 Transformer, 102–104
 Transient stability
 analysis, 313
 model, 145
 software tool, 165
 Transient stability, 315, 317
 analysis, 97, 99, 102, 104, 105, 108, 116, 133,
 145, 156, 158, 173, 182, 185, 201, 205, 216,
 225, 270, 276–286, 304, 326
 clearing time, 283, 284
 critical clearing angle, 279
 critical clearing time, 277, 278, 281, 286
 definition, 276
 equal area criterion, 278–282
 model, 206, 208, 215, 339
 stochastic analysis, 278, 281
 Transmission line, 99–102
 Tulip mania, 46
 Tuned mass damper, 51
 Turbine governor, 15–17, 25, 26, 95, 99, 109–112,
 179, 273, 339

 Ultrabattery, 62, 71, 74
 Ultracapacitor, 70, 71, 74, 89
 Uncertainty, 24, 46, 96, 97, 116, 117, 139, 239, 277,
 283
 Unit commitment, 4, 25, 33, 97, 137, 247
 University College Dublin, Ireland, xi
 University of Castilla-La Mancha, Spain, xi
 University of Houston, Texas, 91
 University of Sydney, Australia, 65
 Utility San Diego Gas and Electric, 88
 Utsira, Norway, 88

 Vacuum permeability, xx, 72
 Vacuum permittivity, xx, 69
 Vapour pressure, 58
 Vegetable oil, 68
 Viridor, 84
 Vladimir Nabokov, xiv
 Volatility, 24, 46, 96, 97, 116, 117, 139, 255, 305
 Voltage multiplier system, 69
 Voltage stability
 analysis, 97, 133, 287–292
 definition, 287
 long term, 288
 short term, 288
 Voltage support, 39, 42, 164, 220
 VSC (Voltage-sourced converter), xv, 27, 42, 52, 69,
 87, 123, 130, 145–171, 173–177, 179,
 181–183, 186, 189, 200, 202, 203, 205–207,
 216, 218, 220, 224, 229, 243, 265, 270, 276,
 281, 283, 286, 288, 334, 335, 337
 averaged model, 152, 153
 phase reactor, 159, 160

 Waste energy, 59
 Waste heat, 83
 Water heater, 138
 Weibull distribution, 132, 133, 250, 282, 325
 White noise, xviii, 98, 99, 117, 139
 Wiener process, xviii, 97–99, 117, 233, 299,
 303–305
 Wind turbine, 90
 Wind generation, 4, 19, 20, 22, 24, 41, 46, 52, 88
 offshore, 47
 onshore, 47
 Wind speed model, 132, 133
 Wind turbine, 133, 273
 constant speed, *see* type A
 doubly-fed induction generator, *see* type C
 Type A, 120, 128, 129, 339
 Type C, 22, 52, 120, 129–132, 179, 325, 326, 339
 Type D, 52, 120, 133
 Wood gas generator, 67
 Woojin Industrial Systems, 89
 WSCC 9-bus system, 11, 13, 15, 95, 108, 109, 167,
 168, 215–224, 230–235, 257, 258, 271–275,
 277, 288–290, 293–295, 316–319, 321–325

 Yokohama Works, Japan, 87, 89

 Zinc, 65