

Index

- abrasion, 211
 active layer, 179–80
 Advanced Microwave Scanning Radiometer –Earth observing system (AMSR-E), 83
 Advanced Very High Resolution Radiometer (AVHRR), 82
 aerosol forcing, 381
 albedo
 of snow and ice, 138
 albedo feedback
 in Arctic amplification, 156
 altimetry data, 179–80
 Amundsen Gulf, 310
 Amundsen Sea
 glaciers entering, 257
 Amundsen Sea low, 55, 118, 316–17
 ANDRILL program, 23, 30
 Antarctic, 3
 annual snow accumulation, 146
 climate change, 149–52
 Holocene glaciers, 47, 49
 history of scientific study, 10–12
 inversions, 144–5
 melt season of sea ice, 128
 moisture budget, 146–8
 oceanography and water balance, 126–9
 sea ice, 313–14
 sea ice thickness, 313–14
 sea ice trends, 316–18
 ship’s log books, 316
 snow facies, 251
 temperatures, 141–4
 water vapor transport, 147
 winds, 145–6
 Antarctic and sub-Antarctic islands, glaciers and ice caps, 257
 Antarctic Bottom Water, 272
 Antarctic Circumpolar Current, 126, 270–3
 Antarctic ice sheet, 249–53
 blowing snow, 252–3
 blue ice areas, 252–5
 changes, 255–6
 climate, 250
 moisture transport, 147
 sublimation, 252
 surface mass balance, 250
 surface velocity, 250
 variations over the past 5 million years, model simulation, 45
 Antarctic ice shelves, 258, 260
 mass balance, 258
 Antarctic ozone hole
 minimum, 108
 Antarctic Peninsula
 ice caps, 257
 surface temperature increase, 152
 synoptic origins of precipitation, 148
 temperatures and atmospheric circulation, 152
 warming since 1958, 52
 Antarctic Polar Frontal Zone (APFZ), 128
 Antarctic sea ice
 during Last Glacial Maximum, 46
 record low extent, 318
 Antarctic Surface Water, 273
 Antarctic surface wind
 unidirectional nature, 145
 Antarctic Treaty, 1
 Antarctic vortex, 104
 Antarctica
 area of blue ice, 253
 coreless winter, 142
 decadal temperatures since 1958, 52
 energy fluxes, 130–1
 extreme minima, 142–3
 ice core programs, 12
 net precipitation, 147
 record low temperatures, 141
 satellite proxy records of surface temperature, 53
 surface data for stations, 250
 Anthropocene, 49–50
 definition, 50
 Arctic, 2
 albedo, 130
 changes in snow regime, 151
 climate, 129–41
 coastal recession, 392
 definitions related to runoff, 121–5
 history of scientific study, 3–9
 ice-free, 383–4
 inversions, 135
 links to mid-latitudes, 386
 mid-Miocene cooling, 29
 moisture budget components, 136–7
 oceanography and water balance, 118–26
 open water duration, 385
 radiative regime, 129–32
 recent climate changes, 148–52
 sea ice, 296–300
 sea ice trends, 303–13
 snow, 137–41
 snow depth, 138
 temperature extremes, 151
 temperatures, 132–4
 total cloud fraction, 131
 winds, 135–6
 Arctic amplification, 386
 role of sea ice loss, 151
 Arctic Buoy Program, 8
 Arctic Climatology Project, 9
 Arctic Council, 1
 Arctic cyclone
 structure, 112
 Arctic dipole anomaly, 110
 Arctic frontal zone, 111
 and summer low pressure systems, 112
 Arctic Ice Dynamics Joint Experiment (AIDJEX), 8
 Arctic Observation and Reanalysis Integrated System (ArORIS), 93
 Arctic Ocean, 277–83
 characteristics, 118
 ice surface features, 298
 ocean circulation patterns, 298
 surface circulation, 280
 surface temperature and salinity, 119
 warming trend, 281

- Arctic Ocean Buoy Program, 74
 Arctic Ocean Hydrographic Expedition, 6
 Arctic Ocean ice shelf, 36
 Arctic Oscillation (AO), 108–9
 arctic pack ice
 energy balance, 303–4
 Arctic polynyas
 map, 319
 Arctic region
 ice mass losses, 208
 Arctic rivers
 freeze-up, 195, 198
 water temperature trends, 198
 Arctic sea ice
 circulation, 297
 cloud effects, 299
 prediction, 299–300
 record minimum, 306
 regional changes, 307
 thickness, 297, 311–12
 Arctic sea ice draft, 9
 Arctic sea ice loss
 effects on mid-latitudes, 387
 Arctic seas, 279, 283–90
 Arctic summer sea
 influence of radiation, 298
 Arctic System Reanalysis (ASR), 93
 Arctic tropospheric warming, 381
 Arctic vortex, 103
 arête, 215
 Argo program, 76–7
 Asian monsoon precipitation, 341
 Atlantic Multidecadal Oscillation, 380
 Atlantic Water, 278
 Atlantic water inflow
 recent increases, 309
 atmospheric carbon dioxide (CO₂)
 levels
 in Oligocene, 28
 atmospheric circulation
 Antarctic, 112–18
 Arctic, 108–12
 polar regions, 103–8
 Third Pole, 339–41
 atmospheric circulation changes
 in response to sea ice loss, 387
 Automatic Weather Stations (AWS)
 in Antarctica, 72
 Baffin Bay and Labrador Sea, 291
 Baffin Island
 ice mass loss, 203
 Barents Sea, 283–4
 ice loss, 384
 Barents Sea–Svalbard glaciations, 39
 Barnes Ice Cap, 203
 Beaufort Sea, 287–8
 Beaufort Sea high, 109
 Bering Sea, 292
 Bering Strait Water, 278
 binge–purge cycles, 44
 bipolar seesaw, 43
 black carbon, 132
 effects on snow and sea ice, 140
 blue ice areas
 classification, 254
 energy balance, 254–5
 Bootstrap algorithm, 84
 British–Irish, Svalbard–Barents–Kara
 seas, and Scandinavian ice sheets
 during Last Glacial Maximum, 42
 British Isles glaciations, 42–4
 browning of tundra, 175
 Byrd, Richard, 10
 cabbelling, 277
 caloric summer half-year insolation, 36
 Canada Basin, 278
 Canada Basin Deep Water, 278
 Canadian Arctic
 surface mass balance, 201
 Canadian Arctic archipelago, 290
 ice mass loss, 204
 weather stations, 7
 Cape Denison, 10
 carbon cycle, 25
 carbon dioxide, 24, 378
 Central Asia, 339
 cyclone trajectories, 342–3
 glacier changes, 361–2
 glacier response to warming, 360
 history of scientific study, 12–13
 permafrost, 367–8
 precipitation changes, 350–1
 precipitation regimes, 342–4
 snow cover, 366
 chattermarks, 213
 chlorofluorocarbons, 381
 Chukchi Sea, 287
 circum-Antarctic trough, 112
 Circumpolar Active Layer Monitoring
 (CALM), 69
 Circumpolar Deep Water, 128, 273
 circumpolar frontal ice zone, 314
 circumpolar vegetation map, 169
 cirques, 214
 climate system
 ice sheet role, 15
 permafrost role, 15
 seasonal cryosphere role, 15
 climate drivers, 24–6
 closed basin lakes, 192
 cloud forcing
 effects on Arctic pack ice, 385
 coastal polynya area
 Antarctica, 319
 coastal recession, 187
 coastline retreat, 186
 cold air outbreaks
 and sea ice loss, 386
 cold ice, 88
 Colville River
 delta, 196
 community science, 80
 congelation ice, 294
 continental drift, 27
 continental shelves, 278
 Arctic, 118
 Cordilleran glaciations, 33–4
 cryoconite holes, 254
 cryosphere–climate system
 interactions, 14
 cryoturbation, 184
 cyclone climatology
 southern hemisphere, 115–16
 Dansgaard–Oeschger oscillations, 43
 debris-covered glaciers, 358
 deltas
 Indigirka and Kolyma rivers, 197
 Ob and Yenisei, 197
 deltas of Arctic rivers, 196
 depositional landforms, 216–17
 diamond dust, 147
 digital elevation model (DEM), 83
 downward infrared radiation
 and sea ice decline, 54
 Drake Passage, 269
 ocean transport, 126

- drumlins, 217
 Dry Valleys, Antarctica, 167

 Early Eocene
 in Antarctica, 27
 earth hummocks, 183
 Earth Observation System (EOS),
 69–71
 Earth Remote Sensing (ERS) radar, 88
 EASE-Grid, 84
 East Antarctic
 bore holes, 152
 East Antarctic ice sheet
 in Oligocene, 28
 East Antarctica
 climate, 143
 mass loss, 257
 East Greenland
 pingos, 183
 East Siberian Sea, 286
 eccentricity, 34
 cycle, 31
 pacing, 29
 Eemian interglacial, 36
 Eismitte, 7
 El Niño–Southern Oscillation (ENSO),
 115
 and Antarctic climate, 55
 Electrically Scanning Microwave
 Radiometer (ESMR), 83
 electromagnetic induction
 over sea ice, 91–2
 elephant seals
 instrumented, 79
 Ellesmere Island,
 small ice caps, 203
 Eocene, 26–8
 EPICA ice core, 32
 epishelf lake, 192
 equilibrium climate sensitivity, 27
 erosion of arctic coasts, 187
 erosional landforms, 210–12
 erratic boulders, 217
 eskers, 218
 Eurasian Arctic sea ice, 310, 392
 Eurasian Basin, 278
 Eurasian Basin Deep Water, 278
 Eurasian ice sheet complex, 39
 European Centre for Medium-Range
 Weather Forecasting (ECMWF), 93

 Exchange for Local Observations and
 Knowledge of the Arctic (ELOKA)
 project, 80
 expeditions
 in the Arctic, 67

 Fenno-Scandinavian deglaciation, 40–2
 Ferrel cell, 106
 First International Polar Year, 3, 67
 First International Satellite Cloud
 Climatology Project (ISCCP), 7
 first year ice, 293–4
 fjords, 216
 flaw polynya, 302
 fluvioglacial landforms, 218–19
 foraminifera, 21
 Fourth International Polar Year, 71
Fram expedition, 6
 Fram Strait
 ice flux, 297
 Fram Strait sea ice, 312
 frazil, 128, 294
 freeze–thaw cycles, 184
 freeze–thaw process,
 at glacier bed, 211
 freshwater, 188
 density, 188
 freshwater budget
 Arctic, 119
 hydrological cycle, 393

 geological records, 21–4
 Geoscience Laser Altimeter System
 (GLAS), 90
 glacial erosion
 processes, 211
 glacial grooves, 213
 glacial landscapes, 209–17
 glacial striae, 212
 glacial trimlines, 201
 glaciated bedrock
 large-scale features, 213–16
 small-scale features, 212–14
 glaciated mountains, 214–16
 glacier advances in the Holocene
 in the Arctic, 48
 readvances, 47
 glacier recession
 future, 391–2
 glacier sand ice caps, 199–201

 glacier sensitivity to temperature
 Central Asia, 355
 glaciers
 Alaska, 204–6
 Central Asia, 353–4
 changes in Antarctic, 208–9
 changes in the Arctic, 201–8
 classification, 201
 Himalaya, 354
 monitoring, 199
 northern Asia, 354
 number and area, 199
 Russian High Arctic, 207–8
 Svalbard, 206–7
 Tibet Plateau, 353–4
 Torngat Mountains, 206
 western China, 352
 glaciers and ice caps
 area in polar regions, 200
 southern hemisphere, 200
 GLIMS database, 200
 global climate sensitivity, 379
 Global Land Ice Measurements from
 Space (GLIMS), 81
 Global Positioning Systems, 92
 global sea level, 293
 global temperature
 over last 2 million years, 31
 Global Terrestrial Network on
 Permafrost, 68
 global warming, 381
 Gravity Recovery and Climate
 Experiment (GRACE), 91
 Great Salinity Anomaly, 120–4, 305
 greenhouse gases, 24
 forcing, 378–81
 greening, 175
 Greenland
 accumulation, 240
 climate, 235–7
 cloud cover, 246
 drifting snow, 241
 glaciers, 204
 ice cores, 8
 precipitation, 236–7
 snow/ice facies, 239
 Greenland ice sheet, 235–45
 albedo, 247–8
 annual accumulation, 241
 aquifers, 249

- basal thermal state, 237
- energy balance, 245–9
- formation, 30
- mass balance, 242–5
- meltwater ponds, 248
- retreat, 45
- snow density, 239
- sublimation, 241
- supraglacial streams, 248
- surface melt, 241–2
- velocity, 242
- Greenland Sea, 289–90
- Greenland Sea Deep Water, 278
- Greenland Summit
 - climate, 236
 - surface energy balance, 245
- ground ice, 180–1
- ground penetrating radar (GPR), 88
 - in permafrost investigations, 89
- Hadley cells, 106
- hanging valleys, 215
- Heinrich events, 33, 43
- High Arctic, 169
- Himalaya
 - glacier variations, 355–6, 358–9
 - proglacial lakes, 189
 - streamflow from glacier melt, 362–3
- historical climatology, 50–3
- Holocene
 - temperature decreases, 47
- Hudson Bay, 291
- ice–albedo feedback, 14
- ice core records, 23–4
 - Tibet, 354
- ice cores, 24
 - south and central Tibet, 360
- ice draft, 79
- ice islands, 7
- ice massifs, 301
- ice-rafted debris (IRD), 27, 30, 33
- ice sheets
 - Holocene disappearance, 46–9
- ice shelf
 - breakup mechanisms, 259–60
 - melt, 260
- ice velocity mapping of glaciers, 90
- Ice-Tethered Profiler, 77
- ice wedges, 171, 181
- icebreakers, 9
 - in the Southern Ocean, 12
 - observations, 75–6
- icings, 198–9
- in situ measurements, 71–80
- Innutian ice sheet, 39
- Institute of Tibetan Plateau Research, 13
- Interdecadal Pacific Oscillation, 317
- Interferometric SAR (InSAR), 89
- interferometry, 89
- interglacial climates, 32
- interglacials and interstadials, 36
- International Arctic Buoy Program (IABP), 8, 74
- International Biological Program (IBP) Tundra Biome, 9, 68
- International Centre for Integrated Mountain Development (ICIMOD), 13
- International Comprehensive Ocean-Atmosphere Data Set (COADS), 68
- International Geophysical Year, 7, 10, 68
- International Trans-Antarctic Scientific Expedition (ITASE), 12
- Jørgen Brønlunds Fiord, 167
- kame, 219
- kame terraces, 219
- Kara Sea, 284–5
- Kara Sea polynya, 322
- Karakorum
 - glacier variations, 357–8
- katabatic airflows, 145
- Kotlyakov, Vladimir, 13
- Labrador Sea, 291
- Lake El'gygytgyn, 43
- Lake Hazen, climate, 167
- lake ice
 - phenology, 187
 - thickness, 188
- lake ice data, 187
- Lake Vostok, 193
- lakes, 187–93
 - area changes, 193–5
 - changes in freeze-up and break-up, 195
- glacier dammed in Himalaya, 194–5
- perennially frozen, 190–2
- surface area, 188
- landfast ice, 293, 301–2
 - thickness, 312
- Landsat Image Mosaic of Antarctica (LIMA), 82
- Laptev Sea, 285–6
- Last Glacial Maximum
 - in Canadian Arctic, 37
- Laurentide ice sheet, 34
 - at Last Glacial Maximum, 37
 - deglaciation, 43
 - in central Canada, 37
- lead frequencies, 302
- lead orientations, 302
- Lena River, 197
- lichenometry, 48
- light detection and ranging (LIDAR), 90
- Lincoln Sea, 288–9
- Little America, 10
- Little Ice Age, 47
- Lomonosov Ridge, 27
- Long-Term Ecological Research (LTER) program, 68
- Low Arctic, 169
- Mackenzie delta, 196
 - pingos, 183
- Mackenzie Valley,
 - permafrost changes, 186
- Madden Julian Oscillation (MJO), 310
 - and snow depth, 54–5
- manned weather station
 - in Antarctica, 72
- Marginal Ice Zone Experiment (MIZEX), 8
- Marginal Ice Zone Ocean and Ice Observations and Processes Experiment (MIZOPEX), 92
- marginal ice zones
 - ocean heat fluxes, 296
- marine isotope stages (MIS), 23
- Mawson station, 10
 - winds, 145
- McMurdo Dry Valleys, 169
 - closed basin lakes, 191–2
 - lake levels, 191
 - perennially frozen lakes, 191

- mean global temperature
 rise since 1980, 51
- mean low over the central Arctic, 111
- megadunes, 251
- melt ponds, 129
- mesocyclones, 115–16
 around Antarctica, 116
- meteorological observations, 71–2
- methane, 26
 release from permafrost, 389
- Middle Miocen
 Antarctic ice sheet, 29
- Milankovitch, 24
- mires, 174
- Moderate-Resolution Imaging
 Spectroradiometer (MODIS), 70
- Modern-Era Retrospective Analysis for
 Research and Applications
 (MERRA), 93
- MODIS, Mosaic of Antarctica (MOA),
 82
- monsoon precipitation
 changes, 349
- Montreal Protocol, 381
- moraines, 216
- moulins, 248
- Multisensor Analyzed Sea Ice Extent
 (MASIE), 85
- multiyear ice, 293
- Nansen, 6
- NASA Team algorithm, 84
- National Centers for Environmental
 Prediction (NCEP)
 Climate Forecast System Reanalysis
 (CFSR), 93
 reanalysis with National Center for
 Atmospheric Research (NCAR), 92
- Neoglacial, 47
- Neoglacial advance
 Baffin Island, 48
- North Atlantic Deep Water, 271
- North Atlantic Oscillation, 107
- North Pacific Oscillation, 107
- North Pole 1, 6
- North Pole drifting stations, 72–4
- North Pole Environmental Observatory,
 75
- North Water polynya, 321–2
- Northern Annular Mode (NAM), 108
- northern Eurasia
 temperature changes, 149
- northern hemisphere
 ice sheet melt causes, 45
 snow cover extent, 151
- Northern Sea Route, 383
- Northwest Institute of Eco-
 Environment and Resources
 (NIEER), 13
- Norwegian Polar Institute, 7
- obliquity, 34
 cycles, 30–1
- observing networks, 67–71
- ocean heating sources, 296
- ocean sediment cores, 21–3
- oceanographic observations, 76–9
- Odden, 290
- Okhotsk Northwestern polynya, 321
- Oligocene–Miocene
 Antarctic glaciation, 28–30
- open water fraction, 307
- Operation Icebridge, 245
- orbital cycles, 24
- Orcadas weather station, 10
- oxygen isotopes, 23
 analysis, 23
 records, 23
- ozone depletion
 circulation effects, 117
- ozone hole, 107
 Antarctic, 381–3
 record, 382
 trends linked to Southern Annular
 Mode, 149
- Pacific Decadal Oscillation (PDO), 123
- Paleocene–Eocene Thermal Maximum
 (PETM), 26–7
- palsa mounds, 183
- pancake ice, 294
- passive microwave data, 83–8
- passive microwave remote sensing, 306
- patterned ground, 166, 184
- periglacial regions, 181–5
- perihelion and aphelion, timing, 34
- permafrost, 175–80
 degradation, 186
 in Alaska, 186
 lower limit in Central Asia, 368
- mountain, 176–7
 recent changes, 185–7
 southern hemisphere, 177
 subsea, 177–9
 temperatures in Yakutia, 176
 thickness, 176
- permafrost bore holes
 distribution, 69
- permafrost degradation
 Tibet, 368
- permafrost stability
 Tibet, 368–9
- permafrost thaw
 future, 388–9
- permanent stations in the Antarctic, 11
- permittivity, 88
- photoclinometry, 82–3
 methods, 82
- pingos, 183–4
- planetary waves
 southern hemisphere, 112
- Pleistocene, 30
 Russian Far East, 43
- Plio-Pleistocene glacial cycle, 30–46
- plucking, 211
- polar
 definition, 2
- polar amplification, 31, 51, 149–51
 role of atmospheric circulation, 52
- polar cells, 107
 in the Arctic, 106
- polar desert, 165
 vegetation, 166
- Polar Front (PF)
 in Antarctic, 269
 in Southern Ocean, 126
- polar low systems, 112
- polar maritime climate, 133
- polar research
 future, 394–5
- polar stratosphere, 107
 clouds, 381
- Polar Surface Water, 278
- polar vortex, 103
- polar–mid-latitude links, 55–6
- polyglacial ground, 181
- polyglacial tundra, 171, 181
- polynyas, 318–22
 in Antarctic, 128
 definition, 318

- polythermal glaciers, 88
 potential, 280
 precession, 34
 cycles, 35
 pressure melting point, 88, 212
 proglacial lakes, 189–90
 debris contact, 195
 protalus lobe, 185
 pycnocline, 119
- QuikSCAT scatterometer, 84
- radar data, 88–90
 RADARSAT-1 satellite, 89
 Image Map of Antarctica, 89
 reanalysis products, 92–3
 record low temperature
 in the Arctic, 132
 Reference Composition Salinity Scale,
 119
 remote sensing
 observations, 80–92
 representative concentration pathways,
 378–80
 river discharge, 281
 trends, 197–8
 rivers, 195–8
 freeze-up dates in Russia, 198
 roche moutonnée, 213
 rock glacier, 185
 lakes, 188–9
 Ross Ice Shelf
 surface meteorology, 143
 Ross Sea, 275
 Ross Sea polynya, 319
- Satellite Image Atlas of Glaciers of the
 World*, 81
 satellite passive microwave records
 Southern Ocean sea ice, 316
 Scanning Multichannel Microwave
 Radiometer (SMMR), 83
 scatterometry, 88
 Scientific Committee for Antarctic
 Research (SCAR), 1
 scoured landscapes, 210
 sea ice, 293–6
 age, 306
 and tropical convection, 310
 edge in Antarctica, 314
 edge location, 294–6
 leads, 302–3
 mapping with passive microwave, 84
 role in indigenous life, 386
 thickness estimates, 90
 sea ice extent and snow depth, 141
 sea ice loss
 atmospheric response, 306
 greenhouse gas forcing, 307
 projected, 383–5
 sea ice motion mapping, 85
 sea ice outlook, 300
 sea ice production
 in global polynyas, 321
 sea level and ice sheet stability, 46
 Sea of Okhotsk, 292
 seasonally frozen ground
 mapped with passive microwave,
 87
 Second International Polar Year, 67
 Semi-Annual Oscillation (SAO), 117
 Sentinel 1 C band radar, 88
 Shi Yafeng, 13
 shipping activity
 Canadian Arctic, 385
 shrub expansion, 174
 snow accumulation
 over Antarctica, 85
 climate system, 14–15
 snow cover
 in northern hemisphere, 82
 snow darkening, 140
 snow grain size, 82
 radii in Greenland, 239
 snow melt events
 Arctic, 140
 over the Greenland ice sheet, 87
 snow surface features, 240
 snow water equivalent, 85
 over northern hemisphere, 138
 snowfall changes
 in twenty-first century, 388
 south Asian monsoon, 341
 South Pole
 cloud cover, 131
 Southern Annular Mode (SAM), 117
 Southern Ocean, 126, 269–75
 net precipitation, 147
 Southern Ocean freeze-up, 128
 Southern Oscillation, 107
 Soviet Antarctic expeditions, 11
 Soviet North Pole (NP) drifting station,
 7
 Special Sensor Microwave Imager
 (SSM/I), 83
 spotted tundra, 171
 stamukhi, 301
 steppe tundra, 177
 stone circles, 185
 Study of Environmental Arctic Change
 (SEARCH), 9
 Subantarctic Front (SAF), 126, 272–3
 Subantarctic Surface Water, 273
 subglacial lakes, 192–3
 subtropical westerly jet stream, 341
 supraglacial lakes
 depth, 248
 in Himalaya, 376
 surface–albedo feedback in the future,
 385
 Surface Heat Budget of the Arctic
 (SHEBA) experiment, 76
 surface weather observations, 67
 Sustaining Arctic Observing Networks
 (SAON), 71
 Svalbard
 climate change, 148
 Synthetic Aperture Radar (SAR), 89
 and Interferometric Radar Altimeter
 (SIRAL), 90
 Taimyr Peninsula, 301
 teleconnection, 107
 and Antarctic sea ice, 317
 temperate glaciers, 88
 temperate ice, 88
 temperature feedbacks
 in the Arctic, 150
 temperatures
 over geological time, 21
 Terra Nova Bay
 katabatic winds, 145
 Terra Nova Bay polynya, 145, 321
 Thermal Maximum
 in the Arctic, 46
 thermocline, 119
 thermohaline circulation, 276
 thermokarst, 184
 formation, 390–1
 lakes, 189

- Third Pole, 3, 341–4
 definition, 339
- Thompson, Lonnie, 13
- Tibet
 glacier mass loss, 355
 glaciers in southeast, 360
 lake area changes, 363–4
- Tibet Plateau
 climate change, 347–50
 elevation-dependent warming, 349
 energy budget, 344
 glacier changes, 355–6
 glacier mass balance, 359–60
 glacier variations, 356–7
 lake area change, 350
 latent heat flux, 347
 permafrost, 366–9
 precipitation, 344–7
 runoff, 351–2
 snow, 347
 snow cover, 365–6
 temperatures, 344
- till, 217
- Totten Glacier, 257
- traditional knowledge, 80
- Transantarctic Mountains (TAM), 250
- trans-Arctic shipping
 due to sea ice loss, 386
- Transpolar Drift Stream, 280
- trimline, 214
- tropical–polar links, 53–5
- tundra, 168–75
 at Barrow, 171
 Russian Arctic, 171–7
 southern, 174
 typical, 174
 vegetation changes, 391
- Tundra Biome project, 1970, 169
 site characteristics, 172–3
- unmanned aerial vehicles (UAVs), 92
- Upper Circumpolar Deep Water, 271
- Upper Polar Deep Water, 278
- upward-looking sonars, 79–80
- USS *Jeanette*, 3
- USS *Nautilus*, 9
- USS *Queenfish*, 9
- visual reconnaissance from aircraft
 Russian Arctic, 80
- Walker, Sir Gilbert, 107
- wave number 3 pattern, 114
- Weddell Sea, 275–7
 energy fluxes, 277
 polynya, 322
- West Antarctic
 bore hole temperature data,
 152
 deglacial temperature rise,
 46
- West Antarctic ice sheet (WAIS),
 45
 development, 29
 mass loss, 255
 subglacial volcanoes, 249
- whalebacks, 213
- Whaler's Bay, Svalbard, 322
- whaling ship records
 sea ice in Antarctica, 316
- World Climate Research Program
 (WCRP), 9
- World Glacier Monitoring Service
 (WGMS), 68
- Younger Dryas, 37