

## Index

- absolute permittivity, *see* dielectric constant
- activity coefficient, 230
- advection-diffusion equation, *see* Nernst–Planck equation
  - nondimensionalization, 397
- amino acids
  - polypeptide, 16
  - side-chain, 17
- anomalous diffusion, 330, 339, 340
- antimicrobial peptide
  - gramicidin A, 22
- antimicrobial peptides, 196
  - alamethicin, 123
  - coarse-grained molecular dynamics, 341–348
  - diffusion, 344–345
  - dynamics, 196
  - generalized reaction-diffusion equation, 197–200
  - oligomerization, 196
  - PGLa, 104
  - surface binding, 196
  - transmembrane orientation, 198
- apolar molecules, 303
- archaeobacteria, 14
- archaeobacteria lipids, 14
- area per lipid, 324
- Arrhenius reaction rate, 308
- artificial neural networks, 55
- autoregressive Gaussian process, 169
- barostats, 364
  - Berendsen, 364
  - Parrinello–Rahman, 364
- bioelectronic interface, 26,
  - coarse-grained molecular dynamics, 310
  - density profile of water, 315
  - hydration ion size, 269
  - Percus–Yevick equation, 311
  - capacitance, 275–279
  - constant-phase element, 143–144
  - dielectric constant, 238–242, 271–275
  - double-layer impedance, 242, 243
  - faradic impedance, 242
  - faradic reactions, 242–247
  - generalized Poisson–Nernst–Planck, 229–232, 238
  - ionic correlation effects, 238–242
  - kinetic impedance, 242
  - Poisson–Fermi–Nernst–Planck, 232–235, 238
- biological neural networks, 54
- biological parameters
  - aliphatic chain deuterium order parameter, 298
  - area per lipid, 324, 373
  - defect density, 325
  - diffusion tensor, 317
  - intrinsic membrane dipole potential, 377
  - line tension, 326
  - lipid diffusion, 329
    - ballistic, 339
    - Fickian diffusion, 339
    - subdiffusion, 339
  - lipid flip-flop energy, 324
  - membrane capacitance, 376
  - membrane thickness, 330
  - number of aqueous pores, 324
  - radial distribution function, 300
  - surface tension, 327
- biomimetic, 31
- biomolecules
  - amino acids, 16
    - nonpolar, 18
    - polar, 18
    - weak acid, 18
    - weak base, 18
  - C-terminus, 17*f*
  - N-terminus, 17*f*
  - peptides, 16
  - proteins, 16
    - integral monotopic, 19
    - integral polytopic, 19
    - peripheral membrane, 19
- structure, 19
  - primary structure, 19
  - quaternary structure, 20
  - secondary structure, 19
  - tertiary structure, 20

- biosensor
  - analyte detection, 87
  - arrays, 97–100, 187–195
  - design, 89–91
  - hidden Markov Model, 168–171
  - ICS biosensor, 83–102
  - influenza A, 95–97
  - macroscopic model, 162–165
  - membrane conductance, 163–165
  - mesoscopic model, 178–185
  - multianalyte, 97–100
  - nanomachine conductance, 378–383
  - nanomachine dynamics, 383–387
  - singular perturbation approximation, 165–166
  - specificity, 94–95
  - surface reactions, 163–165
- Bjerrum length, 233, 241
- black-box model, 48
- Boltzmann distribution, 312
- Brownian dynamics, 311, 379
- Brownian motion, 305
- Butler–Volmer equation, 206
- canonical ensemble, 312
- cell lysis, 74
- cell membrane, 30
  - cytoskeletal filaments, 31
  - cytosol, 30
- CGMD, *see* coarse-grained molecular dynamics
- charge accumulation, 50
- charge distribution, 11
- chemical bond, 9
  - coordinate covalent bond, 10
  - covalent bond, 9
  - ionic bond, 11
  - van der Waals, 11
- chemical potential
  - Widom insertion method, 231
- chirality, 20
- cholesterol
  - effect on membrane, 333
  - coarse-grained molecule dynamics, 332–335
  - coarse-grained representation, 304
  - electric measurements, 267–269
  - electroporation, 267–269
  - fractional-order macroscopic model, 154–156
  - heterogeneous membranes, 267–269
  - impedance measurements, 156–157
  - lateral diffusion, 333–334
  - line tension, 335
  - membrane thickness, 334–335
  - surface tension, 335
- coarse-grained molecular dynamics, 295–352
  - bioelectronic interface, 304
- coarse graining
  - Boltzmann inversion, 300
  - force matching, 301
  - inverse Monte Carlo, 300
  - relative entropy matching, 301
- COMSOL, 401, 403
- configurational phase space, 301
- construction, *see* coarse graining
  - deuterium order parameter, 327, 328
  - diffusion tensor, 317–321
  - DphPC lipids, 304
  - electrode, 304
  - line tension, 325–327
  - lipid desorption, 323
  - lipid diffusion, 328–330
  - lipid energetics, 322–325
  - lipid flip-flop, 322
  - MARTINI force field, 303
  - membrane structure, 330–331
  - PGLa pore formation, 341–348
  - round-trip time, 319
  - setup, 299–300
  - sterol effects, 332–335
  - sterols, 304
  - surface tension, 325–327
  - tethers and spacers, 304
  - water density, 315–317
- continuum models
  - Fokker–Planck equation, 305–310, 317–319
  - generalized Poisson–Nernst–Planck, 229–232
  - generalized reaction-diffusion equation, 197–200
  - Navier–Stokes equation, 182
  - Nernst–Planck equation, 181, 182
  - Poisson’s equation, 180
  - Poisson–Boltzmann equation, 240–242
  - Poisson–Fermi–Nernst–Planck, 232–235
  - Poisson–Nernst–Planck, 182, 185
  - Smoluchowski–Einstein equation, 217–222
- Coulomb correlation length, 233
- Coulomb correlations, 49
- cubic packing structure, 230, 239
- Damköhler number, 161, 177–178, 399
  - mass-transport influenced regime, 177
  - reaction-rate-influenced regime, 177
- de Broglie wavelength, 230
- Debye length, 205, 241
- defect density, 325
- density profile, 311
- depolarization, 290
- Deuterium order parameter, 328
- dielectric constant
  - bioelectronic interface, 271–275
  - coarse-grained molecular dynamics, 324
  - effective dielectric constant, 356
  - ionic correlation effects, 238–242
  - Maxwell–Garnett equation, 239–240

- molecular dynamics, 356, 375–378
  - Poisson–Boltzmann equation, 240–242
  - Poisson–Fermi–Nernst–Planck, 232–235
  - pure hydrocarbon, 154
- diffusion process, 305
  - Arrhenius reaction rate, 308
  - Fokker–Planck equation, 306
  - Kolmogorov equation, 306
  - mean first passage time, 308
  - stationary distribution, 307
- diffusion tensor
  - bioelectronic interface, 320–321
  - coarse-grained molecular dynamics, 317–321
  - Fokker–Planck equation, 317–319
  - round-trip time, 319
  - water, 320–321
- distal layer, 330
- double-layer charging, 224
  - Coulomb correlations, 228
  - polarization, 228
  - screening effects, 223
  - Stern and diffuse layers, 224
- double-layer impedance, 242, 243
- DphPC bilayers, 14, 262
  - aqueous pore formation, 373–375
  - archaebacteria lipids, 14
  - area per lipid, 128
  - capacitance, 375–378
  - coarse-grained representation, 304
  - deuterium order parameter, 327–328
  - fluorescence recovery after photobleaching, 129–131
  - line tension, 325–327
  - lipid diffusion, 129–131, 328–330
  - lipid energetics, 322–325
  - membrane structure, 330–331
  - molecular dynamics, 373–378
  - neutron reflectometry, 131–133
  - reaction-rate model, 142
  - surface tension, 325–327
  - tether density, 262
  - thickness, 131–133
  - X-ray reflectometry, 128
- electric permittivity, *see* dielectric constant
- electrochemotherapy, 213
- electrodesorption, 71
- electrolyte dynamics
  - charge accumulation, 50
  - Coulomb correlations, 49
  - diffusion-limited charge transfer, 50
  - ionic adsorption dynamics, 50
  - polarization effects, 50
  - reaction-limited charge transfer, 50
  - screening effects, 50
  - steric effect, 49
- electroneutrality, 142
- electrophysiological response, 282
- electrophysiological response platform, *see* ERP
- electroporation, 212
  - aqueous pore energy model, 220
  - aqueous pores, 214
    - toroidal pore, 231
  - continuum model, 227–235
  - hydrophilic pore, 214
  - hydrophobic pore, 214
  - irreversible, 213
  - mesoscopic model, 214–215, 222–227
  - multiphysics model, 222
  - reversible, 213
- electroporation measurement platform, *see* EMP
- electrostatic pressure, *see* Maxwell stress tensor
- ELISA, 53, 87, 95, 97
- embedded ion channel, 103
- EMP, 107–110
  - aqueous pore capacitance, 259
  - aqueous pore conductance, 254–256
  - cholesterol, 267–269
  - continuum model, 227–235
  - formation, 108–109
  - heterogeneous membrane, 265–267
  - mesoscopic model, 214–215, 222–227
  - operation, 109–110
  - tether density, 262–265
- energy minimization principle, 226
- engineered artificial membranes, 32
  - bioelectronic interface, 26
  - cushioned membranes, 34
  - freestanding lipid bilayer, 34
  - hybrid bilayer lipid membrane, 33
  - laboratory construction, 76–81
  - spacers, 25, 67
  - supported lipid bilayer, 33
  - tethered bilayer lipid membranes, 35
  - tethers, 25, 67
- engineered tethered membrane, 39–45
  - bioelectronic interface, 26
  - electrophysiological response platform, 44
  - electroporation measurement platform, 43
  - ion-channel switch biosensor, 41
  - laboratory construction, 76–81
  - multiphysics models, 45–49
  - pore formation measurement platform, 42
- ensemble average, 359
- equilibrium electrode potential, 206
- equipartition theorem, 361
- ergodic hypothesis (law of large numbers), 361
- ERP, 110–115
  - formation, 112–114
  - fractional-order macroscopic model, 284–285, 286–290

- ERP (*cont.*)  
 noninvasive screening of cells, 293  
 operation, 114–115  
 skeletal myoblasts, 290–291  
 systems biology, 283  
 voltage-gated ion channel, 285–286
- excess chemical potential, 230
- faradic flux, 244  
 faradic impedance, 242  
 faradic reactions, 242–247  
 absolute chemical activity, 246  
 Butler–Volmer equation, 206  
 frequency prefactor, 245  
 Frumkin–Butler–Volmer equation, 244
- Fick's laws  
 Fick's first law, 181  
 Fick's second law, 319
- finite-length Warburg impedance, 207  
 fluctuation-dissipation theorem, 311, 337  
 fluorescence recovery after photobleaching, 129  
 Fokker–Planck equation, 305–310, 317–319  
 fractional Fokker–Planck equation, 340  
 fractional Langevin equations, 340  
 fractional-order differential equation, 143  
 fractional-order macroscopic model, 140–144  
 charge accumulation, 143  
 constant-phase element, 143–144  
 diffusion-limited charge transfer, 143  
 electrode double-layer capacitance, 143–144  
 electrolyte resistance, 142  
 fractional derivatives, 144–147  
 ionic adsorption dynamics, 143  
 membrane capacitance, 142  
 membrane conductance, 142  
 reaction-limited charge transfer, 143  
 transmembrane potential, 140*f*  
 fractional transport processes, 340  
 frequency prefactor, 245  
 friction kernel, 382  
 Frumkin–Butler–Volmer equation, 244
- gamma function, 144  
 gene electrotransfer, 213  
 generalized Poisson–Nernst–Planck, 229–232  
 chemical potential, 230  
 equilibrium concentration, 241  
 steric constraint, 230
- gramicidin A, 22,  
 conductance, 381–383  
 dimer dissociation, 383–384  
 ICS biosensor, 87  
 ion permeation models, 378–381  
 molecular dynamics, 383–387  
 nuclear magnetic resonance, 128–129  
 spontaneous insertion, 76–81
- hard-sphere potential, 313  
 hard-wall potential, 315  
 hidden Markov Model, 168  
 maximum likelihood estimate, 170  
 parameter estimator, 170  
 state estimation filter, 170
- Hill-type approximation, 198  
 Hodgkin–Huxley models, 291  
 hydration ion size, 269  
 hydrophilic, 12  
 hydrophobic effect, 15  
 hyperpolarization, 290
- ICS biosensor, 83–102  
 arrays, 97–100, 187–195  
 clinical evaluation, 95–97  
 construction and formation, 85–87  
 ferritin, 186–187  
 hCG, 186–187  
 hidden Markov model, 168  
 least-squares estimation, 185  
 macroscopic model, 162–165  
 mass-transport regime, 177  
 membrane conductance, 163–165  
 mesoscopic model, 178–185  
 microscopic model, 378–387  
 multianalyte, 97–100  
 multicompartment model, 208  
 nanomachine conductance, 378–383  
 nanomachine dynamics, 383–387  
 reaction-rate-limited regime, 177  
 singular perturbation approximation, 165–166  
 stochastic model, 168  
 streptavidin, 186–187  
 surface reactions, 163–165  
 TSH, 186–187
- implantable devices, 51  
 cochlear and retinal, 51
- in vitro medical diagnostics, 52  
 instantaneous temperature, 361
- ion-channels, 21–24  
 ligand-gated, 23  
 light-gated, 24  
 mechanosensitive, 24  
 peptide, 22  
 protomers, 22  
 transient receptor potential, 24  
 voltage-gated, 22
- ion permeation, 378–381  
 Brownian dynamics, 379  
 continuum theories, 380  
 Fokker–Planck equation, 379  
 gramicidin, 381  
 reaction-rate model, 380
- ion-channel gating models, 282  
 ion-channel shot noise, 168

- ionic conductance noise, 168
- ionic transport
  - diffusive flux, 181
  - electrical-migration flux, 181
  - velocity field flux, 181
- ionophores, 116
  
- Johnson–Nyquist noise, 168
  
- kinetic impedance, 242
- Kolmogorov equation, 306
  - Arrhenius reaction rate, 308
  - mean first-passage time, 308
  
- laminar flow, 185
- Langevin equation, 318, 336–339, 381
  - Brownian dynamics, 336, 380
  - large molecules, 336, 380
  - lipid diffusion, 336
- Langmuir binding kinetics, 398
- Langmuir–Hinshelwood equation, 198
- lateral diffusion, 330
- law of large numbers, 336, 361
- least-squares estimation, 185
- Lennard–Jones potential, 314
- Levenberg–Marquardt algorithm, 186
- line tension, 322, 325, 326
- linear Poisson–Boltzmann equation, 241
- lipid bilayers, 14–16
  - DphPC, *see* DphPC bilayers
  - molecules, *see* lipids
  - phospholipids, 12–13
- lipid desorption, 323, 332
- lipid flip-flop, 322, 324, 332
- lipid structures
  - lipid bilayer, 12
  - liposomes, 12
  - micelles, 12
  - vesicles, 12
- lipids, 12
  - cholesterol, 12
  - glycolipids, 12
  - lipid domain, 155
  - lipid rafts, 13
  - phospholipids, 12
  - tethered, 67
- local packing fraction, 230
- Lorentz force, 180
  
- macroscopic models, *see* reaction-rate models
- macroscopic reaction-rate model
  - tethered transmembrane potential, 163*f*
- MARTINI force field, *see* coarse-grained
  - bioelectronic interface, 304
  - electrode, 304
  - lipids, 304
  - sterol, 304
  - tethers and spacers, 304
- mass conservations equations, 230
  - chemical potential, 230
  - excess chemical potential, 230
- mass-transport regime, 177
- maximum likelihood estimate, 170
- Maxwell stress tensor, 237
- Maxwell’s equations, 180
- Maxwell–Boltzmann distribution, 354
- Maxwell–Garnett equation, 239
- mean first-passage time, 305
  - Arrhenius reaction rate, 308
  - partial differential equation, 308
- mean-square displacement, 329
- Measurement techniques
  - electrical response, 118–127
  - fluorescence recovery after photobleaching, 129–131
  - impedance, 120
  - neutron reflectometry, 131–133
  - nuclear magnetic resonance, 129
  - X-ray reflectometry, 128
- membrane
  - geometric properties, 330
- membrane permanent surface charge density, 202
- mesoscopic models, *see* continuum models
- microscopic model, *see* coarse-grained
- mode-coupling theory, 339
- Models
  - ab initio molecular dynamics, 46
  - black-box, 48
  - coarse-grained molecular dynamics, 47
  - continuum theories, 48
  - molecular dynamics, 47
  - reaction-rate theory, 48
- molecular dynamics
  - aqueous pore formation, 373–375
  - bioelectronic interface, 356, 366–367
  - bond angle, 357
  - bond length, 357
  - bonded interactions, 356–358
  - boundary conditions, 367
  - degrees of freedom, 362
  - energy, 361
  - improper dihedral, 358
  - initial conditions, 368
  - membrane capacitance, 375–378
  - membrane dipole potential, 375–378
  - non-bonded interactions, 355
  - NPT, 364
  - numerical integration, 369–370
  - NVE, 364
  - NVT, 364
  - potential energy function, 355

- molecular dynamics (*cont.*)  
 pressure, 362  
 proper dihedral, 358  
 temperature, 361  
 triclinic unit cell, 367  
 umbrella sampling, 322
- molecular therapeutics, 54
- multicompartment model, 208
- multicellular communication, 55
- multiphysics model, 45
- Navier–Stokes equation, 182
- Nernst–Planck equation, 181, 182  
 boundary conditions, 183–184  
 Dirichlet boundary conditions, 183–184  
 mobility, 182
- neutron reflectometry, 131
- noise  
 1/f, 169
- nuclear magnetic resonance, 129
- numerical integration  
 cutoff approximation  
 shift, 370  
 switch, 370  
 truncation, 369
- particle-mesh Ewald summation, 370
- Ohmic contacts, 52
- organism  
 eukaryotes, 13  
 prokaryotes, 13
- Ornstein–Zernike equation, 313, 314
- overdamped Langevin equation, 318
- oxidation potential, 243
- packing coefficient, 239
- pair-correlation function, 312
- patch microelectrodes, 282
- patch-clamp electrophysiology, 282
- Pauli repulsion force, 316
- PDEs  
 nondimensionalization, 397  
 Dirichlet boundary condition, 397  
 Fokker–Planck equation, 305–310, 317–319  
 generalized Poisson–Nernst–Planck, 229–232  
 generalized reaction-diffusion equation,  
 197–200  
 mixed boundary condition, 397  
 Navier–Stokes equation, 182  
 Nernst–Planck equation, 181, 182  
 Neumann boundary condition, 397  
 Poisson’s equation, 180  
 Poisson–Boltzmann equation, 240–242  
 Poisson–Fermi–Nernst–Planck, 232–235  
 Poisson–Nernst–Planck, 182, 185  
 Robin boundary condition, 397  
 Smoluchowski–Einstein equation, 217–222
- Percus–Yevick equation, 311, 313  
 density profile, 311  
 Fredholm integral equation, 313  
 perturbation analysis, 203, 224  
 double-layer impedance, 203  
 Smoluchowski–Einstein equation, 224
- PFMP, 104–107  
 construction, 105  
 generalized reaction-diffusion equation, 197–200  
 operation, 106–107  
 PGLa dynamics, 200–203
- PGLa  
 coarse-grained molecular dynamics, 345–348  
 coarse-grained representation, 344  
 diffusion, 344–345  
 experimental measurements, 105, 200–203  
 generalized reaction-diffusion equation, 197–200  
 oligomerization, 347  
 reaction mechanism, 348  
 surface binding, 346  
 translocation, 347
- point-of-care diagnosis, 53
- Poisson’s equation, 180  
 boundary conditions, 183–184  
 dielectric permittivity, 180  
 Neumann boundary conditions, 183–184  
 polarization charge density, 240
- Poisson–Boltzmann equation, 240–242
- Poisson–Fermi–Nernst–Planck, 232–235  
 Bjerrum length, 241  
 Coulomb correlation length, 233  
 dielectric permittivity operator, 233  
 equilibrium concentration, 241  
 Poisson–Fermi equation, 233
- Poisson–Nernst–Planck, 182, 185  
 asymptotic model, 203, 207  
 double-layer capacitance, 206, 207
- polar molecule, 303
- polarization, 50
- polarization charge density, 240
- pore density, 322
- pore formation measurement platform, *see* PFMP
- potential energy function  
 bonded interactions, 357  
 bond angle, 357  
 bond length, 357  
 improper dihedral, 358  
 proper dihedral, 358  
 nonbonded interactions, 356  
 Coulomb’s potential, 356  
 Lennard-Jones potential, 356  
 van der Waals forces, 356
- potential of mean force, 322
- Prandtl number, 399
- protein  
 chirality, 20  
 conformation change, 18

- gramicidin A, 22
- ion channels, 21–24
- structure, 19–21
- visualization, 27–29
- proximal layer, 330
- Péclet number, 161, 177–178, 399
  - advection-transport-influenced regime, 177
  - mass-transport-influenced regime, 178
- radial distribution function, 312
- Ramachandran plot, 344
- reaction rates, 161
- reaction-rate-limited regime, 177
- reaction-rate models
  - fractional derivatives, 144–147
  - fractional-order macroscopic model, 140–144
- repolarization, 290
- resting potential, 290
- Reynolds number, 399
- round-trip time, 319
- Singer–Nicolson model, 81
- singular perturbation approximation
  - ICS biosensor, 165
  - nondimensionalization, 400
  - Smoluchowski–Einstein equation, 225
- Smoluchowski–Einstein equation, 217–222
  - boundary conditions, 218
  - homogeneous, 218
  - nonhomogeneous, 218
  - source term, 219
- solvent interaction
  - amphiphilic, 12
  - hydrophilic, 12
  - hydrophobic, 12
- spreading conductance, 254
- stationary distribution, 307
- statistical ensemble, 355
  - canonical ensemble (NVT), 364
  - constant energy, 363
  - constant pressure, 364
  - constant temperature, 363
  - isothermal–isobaric ensemble (NPT), 364
  - microcanonical ensemble (NVE), 364
  - NVT, 312
- steric effects, 49
- steric interactions, 230
- Stern layer, 244
- sterol, *see* cholesterol
- stochastic averaging theory, 380
- stochastic differential equation, 380
- stochastic model, 168, 336
- stoichiometry matrix, 164
- substrate-integrated microelectrode arrays, 282
- surface tension, 322, 325, 327
- tethered bilayer lipid membranes, 35–39
  - avidin/biotin tethered membrane, 38
  - cholesterol tethered membrane, 38
  - engineered tethered membrane, 38
  - peptide tethered membrane, 37
  - polymer tethered membrane, 38
  - protein tethered membrane, 37
- thermostats, 363
  - Berendsen, 363
  - Nosé–Hoover, 363
  - velocity rescaling, 363
- Tikhonov’s theorem, 166, 400
- transmembrane potential, 213
- triclinic unit cell, 367
- two-compartment model, 208
- umbrella sampling, 322
- voltage-gated ion channel, 285
- voltage-gated ion channels, 22–23
  - depolarization, 290
  - Hodgkin–Huxley, 291
  - hyperpolarization, 290
  - repolarization, 290
  - resting potential, 290
- Warburg impedance, 144, 207
- water
  - density profile, 311
  - diffusion tensor, 320
  - spreading conductance, 254, 256
- weighted histogram analysis method, 322
- Widom insertion method, 231
- X-ray reflectometry, 128
- zwitterions, 202