

Index

- acoustic Doppler velocimeters, 160
- acoustic Doppler current profilers, 160
- ADCP, 92, 204, *see* acoustic Doppler current profiler
- ADV, 92, *see* acoustic Doppler velocimeter
- aeolian sediment supply
 - effect of tidal cycles, 312
 - seasonal effects, 328
- aeolian transport
 - activity parameter, 322
 - beach moisture content, 312
 - bedload, 308
 - concentration profile, 309
 - cosine effect, 325
 - critical fetch distance, 324
 - effect of salts, 314
 - effects of flow unsteadiness, 321
 - effects of moisture, 312
 - effects of pebble lag, 315
 - effects of profile slope, 316
 - equilibrium transport rate, 311
 - fetch effect, 324
 - fluid threshold, 307
 - impact threshold, 308
 - instantaneous transport prediction, 310
 - intermittency, 321
 - non-equilibrium conditions, 311
 - potential sediment supply, 327
 - probabilistic threshold, 322
 - saltation, 308
 - saltation cascade, 324
 - saltation load, 308
 - sediment flurries, 321
 - Shields parameter, 307
 - supply limited, 311
 - suspension load, 308
 - transport events, 327
 - wind events, 327
- atoll, *see* coral reef geomorphology: atoll
- barrier dynamics
 - barrier drowning, 381
 - barrier evolution, 379
 - Great Lakes overwash cycles, 360
 - inlet formation, 350
 - inundation overwash, 351, 357
 - overstepping, 375
 - overwash, 350, 354
 - overwash fan, 355
 - overwash regime, 351–2
 - progradation, 379
 - response to sea level change, 379
 - response to sea level rise, 380
- barrier islands, 280, 347, 375
 - natural hazards, 381
- barriers
 - backbarrier sediments, 343
 - barrier components, 347
 - barrier island form, 364
 - barrier island formation, 376
 - mainland beach detachment, 378
 - shoal aggradation, 376
 - spit detachment, 376
- barrier islands, 280, 347, 375
 - natural hazards, 381
- cusped forelands, 346
- ebb tidal delta, 203
- flood tidal delta, 366
- flying spits, 203
- human impacts, 381–2
- lagoon types, 368
- lagoons, 359, 368
 - choked, 368–9
 - leaky, 368
 - restricted, 368
- littoral sediment budget, 379
- management of transgressive barriers, 383
- morphological classification
 - no free ends, 344
 - one free end, 345
 - two free ends, 347
- spit evolution, 371
- spit platform, 371
- spits, 347
 - distal prograding end, 374
 - dune ridge curvature, 371, 373
 - spit extension, 374
 - transgressive proximal end, 374
 - transition zone, 374
- tidal inlet channel, 364
- tidal inlet prism, 359
- tidal inlet spacing, 363
- tidal inlets, 359
- beach, 230
 - beach plan form, 246
 - berm, 201
 - coarse sand beach, 201
 - cobble, 230
 - cobble beach, 201, 239, *see* beach: gravel beach
- run-up overwash, 351
- spit morphodynamics, 370
- stages of dune recovery, 358
- tidal inlet formation, 366
- tidal inlet stability, 367
- vegetation and washover healing, 357
- washover healing, 356, 362
- washover terrace, 357

- beach (cont.)
 - fine sand beach, 202
 - gravel beach, 236
 - log spiral, 248
 - mixed sediment, 236
 - sandy beach, 230, 236
 - swash aligned, 246
- beach berm, 265
 - height, 266
- beach cusps, 269
 - formation, 270
 - giant cusps, 269
- beach morphodynamics, 249
 - dimensionless fall velocity parameter, 245, 257
 - sandy beaches, 263
 - temporal scales, 249
- beach morphology, 232, 234
- beach nourishment, 266
 - mega-nourishment, 268
 - Sandmotor, 268
- beach profile
 - barred, 239, 243, 245
 - barred profile controls, 246
 - equilibrium profile form, 242–3
 - measurement, 233
 - planar, 243
 - sediment size, 242
 - sweep zone, 239
 - sweep zone and oil spill, 242
- beach sediment budget, *see* littoral sediment budget
- beach slope, 236
- beach stage model, 257, 260, 266
- beach system, 232
- beach video monitoring, 233
 - Argus system, 233, 260
- beach water table, 264
- bed elevation measurements, 235
 - ultrasonic distance sensor, 235
- bed shear stress waves, 186, 189
- bedforms due to waves, 187
 - 3D ripples, 189–90
 - asymmetric flow regime, 189
 - asymmetric ripples, 190
 - barred profile, 190
 - cross ripples, 190
 - lunate megaripples, 189–90
 - oscillatory flow regime, 187
 - planar profile, 190
 - plane bed, 190
 - ripples, 187
 - rolling grain ripples, 187
 - sheet flow, 193
 - surface roughness, 191
 - vortex ripples, 187
- bluff, *see* cohesive bluffs
- boundary layer
 - oscillatory flow, 185
 - unidirectional flow, 184
- breaker zone, 15
- cliffed coast
 - classification, 478
 - definition, 477
 - erosion modelling
 - COSMOS 2-D, 503
 - horizontal platform, 480
 - morphological components, 477
 - plunging cliffs, 478
 - process-response model, 487
 - shore platform, 478, 508
 - range in form, 510
 - shore platform types, 509
 - shore platforms
 - abrasion effects, 511
 - sloping platform, 479
 - soft coast erosion, 503
 - soft coast erosion modelling
 - SCAPE, 503
 - Trenhaile, 504
 - soft rock shoreline definition, 488
 - toe erosion of hard rock, 504
- cliffed coast classification
 - recession rate, 487
- cliffed coast erosion, 480
 - effect of water level, 483
 - effects of rock weathering, 484
 - erosion probability, 485
 - hydraulic forces, 482
 - hydrostatic forces, 482
 - measurement of rock strength, 485
 - notch and visor formation, 506
 - rock resistance, 484
 - role of biological agents, 506
 - role of cliff height, 508
 - Sunamura model, 481
 - toe erosion processes, 481
 - weathering of hard rock, 504
 - weathering rate, 484
- cliffed coast recession
 - cliff recession system, 480
 - decadal scale, 481
 - effect of platform lowering, 487
 - hard rock cliffs, 504
 - measurement techniques, 486
 - recession models, 481
 - recession rate, 486
- coastal classification, 15–18
 - Davies, 19
 - Fairbridge, 18
 - Inman and Nordstrom, 17
 - Shepard, 17
 - Valentin, 18
- coastal dune vegetation
 - dune rebuilding, 299
 - invasive species, 285
 - pioneer plant species, 300

- plant zonation, 300
- vegetation and stability, 284
- vegetation cover, 299
- coastal dunes, 280
 - beach–dune interaction, 330, 333
 - blowouts, 290
 - disturbance, 290
 - dune fields, 203, 290, 293
 - dune sediment budget, 212, 282, 302
 - embryo dune, *see* incipient dune
 - foredune equilibrium, 298
 - foredune erosion by storms, 297
 - foredune evolution
 - beach sediment budget, 331
 - beach stage model, 331
 - conceptual models, 330
 - Hesp model, 333
 - large-scale controls, 333
 - foredune lee slope, 288
 - foredune scarps, 297
 - foredune stoss slope, 288
 - foredunes, 280, 283, 288
 - impeded, 283
 - incipient dune, 289, 301
 - mobile, 283
 - nebkha, 294, 357
 - parabolic dunes, 283, 291
 - sand ramp, 298
 - secondary dunes, 290
 - sediment size distribution, 282
 - shadow dunes, 294
 - transgressive dune fields, 293
 - transgressive dunes, 302
- coastal evolution, 18, 25
- coastal geomorphology, 9
- coastal management
 - sandy beach setbacks, 385
 - setbacks, 384
 - stable beach setback, 385
 - transgressive sandy beaches, 386
- coastal sediment compartments, *see* littoral cells
- coastal systems, 9
- coastal zone, 12
- coastal zone description
 - backshore, 14
 - beach, 13
 - coastal zone, 12
 - foreshore, 14
 - littoral zone, 13
 - nearshore zone, 13
 - offshore zone, 13
 - shoreface, 13
 - shoreline, 12
- cohesive bluff erosion
 - abrasion by sand, 493
 - equilibrium profile, 489
 - mass wasting processes, 502
 - measurement of toe erosion, 497
 - measurement of vertical lowering, 494
 - nearshore erosion, 490–1
 - nearshore erosion rate, 491
 - shear strength of substrate, 493
 - toe erosion, 495, 499
 - vertical lowering, 489–90
 - weathering, 495
 - weathering of substrate, 493
- cohesive bluff recession, 489
- cohesive bluff recession rate
 - effect of beach width, 501
 - surficial sediment cover, 499
- cohesive bluffs, 477, 488
 - distribution, 489
- computational fluid dynamics, 291, 318
- coral organisms, 445
 - calcium carbonate secretion, 445
 - cold water corals, 450
 - rates of carbonate accumulation, 446
 - reef-building corals, 445
 - scleractinian hard corals, 445
 - soft corals, 446
- coral reef disturbance, 466
 - biological causes, 467
 - coral bleaching, 467
 - human causes, 470
 - natural causes, 466
 - physical causes, 467
 - tropical cyclones, 468
 - tsunamis, 469
- coral reef geomorphology, 453
 - atoll response to RSL change, 457
 - atolls, 457
 - fringing reefs, 454
 - Pacific atolls, 457
 - reef island accretion, 461
 - reef islands, 459
 - shallow continental shelves, 455
 - volcanic islands, 457
- coral reef hydrodynamics, 464
 - inlets and flushing, 466
 - seasonal wave climate, 464
 - wave attenuation, 464
 - wave energy and zonation, 464
- coral reefs, 447
 - coastal protection, 451
 - coring, 462
 - distribution, 448
 - facies in uplifted reefs, 462
 - forereef slope, 448
 - framework facies, 462
 - geomorphic resilience, 450
 - Great Barrier Reef, 448
 - physical zonation, 447
 - reef crest, 448
 - response to sea level change, 451
 - response to sea level fall, 452
 - response to sea level rise, 452, 471

- coral reefs (cont.)
 sedimentary facies, 462
 vertical accretion, 452
 vulnerability to climate change, 470
- DEM, *see* digital elevation model
 digital elevation model, 21, 23
 drone, *see* UAV
- echo sounding, 233
 electromagnetic current meter, 160, 195
 equatorial siphoning, 39
 ETRS89, (European Terrestrial Reference System 1989), 32
 Exner equation, 24
 extra tropical storms, *see* mid-latitude cyclones
- fluid properties of air, 303
 forebulge, 41
- geographic information system, 21
 geoid, 39
 GIS, *see* geographic information system
 global climate change, 25
 GLOSS, (Global Sea Level Observing System), 35
 ground penetrating radar, 370
- headland bay beach, 246
 Holocene transgression, 379
 hurricanes, *see* tropical cyclone
 hydrodynamic models, 24
- incipient dunes
 evolution model, 289
 intertidal zone, 15, 44
 isostatic adjustment, *see* sea level change
 isostatic loading, *see* isostasy
- Lanphere Dunes, 285
 LiDAR, 20, 234, 352, 484, 510
 littoral cells, 201, 213
 boundaries, 213
 interruptive boundary, 216
 Lake Erie, 214
 littoral sediment budget, 211, 213, 371
 coastal erosion source, 213
 modelling, 371
 river source, 212
 sink, 211, 213
 source, 211, 213
 littoral sediment gradient, 217,
 371, 374
 ABC model, 217
 modelling, 218
 littoral sediment transport
 gross littoral transport, 202
 net littoral transport, 202, 206
 littoral zone, 231
 longshore sandwaves, 209, 360, 502
- mangrove hydrodynamics, 434
 effects of vegetation, 434
 effects on flows, 434
 reduction of wave energy, 434
 mangrove sedimentation, 434
 autocompaction, 436
 organic deposition, 436
 mangroves, 395, 430
 adaptation to waterlogging, 431
 classification of systems, 430
 primary productivity, 398
 protection against tsunamis, 436
 river dominated, 430
 salt ponds, 430
 species distribution, 430
 species zonation, 432
 TSS concentration, 434
 vegetation, 396
 Mason Bay Dunes, 287
 MEM, 494
 micro-erosion meter, *see* MEM
 mid-latitude cyclones, 59
 Milankovitch cycles, 38
 morphodynamics, 11, 22
 beach and nearshore, 232
- NAD83, 32
 nearshore and intertidal bars
 classification, 249
 controls on dynamic range, 256
 ridge and runnel, 250
 nearshore bars
 bar switching, 253
 bar welding, 260, 266
 formation, 253
 formation by cross-shore flows, 254
 formation by infragravity waves, 253–4
 inner bars, 252, 256
 multiple parallel, 250
 tidal range control, 262
 nearshore morphology, 233
 nearshore sediment size, 238
 nearshore slope, 238
 numerical model, 22
- OBS, 160, 195, 204, 206, *see* optical backscatterance sensors
 oil spill, 241
 optical backscatterance sensor, *see* OBS
 optical luminescence, 36
- particle image velocimetry, 160
 pressure bulge, *see* forebulge
- reductionist approach, 21–2
 rips, *see* surf zone circulation
- saltmarsh erosion
 erosion cycle model, 423
 erosion cycles, 422–3

- modelling, 422
- wave attack, 422
- saltmarsh hydrodynamics, 406
 - effects of vegetation, 408
 - flow modelling, 409
 - flows in tidal creeks, 406
 - flows over marsh surface, 408
 - wave reduction, 409
- saltmarsh sedimentation, 410
 - annual, 417
 - autocompaction, 411
 - decadal, 420
 - decadal scale, 419
 - effects of winter ice, 417
 - measurement of accretion, 413
 - models, 415
 - organic accretion, 411
 - rate of deposition, 414
 - sediment budget, 410–11
 - sediment erosion table, 413
 - spatial patterns, 416, 418
 - tidal cycles, 413
 - trap measurements, 414
 - TSS concentration, 413, 417
- saltmarshes, 395
 - annual mass balance, 422
 - distribution, 398
 - effects of sea level rise, 425
 - evolution, 400, 404
 - high marsh, 398
 - low marsh, 400
 - managed realignment, 426
 - Cumberland Basin, 427
 - minerogenic, 396
 - morphology, 398
 - organogenic, 396
 - primary productivity, 398
 - RSLR and coastal squeeze, 426
 - sediment sources, 404
 - tidal creek evolution, 405
 - tidal creek network, 405
 - vegetation, 396
 - vegetation zonation, 398
- satellite mapping, 234
- SBEACH, 23
- sea level, 32
 - ellipsoid model, 32
 - geoid model, 32, 34
 - mean sea level, 32, 36
 - measurement, 35
 - satellite altimetry, 35, 65
- sea level change, 31–2
 - Bruun rule, 25, 67
 - decadal, 56
 - eustatic, 31, 36, 38
 - forecast sea level rise, 68
 - historic, 36
 - Holocene transgression, 31, 38–9, 41
 - hydro-isostasy, 40–1
 - isostatic, 36, 42
 - regression, 31
 - sea level rise, 63
 - seiche, 61
 - shoreline recession, 67
 - storm surge, 56, 358
 - storm surge models, 58
 - tectonic, 40
 - transgression, 31
- sediment transport, 24
 - cross-shore, 184, 194
 - direction indicators, 202
 - energetics approach, 199
 - fluorescent tracers, 207
 - longshore transport, 184, 200, 202
 - beach drifting, 200–1
 - longshore currents, 200–2
 - rip current effects, 200
 - suspended sediment concentration profile, 195, 198
 - suspended sediment transport, 195
 - threshold of motion, 186
 - transport rate, 198
- sediment transport by waves, 184
- sediment transport measurement
 - fluorescent tracers, 204
 - radioactive tracers, 204
 - RFID tags, 205
 - sediment tracers, 204
 - streamer traps, 205
- sediment transport models
 - Baillard, 199–200
 - Bowen, 199
 - Delft3D, 218
 - SBEACH, 199
 - wave tanks, 200
- sediment transport models, 199
- sediment transport rate, 200
- self-organisational models, 170
- shoaling zone, 14
- shore platform, *see* cliffed coast: shore platform
- shoreface, 184
 - inner, 231
 - outer, 231
- shoreline change, 11
- shoreline mapping, 19
- stilling well, 35
- structure from motion, 484
- surf zone, 15, 130, 158
 - barred, 161
 - planar, 158
- surf zone circulation
 - boundary rips, 169
 - channelised rips, 167
 - drogue tracking, 160
 - feeder currents, 165
 - longshore current, 174
 - barred, 175
 - longshore current speed, 174
 - mass transport, 158

- surf zone circulation (cont.)
 measurement, 159
 planar, 161
 planar rips, 167
 rip cell, 164
 rip cell spacing, 170
 rip channel, 164
 rip current, 164
 rip current hazards, 172
 rip head, 164
 rip neck, 164
 rip speed, 169
 rips, 164
 shear waves, 177
 undertow, 158, 161, 171, 184, 195, 256
 undertow speed, 158, 163
 wind-driven currents, 177, 184
- swash zone, 15
 backwash, 143
 run-up, 143
 swash, 143
- template models, 170
 thermo-luminescence, 36
 tide gauges, 35
 tides
 amphidrome, 53
 astronomical tides, 44
 diurnal, 45
 dynamic theory, 52
 equilibrium theory, 48
 harmonic analysis, 51
 hypertidal, 47
 meteorological tides, 44, 55
 neap tide, 49
 semi-diurnal, 45, 49
 spring–neap cycle, 45
 spring tide, 46, 49
 tidal bore, 55
 tidal currents, 177
 tidal range, 44–6, 54
 tidal type, 45
 tidal wave, 48, 52
 total suspended solids, *see* saltmarsh sedimentation:TSS
 tropical cyclone, 59
 typhoons, *see* tropical cyclone
- UAV, 235
 undertow, *see* surf zone circulation
- washover fan, *see* barrier dynamics: overwash fan
 wave analysis, 93
 energy density spectrum, 98
 frequency domain, 96
 mean wave height, 95
 RMS height, 96
 significant wave height, 96
 spectral analysis, 96
 time domain, 93
 variance spectrum, 98
 wave climate, 106
 wavelet analysis, 101
 zero crossing, 93
- wave breaking, 128, 183
 breaker height, 129
 breaker indices, 135
 breaker types, 131
 breaker zone, 129
 collapsing breaker, 134
 deep water, 128
 edge waves, 151
 harmonic waves, 140
 infragravity waves, 149
 plunging breaker, 132, 158
 radiation stress, 174
 reflection, 140
 saturated surf zone, 139
 shallow water, 129
 spilling breaker, 131, 158
 surf bore, 137
 surf scaling parameter, 135
 surging breaker, 134
 vortical motion, 137
 water depth, 129
 wave set-up, 148
- wave description
 amplitude, 76
 capillary waves, 79–80
 celerity, 76
 deep water length, 113
 deep water wave, 78
 definition, 76
 edge wave, 170
 energy density, 117
 frequency, 76
 group celerity, 117
 height, 76
 infragravity waves, 80, 195
 length, 76
 linear wave profile, 111
 maximum orbital velocity, 115
 mean water level, 76
 orbital diameters, 115
 orbital motion, 76
 period, 76
 power, 117
 pressure fluctuations, 116
 sea, 79
 shallow water L, 113
 still water level, 76
 Stokes drift, 119, 158, 184
 surface gravity waves, 76, 81
 swell, 79
 tsunami, 144
 wave energy flux
 longshore component P_L , 207

- wave generation
 - dispersion, 84, 112
 - energy spectrum, 82
 - event duration, 81
 - fetch length, 81, 86
 - fully arisen sea, 85
 - spectrum, 80
 - wave growth, 82
 - wave spectrum, 91
 - whitecapping, 84, 129
 - wind speed, 81
- wave measurement, 86
 - direction, 91
 - pressure transducers, 89
 - remote sensing, 93
 - wave staffs, 89
 - wave-rider buoy, 92
- wave prediction, 101
 - direction, 104
 - forecasting, 101
 - hindcasting, 101
 - JONSWAP, 102
 - SMB method, 102
 - SWAN, 103
- wave shoaling, 122–3
 - diffraction, 126
 - MIKE 21, 128
 - orthogonals, 122
 - radiation stress, 147
 - refraction, 122, 125, 371
- Snell's law, 127
- STWAVE, 128
- wave refraction, 373
- wave set down, 147
- wave theory, 110
 - Airy (linear), 110
 - applicability, 120
 - cnoidal, 120
 - Stokes second-order, 118
 - trochoidal, 120
 - wave potential function, 111
- wetland ecosystem, 395
- WGS84, 32
- wind flow
 - bed shear velocity, 305
 - boundary layer profile, 303
 - coherent flow structures, 322
 - drag by plants, 317
 - flow separation, 319
 - flow unsteadiness, 319
 - Reynolds shear stress, 323
 - roughness elements, 306
 - roughness length, 303
 - sonic anemometers, 323
 - speed up, 317
 - topographic effects, 317
 - topographic steering, 318
- XBEACH, 23