

## Index

- $C_1 \times \cdots \times C_k$ , composite friction cone, 59  
 $C_i$ ,  $i$ 'th friction cone, 57  
 $G(q_0)$ , grasp matrix, 60  
 $J_H(\Phi, q)$ , hand Jacobian, 473  
 $K_G(q_0, \Phi_0)$ , grasp stiffness matrix, 458  
 $K_\Phi$ , joint stiffness matrix, 458  
 $M_i^1(q_0)$ ,  $i$ 'th finger first-order free motions, 137, 149  
 $M_{1\dots k}^1(q_0)$ , first-order free motions, 137, 150  
 $M_{1\dots k}^2(q_0)$ , second-order free motions, 170  
 $U \oplus V$ , direct sum, 422  
 $\mathcal{B}$ , grasped object, 17  
 $\mathcal{C} = \mathbb{R}^n \times SO(n)$ , object c-space, 18  
 $\mathcal{F}$ , free c-space, 136, 148  
 $\kappa_i(q_0, \dot{q})$   $i$ 'th c-obstacle curvature, 28, 32, 172  
 $\kappa_{\text{rel}}(q_0, \dot{q})$ , relative c-space curvature form, 172  
 $\mathcal{K}$ , c-space caging set, 237  
 $\mathcal{L}_G$ , grasp map, 60  
 $\mathcal{O}_1, \dots, \mathcal{O}_k$ , finger bodies, 54  
 $\Phi = (\phi_1, \dots, \phi_k)$ , robot hand joints, 411  
 $\mathcal{W}$ , net wrench cone, 259  
 $\text{bdy}(\mathcal{B})$ , grasped object boundary, 196  
 $\text{bdy}(\mathcal{CO}_i)$ ,  $i$ 'th c-obstacle boundary, 136  
 $\text{co}(\mathcal{X})$ , convex hull, 199  
 $\text{dst}(x, \mathcal{O})$ , distance function, 24  
 $\eta_i(q)$ ,  $i$ 'th c-obstacle normal, 25  
 $\text{int}(\mathcal{CO}_i)$ ,  $i$ 'th c-obstacle interior, 136, 148  
 $\mu_i$ ,  $i$ 'th coefficient of friction, 56  
 $\mathcal{N}(A)$ , matrix null space, 421  
 $\nu$ , Morse index, 239, 264, 487  
 $\partial f(x)$ , generalized gradient, 24, 480  
 $\dot{q} = (v, \omega)$ , tangent vector, 38  
 $\mathcal{R}(A)$ , matrix range space, 421  
 $w = (f, \tau)$ , object wrench, 42  
 $d_i(q)$ ,  $i$ 'th c-obstacle distance function, 148  
 $f_1, \dots, f_k$ , contact forces, 54  
 $l^-$ , lower half link, 239, 264  
 $m_{q_0}^1$ , first-order mobility index, 152  
 $m_{q_0}^2$ , second-order mobility index, 172  
 $p$ , number of force components, 60, 302  
 $x_1, \dots, x_k$ , contact points, 54  
 $\text{rank}(A)$ , matrix rank, 422  
 3-2-1 fixturing, 156  
 actively controlled contact forces, 423, 425, 427  
 adhesive forces, 12, 260  
 affine control system, 311  
 affinely independent, 120  
 angular velocity vector, 38  
 antipodal grasp, 85, 99  
 barrier function, 309, 317  
 basin of attraction, 262  
 bounded mobility, 236, 251  
 bounded parallelogram equilibrium region, 361  
 c-obstacle, 21  
 c-obstacle boundary, 21, 22  
 c-obstacle curvature, 26, 168, 214  
 c-obstacle curvature form, 267  
 c-obstacle distance function, 24  
 c-obstacle normal, 23  
 c-obstacle parametrization, 22  
 c-obstacle slice curvature, 29  
 c-obstacle union, 22, 208  
 c-space caging set, 237  
 c-space coordinates, 19  
 c-space cotangent vector, 41–43  
 c-space tangent vector, 38–40  
 cable grasps, 55, 74  
 cage formation, 144, 232  
 cages under gravity, 256  
 caging grasp, 206  
 caging problem, 232  
 caging projection function, 237  
 caging regions, 245  
 caging set, 232  
 Carathéodory's theorem, 110, 200  
 center of compliance, 345, 464  
 center of curvature, 27  
 center of grasp, 324  
 center of rotation, 72, 157  
 center of stiffness, 464  
 change of object frame, 342, 463  
 change of world frame, 347  
 circle of curvature, 27, 195  
 coin snapping, 469  
 compliant grasp, 141, 454, 457

- composite cage, 239, 245  
 composite friction cone, 59  
 compressive grasp, 87, 192  
 computed torque, 314  
 cone constraint, 307  
 configuration space, 5, 18  
 contact area, 58  
 contact compatibility constraints, 413, 417, 442, 447, 459  
 contact force cells, 379, 382  
 contact frames, 55, 302, 412, 414  
 contact independent regions, 332  
 contact mode ambiguity, 355, 363, 392  
 contact space, 81, 89, 117, 151, 198, 242  
 contact splitting, 89, 94, 101, 105, 195  
 control system, 301  
 controllability, 301  
 controllability matrix, 313  
 convex combination, 73, 480  
 convex cone, 57, 150, 273, 302, 303  
 convex function, 35, 307  
 convex hull, 110, 277, 375  
 convex hull property, 355  
 convex optimization, 226, 309, 337  
 coordinate projection, 118  
 coordinate transformation, 150, 342, 463  
 cotangent bundle, 170  
 cotangent space, 41  
 cotangent vector, 41, 42, 49  
 covector, 41  
 covector transformation rule, 43  
 Cramer's rule, 123, 130, 284  
 critical contact forces, 381, 383, 397  
 critical point, 258, 487  
 critical value, 487  
 cross-product matrix, 19, 38  
 curvature, 27, 196  
 curvature derivative, 196
- D'Alembert's principle, 310  
 degenerate finger mechanism, 429  
 diffeomorphism, 43, 150, 342  
 differential 1-form, 49  
 dimension of set of equilibrium grasps, 117  
 distance metric, 323, 340  
 disturbance rejection, 141  
 disturbance safe equilibrium region, 361  
 double cotangent vector, 190  
 double friction cone, 91  
 double-contact submanifold, 242  
 dual cones, 142, 145, 146, 288  
 dual vector space, 341
- epigraph, 307  
 equilateral grasp, 101  
 equilibrium grasp, 62, 82  
 equilibrium stance, 258, 259
- equivalent spring constant, 456  
 error system, 314  
 essential contact, 64, 110  
 essential equilibrium stance, 265  
 essential finger, 151  
 essential grasp, 151, 171, 265  
 exceptional bodies, 220  
 expansive grasp, 87, 193  
 exponential coordinates, 18, 160
- feedback linearization, 314  
 finger body, 20  
 finger force line, 82  
 finger mechanism Jacobian, 413  
 finger stiffness, 460, 473  
 finger wrench cone, 62  
 first-derivative test, 265, 483, 485, 491  
 first-order free motions, 149, 289  
 first-order immobilization, 142, 154, 279, 315, 330  
 first-order mobility index, 151, 152  
 first-order roll-slide motions, 158  
 first-order wrench resistance, 434  
 five-strip formula, 356, 359, 388  
 fixturing system, 2  
 flat pencil, 79, 84, 88, 100, 129, 394, 405  
 force closure, 10, 135, 144  
 force normality quality function, 338  
 force-torque coordinates, 42  
 form closure, 10, 135, 144  
 four-finger grasp, 92, 103, 104  
 frame invariance, 50, 321, 322  
 free c-space, 136  
 friction cone, 57  
 frictional point contact model, 57  
 frictionless point contact model, 55  
 fully actuated system, 312  
 fully configuration actuated system, 312
- generalized chain rule, 25, 480  
 generalized contact normal, 85  
 generalized friction cone, 58, 301  
 generalized gradient, 24, 154, 480  
 generalized Hessian, 173, 483  
 gentlest grasp, 309  
 grasp centroid, 329  
 grasp compliance matrix, 476  
 grasp dynamical equation, 311  
 grasp force optimization, 308, 336  
 grasp jamming, 239, 247  
 grasp map, 59, 60, 139, 301, 379  
 grasp matrix, 60, 302, 342, 414, 419  
 grasp matrix eccentricity, 326  
 grasp matrix ellipsoid, 326  
 grasp matrix isotropy, 326  
 grasp matrix singular values, 324, 340  
 grasp mechanical advantage, 325

- grasp polygon, 328  
 grasp quality function, 321  
 grasp stiffness matrix, 8, 458  
 gravitational potential energy, 258  
 gravitational wrenches, 272, 277
- hand Jacobian, 414, 442, 460  
 hand supported stance, 144, 349  
 handle grasp, 275, 277, 280  
 hinged jaw gripper, 234  
 homeomorphism, 237  
 homogeneity property, 361  
 Hooke's Law, 455  
 humanoid robot, 372
- immobilizing grasp, 136, 433  
 indicator function, 329  
 injective linear map, 427  
 inner product, 42  
 inscribed ball, 105, 213, 220  
 inscribed disc, 89, 220  
 instantaneous manipulability, 442  
 instantaneous work, 41, 42, 150, 151, 170, 341, 342, 386, 418  
 internal grasp forces, 62, 65, 302, 419, 423, 425, 426  
 isotropic friction cone, 71
- jamming gripper, 12  
 join point, 237, 491  
 joint stiffness matrix, 458
- kinematic control system, 449  
 kinematic quality function, 322  
 kinetic energy, 341
- left inverse matrix, 430, 443  
 legged robot, 350, 363, 372, 393  
 Lie algebra, 19, 39  
 line contact, 73, 225  
 line geometry, 6, 38, 43, 384, 393, 405  
 linear programming, 379, 405  
 linear matrix inequality, 306, 336  
 linear subspaces of lines, 82, 84, 98, 393  
 linearized grasp dynamics, 312  
 linearly dependent pencils, 394  
 Lipschitz constant, 478  
 Lipschitz continuous, 199, 213  
 Lipschitz continuous function, 24, 154, 220, 478  
 LMI wrench resistance, 308  
 LMI, linear matrix inequality, 306  
 local asymptotic stability, 314, 319, 467, 468  
 local cage, 236  
 local controllability, 449  
 local wrench resistance, 350–352, 448  
 local wrench resistant grasp, 141  
 log-determinant cost function, 310, 317
- lower half link, 239, 240, 489  
 Lyapunov function, 315, 319
- manifold, 18, 486  
 mass matrix, 261, 310  
 matrix exponential, 19  
 matrix full column rank, 427  
 matrix full row rank, 422  
 matrix group, 18  
 matrix norm, 340  
 matrix rank, 380  
 minimal first-order grasp, 198  
 minimal grasps, 194  
 minimalistic robot hand, 12, 156, 182, 206, 219, 220  
 mobility, 135  
 moment labeling technique, 68, 122, 358, 367  
 Montana's formula, 31  
 Morse data, 490  
 Morse function, 240, 248, 260, 487  
 Morse index, 172, 239, 487  
 Morse theory, 101, 105, 486  
 mountain pass theorem, 99  
 Mozzi–Chasles' theorem, 45
- net object wrench, 42, 59  
 net wrench cone, 62, 100, 116, 259, 352, 373, 379
- Newton–Euler equation, 310  
 non smooth c-obstacle, 208  
 non-isotropic friction cone, 71  
 non-prehensile object, 349  
 non-smooth extremum point, 221, 481  
 non-smooth local maximum test, 173  
 non-smooth local minimum test, 155, 265  
 non-static motion modes, 358, 391  
 null space of grasp matrix, 62
- one-contact stance, 279  
 orientation matrix, 18  
 orthogonal projection, 422, 437
- palm frame, 411  
 parallel chain mechanism, 436  
 parallel jaw gripper, 234, 415, 425, 431, 432  
 passive contact forces, 427  
 PD joint control law, 457  
 plane contact, 74  
 Plücker coordinates, 44, 51, 82, 92, 98, 393, 405  
 Poincaré's theorem, 46, 70  
 pointed cone, 64, 110, 116, 145  
 pointed fingertip, 208, 210, 310, 412, 436, 442  
 pointwise maximum, 309  
 pointwise minimum, 479, 482  
 polar cones, 68, 78, 248  
 polygonal approximation of stance equilibrium region, 379

- polyhedral cone, 64, 68, 79  
 positive semi-definite matrix, 305  
 positive span, 82  
 power, 150, 151  
 precision grasp, 430  
 preloaded contact forces, 425  
 preloading, 141  
 principal curvatures, 27, 280  
 principal directions of curvature, 27  
 principal radii of curvatures, 27  
 projection matrix, 372  
 projective space, 18  
 pseudo-inverse matrix, 419  
 puncture point, 237  
  
 quasi-flat contact, 375  
 quasiconvex function, 307, 337  
 quasistatic gait, 3  
 quaternions, 34  
  
 radius of curvature, 27, 201  
 radius of curvature, 196  
 rank deficiency condition, 381  
 rank nullity theorem, 422  
 reciprocal lines, 45, 115, 129  
 reciprocal product, 44, 50  
 reciprocal screws, 160  
 regulus, 98, 103, 104, 114, 128, 281  
 relative c-space curvature form, 172  
 resistant contact forces, 423, 424, 435  
 resistant grasp forces, 423  
 Reuleaux, 144, 160  
 right inverse matrix, 419  
 rigid-body transformation, 20, 257  
 rigid-body transformation Jacobian, 25  
 robust grasp, 87, 92, 93, 108, 198, 210, 283, 304, 309, 331  
 robust immobilization, 155  
 robust stance, 354  
 Rodrigues' formula, 19  
 rolling contact, 40, 58, 358, 392, 412, 417, 434  
 rotation matrix, 18  
 ruled manifold, 214  
 ruled surface, 36, 98, 214  
  
 saddle point test, 175  
 Salisbury hand, 1, 12, 436  
 screw lines, 46  
 screw theory, 49  
 second-derivative test, 265, 485, 491  
 second-order free motions, 168  
 second-order mobility index, 172  
 second-order tangent space, 168  
 second-order wrench resistance, 434  
 secure grasp, 135  
 serial chain, 411  
  
 set product, 59  
 seven-finger grasp, 108  
 sign invariance property, 91, 95  
 simply connected manifold, 35  
 singular finger configuration, 424, 438  
 singular values, 326  
 six-contact stance, 283  
 skew contact normals, 281  
 skew-symmetric matrix, 19, 38, 270, 474  
 sliding contact, 58, 358, 392  
 small-time locally controllable, STLC, 311, 449  
 smooth c-obstacle, 195, 215  
 soft-point contact model, 58, 72  
 solid pencil, 98, 394  
 spherical fingertip, 215  
 spherical joint, 412, 436  
 spring compliance, 455  
 spring potential energy, 455  
 spring stiffness, 455  
 spring, rotational, 456  
 stance equilibrium region, 273, 353, 374  
 stance equilibrium state, 262  
 stance local robustness, 263  
 stance local stability, 262  
 stance stability region, 274  
 static stability, 350, 371  
 stiffness matrix decoupling, 464  
 stratified Morse theory, 237, 239, 486  
 stratified set, 235, 257, 379, 486  
 structurally dependent contact forces, 423  
 submersion theorem, 381, 395, 447, 451  
 support polygon, 107, 279, 285, 375  
 support problem, 106, 257, 271  
 surface of revolution, 225  
 surjective linear map, 422  
  
 tame stance, 367, 375  
 tame terrain, 285  
 tangent bundle, 44, 48, 170, 184  
 tangent cone, 240, 248  
 tangent vector, 49  
 task programming, 463  
 Taylor expansion, 148, 168, 196, 484  
 tetrahedral grasp, 105  
 third-order geometric effects, 190  
 three-contact stance, 281  
 three-finger grasp, 88, 100  
 thumb-and-two-fingers hand, 234  
 tool manipulation, 463  
 transversal intersection, 489  
 tripod rule, 102, 277, 283  
 twist, 45, 49  
 two-finger grasp, 84, 99  
  
 uneven terrain, 279, 350, 372  
 upward-pointing contact normal, 355

- 
- vector norm, 340
  - velocity norm, 323
  - virtual c-obstacle, 268
  - virtual finger, 82, 106, 144, 268
  - virtual work principle, 42, 310, 417
  
  - wrench, 9, 41, 42, 49
  - wrench cone, 62
  - wrench derivative, 170, 183, 190, 394, 458
  
  - wrench formula, 42
  - wrench neighborhood, 361
  - wrench norm, 341
  - wrench resistance, 84, 301
  - wrench resistance region, 330
  - wrench resistant grasp, 74, 139, 349
  - wrench space, 60
  
  - ZMP principle, 393, 408