

Index

- bandgap, 6
 - direct, 6
 - indirect, 8
- bigraphene, 95
 - energy dispersion, 96
 - in an external electric field, 96
 - interlayer distance, 95
 - intralayer covalent coupling, 95
- black phosphorus, 78
 - electronic band structure, 79
- Bloch waves, 19
- coherent light, 6
- de Broglie wavelength, 60, 373
- δ -doping, 3
- density of states, 68
 - bulk crystals, 69
 - one-dimensional, 83
 - two-dimensional, 69
- dielectric constant, 66
- Dirac cones, 71
- Dirac points, 71
- Dirac-like energy dispersion, 72
- double quantum well, 91, 360
 - coherent oscillations, 225
 - energy levels, 93
 - in-plane motion, 94
- effective-mass tensor, 22
- elastic constants, 36
- electromagnetic waves, 125
 - dielectric displacement, 126, 228
 - dielectric permittivity, 126
 - electric field of wave, 126
 - intensity of wave, 128
 - light velocity, 128
 - magnetic field of wave, 126
 - magnetization of materials, 126
 - Maxwell equations, 126
 - modes, 127
 - polarization of materials, 126
 - nonlinear polarization, 228
 - polarization of wave, 128
 - wavelength, 128
- electron effective mass, 373, 380, 381
- electron mobility, 2
- electron statistics, 382
 - Fermi distribution, 383
 - Fermi energy, 383
- electro-optical effect, 6
 - in conventional materials, 212
 - in quantum wells, 215
 - in superlattices, 221
 - Franz–Keldysh mechanism, 215
 - Pockels and Kerr mechanisms, 213
- electro-optical modulators, 213
- energy dispersion, 20
- energy subbands, 61, 67
- exciton, 104
 - bulk materials, 104
 - type-I heterostructures, 108
 - type-II heterostructures, 113
- excitonic effects, 6
- exclusion principle, 10
- Fabry–Perot resonator, 7
- Fermi energy, 383
- fundamental edge of absorption, 150
- graphene, 5, 70, 248, 367
 - Brillouin zone, 71
 - density of states, 72
 - Dirac point, 72
 - doped graphene, 74
 - pristine (undoped), 74
- group-III nitride, 6
- heterojunction, 2, 60
 - single heterojunction, 65
- heterostructure
 - III–V heterostructure, 37
 - double heterostructure, 273
 - heterostructure potential, 61
 - heterostructures for light
 - amplification, 271
 - multiple-quantum-well structures, 343
 - Si/Ge heterostructures, 39, 57
 - wide-bandgap heterostructures, 40
 - electron transport, 343
 - hot-electron effects, 345
- heterostructure device, 60

- homojunction, 6, 60
 - p–n junction, 269
- interband phototransitions, 8
- intradband phototransitions, 8, 331
- laser, 6, 283, 332
 - feedback, 283
 - semiconductor, 6
 - semiconductor laser, 283
 - blue II–VI heterostructure lasers, 311
 - blue and UV light-emitting diodes, 297
 - emission spectra, 286, 289
 - injection laser, 284
 - output modulation, 289
 - output power, 286
 - quantum dot lasers, 324
 - quantum well laser, 292
 - quantum wire lasers, 318
 - short-wavelength AlGaInN lasers, 313
 - short-wavelength AlGaN lasers, 315
 - short-wavelength laser diodes, 310
 - single quantum dot emitters, 327
 - spectral region covering by injection lasers, 291
 - strained-layer quantum well lasers, 295
 - surface emitting lasers, 296
 - threshold current, 284
- lattice-mismatched materials, 31, 35
- light amplification in semiconductors, 260
 - amplification in quantum wells, 275
 - criteria for light amplification, 261
 - electrical pumping, 269
 - estimates of amplification, 264
 - methods of pumping, 265
- light-emitting diode, 6, 279
 - edge-emitting diode, 281
 - efficiency, 280
 - emission spectra, 280
 - frequency modulation, 283
 - nitride based light-emitting diodes, 297
 - AlGaInN diodes, 300
 - AlGaN diodes, 299
 - enhanced hole injection, 304
 - lateral current injection, 306
 - output power, 280
 - quantum dot emitters, 322
 - surface-emitting diode, 281
- light source, 5
- light–matter interaction, 125
 - absorption and emission, 136
 - phototransitions, 139
 - spontaneous and stimulated emission, 137
- multilayered structure, 2
- nano-electronic device, 5
- nanostructure, 2
- nonlinear optics in heterostructures, 228
 - multi-particle effects, 232
 - nonlinearities in quantum wells, 230
 - virtual field-induced nonlinear mechanism, 231
- optical microcavities, 7
- optical nonlinearities, 6
- optical properties of materials, 142
 - bulk semiconductors, 142
 - absorption/amplification coefficients, 148
 - emission, absorption, 144
 - excitonic effects, 156
 - group-III nitrides, 159
 - interband phototransitions, 145
 - optical density of states, 148
 - phototransitions at complex band structure, 152
 - refractive index, 163
 - heterostructure
 - optics of quantum dots, 205
- optical confinement factor, 271
- quantum structures, 168
 - absorption/amplification coefficient, 174
 - absorption by confined electrons, 172
 - complex band structure, 176
 - electrodynamics, 169
 - intersubband phototransitions, 184
 - intradband transitions, 182
 - optical confinement factor, 172
 - optical density of states, 174
 - phototransitions to extended state, 191
 - polarization effects, 180
 - polarization-dependent intersubband phototransitions, 192
- two-dimensional crystals, 193
 - optics of bigraphene, 197
 - optics of graphene, 194
 - optics of transition metal dichalcogenides, 199
- optical resonator, 133
- optoelectronic devices
 - based on two-dimensional crystals, 353
 - black phosphorus, 357
 - graphene-based optical modulators, 353
- optoelectronics, 1
- optoelectronics devices, 1
- photodetector, 8, 122
 - adaptive photodetectors, 360
 - device based on intraband phototransitions, 340
 - double-quantum-well-based photodetectors, 360
 - noise-equivalent optical power, 343
 - photoconductive detectors, 341
 - quantum-dot-based photodetectors, 363
 - terahertz detector based on graphene, 367
- photon wavevector, 129
- photons, 125, 129

- density of state, 130
- number of photons, 129
- photon energy, 129
- photon statistics, 135
- photons in nonuniform media, 131
- physical constants, 387
- plasmon, 5
- plasmon-polariton, 5
- plasmonics, 5, 239
 - dielectric permittivity of an electron gas, 239
 - localized surface plasmon-polariton, 254
 - field enhancement effects, 257
 - plasmon-polariton in graphene, 253
 - plasmons in low-dimensional systems, 248
 - plasmons in metals, 240
 - surface plasmon-polariton, 242
 - spatial extension of fields and charge, 248
- quantum heterostructure, 1, 61, 182, 184
 - quantum dot, 2, 322, 327
 - quantum well, 2, 61, 174, 180, 215, 230, 275, 292, 313, 363
 - quantum wire, 2, 82, 318
- quantum-cascade laser, 332
 - basic principle, 333
 - emission spectra, 336
 - difference-frequency generation, 337, 339
 - output power, 335
 - terahertz cascade laser, 336
- reciprocal-lattice vectors, 44
- reconfigurable nanomaterials, 115
- reduced mass, 148
- refractive index, field dependence, 212
- Schrödinger equation, 62, 375
- silicon on insulator, 4
- silicon optoelectronics, 349
 - electro-optic modulators, 351
 - low-loss silicon waveguides, 350
- silicon photonics, 349
- spin, 382
- stimulated emission, 6
- strain, 35
- superlattice, 2, 98
 - density of states, 103
 - dispersion relation, 100
 - energy band, 100
 - total electron energy, 101
- terahertz oscillations, 225, 337
 - coherent oscillations in double quantum wells, 225
- terahertz range, 8, 336, 339
- transition-metal dichalcogenides, 75
 - electronic properties, 75
 - valley spin coupling, 77
 - valley polarization, 54, 204
- two-dimensional crystal, 5, 353
- two-dimensional materials, 1
- units
 - Gaussian units, 386
 - SI units, 386
- wave function, 18, 61, 375
 - Bloch function, 379
 - envelope function, 380
- waveguide, 5