

Index

- Abbe number, 64
 Abbe sine condition, 448
 ABCD propagation law, 594–95
 Aberrations, 58–60, 444
 Absorption,
 fiber, 251–53
 medium, 555–57
 Absorption coefficient, 252, 352, 541, 555
 water, 608–09
 hemoglobin, 608–09
 Accommodation, eye, 425, 429, 431
 Achromatic doublet, 453
 Achromatic prism, 67
 Acousto-optic (AO) effect, 526–29
 Bragg regime, 527
 Brillouin scattering, 527
 cavity dumping, 529
 light modulation, 528–29
 Raman–Nath regime, 527, 529
 Adaptation, eye, 426
 Airy disc, 277–78
 Airy function, 203
 Aliasing, 474
 Amplitude division, 175–76
 Amplitude modulation, 245
 Anastigmatic objective, 451
 Angular dispersion, 295
 Angular magnification, 75
 eyepiece, 75, 78
 microscope, 79–80
 telescope, 83–85
 Angular spatial frequency, 461
 Anomalous dispersion, 63, 357, 542
 Anti-reflecting coating, 176, 483–86
 Aperture function, 460
 Aperture stop, 51, 56
 Aplanatic optical system, 448
 Apochromatic, 82
 Aqueous humor, 420
 Argon-ion laser, 159, 575
 medicine, 609
 Astigmatism, 444, 449–51
 eye, 433–434
 Atomic force microscope (AFM), 620
 Attenuation, 251–53
 Fresnel losses, 251
 Rayleigh scattering, 251
 Autocorrelation, 468, 475
 Avalanche diode, 389
 Axial mode number, 603
 Babinet’s principle, 330, 332
 Band-gap energy, 388, 577
 Band-pass filters, 489
 Bandwidth, 246
 Bandwidth theorem, 575
 Barrel distortion, 451–52
 Beam:
 Gaussian, 104, 583–600
 higher order, 600–04
 splitter, 192
 spread, 155–56, 273–74, 589
 waist, 155, 584
 width, 583
 Beat frequency, 123–24
 Beer’s law, 556
 Bessel function, 276–78, 290–91
 Bifocals, 432
 Binoculars, 85
 Binocular vision, 427
 Birefringence, 357–63
 circular, 366, 524
 Birefringent crystal, 358–59
 Birefringent phase matching, 515–16
 Bit rate, 246
 Blackbody radiation, 136–38, 140, 161, 579
 Blaze angle, grating, 300
 Blind spot, 421
 Bolometer, 387
 Boltzmann distribution, 135–36, 551
 Bose–Einstein condensate, 615
 Boundary conditions, \vec{E} and \vec{B} , 478, 493–95
 Bragg condition, 380, 527
 Brewster angle, 354, 497 (*See also* Polarizing angle)
 Brewster window, 354–55
 Brillouin scattering, 527
 stimulated, 532
 Burn patterns, laser, 604
 Calcite, 357–61
 Camera, 69–75
 depth of field, 70, 72–73
 exposure, 71
 lens design, 74–75
 pinhole, 69
 relative aperture (*f*-number), 71
 35–mm, 74
 Candela, 423
 Carbon arc lamp, 141
 Carbon dioxide (CO₂) laser, 159, 576
 medicine, 608–09
 Cardinal points, 408–10
 eye, 424–25
 locations, *table*, 410
 Carrier wave, 124–25
 Cartesian surface, 26–27
 Cassegrain telescope, 87, 93
 Catadioptric telescope, 82, 87

I-2 Index

- Cathode-ray tube (CRT), 391–92
Cauchy dispersion equation, 63, 543
Cavity dumper, 522, 529
Cavity loss rate, 213–14, 570
Charge-coupled device (CCD), 389–90
Chief ray, 54
Choroid, 421
Chromatic aberration, 60, 451–55
CIE luminous efficiency curve, 422
Circle of confusion, 72
Circular birefringence, 366, 524
Circular polarization, 108–10, 333, 337, 346–47, 365–67, 500–01, 524
Cladding, fiber optic, 247–51, 254–55
Coddington shape factor, 446, 448
Coefficient of finesse, 203
Coherence, 225–42
 correlation function, 233
 frequency bandwidth, 230
 lateral or spatial, 224, 237–41
 length and time, 154, 167, 230
 line width, 230–31
 partial, 231–36
 relations, summary, 236
 temporal or longitudinal, 153–54, 230–31, 237
 Van Cittert-Zernike theorem, 239
Coherence length, nonlinear crystal, 514
Coherent sources, 119, 157
Collimated beam length, 596
Color temperature, 138
Coma, 444, 447–48
Comatic circle, 447
Compensator, polarization, 360
Complementarity principle, 4
Complex numbers, 99
Complex radius of curvature, 586
Complex refractive index, 506
Concave grating, 299
Conductive keratoplasty, 436
Conductivity, 506–07, 544–55
Cones, eye, 421
Confocal parameter, 586
Conjugate points, 26
Constructive interference, 115–16, 163, 167, 170, 179
Convolution, 458, 467, 469–71
Cornea, 420
Corneal sculpting, 434–36
Cornu spiral, 320–23
Cornu spiral applications:
 single slit, 327–29
 straight edge, 325–27
 unobstructed wave front, 324
 wire, 329
Correlation, 458, 466–69
Correlation function, coherence, 233
Critical angle, 25, 498
 optical fiber, 247–48
Cross talk, 249
Cross-phase modulation, 532
Current density, 539, 544
Curvature of field, 444, 449–51
Cylinder power, 434
Cylindrical lens, 42–46
Cylindrical waves, 103–04
Czerney-Turner spectrometer, 304
- Davisson-Germer experiment, 4
de Broglie wavelength, 4
Degree of coherence, 233
Depth of field, 70, 72–73
Destructive interference, 115–16, 163, 167, 170, 179
Detectivity, 391
Detector noise, 391
Detectors, optical radiation, 386–89
Dextrorotatory, 363
Dichroism, 350–52
Dielectric, simple, 535–39
Dielectric constant, 129, 548
Dielectric film, 175–80
 multilayer, 476–90
Dielectric mirror, 177–78, 486–89
Diffraction, 16, 267 (*See also* Fraunhofer diffraction,
 Fresnel Diffraction)
 far-field, 268
 near-field, 268
 circular aperture, 276–79
 double slit, 281–84
 grating (many slits), 284–89
 rectangular aperture, 274–75
 single slit, 268–74
Diffraction grating, 284–89, 292–307
 blazing, 299–301
 concave, 299
 dispersion, 295–96
 efficiency, 299
 equation, 287, 293
 free spectral range, 293–295
 holographic, 302–03
 instruments, 303–05
 interference, 302–03
 irradiance, 286
 resolving power, 296–98
 types, 298–99
Diffuse reflector, 12–13, 22
Digital modulation, 245
Diode:
 avalanche, 389
 laser, 577–78
 LED, 143
 phototube, 387
 PIN, 389
Diopter, 41
Dipole oscillator, 353–57, 514, 536–39
 induced, 536
 moment, 536
 resonant frequency, 538
Direct vision prism, 67
Directionality (laser), 154–56
Dirichlet theorem, 225
Discharge lamp, 141–42
Dispersion:
 anomalous, 63, 357, 542
 diffraction grating, 295–96
 harmonic generation, 514
 optical fiber, 256–60
 prism, 60–63
 rotatory, 365, 524
Dispersive power, 64
Display, optical, 391–94
 CRT, 391–92
 LCD, 392–94
 Plasma, 394
Distortion:
 barrel, 451–52
 optical fiber, 253–59
 pincushion, 451–52
Doppler broadening, 567–68
Doppler cooling, 615
Doppler effect, 110–11, 124, 567–68
Double refraction, 3, 357, 361–63 (*See also*
 Birefringence)
Double-slit diffraction, 281–84
 irradiance, 282
 missing orders, 284
Double-slit (Young's) experiment, 3, 169–73
Dove prism, 69
Dye laser, 160, 577, 581, 610
- Einstein A and B coefficients, 143–45, 551–52
Electromagnetic spectrum, 6–11
Electromagnetic vacuum, 132
Electromagnetic waves, 104–07
Electro-optic coefficients, 517, *table*, 519
Electro-optic modulator, Pockels, 520
Elliptical polarization, 108, 333, 336–40
Emissivity, 138
Entrance pupil, 51–53, 56
Entrance window, 56, 57
Equal inclination fringe, 180, 195, 200 (*See also*
 Haidinger fringes)
Equal thickness fringe, 180–81, 197 (*See also*
 Fizeau fringes)
Eschelle grating, 301, 303–04, 307
Etalon, 201, 215
Euler formula, 99
Evanescent waves, 504–05
Excimer laser, 159, 176
 medicine, 610
Exitance, 11, 423
Excited state, 133, 144
Exit pupil, 51, 53, 56
Exit window, 56–57
Exposure, film, 71
External reflection, 176, 497–503
Extinction coefficient, 507, 541
Extraordinary ray, 361–63, 515–16, 523
Eye:
 astigmatism, 428, 433–34
 corrective surgery, 434–36, 610–12
 glasses, prescription, 433–34
 hyperopia, 408, 426, 430–32
 lens, 420
 myopia, 426, 428–30
 presbyopia, 426, 428, 432–33
 resolution, 281, 427–28
 response to radiant energy, 421–23
 schematic, 424–25
 structure, 420–21
 visual acuity, 427–28
Eye chart, Snellen, 427–28
Eyepiece, 75–78
 angular magnification, 75
 chromatic aberration, 76
 Huygens, 77–78
 Kellner, 78
 Ramsden, 77–78, 93
Eye relief, 78, 84–86
- Fabry-Perot interferometer, 199–216
 coefficient of finesse, 203
 contrast, 203
 etalon, 200
 figures of merit, 216–17
 finesse, 204
 free spectral range, 204
 fringe profile, 204
 mode number, 209
 quality factor Q , 212–13
 resolution criterion, 208
 resolving power, 208–09
 scanning, 206–11
 transmittance, 203–07
 variable-input-frequency, 211–13
Faraday effect, 524–26
 optical isolator, 525–26
Verdet constant, *table*, 525

- Far-field diffraction (*See* Fraunhofer diffraction)
- Far point (eye), 428
- Far-sighted eye (*See* Hyperopia)
- Fast Fourier transform, 474
Cooley-Tukey algorithm, 474
- Fellgett (multiplex) advantage, 472
- Femtochemistry, 614
- Fermat's principle, 20–22, 26, 441–42
- Fiber optics, 243–65
attenuation, 251–53
bandwidth, 246
characteristics, *table*, 249
cladding, 247–51, 254–55
communications, 244–45, 260–64
data rate, 246
dispersion, 256–60
distortion, 253–59
modes, 249–50
numerical aperture, 248, 250–51
propagation optics, 246–69
- Fibers, optic, (*See* Optical fibers)
- Field of view, 54–56
- Field stop, 51, 56
- Film:
antireflecting, 176, 483–86
high reflectance, 177, 486–89
interference, 175–80
multilayer, 476–90
refractive index, *table*, 485
thickness measurement, 182–84
- Filter, band-pass, 489
- Finesse, 204
coefficient of, 203
- Fizeau fringes, 180–81, 197
- Fluorescent lamps, 142
- f*-number, 71, 600
- Focal length:
spherical mirror, 29
system, 397, 410
thin lens, 36
thin lenses:
Abbe's method, 49
Bessel's method, 48
- Focusability, 157
- Fourier series, 96, 224–27
Dirichlet theorem, 225
square wave, 224–27
- Fourier transform, 227–30, 459
discrete, 473
fast, 474
spectroscopy, 471–74
- Fraunhofer diffraction, 267–91
circular aperture, 276–79
criterion, 268, 274
double-slit, 281–84
and Fourier transform, 459–61
multiple slits (grating), 284–89
rectangular aperture, 274–75
single slit, 268–74
- Fraunhofer wavelength, 63–64, 453–55
- Free spectral range:
diffraction grating, 293–95
Fabry-Perot, 204
- Frequency mixing, 513
- Frequency modulation, 245
- Fresnel biprism, 175
- Fresnel diffraction, 308–32
Babinet's principle, 330
circular aperture, 312–15
Cornu spiral, 319–30
criterion, 311–12
rectangular aperture, 318–30
single slit, 327–29
straight edge, 325–27
wire, 329–30
zone plate, 316–18, 375
- Fresnel equations, 3, 491–509
dielectric, 495–96
metal, 507–08
- Fresnel integrals, 322–23
table, 323
- Fresnel-Kirchhoff diffraction integral, 308–15
- Fresnel loss, 251
- Fresnel mirror, 174–75
- Fresnel rhomb, 501
- Fresnel zone, 313 (*See also* Half-period zone)
- Fresnel zone plate, 316–18, 375
- Fringe contrast, 168, 203
- Fringes, interference, 167–73
contrast, 203
types, 180–81
visibility, 168–69, 235–36, 242
- Gabor zone plate, 373–75, 384
- Gain (laser), 146–47, 557–61
coefficient, 559
medium, 146–47, 557–61
saturation, 152–53, 560, 566–69
- Gain switching, 571
- Gaussian beam, 104, 583–600
characteristics, 587–91
collimation, 596–97
focusing, 598–600, 605
higher order, 600–04
modes, 591–93
radius of curvature, 586–87
spot size, 586–87
- Gaussian lineshape, 567, 569
- Gaussian optics, 28
- Glan-Air prism, 362–63, 522
- Glasses, optical, *table*, 455
- Globar, 140
- Golay cell, 387
- Graded-index (GRIN) fiber, 249, 255
- Grating, (*See also* Diffraction grating)
constant, 295, 302–03
interference (holographic), 302–03, 374–75
replica, 301–02
- Gravitational wave detection, 217–20
- Group velocity, 125–29
- Haidinger fringe, 180, 195, 200
- Hale telescope, 88
- Half-period zone, 313
- Half-wave plate, 343, 345–46, 360, 367–69, 518–20
- Half-wave voltage:
Kerr cell, 523
Pockels cell, 519
- Harmonic wave, 96–98
- Helium-neon laser, 131, 150–51, 159, 575
- Hermite differential equation, 601
- Hermite-Gaussian beams, 600–04
- Hermite polynomials, 601–02
- High-reflectance film, 177, 486–89
- High reflectance stack, 177, 486–89
- Hologram, 372–73
cylindrical film, 378
embossed, 379
grating, 374
point source, 372–73
rainbow, 379
reconstruction, 377
ultrasonic, 382
Vander Lugt (matched), 469
volume hologram, 379–80
- Holographic grating, 374–75
- Homogeneous broadening, 564–67
- Hooke's law, 536
- Host medium (laser), 148
- Huygens eyepiece, 77–78
- Huygens-Fresnel principle, 268, 309
- Huygens' principle, 17–20
- Hyperopia, 426, 428, 430–32
- Idler frequency, 516, 616–18
- Illuminance, 423
- Image detection, 389–90
photographic film, 389
CCD, 389–90
- Imaging, 25–27
- Index of refraction, 19 (*See also* Refractive index)
- Index (phase) matching, 515–16
- Inhomogeneous broadening, 564, 567–69
- Intensity, 11–13, 423
- Interference, 163–91
coherence requirement, 165–67, 224, 231–36
constructive, 115–16, 163, 167, 170, 179
destructive, 115–16, 163, 167, 170, 179
dielectric film, 175–80
double slit, 169–73
film-thickness measurement, 182–84
multiple beam, 185–88
Newton's rings, 181–82
two-beam, 163–69
virtual sources, 173–75
- Interferogram, 200, 472–73
- Interferometer:
classification, 192
Fabry-Perot, 199–216
Mach-Zehnder, 199
fiber, 262–64
Michelson, 193–97
stellar, 240–41
Twyman-Green, 198–99
- Internal reflection, 176, 497–99
- Inverse square law, 12
- Irradiance, 11, 423
camera, 70–71
circular aperture, 275
coherent and random source, 119–20
Cornu spiral, 322
diffraction grating, 286
double slit, 170, 282
electromagnetic wave, 107
hologram, 377
interferogram, 472–73
multiple beam, 187–88
polarized light, 351
rectangular aperture, 274–76
single slit, 271, 327–29
two-beam, 163–69
- Isochronous rays, 26
- Jacquinot advantage, 472
- Jones matrices, 341–47
summary, 346
- Jones vectors, 334–41
summary, 340
- KDP, 512, 519
- Kerr constant, 523, *table*, 523
- Kerr effect, 517, 521–24
- Kerr-lens mode-locking, 614

I-4 Index

- Lambertian surface, 13, 91
Lambert's cosine law, 13
Laplacian operator, 102, 583
Laser:
 applications, 607–17, *table*, 608
 beam characteristics, 582–606
 characteristics:
 coherence, 153–54
 directionality, 154–56
 essential elements, 146–49
 eye surgery, 434–36, 610–12
 focusability, 157–58
 irradiance, 156–57
 monochromaticity, 153
 medical, 608–12
 operation, 149–53, 549–81
 types and parameters, 575–78
 table, 159–60
Laser Cooling, 614–15
Laser diode, 577–78
Laser radar, 612–13, 621
Laser trapping, 615
Lens:
 camera, 70–75
 Cooke triplet, 74, 417
 design 73, 74
 eye, 420
 Fourier transform, 462
 Protor, 418
 Rapid landscape, 416
 relative aperture, 71
 resolution, 279–81
 simple magnifier, 75–76
 telephoto, 70
 wide angle, 70
Lensmaker's formula, 36
Lens matrix, 402–04
Levrotatory, 363
LIDAR, 612–13, 621
Lifetime broadening, 564
Light-emitting diode (LED), 143
Light modulators, 517
Light pipes, 243
Light sources, nonlaser, 138–43
LIGO project, 217–20
Linear dispersion, 295
Linear polarizer, 335–36, 342–46
Lineshape function, 134–35, 143–44, 550
 Gaussian, 567
 Lorentzian, 564
Line spectrum, 138
Linewidth, 134, 153
Liquid crystal display (LCD), 392–94
Lissajous figures, 336
Littrow mount, grating, 303
Lloyd's mirror, 173–74
Localized fringes, 179, 197, 199
Longitudinal coherence, 224 (*See also* Temporal coherence)
Lorentzian lineshape, 564
Lumen, 423
Luminance, 423
Luminous efficacy, 423
Luminous efficiency, 423
Lux, 423

Mach-Zehnder interferometer, 199
 fiber, 262–64
Macula, 421
Magnification:
 angular, 75, 78
 eyepiece, 75
 holographic, 382
 lateral, 25, 30, 33
 microscope, 79–80
 spherical mirror, 30–31
 spherical refracting surface, 33
 summary, 39–40
 telescope, 83–85
 thin-lens, 37–38
Malus' law, 351
Marginal ray, 51
Matched filter, 469
Material dispersion, 256–59
Matrices, ABCD, *table*, 404
 reflection, 401
 refraction, 400
 thin lens, 402
 translation, 400
Maxwell equations, 3, 476, 539, 545
Medicinal lasers, 608–10
Meridional rays, 413
Michelson interferometer, 193–97
 Fourier transform spectroscopy, 471–74
 stellar, 240–41
Michelson–Morley experiment, 3
Microscope, 79–82
 interference objective, 182–84
 magnification, 79–80
 numerical aperture, 80–81, 281
 objective types, 81–82
 resolution, 280–81
Mie scattering, 356
Minimum deviation, prism, 61–63
Mirror:
 dielectric, 177–78, 486–89
 Fresnel, 174–75
 Lloyd's, 173–74
 plane, 23–25
 spherical, 27–32
Missing orders, 284
Modal distortion, 253–56
Mode locking, 571, 574–75
Modes:
 fiber optics:
 allowed, 249–51
 coupling, 254
 laser beam:
 Gaussian (fundamental), 591–92
 higher order, 600–04
Modulation, light, 244–45, 517–29
Modulation transfer function (MTF), 471
Multilayer films, 177, 476–90
Multiplexing, 260–62
Myopia, 426, 428–30

Nanomachines, 616
Nd:YAG laser, 160, 576–77
 Medical, 609–12
Near-field diffraction, (*See* Fresnel diffraction)
Near-field microscopy, 619–21
Near point, eye, 75, 426, 428
Near-sighted, eye, (*See* myopia)
Nernst glower, 140
Newtonian telescope, 87–88
Newtonian thin lens equation, 42
Newton's rings, 181–82
Nodal points, 397, 408–10
 eye, 424–25
 table, 410
Nodes, standing wave, 120–22
Noise, 391
Noise-equivalent power, 391
Nondestructive testing, 381–82

Nonlinear optics, 114, 510–34
 acousto-optic effect, 526–29
 Faraday effect, 524–26
 fibers, 531–33
 frequency mixing, 516–17
 Kerr effect, 521–24
 phase conjugation, 529–31
 Pockels effect, 518–21
 second harmonic generation, 513–16
Nonlocalized fringes, 173, 179, 197
Nonradiative decay, 557
Numerical aperture, 80–81, 281
 fiber optics, 248, 250–51
Nyquist criterion, 474

Obliquity factor, 309, 312, 460
Ohm's law, 544
Oil immersion objective, 81–82
Opera glass, 84
Optical activity, 363–67
 measurement, 364
 quartz, 364
 rotation, 364
 rotatory dispersion, 365
Optical constants, 506, 535
Optical data imaging, 459–71
 convolution, 469–71
 correlation, 466–69
 filtering, 464–66
 pattern recognition, 459, 467
 point spread function, 469
 spectrum analysis, 461–64
 transfer function, 470–71
Optical density, 373, 475
Optical fibers, (*See also* Fiber optics)
 birefringent, 360
 graded-index (GRIN), 249, 255
 multimode, 249–50
 single-mode (monomode), 249–51
 step-index, 255
Optical filtering, 464–66
Optical glasses, *table*, 455
Optical interferometer, (*See* interferometer)
Optical isolator, 525
Optical molasses, 615
Optical parametric oscillator (OPO), 616–19
 tuning, 618
Optical path length, 27
Optical phase conjugation (OPC), 529–31
 four-wave mixing, 530
 mirror (PCM), 530
 pointing and tracking, 531
Optical pumping, 557
Optical rectification, 514
Optical transfer function (OTF), 470–71
 modulation (MTF), 471
 phase (PTF), 471
Optical tweezers, 616
Optic axis (OA), 358–63
Optic nerve, 420–21
Ordinary ray, 361–63, 515–16, 523
Oscillator strength, 543

Parallel plate, 185–88
Parametric amplification, 516
Paraxial rays, 24, 399, 438
Partial coherence, 231–36
Pasche-Runge mounting, 304, 306
Pattern recognition, 384, 459, 467
Peak power, 573
Pellin-Broca prism, 67–68
Periodic poling, 516, 618

- Permittivity, 511
Petzval lens, 74
Petzval surface, 450
Phase, wave, 98, 114–15
Phase conjugate mirror (PCM), 530
Phase matching, 514–16
Phase retardation, 342–44, 346, 518–20, 523
Phase reversal, 378
Phase shift on reflection, 499–502
Phase transfer function (PTF), 471
Phase velocity, 125–26
Phasor, 117, 288, 313–14, 319
Phonon, 527
Photoconductive detector, 388
Photodiode, 388–89
Photoelasticity, 367–69
Photoelectric effect, 3
Photometry, 421–23
Photomultiplier, 246, 387–88
Photon, 4–6, 132
Photopic vision, 422, 426
Photovoltaic effect, 388
Piezoelectric, 518, 526
Pile-of-plates polarizer, 354
Pincushion distortion, 451–52
Pinhole camera, 69
Pixel, 389
Planckian source, 138
Planck's constant, 3, 132
Plane of incidence, 17
Plane wave, 100–02, 584
Plasma display, 394
Plasma frequency, 547
Plate factor, grating, 295
 p - n junction, 388–89, 577–78
Pockels effect, 517–22
 cavity dumper, 522
 half-wave voltage, 519
 Q -switch, 520–22
Point spread function, 469
Poisson's spot, 315
Polarizing angle, 354, 397
Polarization, electric, 511–14, 536–38
Polarization, optical:
 birefringence, 357–63
 circular, 108–10, 333, 337, 346–47, 365–67, 500–01, 524
 dichroism, 350–52
 double refraction, 361–63
 elliptical, 108, 333, 336–40
 Jones matrices, *table*, 346
 Jones vectors, *table*, 340
 linear, 108–09, 333, 335–36, 342–46
 optical activity, 363–67
 partial, 110, 334
 photoelasticity, 367–69
 by reflection, 353–55
 by scattering, 355–57
 system matrix, 347
Polarizer–analyzer pair, 351
Polarizers, 342–47
 half-wave plate, 343, 345
 linear, 342
 phase retarder, 342, 345
 quarter-wave plate, 343, 345–46, 360
 retardation plate, 342
 rotator, 343, 346
Polarizing angle, 354, 497
Polarizing prisms:
 Rochon, 363
 Sernamont, 363
 Wollaston, 363
Polar molecule, 536
Polaroid H -sheet, 352
Population inversion, 146, 151–52, 554, 558, 570, 573
Porro prism, 68–69
Posterior capsulotomy, 610–11
Power spectrum, 229
Poynting vector, 107, 477
Presbyopia, 426, 428, 432–33
Pressure broadening, 564
Principal (central) maximum, 271–73, 286–89
Prism, 60–69
 angular deviation, 60–63
 designs, 67–69
 dispersion, 60, 63–64
 minimum deviation, 61–63
 polarizing, 363
 resolving power, 65–67
 spectrometer, 64–65
Propagation constant, 97
Protor photographic lens, 418
Pulsed lasers, 158, 571–75
 Mode-locked, 574–75, 614
 Q -switched, 571–74
Pulse repetition rate, 573–75
Pump (laser), 146, 557
Pump rate density, 559
Pump waves, 516
Pupil, eye, 420
Pyroelectric detector, 387

 Q -switch, 522, 571–74
Quantization, 133
Quantum detector, 386–89
Quarter-wave plate, 343, 345–46, 360
Quasi-phase matching (QPM), 515, 618
Quartz, 359–360, 363

Radial keratotomy, 434–35
Radiance, 11–15
Radiometric quantities, *table*, 11, 423
Radiometry, 11–15
Rainbow hologram, 379
Raman scattering, stimulated, 532–33
Ramsden eyepiece, 77–78, 93
Rapid landscape lens, 416
Rate equations, laser, 549–53, 557, 569–70
Ray diagrams,
 optical system, 397, 408–09
 spherical mirror, 28–32
 thin lens, 36–38
Rayleigh criterion, 66, 208, 280–81, 297
Rayleigh range, 586
Rayleigh scattering, 355–56, 532
Ray tracing, 412–16, *table*, 415
Ray transfer matrix, 399–409
 summary, 404
Real image, 23, 37, 374, 378
Reconstruction, hologram, 377
Reference beam, 375–76
Reflectance, 221–22, 481–89, 497–98, 503
 metal surface, 508
 high-low quarter-wave stack, 488
Reflection:
 diffuse, specular, 12–13
 external, internal, 176, 497–502
 formulas, *summary*, 39–40
 law, 17, 21, 493
 from metals, 507–08
 phase change, 174, 175–80, 185–88, 221, 499–502
 plane mirror, 22–23
 spherical surface, 27–32
 total internal, 25, 248, 498–502
Reflection coefficient, 176–77, 480–81, 495–96, 499
Reflection grating, 298–99
Reflection matrix, 401
Refracting power, 39–41
Refraction:
 formulas, *summary*, 39–40
 plane surface, 23–25
 Snell's law, 17, 19–20, 22, 493
 spherical surface, 32–35
 thick lens, 396–99
 thin lens, 35–39
Refraction matrix, 400
Refractive index, 19
 coatings, *table*, 485
 complex, 357–58, 506–08, 541–48
 eye, 419–21, 425
 function of frequency, 63, 357–58, 542–43, 546–48
 gas, measurement, 196–97
 optical fiber, 246–49
 polarizing materials, *table*, 359
 prism, 62–64
 quartz, versus wavelength, 363
 relative, 177, 495
Relative aperture, 71, 600
Relaxation oscillations, 571–72
Remote sensing, 612–13
Resolution:
 eye, 281, 427–28
 lens, 279–81
 microscope, 280–81
 telescope, 280–81
Resolving power:
 eye, 281
 Fabry–Perot, 208–09
 Fourier spectrometer, 473
 grating, 296–98
 optical fiber, 244
 prism, 65–67
Resonance condition, optical fiber, 249
Resonance frequency:
 dipole, 538
 laser cavity, 603
Resonator (laser), 146, 591–93
Responsivity, detector, 391
Retina, 421
Ring laser, 561–63
Rods, eye, 243, 421
Ronchi ruling, 462
Rotator, polarization, 343, 346
Rotatory dispersion, 365
Rowland circle, 304
Ruby laser, 131

Sampling theorem, 246, 474
Saturation irradiance, 559
Scalar theory, 114
Scattering, polarization, 355–57
Schematic eye, 424–25
Schmidt telescope, 87–89
Scotopic vision, 422, 426
Secondary maxima, 271–72
Second harmonic generation, 512
Seidel aberrations, 438, 444
 astigmatism, 444, 449–51
 coma, 444, 447–48
 curvature of field, 444, 449–51
 distortion, 451–52
 spherical aberration, 27, 59, 434–37
Self-phase modulation, 532
Semiconductor laser, (*See* Laser diode)
Semiconductor photodiode, 388–89
Sernamont prism, 363

I-6 Index

- Signal frequency, 516, 617–18
Signal waves, 516, 617–18
Sign convention, imaging, 29, 30, 33, 36
Simple magnifier, 75–78
Sinc function, 229–30, 271–72, 514
Single-slit diffraction, 268–74
 beam spreading, 273–74
 central maximum, 271–73
 Fresnel, near-field, 327–29
 irradiance, far-field, 271
 resolution, 279–81
Sinusoidal grating, 464
Skew rays, 413
Skin depth, 545–46
Skip distance, 248
Small-signal gain coefficient, 559, 561, 566
Snellen eye chart, 427–28
Snell's law, 17, 19–20, 22, 493
Solar constant, 139
Solar radiation, 139
Soleil-Babinet compensator, 360
Solitons, 533
Source strength, 460
Spatial coherence, 237–41
 width, 238
Spatial filtering, 458
Spatial frequency, 459, 464–66
Specific rotation, polarization, 364
Spectral energy density, 550
Spectral exitance, 137
Spectrogram, 472–73
Spectrometer:
 Czerny–Turner, 304
 grating, 303–05
 prism, 64–65
 Wadsworth, 305
Spectrum analysis, 461–64, 471–74
Spectrum (or output) plane, 460
Specular reflection, 22
Spherical aberration, 27, 59, 434–37
Spherical wave, 102–103, 589–90
Spontaneous emission, 144, 146, 153, 550
Spot size (beam), 104, 155, 587, 589
Standing waves, 120–23
Stefan-Boltzmann law, 138
Stellar interferometer, 240–41
Stereoscopic vision, 425–26
Stimulated absorption, 144, 549, 553
Stimulated Brillouin Scattering, 532
Stimulated emission, 131, 144, 549, 553
Stimulated Raman scattering, 532
Stokes and anti-Stokes fields, 532
Stokes relations, 184–85
Stopband, 488–89
Subject beam, 376
Sunlight, 139
Superposition principle, 113–14
Survival factor, 561
Susceptibility, 511
System matrix, polarization, 347
System ray transfer matrix, *table*, 404
Talbot, 423
Telephoto lens, 70
Telescope,
 angular magnification, 83–85
 aperture stop, 84
 binoculars, 85
 Cassegrain, 87, 93
 eye relief, 84–86
 Galilean, 82, 84
 Gregorian, 87
 Hale, 87
 Keplerian (astronomical), 82
 Newtonian, 87–88
 reflecting, 87–88
 resolution, 280–81
 Schmidt, 87–89
TEM beam, 148, 582, 600–04
Temporal coherence, 153–54, 230–31, 237
Tessar lens, 74
Thermal detector, 386–87
Thermal equilibrium, 135–38
Thermistor, 387
Thermocouple, 387
Thermopile, 387
Thick lens, 396–99, 402–04
 cardinal points, 397
Thin lens, 35–39
 combinations, 41, 410–11, 453–56
 focal length:
 Abbe's method, 49
 Bessel's method, 48
 formulas, *summary*, 39–40
 lateral magnification, 25, 30, 33
 lensmaker's equation, 36
 matrix, 402
 Newtonian equation, 42
 refracting power, 39–41
Third-order aberration, (*See* Seidel aberrations)
Ti:sapphire, 160, 613–14
Total internal reflection, 25, 498–502
 fiber optics, 247–49
 frustrated, 248, 505
Transfer matrix, 476–81, 484, 487
Transmission, 462
Transmission axis (TA), 350
Transmission coefficient, 184, 221–22, 480–81, 496
Transmittance, 203–07, 375, 462, 497, 503–04, 521
Transverse electric (TE), magnetic (TM), 353–55, 492–93
Tungsten lamp, 140
Two-beam interference, 163–69
Twyman-Green interferometer, 198–99
Ultrashort pulse production, 613–14
Van Cittert-Zernike theorem, 239
Vander Lugt filter, 469
Verdet constant, 524–25, *table*, 525
Vergence, 39–41
Vignetting, 55
Virtual image, 23, 29, 37–88, 374, 377
Virtual object, 35, 38
Visibility, fringe, 168–69, 235–36, 242
Vision (*See also* Eye)
 acuity, 427–28
 defects, 428–34
 surgical correction, 434–36
 photopic, scotopic, 422, 426
 stereoscopic, 425–26
Visual purple, 426
Vitreous humor, 421
Wadsworth spectrograph, 305
Wall-plug power, 149
Wave aberration, 439–40
Wave equation, 96
Waveforms, 100–07
 complex, 100
 cylindrical, 103–04
 electromagnetic, 104–07, 582–83
 Gaussian, 104, 583–600
 harmonic, 100–04
 plane, 100–02, 584
 spherical, 102–03, 589–90
 standing, 120–23
Wavefront,
 division, 176
 reconstruction, 377
Waveguide dispersion, 259–60
Wavelength division multiplexing (WDM), 260–62
Wavelengths, laser, *table*, 159–60
 Laser diode, *table*, 578
Wave number, 97
Wave-particle duality, 2
Wide-angle lens, 70
Wien displacement law, 137
Wollaston prism, 363
Work function, 387
Xenon arc lamp, 141–42
Young's double slit experiment, 169–73
Zone plate:
 Fresnel, 316–18, 375
 Gabor, 373–75, 384