

Cambridge University Press

978-1-108-45721-7 — Mass Balance of the Cryosphere

Edited by Jonathan L. Bamber, Antony J. Payne, Foreword by John Houghton

Index

[More Information](#)

Index

- ablation, 11–12, 19–20, 84–6, 137–50
 - Greenland, 141, 393, 397, 399–401, 408–15, 421–3, 437–9, 443–4
 - sea ice, 275–7, 321–3, 367–70
- accumulation, 11, 18–28, 135–7
 - Antarctic, 464–5, 467, 469–70, 499–509
 - Greenland, 400, 402–5, 418–30, 439–43
 - sea ice, 92, 367–74
- acoustic tomography, 52
- airborne topographic mapper (ATM), 73, 82, 422
- albedo, 123–6
- altimeters, *see* airborne topographic mapper;
 - CryoSat; laser altimeters; radar altimeters
- Antarctica
 - Amery ice shelf, 31, 85, 504
 - East Antarctic ice sheet (EAIS), 193, 447, 479, 500, 510, 511–15
 - Filchner-Ronne ice shelf, 31, 85, 504, 508, 585, 629
 - Pine Island Glacier, 395, 468, 477, 483–4, 504, 627
 - Ross ice shelf, 176, 186, 193, 204, 208, 215, 473, 477, 480–3, 508, 510
 - Thwaites Glacier, 210, 395, 468, 472, 477, 483–4, 626, 627
 - West Antarctic ice sheet (WAIS), 479–84, 510–18
- Arctic Ocean, 44, 53, 92, 96–101, 106, 314–17, 338, 340–5, 352, 359, 360–3, 534, 551
- Arctic oscillation, 245, 312, 360, 377, 533, 613, 632
- ASTER, 65, 68, 83, 575, 631
- ATM, *see* airborne topographic mapper
- atmospheric correction, 71–2
- atmospheric models, 145–56; *see also* general circulation models
 - AVHRR, 65–8, 84, 99, 106, 411
- back pressure, 512
- backscatter coefficient, 69, 81, 403
- balance velocity/flux, 28, 91
- balance year, 535, 536, 607
- Baltic Sea, 340–2
- basal drag/shear stress, 170–8, 187–94, 213, 253–4, 497
- basal water pressure, 186
- Beaufort Sea, 229–31, 240, 261, 301, 312, 352, 357, 377
- bedrock adjustment, 452
- bottom melting/mass balance, 31–5
- boundary conditions, 118, 146, 147, 158, 188, 192, 198, 203–7, 211, 213, 255, 270, 295, 411, 498, 507, 517
- bridging effects, 178
- calving, *see* iceberg calving
- Canadian Arctic, 351–2, 367, 529–35, 548–50, 552, 572, 601–3
- carbon dioxide, 144, 315, 337, 361, 415, 441–3, 449–51, 503–4, 507
- clouds, 60, 68, 73, 92, 99, 106, 118, 121–8, 142–3, 148, 154
- coffee-can method, 17–18
- condensation, 21, 117, 147, 151
- constitutive laws
 - Ice, 308, 171
 - sea ice, 247–52
- continuity equation, 172, 183, 185, 193, 195, 197, 279, 286, 495
- control methods, 211, 636
- coulombic model of sea ice, 253–9
- creep of ice, 394
- crevasses, 18, 210, 395, 429, 473, 480
- CryoSat, 73, 77, 104, 123–6, 363
- Defense Meteorological Satellite (DMSP), *see* passive microwave radiometers, SSM/I
- deformation
 - of ice, 169–72, 178–85
 - of sea ice, 98–102, 227–35, 241–6
 - of subglacial till, 185–6, 518, 633
- degree-day method/models, 118, 137–9, 157–9, 437, 444–9
- densification, 18, 20, 75, 172, 421

Cambridge University Press

978-1-108-45721-7 — Mass Balance of the Cryosphere

Edited by Jonathan L. Bamber, Antony J. Payne, Foreword by John Houghton

Index

[More Information](#)

- density
 of firn, 15, 403, 448
 of ice, 48, 83, 87, 135, 172, 174, 183, 208, 216, 273, 281, 369, 463, 465, 467
 of snow, 15, 20, 21, 23, 25, 81, 135, 140, 149, 412, 448, 463, 465–7
 diffusion, 132, 145, 148, 217, 218, 275, 439, 514
 digital elevation model (DEM), 16, 65, 83, 86, 144, 544
 driving stress, 172–96, 492, 494, 513–14
 dry snow, 70, 75, 84, 97, 122, 403, 408, 412–13, 465, 502, 635
 dust (in ice), 21, 123–5, 402
 effective pressure, 186–8
 EISMINT, 197, 202–6
 electrical conductivity, 43
 electromagnetic radiation, 43, 50, 59–63, 65, 68, 71
 elevation change, measurement of, 13–18, 415–21
 emissivity, 62–3, 84, 128, 273, 339, 403, 412, 464
 energy balance models, 118–20, 140–4, 158, 306, 437, 444–8; *see also* surface energy balance
 enhanced thematic mapper, *see* Landsat
 ENVISAT, 72, 361, 634
 equilibrium-line altitude (ELA), 597–602
 ERS-1/2, 68–77, 81–2, 88–99, 103, 417, 467, 551
 fast ice, 85, 212, 241, 295–7, 301, 371
 faults, 253, 280, 284
 feedback mechanism, 2–3, 446–8
 finite difference method, 495
 finite element method, 498
 firn, 15, 18–26, 75, 84, 87–8, 172, 216, 402–3, 408, 412–13, 418, 448, 453, 464, 547, 551, 563–4, 572, 590
 first-year ice, 50, 53, 55, 93–7, 349–51, 355
 floe, 52, 240, 369
 flotation criterion, 495
 flux divergence (method), 35, 83, 86, 463–4, 470
 force budget/balance, 172–8, 188–94, 200–1, 211, 627
 form drag, 132, 177
 general circulation models, 145–56, 383–5, 441, 443, 449, 453, 503–4, 507; *see also* atmospheric models
 Geosat, 72–3, 76, 82, 417, 421, 467
 geothermal heat, 31, 213, 216, 517, 633
 glacier
 classification, 573–4
 relation to climate, 585–7, 606–13
 response time, 6, 527, 564, 570, 572, 575, 581, 607, 629
 Glen's flow law, 171–92
 GLIMS, 65, 83, 574–5
 GPS, 14–18, 34, 37, 212, 396, 413–18, 423–7, 473, 564, 584
 GRACE (gravity recovery and climate experiment), 461–3, 479, 634
 greenhouse warming, 169, 337–8, 360, 453, 459–60
- greenland ice sheet
 ablation, *see* ablation
 accumulation, *see* accumulation
 meteorology/climate, 395, 413, 418
 north-east Greenland ice stream (NEGIS), 213, 406, 423, 452, 454, 626
 thickness, 31, 86, 415, 418
 velocity, 31, 44, 86, 87, 401–2, 415, 418, 423, 428, 429, 451–2
 Greenland Sea, 44, 53, 351, 357, 361
 ground-penetrating radar (GPR), 24–6
 grounding line (zone), 31–2, 85–90, 193–7, 201, 399, 401–2, 406, 422–3, 465, 466–77, 483–4, 492–513
 heat budget (of snow/ice surface), 272–7, 323, 361
 heat flux
 geothermal, 31, 200, 208, 213, 216, 517, 633
 latent, 129–34
 precipitation, 134–5
 sensible, 129–34
 turbulent, 98, 106, 120, 129–31, 134, 138, 284, 444–8
 Holocene period, 5, 209, 452, 499–501, 531, 569, 570
 hydraulic conductivity, 228
 ice
 deformation, 98, 101, 178, 208, 227, 231–2, 245, 248, 256, 261, 266, 288–91, 301, 310, 314, 322, 494–5
 density, 48, 83, 87, 216, 463, 465
 fabric of, 171, 178–9, 200, 209, 493, 633
 growth, 92, 104–6, 270–3, 315, 516
 impurities in, 123–5, 182, 209, 212, 215
 methods of dating, 22, 104, 275
 thermal conductivity, 208, 213, 270, 271, 277, 306, 381
 thermal diffusivity, 183
 thermodynamics, 182–4, 270, 278, 371
 thickness (measurement of), 405–6, 474–7; *see also* radio-echo sounding
 Ice Age cycle, 515
 ice cores, 20–1, 402–3
 ice divide, 216, 483, 595
 ice draft, 45, 52–4, 93, 103, 106, 340, 352–9
 ice drift, 229–32, 240–5, 259, 261, 264, 286, 301–2, 315–16, 322
 ice edge, 93, 95, 297, 341, 350, 384
 ice sheet
 digital elevation models, 13, 15, 16, 65, 83, 86, 144, 400, 543–4, 596
 profile (surface), 18–20, 23–4
 thickness (change of), 13, 172, 418, 513
 velocity, 83, 86–91, 170, 172, 189–92, 208–12, 423–4, 472–4
 see also Antarctica; Greenland
 ice stream
 definition, 5

Cambridge University Press

978-1-108-45721-7 — Mass Balance of the Cryosphere

Edited by Jonathan L. Bamber, Antony J. Payne, Foreword by John Houghton

Index

[More Information](#)

Index

643

- description, 5, 186, 354–5, 394, 406, 423, 459, 473, 480, 483, 497, 512, 515, 595, 627
 driving stress, 172, 176–7, 186, 190, 201, 211, 497
 dynamics, 197, 211, 423, 480, 483, 497, 500, 510–14, 518
 temperature, 213, 627
 iceberg, 28, 85, 394, 399, 438, 451, 459, 472, 579, 515, 517, 528–9, 539–40, 545–6, 548–53, 614, 626, 629
 iceberg calving, 28–31, 85, 401–2, 451, 465–7, 472, 479, 512, 517, 539–48
 Icelandic low, 360, 380, 443
 Icelandic Sea, 96, 340
 ICESat, 73, 430, 461–3, 634
 impurities (in ice), 123–5, 182, 209, 212, 215
 infra-red radiometer, *see* AVHRR
 interferometric SAR (InSAR), 13, 16, 88, 90–1, 210–12, 473, 483–4
 interferometry, *see* interferometric SAR (InSAR)
- Landsat, 63–5, 551–2
 lapse rate, 140–2, 150, 401
 laser altimeters, 14, 73, 83, 104, 394, 396, 405–17, 424, 430, 461, 528, 581, 596, 634
 last glacial maximum (LGM), 183, 205, 207, 425, 459, 498–501
 latent heat (flux), 129
 lateral drag, 190–3
 lithosphere, 459, 493
 Little Ice Age, 5, 531, 533, 535, 536, 542, 564
 long-wave radiation/flux, 120, 127–8, 138, 142, 156, 273–5, 306, 315, 445–8
- marine instability, 195–7
 microwave radiometers, *see* passive microwave radiometers
 moraine, 124, 561, 607
 multispectral scanner (MSS), *see* Landsat
 multi-year ice, 44, 48, 55, 93, 95–8, 237–40, 272, 349–51, 355, 360, 372, 381
- Nordic Sea, 348
 normal stress, 173–4, 179, 185
 North Atlantic oscillation, 5, 229–31, 312, 343–5, 360, 377, 380, 403, 418, 419, 533, 572, 632
 numerical modelling
 Antarctic ice sheet, 493–8, 512–13, 517–18, 627–8
 glacier, 571
 Greenland ice sheet, 449, 454
 heat flow, 145
 ice flow, 186–98, 212
 ice sheet growth/decay, 202–9
 temperature, 145, 172
 sea ice, 227
- orbits, 61, 72–3, 88, 406, 461, 467
 oxygen isotopes, 21–3, 531
- PARCA, *see* Program for Arctic Regional Climate Assessment
 passive microwave radiometers, 74–5
 AMSR, 75, 84, 95, 408, 430
 EMSR, 74
 SSMMR, 74–5, 84, 93, 340, 347, 349, 350, 408, 635
 SSM/I, 56, 74, 85, 93, 99, 340, 347–50, 408, 421
 percolation, 21, 23, 137, 408, 572
 perennial ice, 93, 98, 275, 349
 photogrammetry, 13, 16, 30, 65, 83, 571, 575
 polynya, 4, 529
 polythermal glacier, 215
 porosity, 627
 pressure ridge (in sea ice), 44–5, 50, 53, 102, 227, 229, 235–7, 278, 280, 284, 295, 340, 352, 354
 Program for Arctic Regional Climate Assessment (PARCA), 208, 393, 394, 396–408, 413–30, 624, 631–6
 pure shear, 249, 254, 256, 282
- radar, *see* radar altimeters radio-echo sounding; synthetic aperture radar
 radar altimeters, 70, 75, 103, 363, 417, 527, 529, 551
 RADARSAT, 85, 97, 100–1
 radiation, *see* electromagnetic radiation
 radiation balance, *see* surface energy balance
 radio-echo sounding (RES), 43, 87–8, 207, 214–18, 474–7, 518, 632, 636
 radioactive layers, 543
 range resolution, 81
 recrystallization, 171, 198
 refreezing (meltwater in firn), 135–9, 413, 445, 448, 449, 531, 547, 625
 regelation, 185
 response time, 4–6, 252, 437, 459, 491, 508, 512–13, 517, 527, 564, 570, 572, 575, 581, 607, 624, 627, 629, 632, 635
 rheology, 200, 209, 211, 244, 248–56, 259, 261, 266, 282, 291, 295, 297, 298, 307, 315, 369–70, 372–4, 381, 633, 636
 roughness, 44–5, 55–6, 73, 96, 130–2, 137, 144, 186–7, 340, 406
 runoff, 13, 75, 117, 120, 136–40, 147, 151, 153, 413, 423, 429, 438, 448, 465, 470, 497, 502, 508, 509–10, 543, 563, 579, 587
 Russian Arctic, 241, 529, 533, 540–1, 548
- salinity of sea ice, 227, 238, 240, 273, 275, 277, 323, 342, 380
 scatterometer, 68–70, 97–9
 sea ice
 advection, 104, 266, 269, 287–9, 293, 301, 308–9, 312, 314, 369
 age, 96, 100, 104; *see also* first-year ice; multi-year ice; second-year ice
 Antarctic (Southern Ocean), 45, 48, 56, 95, 98, 232, 242, 278, 290, 339, 345–8, 367, 372, 380, 385
 arching, 241, 259, 266–9, 288, 293, 301, 306, 310

Cambridge University Press

978-1-108-45721-7 — Mass Balance of the Cryosphere

Edited by Jonathan L. Bamber, Antony J. Payne, Foreword by John Houghton

Index

[More Information](#)

- sea ice (*cont.*)
 Arctic, 48, 56, 95, 98, 242, 339, 345–8, 372, 380, 385
 brine in (effect of), 43, 50, 227–8, 238, 272–3, 277–8, 323, 371, 382
 deformation, 98–102, 229–38, 241–6, 290–3
 divergence, 101, 244–5, 255, 257, 261, 264, 280, 290, 291, 297, 298, 321, 367–8, 371
 drift, 48, 50, 100, 104, 228–38, 240, 241–8, 259, 260, 261, 264, 282, 286, 289–90, 301–2, 310, 315–16, 322, 354, 361, 381
 dynamics, 101, 228–9, 248, 273, 278, 298, 305, 307–8, 312, 314–22, 337, 352, 357, 374, 381, 385–6
 extent, 93–6, 340–51, 360, 382–5, 623
 kinematic waves in, 288–90, 322
 mechanics, 44, 229–31, 241, 245–69, 279, 288–97, 309, 322, 324
 motion, 98–102, 229–38
 plastic model, 280–4, 295, 323
 thermodynamics, 270–8, 370–1
 thickness, 102–6, 278–98, 351–9, 372–82
 tide (interaction with), 295–8
 variability, 374–80
 viscous plastic model, 370, 373
 sea level (changes in), 205, 395, 459, 463, 468, 477, 479, 497, 500, 504, 507–8, 546, 571, 579, 585, 593, 613, 628
 sea water, 21, 31, 87, 178, 192, 227, 271, 278
 Seasat, 70–6, 82, 403, 417, 421, 467
 seasonal variations, 22, 272, 402
 second-year ice, 350
 sensible heat (flux), 120, 273–5, 315
 shallow-ice approximation, 454, 497–8
 short-wave radiation/flux, 120–3
 Siberian Sea, 295, 378, 529
 simple shear, 179, 494
 sliding, 185–8
 slope-induced error, 82
 slush zone, 412, 421
 snow line, 85, 125, 136, 551
 sonar
 AUVs, 44, 52
 moored, 44, 102–6, 340
 submarine, 43–4, 52, 102–3, 340
 Southern Ocean, 3–4, 7, 59, 92–3, 516, 623
 specific heat capacity, 129–34, 136, 183, 213, 270
 SPOT, 65
 SSM/I, *see under* passive microwave radiometers
 strain rate, 180–2, 217, 571
 stream function, 298, 301
 sublimation, 117, 120, 129, 136, 139–40, 148, 152, 154–5, 399, 415, 502
 summer (mass) balance, 19, 541, 584, 587–90
 superimposed ice (and internal accumulation), 26–7, 135–6, 547
 surface energy balance, 120–37
 surge, 28, 187, 199, 422–3, 429, 480, 511, 513, 514–15, 539, 545, 561
 Svalbard, 536–40
 synthetic aperture radar, 68–70, 99–101; *see also* interferometric SAR (INSAR)
 temperate glacier, 20, 561, 564
 thematic mapper, *see* Landsat
 thermodynamic models, 270–3, 298, 306, 315, 323–4, 498
 thermohaline circulation, 31, 361, 504
 tidal ice drift, 248, 295–8
 tide-water glacier, 536, 539, 626
 till, 186–7, 212, 515
 transition zone (stream/shelf), 495, 497, 512
 tunnel, 179, 187
 turbulent heat transfer, 444–8
 upward-looking sonar, *see* sonar
 velocity of ice drift, 241–4
 viscosity, 132, 187, 203, 208, 212, 242, 245, 249, 265, 459, 463, 491, 497–8, 510
 volcanic deposits (in ice), 216, 402
 water pressure, 186–8, 207, 495
 waveforms, retracking of, 76–8, 81
 wet snow, 408
 wind drift of ice, 229–38
 winter (mass) balance, 19, 587–90, 613
 yield stress, 323, 370
 Younger Dryas period, 5