

CONTENTS

- Preface *page* xiii
 Acknowledgements xvi
- 1 Introduction 1**
- 1.1 Metals 2
 1.2 Metals and Humans 4
 1.3 Sources and Global Cycles of Metals 10
 1.4 Trace Metals and Living Organisms 17
 1.5 Pollution Hazard and Environmental Regulation 21
- 2 Metals and Mining 22**
- 2.1 Introduction 24
 2.2 Geological Origin of Metal Ores 24
 2.3 Ores 27
- 2.3.1 Tin 27
- 2.3.1.1 Cassiterite 27
 2.3.1.2 Stannite 27
- 2.3.2 Copper 27
- 2.3.2.1 Chalcopyrite 27
 2.3.2.2 Chalcocite 27
 2.3.2.3 Malachite 27
 2.3.2.4 Azurite 27
 2.3.2.5 Cuprite 27
 2.3.2.6 Tenorite 27
- 2.3.3 Arsenic 27
- 2.3.3.1 Arsenopyrite 27
- 2.3.4 Lead 28
- 2.3.4.1 Galena 28
 2.3.4.2 Other Lead Ores 28
- 2.3.5 Zinc 28
- 2.3.5.1 Sphalerite 28
 2.3.5.2 Smithsonite, Hemimorphite and Calamine 28
- 2.3.6 Silver 28
- 2.3.6.1 Argentiferous Galena 28
 2.3.6.2 Acanthite 29
- 2.3.7 Iron 29
- 2.3.7.1 Pyrite 29
 2.3.7.2 Other Iron Ores 29
- 2.3.8 Manganese 29
- 2.3.8.1 Pyrolusite 29
- 2.3.9 Tungsten 29
- 2.3.9.1 Wolframite 29
 2.3.9.2 Scheelite 29
- 2.3.10 Antimony 29
- 2.3.10.1 Antimonite, Jamesonite and Bournonite 29
- 2.3.11 Cobalt, Nickel and Molybdenum 29
- 2.3.12 Uranium 30
 2.3.13 Gold 30
 2.3.14 Aluminium 30
- 2.3.14.1 Bauxite 30
- 2.4 Geographical Distribution of Ores and Mining Districts 30
- 2.4.1 Cornwall and Devon 31
 2.4.2 Pennines 31
 2.4.3 Wales 33
 2.4.4 Scotland 33
 2.4.5 Other Mining Regions 34
- 2.5 History of Mining for Metals in the British Isles 34
- 2.5.1 Bronze Age and Iron Age 34
 2.5.2 Roman Britain 35
 2.5.3 The Middle Ages 35
- 2.5.3.1 Pennines 36
 2.5.3.2 Cornwall and Devon 37
 2.5.3.3 Lake District 39
 2.5.3.4 Scotland and Wales 39
 2.5.3.5 Iron 39
- 2.5.4 Sixteenth and Seventeenth Centuries 40
- 2.5.4.1 Lake District 40
 2.5.4.2 Cornwall and Devon 41
 2.5.4.3 Pennines 42
 2.5.4.4 Scotland 42
 2.5.4.5 North Wales, Staffordshire and the Mendips 43
 2.5.4.6 Iron 43

- 2.5.5 Eighteenth and Nineteenth Centuries 44
 - 2.5.5.1 Cornwall and Devon 45
 - 2.5.5.2 Pennines 53
 - 2.5.5.3 Wales 55
 - 2.5.5.4 Scotland 57
 - 2.5.5.5 Lake District 58
 - 2.5.5.6 Shropshire, Staffordshire and Somerset 59
 - 2.5.5.7 Isle of Man 60
 - 2.5.5.8 Ireland 60
 - 2.5.5.9 Iron 61
 - 2.5.6 Twentieth Century Forward 62
 - 2.5.6.1 Cornwall and Devon 63
 - 2.5.6.2 Pennines 65
 - 2.5.6.3 Lake District 65
 - 2.5.6.4 Wales 65
 - 2.5.6.5 Scotland 66
 - 2.5.6.6 Ireland 66
 - 2.5.6.7 Aluminium Smelting 66
 - 2.5.6.8 Avonmouth 66
 - 2.5.7 Conclusions 67
- 3 Biology of Trace Metals 68**
- 3.1 Introduction 74
 - 3.2 Evolution and Trace Metals 75
 - 3.3 Uptake of Trace Metals 76
 - 3.4 Bioavailability 79
 - 3.4.1 Dissolved Bioavailability 80
 - 3.4.2 Effects of Physiology 83
 - 3.4.3 Bioavailability from Food 85
 - 3.4.4 Uptake from Sediments 89
 - 3.5 Accumulation 90
 - 3.5.1 Metabolic Requirements for Essential Trace Metals 94
 - 3.5.2 Detoxification 95
 - 3.5.3 Accumulation, Detoxification and Toxicity 98
 - 3.5.4 Accumulation Patterns 99
 - 3.5.5 Biodynamic Modelling 104
 - 3.5.6 Food Chains and Trace Metals 106
 - 3.5.7 Significance of Bioaccumulated Trace Metal Concentrations 108
 - 3.6 Biomonitors 111
 - 3.7 Biomarkers 115
 - 3.7.1 Community Effects 120
 - 3.8 Tolerance 121
- 4 Terrestrial Environment 124**
- 4.1 Introduction 128
 - 4.2 Metal Concentrations in Soils 135
 - 4.2.1 Mining Sites 135
 - 4.2.2 Smelter and Refinery Sites 139
 - 4.2.3 Smelter and Refinery Emissions 139
 - 4.2.4 Other Anthropogenic Input into Soils 140
 - 4.2.5 Bioavailability of Trace Metals in Soils 140
 - 4.2.6 Bioaccessibility 144
 - 4.2.7 Trace Metals and Soil Types 145
 - 4.2.7.1 Calcicoles and Calcifuges 145
 - 4.2.7.2 Aluminium and Laterites 147
 - 4.2.7.3 Serpentine Group of Soils 147
 - 4.3 Microbial Community 148
 - 4.4 Lichens 151
 - 4.4.1 Metallophytic Lichen Assemblages 152
 - 4.4.2 Detoxification of Trace Metals 155
 - 4.5 Mosses and Ferns 156
 - 4.5.1 Mosses 156
 - 4.5.2 Ferns 158
 - 4.6 Flowering Plants 158
 - 4.6.1 Uptake, Accumulation and Detoxification 158
 - 4.6.2 Metallophytes 160
 - 4.6.3 Accumulation from Metal-Contaminated Soils 162
 - 4.6.3.1 Mining Sites 162
 - 4.6.3.2 Smelter Emissions 164
 - 4.6.3.3 Roadside Lead 166
 - 4.6.4 Hyperaccumulation 167
 - 4.6.5 Metal tolerance 172
 - 4.6.5.1 Occurrence of Tolerant Populations 172
 - 4.6.5.2 Evolution of Tolerance 173
 - 4.6.5.3 Mechanisms of Tolerance 175
 - 4.6.6 Aluminium 176

4.7 Invertebrate Herbivores	177	4.12.1 Avonmouth Smelter	244
4.7.1 Slugs and Snails	177	4.12.2 Merseyside Smelter	248
4.7.1.1 Detoxification	178	4.12.3 Spoil Tips	250
4.7.1.2 Biomonitoring	180	4.12.3.1 Northern Pennine Lead Mines	250
4.7.2 Insect Herbivores	181	4.12.3.2 Tamar Valley	251
4.8 Invertebrate Detritivores	183	4.12.4 Sewage Sludge Application	254
4.8.1 Earthworms	184	4.12.5 Hyperaccumulation: Ecological Effects	258
4.8.1.1 Trace Metal Accumulation	186	4.12.6 Ecotoxicological Risk Assessment	259
4.8.1.2 Detoxification of Trace Metals	190	4.12.6.1 Chemical Criteria	259
4.8.1.3 Ecotoxicology: Tolerance and Resistance	191	4.12.6.2 Biological Criteria	265
4.8.2 Woodlice	193	4.13 Livestock	270
4.8.2.1 Trace Metal Accumulation	193	4.13.1 Ecotoxicology	270
4.8.2.2 Detoxification	195	4.13.1.1 History	270
4.8.2.3 Ecotoxicology	198	4.13.1.2 Critical Soil Concentrations	272
4.8.3 Collembolans	199	4.13.2 Deficiency	273
4.8.4 Millipedes	200	4.14 Human Health	275
4.9 Invertebrate Predators	202	4.14.1 Risk to Human Health	275
4.9.1 Spiders	203	4.14.1.1 Environmental Geochemistry and Human Health	275
4.9.2 Pseudoscorpions	206	4.14.1.2 Food	276
4.9.3 Centipedes	206	4.14.1.3 Drinking Water	279
4.9.4 Beetles	206	4.14.1.4 Soil	279
4.9.5 Parasitoid Wasps	208	4.14.1.5 Dust	280
4.10 Mammals	209	4.14.1.6 Soil Guideline Values	283
4.10.1 Small Mammals	209	5 Freshwater	286
4.10.1.1 Kidneys	210	5.1 Introduction	289
4.10.1.2 Livers	219	5.1.1 Biology of Trace Metals in Freshwater	290
4.10.1.3 Whole Bodies	220	5.2 Metal Concentrations in Freshwater	292
4.10.1.4 Hair	221	5.3 Metal Concentrations in Freshwater Sediments	293
4.10.1.5 Ecotoxicology	222	5.4 Metal-Contaminated Freshwater Systems	295
4.10.2 Bats	225	5.4.1 Southwest England	299
4.11 Birds	225	5.4.1.1 River Carnon	299
4.11.1 Birds of Prey	226	5.4.1.2 River Hayle	304
4.11.2 London Pigeons	230	5.4.1.3 Red River	305
4.11.3 Pheasants, Partridges and Lead Shot	234	5.4.1.4 River Gannel	305
4.11.4 Biomonitoring and Ecotoxicology	234	5.4.1.5 River Tamar	306
4.11.4.1 Feathers	234		
4.11.4.2 Blood	239		
4.11.4.3 Eggs	241		
4.12 Environmental Effects: Community Ecotoxicology	243		

- 5.4.2 Wales 306
 - 5.4.2.1 Afon Goch 306
 - 5.4.2.2 Rivers Ystwyth and Rheidol 307
 - 5.4.2.3 River Conwy 308
- 5.4.3 Northern Pennines 309
 - 5.4.3.1 River Nent 310
 - 5.4.3.2 River West Allen 310
 - 5.4.3.3 River Derwent 310
- 5.4.4 Derbyshire 311
 - 5.4.4.1 River Ecclesbourne 311
- 5.4.5 Lake District 311
 - 5.4.5.1 Threlkeld, Keswick 311
- 5.4.6 Scotland 312
 - 5.4.6.1 Leadhills 312
 - 5.4.6.2 Tyndrum 312
- 5.4.7 Isle of Man 312
- 5.5 Concentration and Bioavailability 313
 - 5.5.1 Dissolved Bioavailability 313
 - 5.5.2 Sediment Bioavailability 314
- 5.6 Acid Mine Drainage 315
- 5.7 Iron-Rich Streams 317
- 5.8 Aluminium 318
- 5.9 Microscopic Life 319
 - 5.9.1 Bacteria 320
 - 5.9.2 Periphyton 320
 - 5.9.2.1 Diatoms 320
 - 5.9.3 Meiofauna 322
- 5.10 Algae 323
 - 5.10.1 Blue-Green Bacteria 323
 - 5.10.2 Green Algae 323
 - 5.10.2.1 Mid-Wales 324
 - 5.10.2.2 Northern Pennines 324
 - 5.10.2.3 Cornwall 325
 - 5.10.3 Red Algae 325
 - 5.10.4 Golden-Brown Algae 325
 - 5.10.5 Accumulation and Detoxification in Algae 326
- 5.11 Bryophytes 326
 - 5.11.1 Mining-Affected Streams and Rivers 326
 - 5.11.1.1 Mid-Wales 326
 - 5.11.1.2 Northern Pennines 327
 - 5.11.1.3 Lake District 327
- 5.11.2 Accumulation and Biomonitoring 328
- 5.12 Flowering Plants 334
- 5.13 Invertebrates 334
 - 5.13.1 Stoneflies 344
 - 5.13.2 Mayflies 348
 - 5.13.3 Caddisflies 352
 - 5.13.4 Chironomid Midges 358
 - 5.13.5 Further Insects 360
 - 5.13.5.1 Blackflies 360
 - 5.13.5.2 Craneflies 360
 - 5.13.5.3 Dagger Flies 361
 - 5.13.5.4 Alderflies 361
 - 5.13.5.5 Dragonflies 361
 - 5.13.5.6 Beetles 361
 - 5.13.6 Crustaceans 362
 - 5.13.6.1 Amphipods 362
 - 5.13.6.2 Isopods 362
 - 5.13.7 Oligochaetes 365
 - 5.13.8 Molluscs 366
 - 5.13.8.1 Gastropods 366
 - 5.13.8.2 Bivalves 367
- 5.14 Fish 369
 - 5.14.1 History of Fish in Metal-Contaminated River Systems 370
 - 5.14.2 Accumulation 372
 - 5.14.2.1 Metals in the Flesh of Freshwater Fish 377
- 5.15 Birds 378
 - 5.15.1 Mercury 379
 - 5.15.2 Cadmium 380
 - 5.15.3 Lead 381
 - 5.15.3.1 Lead Shot 382
- 5.16 Mammals 384
- 5.17 Community Ecotoxicology 386
 - 5.17.1 Metal-Resistant Species 387
 - 5.17.2 Community Analysis and Biotic Indices 388
 - 5.17.3 Biomonitoring, Bioaccumulated Metal Guidelines and Ecotoxicological Effects 390

5.17.3.1 Is There an Easier Way? 390	6.8.2 <i>Arenicola marina</i> : The Lugworm 452
5.17.4 Biomarkers 391	6.9 Deposit-Feeding Bivalves 455
5.17.5 Tolerance 393	6.9.1 <i>Scrobicularia plana</i> : The Peppery Furrow Shell 455
5.17.6 Water Framework Directive 394	6.9.2 <i>Macoma balthica</i> : The Baltic Tellin 461
5.17.6.1 Environmental Quality Standards 395	6.10 Deposit-Feeding Amphipod Crustaceans 464
5.17.7 Weight of Evidence (WOE) 398	6.10.1 <i>Corophium volutator</i> 464
5.18 Human Health 399	6.11 Suspension Feeders 465
6 Estuaries 401	6.11.1 Mussels 465
6.1 Introduction 403	6.11.1.1 Biomonitoring 466
6.2 Metal Concentrations in the Waters of Estuaries 404	6.11.1.2 Bioaccumulation and detoxification 471
6.2.1 Speciation and Bioavailability 409	6.11.1.3 Ecotoxicology 473
6.3 Metal Concentrations in Estuarine Sediments 411	6.11.2 Oysters 474
6.3.1 Bioavailability of Sediment-Associated Metals 417	6.11.2.1 Accumulation and detoxification 474
6.3.2 Organometals in Estuarine Sediments 419	6.11.2.2 Ecotoxicology 479
6.4 Trace Metals in Selected British Estuaries 420	6.11.3 Cockles 480
6.4.1 Restronguet Creek 421	6.11.4 Clams 484
6.4.2 Hayle 423	6.11.5 Scallops 484
6.4.3 Gannel 423	6.11.6 Importance of Family 486
6.4.4 Looe 424	6.11.7 Slipper Limpets 492
6.4.5 Tamar and Tavy 424	6.11.8 Barnacles 494
6.4.6 Dulas Bay 425	6.11.8.1 Accumulation and Detoxification 495
6.4.7 Thames 426	6.12 Grazing Gastropods 499
6.4.8 Severn 428	6.12.1 Periwinkles 499
6.4.9 Mersey 430	6.12.1.1 Detoxification of Accumulated Trace Metals 504
6.4.10 Humber 432	6.12.1.2 Tolerance and Ecotoxicology 506
6.4.11 South Wales 434	6.12.2 Limpets 506
6.4.12 Poole Harbour 435	6.12.2.1 Limpets as Biomonitors 507
6.5 Salt Marshes and Seagrasses 436	6.13 Detritivores in the Strandline 510
6.6 Seaweeds 436	6.13.1 Talitrid Amphipod Crustaceans 510
6.7 Meiofauna 441	6.13.1.1 Body Concentrations of Trace Metals 511
6.8 Deposit-Feeding Polychaetes: Ragworms and Lugworms 442	6.13.1.2 Talitrids as Trace Metal Biomonitors 512
6.8.1 <i>Hediste diversicolor</i> : A Ragworm 442	6.14 Predators 515
6.8.1.1 Bioaccumulation 443	
6.8.1.2 Biomonitoring 444	
6.8.1.3 Tolerance and Ecotoxicology 451	

x Table of Contents

6.14.1	Polychaete Worms	515	7.2.1	Coastal Waters	569
6.14.1.1	Catworms	516	7.2.2	Ocean Profiles	571
6.14.1.2	Glycerids	517	7.3	Plankton	573
6.14.2	Whelks	517	7.3.1	Phytoplankton	573
6.14.2.1	Dogwhelks	519	7.3.1.1	Trace Metal Uptake and Accumulation	574
6.14.2.2	Other Neogastropods	523	7.3.1.2	Adaptations of Oceanic Phytoplankton	576
6.14.3	Prawns and Shrimps	523	7.3.1.3	Deficiency and Toxicity	577
6.14.3.1	Accumulation and Regulation	523	7.3.2	Zooplankton	578
6.14.3.2	Copper	526	7.3.2.1	Calanoid Copepods	578
6.14.3.3	Cadmium and Lead	527	7.4	Pelagic Animals	581
6.14.3.4	Chromium	527	7.4.1	Krill	582
6.14.4	Crabs	527	7.4.2	Deep Sea Decapods and Copper Deficiency	584
6.14.4.1	Copper	528	7.4.3	Cadmium and Oceanic Invertebrates	587
6.14.4.2	Zinc	531	7.4.3.1	Hyperiid Amphipods	587
6.14.4.3	Cadmium and Lead	532	7.4.3.2	Squid	588
6.14.4.4	Detoxification	532	7.4.3.3	Ocean Striders	589
6.14.4.5	Ecotoxicology	533	7.4.4	Zinc-Tipped Arrow Worms	589
6.14.5	Fish	533	7.5	Horn-Headed Amphipods and a Dietary Iron Challenge	590
6.14.5.1	Flounder	533	7.5.1	<i>Stegocephaloides christianiensis</i>	590
6.14.5.2	Eelpout	535	7.5.2	<i>Parandania boeckii</i>	591
6.14.5.3	Eels	536	7.6	Sea Squirts and Vanadium	592
6.15	Wading Birds	537	7.7	Polychaetes and Predator Deterrence	595
6.15.1	Trace Metals in Waders	538	7.7.1	Fan Worms	595
6.16	Community Effects	540	7.7.1.2	Arsenic	596
6.16.1	Case Studies	541	7.7.1.3	Vanadium	597
6.16.2	Weight of Evidence	543	7.7.2	Copper in <i>Melinna palmata</i>	598
6.16.2.1	Biomonitors	544	7.8	Sediments	599
6.16.2.2	Environmental Quality Standards	545	7.8.1	Sediment Metal Concentrations	599
6.16.2.3	Biomarkers	547	7.8.2	Dump Sites	599
6.16.2.4	Tolerance	550	7.8.2.1	Firth of Clyde	603
6.16.2.5	Toxicity Tests	550	7.8.2.2	Liverpool Bay	604
6.16.2.6	Community Structure	552	7.8.2.3	Outer Thames	606
6.17	Fouling and Antifouling	553	7.8.2.4	Other dump sites	607
6.17.1	Resistance, Invasive Fouling Species and Tolerance	556	7.8.3	Hypoxia, Manganese and Scampi	608
6.17.2	Tributyl Tin	559	7.9	Fish	609
6.17.2.1	Imposex and Dogwhelks	560	7.9.1	Trace Metals in Fish	610
7	Coastal Seas and Oceans	565	7.10	Seafood	614
7.1	Introduction	568	7.10.1	Fish	616
7.2	Metal Concentrations in Coastal and Oceanic Waters	569	7.10.2	Crabs, Lobsters and Shrimps	618

7.10.3 Molluscs	622	8 Epilogue	655
7.10.3.1 Whelks	622	8.1 Biology of Trace Metals	655
7.10.3.2 Scallops	622	8.2 Effects of Trace Metals and the Natural	
7.10.3.3 Cockles and mussels	624	History of the British Isles	657
7.10.3.4 Oysters	625	8.2.1 Past	658
7.11 Seabirds	626	8.2.2 Present	659
7.11.1 Trace Metal Accumulation in		8.2.2.1 TBT and Antifouling	660
Seabirds	627	8.2.2.2 Mercury in Tuna	661
7.11.1.1 Cadmium	630	8.2.3 Future	662
7.11.1.2 Mercury	632	8.2.3.1 Rehabilitation and	
7.11.1.3 Ecotoxicology	637	Restoration	662
7.12 Marine Mammals	639	8.2.3.2 Conservation	666
7.12.1 Trace Metals and Marine		8.2.3.3 Climate Change and Seawater	
Mammals	645	Acidification	667
7.12.1.1 Copper and Zinc	646	8.2.3.4 Ecotoxicology	668
7.12.1.2 Cadmium	646	8.3 Postscript	669
7.12.1.3 Lead	646	References	671
7.12.1.4 Mercury	647	Index	720
7.12.1.5 Organotin	648	Colour plates can be found between pages 368 and 369	
7.12.1.6 Ecotoxicology	649		