

Index

- ability grouping, in education policy, 403–404
  - abstract concepts, neurosemantic signatures
    - of, 455–458
    - dimensions of meaning, 456–457
    - ethics, 455
    - law, 455
    - LIFG activation, 455–458
    - for verbal representations, 457–458
  - academic aptitude tests
    - American College Testing, 5–7
    - Armed Services Vocational Aptitude Battery, 6, 12
    - predictive power of
      - for academic and school performance, 11–12
      - in school admissions tests, 11
    - PSAT, 6
    - scholastic aptitude test, 5–7
  - ACT. *See* American College Testing
  - ADHD. *See* Attention-Deficit Hyperactivity Disorder
  - affective intelligence, 180–181
  - affective neuroscience, 178–179
  - age, intelligence and
    - cognitive neuroscience and, 148–149
      - core functions in, 148
      - patterns of aging, 148–149
      - super agers, 148
    - with declining brain integrity, 151–153
      - brain reserve theory and, 152–153
      - modification strategies for, 155–156
      - Scaffolding Theory of Aging and Cognition, 152
  - functional magnetic resonance imaging of, 149
  - future directions of, 156–157
  - human intelligence theories and, 149–151
    - for crystallized intelligence, 150–151
    - for fluid intelligence, 150–151
  - imaging of intelligence by, 60
  - lifespan performance measures, 151
  - in longitudinal studies, lifespan trajectories and, 137–138
  - brain maintenance and, 138
    - level-change associations, 138
    - structural scaffolding, 138
  - methodological challenges with, across
    - lifespan, 153–155
    - cohort effects, 153–154
    - Flynn effect, 154
  - modification strategies, implications of, 155–156
    - working memory tasks, 155–156
  - age differentiation hypothesis, 19
  - American College Testing (ACT), 5–7
  - analysis, of human intelligence studies
    - horizontal levels of, 424–429
      - for creative intelligence, 425–429
      - for emotional intelligence, 425
      - integration with vertical level analysis, 429
    - for practical intelligence, 425
    - for social intelligence, 425
    - for wisdom, 426–429
  - overview of, 429–430
  - synthesis of creativity, intelligence, and wisdom in, 427–429
    - g and, 428–429
  - theoretical approach to, 416–418
  - vertical levels of, 418–424
    - cultural issues, 418–420
    - epochal issues, 421–423
    - integration with horizontal level analysis, 429
    - modes of, 423–424
- anhedonia, 166–167, 176–177
- anterior salience network, 240
- Armed Services Vocational Aptitude Battery (ASVAB), 6, 12
- assessment of general intelligence, 383–384
  - from brain lesion studies, 384–389
    - for mapping, 386–388
    - for planning, 386–388
    - for problem solving, 386–388
  - voxel-based lesion-system mapping, 385–386

- assessment of general intelligence (cont.)
  - future research on, 392–393
  - for premorbid intelligence, 383–384
  - after traumatic brain injuries, recovery from, 389–391
  - genetic predisposition as factors for, 391
  - lesion severity and, 391
  - outcome predictions, 391–392
  - pre-injury intelligence as predictor of, 389–391
  - socioeconomic status as factor in, 390
  - with Wechsler Adult Intelligence Scale, 383
- assortative mating, through PGS, 354–355
- ASVAB. *See* Armed Services Vocational Aptitude Battery
- attention
  - dorsal and ventral attention networks, 240
  - network training and, 367–369
  - sustained, in neural models of cognitive control, 269
- Attention-Deficit Hyperactivity Disorder (ADHD), 368–369
- attractor manifold, in oscillator models, 172–175
- ball-and-stick model, with DWI, 195
- Binet, Alfred
  - on intelligence, definition of, 3–4
  - Stanford-Binet Intelligence Scales, 3–4
- biochemical correlates, of intelligence
  - Full Scale IQ, 282
  - historical development of, 282
  - through magnetic resonance spectroscopy. *See* magnetic resonance spectroscopy
- biological research, on intelligence, for
  - education and public policy
  - ability grouping in, 403–404
  - attainment of intelligence, 400–405
  - cognitive neuroscience and, 405–408
  - future directions in, 410
  - genetic research, 408–410
  - Head Start program, 404
  - intelligence testing, 402–405
  - IQ scores and testing, 401–403
  - supportive arguments for, 400
  - Sure Start program, 404
- blood oxygenation level dependent (BOLD)
  - contrast, 236, 305–306
- the brain. *See also* brain states; brain stimulation; neuroscience of brain networks
  - brain size, 50–51
  - as complex network, 26–31
    - diffusion tensor imaging of, 27
    - functional connectivity in, 26–29, 33–35
    - functional magnetic resonance imaging of, 27–31
    - graphs for, 28–31
    - modules in, 26–30
    - as process of inference, 27
    - structural connectivity in, 26–29, 31–33
  - cortical complexity, indices of, 223
  - cortical structure, variability in, 51, 53, 54–55, 59–62
  - cortical surface area and volume, 221–223
  - cortical thickness, 219–221
  - dorsal anterior cingulate cortex, 237
  - dorsolateral prefrontal cortex, 237
  - flexibility of, 102
  - functional correlates, 59
  - functional topology of, 106–108
  - grey matter. *See* grey matter
  - intelligence and, 13–17
    - biological processes of, 44–45
    - efficiency hypothesis for, 13–15
    - network neuroscience theory of, 17
    - Parieto-Frontal Integration Theory of, 16–17, 31–33
    - size and volume of brain, 15–16
  - language network, 240
  - learning and, requirements for, 163
  - pleasure cycle, 164–167, 176–177
  - left executive control network, 240
  - left-hemispheric executive control network, 240
  - in longitudinal studies, 125–126, 130
  - magnetic resonance spectroscopy, 283–292
  - in Multiple Demand system theory, 102–103
  - as network, 264–267. *See also* specific networks
    - graph theory, 264–266
    - neuroscience approach to, 265–267
    - timescales for, 267
  - Parieto-Frontal Integration Theory of intelligence and, 16–17, 31–33, 46, 48–57, 102–103
  - prefrontal cortex, 237
  - Process Overlap Theory and, 102–103
  - resting state of, 240
  - size of. *See* craniometry
  - structure and volume of. *See* craniometry; grey matter; white matter
  - surface-based morphometry methods, 51, 53–55
  - task-positive network, 237
  - total volume, sMRI for, 210–211
  - ventrolateral prefrontal cortex, 237
  - voxel-based morphometry methods, 51–52
  - white matter. *See* white matter
  - white matter structure, in Watershed model of Fluid Intelligence, 94
- brain energy metabolism, 302–303
- brain lesion studies, 384–389
  - mapping and, 386–388

- voxel-based lesion-system, 385–386
  - planning and, 386–388
  - problem solving and, 386–388
- brain reserve theory, 152–153
- brain states, training of, 371–373
  - with meditation, 371–372
  - with physical exercise, 371
  - with video games, 372
- brain stimulation, enhancement of cognition
  - through, 373–375
  - multimodal interventions, 375
  - theta stimulation, 374–375
  - transcortical direct current stimulation, 373–374
  - transcortical magnetic stimulation, 373
- Cattell Culture Fair Test, 267
- Cattell-Horn-Carroll (CHC) model, 9
- cerebellum, sMRI of, 224
- CHC model. *See* Cattell-Horn-Carroll model
- chemical shift imaging (CSI), 301
- children, in longitudinal studies
  - grey matter development and, 126–131
  - language acquisition in, 129–133
  - white matter development and, 133–134
- cingulo-opercular (CO) network, 263, 271–272
- cognition studies, with MRS, 285–286
- cognitive ability
  - enhancement of. *See* enhancement of cognition
  - predictive intelligence and, 328, 330
    - genetic prediction of, 332–333
    - joint heritability of, 334
    - neuroimaging of, 330–332
    - real-world outcomes of, 328
    - testing for, 328
- cognitive control. *See* neural models of cognitive control
- cognitive control network, 237, 240–241
- cognitive intelligence, 180–181
- cognitive neuroscience, 178
  - in biological research on intelligence, 405–408
- cognitive neuroscience theories of intelligence, 85–94, 103. *See also* Parieto-Frontal Integration Theory of intelligence
- age and, 148–149
  - core functions in, 148
  - for crystallized intelligence, 150–151
  - for fluid intelligence, 150–151
  - patterns of aging, 148–149
  - super agers, 148
- aging and, 149–151
- applications of
  - in biological interventions, 97–98
  - for brain health, 96–98
  - in environmental interventions, 97–98
  - for neurological diagnosis, 97
- conceptual challenges with, 95–96
- event-related potential studies and, 85–86
  - for Neural Efficiency Hypothesis, 87–88
  - neural speed in and, 86–87
- Hierarchical Predictive Processing, 86, 92–93
  - brain-ability effects in, 93
  - neural dynamics of, 95
  - scope of, 92–93
- longitudinal studies of. *See* longitudinal studies
- methodological approach to, 85–86
- Multiple Demand system theory, 85–86
- Parieto-Frontal Integration Theory of intelligence and, 89
- Network Neuroscience Theory. *See* Network Neuroscience Theory
- Neural Efficiency Hypothesis, 85–88
  - activation-based formulations, 88
  - connectivity-based formulations, 88
  - distance in, 88
  - ERP amplitudes, 87–88
  - in higher-ability individuals, 88
  - individual differences approach and, 241–246
- neural speed in, 86–87
  - ERP amplitudes, 86–87
  - for higher-order processing, 87
  - neural dynamics of, 95
- Process Overlap Theory, 86, 90–91
- research challenges with, 95–96
- synthesis of theories, 94–95
- Watershed model of Fluid Intelligence, 86, 93–94
  - intelligence as endophenotype, 93–94
  - white matter structure, 94
- cognitive tasks, 311–312
- cognitive test scores. *See* intelligence research
- communication principles, in learning models, 168–170
- concepts. *See* abstract concepts; hybrid concepts
- concrete object representations, 453–455
  - hub-and-spoke model of feature integration, 453–454
  - Principal Components Analysis, 455
  - semantic dimensions of, 454–455
- connectome-based studies, 57–58
  - for predictive intelligence, 358–359
- corpus callosum, sMRI of, 223–224
- corpus co-occurrence measures, 463–464
  - semantic vector representations, 463–464
- cortical complexity, indices of, 223
- cortical surface area and volume, 221–223
- cortical thickness, 219–221
- covariance-based network neuroscience, sMRI in, 225

- craniometry, intelligence and, 191–205  
     historical development of, 191  
     IQ measure and, 193  
     white matter volume, 192–198  
         with diffusion-weighted imaging. *See*  
         diffusion-weighted imaging  
     Parieto-Frontal Integration Theory,  
         192–193, 202–204  
 creative intelligence, 425–429  
 crystallized intelligence, 7  
     aging and, 150–151  
     neuroscience of brain networks and,  
         109–110  
 CSI. *See* chemical shift imaging
- declining brain integrity, 151–153  
     brain reserve theory and, 152–153  
     modification strategies for, 155–156  
     Scaffolding Theory of Aging and Cognition,  
         152  
 Deep Boltzman Machine, 335–336  
 deep learning, 335–337  
     visible forms of, 338  
 default mode network, 246  
 Default Mode Network, in brain imaging,  
     48–57  
 diffusion tensor imaging (DTI), 27  
     diffusion-weighted imaging and, 194–195  
 diffusion-weighted imaging (DWI), 133  
     diffusion metrics, types of, 193–194  
     diffusion tensor imaging and, 194–195  
     of white matter, 193–205  
         ball-and-stick model, 195  
         fiber tracking, 195–198  
         principal component analysis, 197–198  
         q-ball model, 195  
         quantitative tractography, 195, 198–199  
         Tract-Based Spatial Statistics, 200–202  
         virtual fiber tractography, 195–198  
         voxel-based morphometry methods,  
             200–201  
 dorsal and ventral attention networks, 240  
 dorsal anterior cingulate cortex, 237  
 dorsolateral prefrontal cortex, 237  
 DTI. *See* diffusion tensor imaging  
 DWI. *See* diffusion-weighted imaging
- ECTs. *See* elementary cognitive tasks  
 education policy. *See* biological research;  
     intelligence research  
 EEG. *See* electroencephalogram  
 efficiency hypothesis, 13–15  
     Raven's Advanced Progressive Matrices  
         and, 13–14  
     task-negative network and, 14  
     task-positive network and, 14  
 EFs. *See* executive functions
- electroencephalogram (EEG), 236  
 elementary cognitive tasks (ECTs)  
     for *g* measurement, 5, 7–8  
     reaction time for, 7–8  
 embodied cognition, 459  
 emotional intelligence, 425  
 enhancement of cognition  
     with Attention-Deficit Hyperactivity  
         Disorder, 368–369  
     through brain stimulation, 373–375  
         multimodal interventions, 375  
         theta stimulation, 374–375  
     transcortical direct current stimulation,  
         373–374  
     transcortical magnetic stimulation, 373  
 future research on, 376–377  
 through network training, 367–371  
     attention and, 367–369  
     development of, 369–370  
     individual differences as factor in,  
         370–371  
     through training of brain states, 371–373  
         with meditation, 371–372  
         with physical exercise, 371  
         with video games, 372  
 Enhancing Neuro Imaging Genetics through  
     Meta-Analysis (ENIGMA) studies,  
         74–77  
 ERD. *See* event-related desynchronization  
 ERP studies. *See* event-related potential  
     studies  
 ethics, of predictive intelligence models,  
     338–339  
 event-related desynchronization (ERD), 236  
 event-related potential (ERP) studies  
     cognitive neuroscience theories of  
         intelligence and, 85–86  
     for Neural Efficiency Hypothesis, 87–88  
     neural speed in and, 86–87  
 executive functions (EFs), 8
- feedback loops, 165  
 feedforward loops, 165  
 fiber tracking, for white matter, 195–198  
 fluid intelligence, 7  
     aging and, 150–151  
     functional brain imaging for, 236  
     neuroscience of brain networks and, 110–111  
     Watershed model of Fluid Intelligence, 86,  
         93–94  
     intelligence as endophenotype, 93–94  
     white matter structure, 94  
 Flynn effect, 154  
 fMRI. *See* functional magnetic resonance  
     imaging  
 fMRS. *See* functional magnetic resonance  
     spectroscopy

- fNIRS. *See* functional near infrared spectroscopy
- fronto-parietal (FP) controller network, 263, 271–272
- Full Scale IQ (FSIQ), 282
- functional brain imaging, of intelligence. *See also* functional magnetic resonance imaging
- for anterior salience network, 240
- blood oxygenation level dependent contrast, 236
- of brain regions, for intelligence-related tasks, 236–241
- default mode network, 246
- dorsal anterior cingulate cortex, 237
- dorsolateral prefrontal cortex, 237
- for general cognitive ability, 237
- prefrontal cortex, 237
- task-negative network, 246
- task-positive network, 246
- ventrolateral prefrontal cortex, 237
- for cognitive control network, 237, 240–241
- for dorsal and ventral attention networks, 240
- electroencephalogram, 236
- event-related desynchronization, 236
- for fluid intelligence, 236
- functional near infrared spectroscopy, 236
- future research on, trends and perspectives for, 250–253
- for *g*, 236
- individual differences approach, 235–236, 239, 241–245
- for brain efficiency, 241–242
- neural efficiency hypothesis, 241–246
- for language network, 240
- for left executive control network, 240
- for left-hemispheric executive control network, 240
- moderating factors for, 245–248
- learning and practice studies, 246–247
- task difficulty, 247–248
- predictive approach, 251–252
- studies on, limitations of, 249–250
- Functional Connectomes Project, 250
- Human Connectome Project, 250
- UK Biobank, 250
- task approach, 235–241
- multiple demand system and, 237–238
- Parieto-Frontal Integration Theory and, 237–240
- study findings, 238–240
- for task-positive network, 237
- theoretical approaches to, 235–236. *See also* task approach; individual differences approach
- for working memory, 237
- functional connectivity, in brain networks, 26–29, 33–35
- functional connectomes, in neural models of cognitive control, 267–270
- machine learning approaches, 268
- mechanisms in, 271–273
- working memory and, 268–270
- Functional Connectomes Project, 250
- functional magnetic resonance imaging (fMRI), 13, 27–31
- of aging, intelligence influenced by, 149
- in longitudinal studies, 129–137
- of neuroscience of brain networks
- for network dynamics, 111
- for network efficiency, 108
- of resting state, for brain, 240
- functional magnetic resonance spectroscopy (fMRS), 310–313
- for cognitive tasks, 311–312
- for sensory motor tasks, 310–311
- for visuospatial cognition, 313
- functional near infrared spectroscopy (fNIRS), 236
- g* (general intelligence). *See also* assessment of general intelligence
- definition of, 3–4
- ability in, 4
- for Binet, 3–4
- for Gardner, 4
- mental processing speed as element of, 4
- vagueness in, 4
- for Wechsler, 4
- functional brain imaging for, 236
- measurement of. *See* measurement of *g*
- methodological approach to, 3–18
- in Network Neuroscience Theory, 103–104
- neurobiology of, 102–103
- neuroscience of brain networks and
- dynamics of, 111–112
- efficiency of brain networks and, 106–108
- neurobiological individual differences in, 115
- predictive power of, 10–13
- for academic and school performance, 11–12
- in school admissions tests, 11
- socioeconomic status as factor in, 11
- for work performance, 12–13
- in synthesis of creativity, intelligence, and wisdom, 428–429
- GABA, neurotransmission of, 306–307, 309–310
- Galton, Francis, 155
- Gardner, Howard, 4, 428
- Gemeinschaft intelligence, 422–423
- gender, imaging of intelligence and, 60

- general intelligence. *See g*
- genetic nurture, through PGS, 353–354
- genetics
- in biological research on intelligence, 408–410
  - intelligence and, 19–20
  - in large-scale data repositories, 75–77
  - in longitudinal studies, 135–136
  - predictive intelligence and, 330, 350. *See also* polygenic score
  - for cognitive ability, 332–333
  - Genome-Wide Association Studies, 332–333, 339
  - integrative imaging approaches, 334–338
  - joint heritability of cognitive ability, 334
  - traumatic brain injury recovery and, 391
- Genome-Wide Association Studies (GWAS), 75–76, 349–350
- polygenic score and. *See* polygenic score
  - predictive intelligence and, 332–333, 339
- Gesellschaft intelligence, 422–423
- g-loaded tests, 5–8
- academic aptitude tests, 5–7
    - predictive power of, 11
  - for crystallized intelligence, 7
  - elementary cognitive tasks, 5, 7–8
  - for executive functions, 8
  - for fluid intelligence, 7
  - IQ tests, 5–6
  - predictive power of, 10–13
    - for academic and school performance, 11–12
    - in school admissions tests, 11
    - socioeconomic status as factor in, 11
    - for work performance, 12–13
  - reaction times for, 7–8
  - Wechsler Intelligence Scales, 4–6, 9
- Global Neuronal Workspace Theory, 168–170, 176
- glutamate, neurotransmission of, 306–307, 310
- graph theory, of brain networks, 264–266
- grey matter, intelligence and
- imaging of, 48
  - in longitudinal studies, 126–133
    - change in *g* scores, 132
    - in children, 126–131
    - by cortical region, 131
    - functional connectivity in, 137
- GWAS. *See* Genome-Wide Association Studies
- Hawaii Battery test, 9
- Head Start program, 404
- hierarchical models, with group factors, 9–10
- Hierarchical Neuronal Workspace Architectures, 171–172
- Hierarchical Predictive Processing theory, 86, 92–93
- brain-ability effects in, 93
  - neural dynamics of, 95
  - scope of, 92–93
- H-MRS. *See* proton magnetic resonance spectroscopy
- hub-and-spoke model of feature integration, 453–454
- Human Connectome Project, 250, 358
- hybrid concepts, neural representation of, 458–462
- embodied cognition, 459
  - emotional concepts, 459–460
  - physics concepts, 460–461
  - social concepts, 461–462
- hypothesis-driven encoding modeling, 452–453
- ICNs. *See* intrinsic connectivity networks
- imaging, of intelligence, 45–47. *See also*
- diffusion-weighted imaging; functional magnetic resonance imaging; magnetic resonance imaging
- approach strategies for, 50–60
- in connectome-based studies, 57–58
- correlates in, 50–60
- brain size, 50–51
  - cortical structure, variability in, 51, 53, 54–55, 59–62
  - functional, 59
  - surface-based morphometry methods, 51, 53–55
  - voxel-based morphometry methods, 51–52
- Default Mode Network, 48–57
- diffusion tensor imaging, 27
  - of grey matter, variability in, 48
  - heterogeneity in human sample
    - characteristics, 60–62
    - age factors, 60
    - cortical differences, variability in, 60–62
    - gender factors, 60
  - historical development of, craniometry in, 191
  - for information processing, 48–57
  - in longitudinal studies, 123–124, 136–137
    - functional magnetic resonance imaging, 129–137
    - magnetic resonance imaging, 136–137
  - neurite orientation dispersion and density imaging, 191–192
  - overview of, 62–63
  - Parieto-Frontal Integration Theory of intelligence and, 45–47
    - brain regions in, 46, 48–57
  - positron emission tomography, 13, 70–71
  - for types of intelligence, 47–50

- psychometric models of, 47–50
  - variability across imaging studies, 47
  - of white matter. *See* diffusion-weighted imaging
- individual differences approach, in functional
  - brain imaging, 235–236, 239, 241–245
  - for brain efficiency, 241–242
  - neural efficiency hypothesis, 241–246
- infants, in longitudinal studies, 135
- inference, in network neuroscience methods, 27
- information-processing models
  - of intelligence, 44
  - imaging for, 48–57
  - magnetic resonance spectroscopy for, 305–307
- intelligence. *See also g*; neural models of
  - intelligence; predictive intelligence; *specific imaging modalities*
  - affective, 180–181
  - brain and, 13–17
    - biological processes of, 44–45
    - efficiency hypothesis for, 13–15
    - network neuroscience theory of intelligence, 17
    - Parieto-Frontal Integration Theory and, 16–17, 31–33
    - size and volume of, 15–16
  - cognitive, 180–181
  - craniometry and. *See* craniometry
  - creative, 425–429
  - crystallized, 7
    - aging and, 150–151
    - neuroscience of brain networks and, 109–110
  - emotional, 425
  - fluid, 7
    - aging and, 150–151
    - neuroscience of brain networks and, 110–111
  - future research on, 17–20
    - age differentiation hypothesis, 19
    - genetic information as factor in, 19–20
    - non-*g* factors, 17–19
    - Spearman's Law of Diminishing Returns, 19
  - Gemeinschaft, 422–423
  - Gesellschaft, 422–423
  - information-processing models, 44, 48–57
  - lifespan performance measures for, 151
  - magnetic resonance imaging for, 13
  - optimal states of, 175–180
    - affective neuroscience and, emerging evidence of, 178–179
    - cognitive neuroscience and, emerging evidence of, 178
  - Global Neuronal Workspace Theory, 176
  - Leading Eigenvector Dynamics Analysis, 178
    - social neuroscience and, emerging evidence of, 177–178
  - plasticity of, 102
  - positron emission tomography for, 13
  - practical, 425
  - psychometric models, 44
  - Scarr-Rowe effects and, 20
  - social, 180–181, 425
    - suboptimal states of, 175–180
  - intelligence models, 8–9
    - Cattell-Horn-Carroll model, 9
    - hierarchical models with group factors, 9–10
    - Spearman model without group factors, 8–10
  - intelligence quotient (IQ) tests, 5–6
    - in biological research on intelligence, 401–403
    - craniometry and, 193
    - Full Scale IQ, 282
  - intelligence research, education and public
    - policy influenced by
    - applications of, 442–444
    - cognitive test scores in, use of, 435–441
      - forward causal inferences, 436–438
      - historical development of, 435
      - as outcomes, 441
      - as predictors, 439–440
      - reverse causal questions, 436–438
    - for selection purposes, 435
  - improvement strategies for intelligence
    - through, 441–442
  - policy definitions, 443
  - public debates over, 434–436
  - roadblocks in, 443–444
  - twin studies in, 437
- intelligence studies. *See also* large-scale data repositories
  - with magnetic resonance spectroscopy, 286–292
    - limitations of, 287–289
    - recommendations for future applications, 290–292
- interference resolution, in neural models of cognitive control, 269
- intrinsic connectivity networks (ICNs)
  - in Network Neuroscience Theory, 91–92
  - neuroscience of brain networks and, 107, 109–110, 115
    - capacity of ICNs, 111–112
    - dynamic functional connectivity and, 112
    - flexibility of, 111–112
- invariance, in *g* measurement, 9–10
  - in WEIRD countries, 10
- IQ tests. *See* intelligence quotient tests
- Jensen, Arthur, 4



- language acquisition, in children, 129–133
- language network, 240
- large-scale data repositories, for intelligence studies, 71–77
- challenges with, 75–77
- Enhancing Neuro Imaging Genetics through Meta-Analysis, 74–77
- Genome-Wide Association Studies, 75–76
- imaging genetics in, 75–77
- meta-analyses, 74
- Parieto-Frontal Integration Theory of intelligence and, 75
- planned datasets, 71–74
- research consortia with, 72–73
- unplanned datasets, 74
- LASER. *See* Localization by Adiabatic SElective Refocusing
- LDpred estimation, 352
- Leading Eigenvector Dynamics Analysis (LEiDA), 178
- learning. *See also* predictive intelligence
- brain requirements for, 163
- pleasure cycle, 164–167, 176–177
- deep, 335–337
- machine, 167–168
- in functional connectomes, 268
- predictive intelligence and, 163–170
- feedback loops, 165
- feedforward loops, 165
- reinforcement of, 165
- learning models. *See also* predictive intelligence
- architecture principles in, 168–170
- Global Neuronal Workspace Theory, 168–170, 176
- Hierarchical Neuronal Workspace Architectures, 171–172
- communication principles in, 168–170
- flexibility of, 167–168
- for machine learning, 167–168
- optimization principles of, 163–170
- parameters of, 169–170
- reward-related signals and, 173–174
- oscillator models
- attractor manifold, 172–175
- metastability of, 175
- social neuroscience and, emerging evidence from, 177–178
- reinforcement, 176–177
- left executive control network, 240
- left inferior frontal gyrus (LIFG) activation, 455–458
- left-hemispheric executive control network, 240
- LEiDA. *See* Leading Eigenvector Dynamics Analysis
- lifespan performance measures. *See also* age for intelligence, 151
- LIFG activation. *See* left inferior frontal gyrus activation
- Localization by Adiabatic SElective Refocusing (LASER), 301–302
- longitudinal studies, of cognitive neuroscience of intelligence
- aging in, lifespan trajectories and, 137–138
- brain maintenance and, 138
- level-change associations, 138
- structural scaffolding, 138
- brain structure in, 125–126, 130
- in children
- grey matter development and, 126–131
- language acquisition in, 129–133
- white matter development and, 133–134
- dynamics of, 124–126
- coupling parameters, 126
- genetics in, 135–136
- grey matter in, 126–133
- change in *g* scores, 132
- in children, 126–131
- by cortical region, 131
- functional connectivity in, 137
- in infants, 135
- measures of cognitive ability, 124–125
- methodology of, 140
- mutualism model, 123–124
- neuroimaging technology in, 123–124, 136–137
- functional magnetic resonance imaging, 129–137
- magnetic resonance imaging, 136–137
- overview of, 124–139
- socioeconomic status factors in, 136
- timing of, 139–140
- white matter in, 133–135
- in children, 133–134
- diffusion weighted imaging of, 133
- in infants, 135
- machine learning, 167–168
- in functional connectomes, 268
- magnetic resonance imaging (MRI). *See also* functional magnetic resonance imaging
- imaging; structural magnetic resonance imaging
- for intelligence, 13, 70–71
- in longitudinal studies, 136–137
- magnetic resonance spectroscopy and, 298
- for predictive intelligence, 356
- magnetic resonance spectroscopy (MRS), 283–292
- blood oxygenation level dependent contrast and, 305–306
- for brain energy metabolism, 302–303
- chemical foundations of, 298–306
- chemical shift imaging and, 301



- functional magnetic resonance spectroscopy
    - and, 310–313
    - for cognitive tasks, 311–312
    - for sensory motor tasks, 310–311
    - for visuospatial cognition, 313
  - future applications of, 313–315
  - hardware for, 301
  - historical applications of, 283–284
  - for information processing, 305–307
  - in vivo*, 306–307
  - intelligence studies and, 286–292
    - limitations of, 287–289
    - recommendations for future applications, 290–292
  - Localization by Adiabatic SElective Refocusing, 301–302
  - magnetic resonance imaging and, 298
  - N-acetylaspartate, 284–286, 288–289, 304–305, 308–310
  - neurochemical variable assessment by, 284–286
    - advantages of, 301
    - for early cognition studies, 285–286
    - limitations of, 300–301
    - of N-acetylaspartate, 284–286, 288–289
  - for neurochemistry and cognition, relationship between, 307–315
    - energy metabolism indicators, 307–308
  - for neurotransmission, 305–307
    - of GABA, 306–307, 309–310
    - of glutamate, 306–307, 310
  - nuclear magnetic resonance and, 298–300
  - outer volume suppression, 301–302
  - P MRS studies, 307–308
  - physical foundations of, 298–306
  - point-resolved spectroscopy, 301–302
  - process of, 283
  - proton magnetic resonance spectroscopy, 284, 298–299
    - cognition studies, 308–310
    - contraction derived from, 303–304
    - for Myo-Inositol markers, 304–305
    - for N-acetylaspartate markers, 304–305
    - for neuropil expansion markers, 303–304
  - SPin ECho, full Intensity Acquired Localized, 301–302
  - stimulated acquisition mode and, 301–302
  - theoretical approach to, 297–298
  - of white matter, 284
- mapping
- brain lesion studies and, 386–388
    - voxel-based lesion-system mapping, 385–386
  - in predictive modeling, 452
- MD system theory. *See* Multiple Demand system theory
- meaning representation, 448
- in abstract concepts, 456–457
  - measurement of *g*, 5–10. *See also g*-loaded tests
    - at individual level, 5
  - intelligence models, 8–9
    - Cattell-Horn-Carroll model, 9
    - hierarchical models with group factors, 9–10
    - Spearman model without group factors, 8–10
  - invariance in, 9–10
    - in WEIRD countries, 10
  - positive manifold in, 5
  - principle of the indifference of the indicator in, 5
  - scope of, 5
  - variance in, 5
- measurement of intelligence. *See* measurement of *g*; *specific tests*
- meditation, enhancement of cognition through, 371–372
- mental processing speed, as intelligence, 4
- metastability
- affective neuroscience and, 178–179
  - of oscillator models, 175
- modulated voxel-based morphometry, 212–217
- modules, in brain networks, 26–30
- morphometry methods. *See* surface-based morphometry methods; voxel-based morphometry methods
- MRI. *See* magnetic resonance imaging
- MRS. *See* magnetic resonance spectroscopy
- Multiple Demand (MD) system theory, 85–86
- brain networks and, 102–103
  - Parieto-Frontal Integration Theory of intelligence and, 89
  - in task approach, to functional brain imaging, 237–238
- multiple intelligences, 4, 428
- multivariate pattern analysis (MVPA), 449–453
- factor analysis, 451
  - GLM activation-based approaches compared to, 450
  - hypothesis-driven encoding modeling, 452–453
  - predictive modeling, 451–452
  - Principal Components Analysis, 451
  - representational similarity analysis, 450–451
- mutualism model, 123–124
- MVPA. *See* multivariate pattern analysis
- Myo-Inositol markers, 304–305
- N-acetylaspartate (NAA), 284–286, 288–289, 304–305, 308–310
- naïve methods, 351–352
- NEH. *See* Neural Efficiency Hypothesis

- network neuroscience methods. *See also* the brain
- for brain as complex network
    - functional connectivity in, 26–29, 33–35
    - graphs for, 28–31
    - as process of inference, 27
    - structural connectivity in, 26–29, 31–33
  - future directions for, 35–36
  - neurocognitive intelligence models, 31–35
    - brain bases of intelligence, 32
    - functional networks, 33–35
    - Parieto-Frontal Integration Theory, 16–17, 31–33
    - structural networks, 31–33
  - theory of intelligence, 17, 35–36
  - types of networks in, 17
- Network Neuroscience Theory (NNT), 17, 35–36, 86, 91–92
- g in, 103–104
  - intrinsic connectivity networks, 91–92
  - neural dynamics of, 95
  - predictions of, 113–114
  - predictive intelligence and, 359
  - premises of, 91–92
  - small-world architecture in, 91–92
- network training, through enhancement of cognition, 367–371
- attention and, 367–369
  - development of, 369–370
  - individual differences as factor in, 370–371
- Neural Efficiency Hypothesis (NEH), 85–88
- activation-based formulations, 88
  - connectivity-based formulations, 88
  - distance in, 88
  - ERP amplitudes, 87–88
  - in higher-ability individuals, 88
  - individual differences approach and, 241–246
- neural models of cognitive control
- cingulo-opercular network, 263, 271–272
  - components of, 271
  - fronto-parietal controller network, 263, 271–272
  - functional connectomes, 267–270
    - machine learning approaches, 268
    - mechanisms in, 271–273
    - working memory and, 268–270
  - impairment in, 270
  - interference resolution in, 269
  - network-based computational models, 262–273
  - neural models of intelligence compared to, 262–264
  - sustained attention in, 269
  - task-switching in, 269
  - translational applications, 270–271
- neural models of intelligence. *See also* Parieto-Frontal Integration Theory of intelligence
- components of, 271
  - neural models of cognitive control
    - compared to, 262–264
- neural representation of concepts
- for abstract concepts, neurosemantic signatures of, 455–458
  - dimensions of meaning, 456–457
  - ethics, 455
  - law, 455
  - LIFG activation, 455–458
  - for verbal representations, 457–458
- academic research on, 448–449
- commonality across participants, 462–463
- concrete object representations, structure of, 453–455
- hub-and-spoke model of feature integration, 453–454
  - Principal Components Analysis, 455
  - semantic dimensions of, 454–455
- contemporary approaches to, 449–453
- corpus co-occurrence measures, 463–464
- semantic vector representations, 463–464
- cortical function, 448
- for hybrid concepts, 458–462
- embodied cognition, 459
  - emotional concepts, 459–460
  - physics concepts, 460–461
  - social concepts, 461–462
- meaning representation, 448
- in abstract concepts, 456–457
- multivariate pattern analysis, 449–453
- factor analysis, 451
  - GLM activation-based approaches
    - compared to, 450
  - hypothesis-driven encoding modeling, 452–453
  - predictive modeling, 451–452
  - Principal Components Analysis, 451
  - representational similarity analysis, 450–451
- neuroimaging findings, 463–464
- new insights on, 464–465
- perceptual grounding, of concepts, 448–449
- univariate-base analyses, 449
- neural speed, 86–87
- ERP amplitudes, 86–87
  - for higher-order processing, 87
  - neural dynamics of, 95
- neurocognitive intelligence models, 31–35
- brain bases of intelligence, 32
  - functional networks, 33–35
  - Parieto-Frontal Integration Theory, 16–17, 31–33
  - structural networks, 31–33

- neuron orientation dispersion and density imaging (NODDI), 191–192
- neuropil expansion markers, 303–304
- neuroscience of brain networks. *See also* network neuroscience methods; Network Neuroscience Theory
- dynamics of
- of crystallized intelligence, 109–110
  - of fluid intelligence, 110–111
  - functional magnetic resonance imaging of, 111
  - of *g*, 111–112
- efficiency of networks, 104–108
- through flexibility, 107
  - functional magnetic resonance imaging of, 108
  - g* and, 106–108
  - in small-world networks, 104–108
- flexibility in, 108–114
- efficiency through, 107
- functional reconfiguration of brain networks, 113–114
- g* and
- dynamics of, 111–112
  - efficiency of brain networks and, 106–108
  - neurobiological individual differences in, 115
- intrinsic connectivity networks, 107, 109–110, 115
- capacity of, 111–112
  - dynamic functional connectivity and, 112
  - flexibility of, 111–112
- Newton, Isaac, 283
- NMR. *See* nuclear magnetic resonance
- NNT. *See* Network Neuroscience Theory
- NODDI. *See* neuron orientation dispersion and density imaging
- non-*g* factors, in intelligence, 17–19
- nuclear magnetic resonance (NMR), 298–300
- optimal states, of intelligence, 175–180
- affective neuroscience and, emerging evidence of, 178–179
  - cognitive neuroscience and, emerging evidence of, 178
- Global Neuronal Workspace Theory, 176
- Leading Eigenvector Dynamics Analysis, 178
- social neuroscience and, emerging evidence of, 177–178
- optimization principles, in learning models, 163–170
- parameters of, 169–170
  - reward-related signals and, 173–174
- oscillator models, for learning
- attractor manifold, 172–175
  - metastability of, 175
  - social neuroscience and, emerging evidence from, 177–178
- outer volume suppression (OVS), 301–302
- Parieto-Frontal Integration Theory (P-FIT) of intelligence, 88–90
- brain and, 16–17, 31–33
  - brain networks, 102–103
  - imaging of brain regions, 46, 48–57
  - functional studies on, 90
  - imaging of intelligence and, 45–47
    - of brain regions, 46, 48–57  - in large-scale data repositories, 75
  - Multiple Demand theory, 89
  - network neuroscience theory of intelligence and, 17, 31–33
  - for predictive intelligence, 357–358
  - scope of, 88–89
  - structural studies on, 90
  - in task approach, to functional brain imaging, 237–240
- PCA. *See* Principal Component Analysis
- penalized regression, 352–353
- PET. *See* positron emission tomography
- P-FIT of intelligence. *See* Parieto-Frontal Integration Theory of intelligence
- PGS. *See* polygenic score
- physical exercise, enhancement of cognition through, 371
- planned datasets, in large-scale data repositories, 71–74
- planning, brain lesion studies and, 386–388
- plasticity, of intelligence, 102
- pleasure cycle, 164–166
- anhedonia, 166–167, 176–177
- point-resolved spectroscopy (PRESS), 301–302
- polygenic score (PGS), predictive intelligence and, 350–355
- empirical applications of, 353–355
  - assortative mating, 354–355
  - for evolution, 355
  - genetic nurture, 353–354
  - social mobility, 354
- methods of construction, 351–353
- LDpred estimation, 352
  - naïve methods, 351–352
  - penalized regression, 352–353
- positive manifold, in measurement of *g*, 5
- positron emission tomography (PET), 13
- for predictive intelligence, 356
- POT. *See* Process Overlap Theory
- practical intelligence, 425
- predictive intelligence, models for. *See also* learning
- biological interpretability of, 329–330
  - brain-based, uses for, 331–332

- predictive intelligence, models for. (cont.)  
   from brain-imaging data, 355–356  
   with magnetic resonance imaging, 356  
   with positron emission tomography, 356  
 cognitive ability and, 328, 330  
   genetic prediction of, 332–333  
   joint heritability of, 334  
   neuroimaging of, 330–332  
   real-world outcomes of, 328  
   testing for, 328  
 Deep Boltzman Machine, 335–336  
 deep learning, 335–337  
   visible forms of, 338  
 empirical findings for, 357–359  
   brain size and structure, 357  
   for connectomes, 358–359  
   Network Neuroscience Theory and, 359  
   for Parieto-Frontal Integration Theory model, 357–358  
 ethics of, 338–339  
 explanation of intelligence compared to, 329–330  
 external validity for, 329  
 future research on, 359  
 genetics and, 330, 350. *See also* polygenic score  
   for cognitive ability, 332–333  
 Genome-Wide Association Studies. *See* Genome-Wide Association Studies  
   integrative imaging approaches, 334–338  
   joint heritability of cognitive ability, 334  
 learning models, 163–170  
   feedback loops, 165  
   feedforward loops, 165  
   reinforcement, 165  
 limitations of, 338–339  
 theoretical approach to, 162–163  
 transparency in, 329–330  
 twin-based studies for, 334  
 predictive modeling  
   mapping in, 452  
   multivariate pattern analysis and, 451–452  
 predictive power, of *g*, 10–13  
   for academic and school performance, 11–12  
   in school admissions tests, 11  
   socioeconomic status as factor in, 11  
   for work performance, 12–13  
 prefrontal cortex, 237  
 premorbid intelligence, 383–384  
 PRESS. *See* point-resolved spectroscopy  
 Principal Components Analysis (PCA)  
   for concrete object representations, 197–198  
   in multivariate pattern analysis, 451  
   for white matter, 197–198  
 principle of the indifference of the indicator, 5  
 problem solving, brain lesion studies and, 386–388  
 Process Overlap Theory (POT), 86, 90–91  
   brain networks and, 102–103  
 proton magnetic resonance spectroscopy (H-MRS), 284, 298–299  
   cognition studies, 308–310  
   contraction derived from, 303–304  
   for Myo-Inositol markers, 304–305  
   for N-acetylaspartate markers, 304–305  
   for neuropil expansion markers, 303–304  
 PSAT, 6  
 psychometric models, of intelligence, 44, 47–50  
 public policy. *See* biological research; intelligence research  
 q-ball model, with DWI, 195  
 quantitative tractography, for white matter, 195, 198–199  
 random networks, in neuroscience theory of intelligence, 17  
 Raven's Advanced Progressive Matrices (RAPM), 13–14, 267  
 reaction times (RT), for *g*-loaded tests, 7–8  
 regular networks, in neuroscience theory of intelligence, 17  
 reinforcement learning models, 176–177  
 representational similarity analysis (RSA), 450–451  
 representations. *See* neural representation of concepts  
 reward-related signals, in learning models, 173–174  
 Ricketts, Ed, 180–181  
 RSA. *See* representational similarity analysis  
 RT. *See* reaction times  
 SAT. *See* scholastic aptitude test  
 SBM methods. *See* surface-based morphometry methods  
 Scaffolding Theory of Aging and Cognition (STAC), 152  
 Scarr-Rowe effects, 20  
 scholastic aptitude test (SAT), 5–7  
 semantic vector representations, 463–464  
 sensory motor tasks, 310–311  
 SES. *See* socioeconomic status  
 SLDOR. *See* Spearman's Law of Diminishing Returns  
 small world networks, in neuroscience theory of intelligence, 17  
 small-world architecture, in NNT, 91–92  
 small-world networks, in neuroscience of brain networks, 104–108  
 sMRI. *See* structural magnetic resonance imaging  
 social intelligence, 180–181, 425  
 social neuroscience, 177–178

- socioeconomic status (SES)
  - g* and, predictive power of, 11
  - in longitudinal studies, 136
  - recovery from traumatic brain injury and, 390
- Spearman model, without group factors, 8–10
- Spearman’s Law of Diminishing Returns (SLODR), 19
- SPin ECho, full Intensity Acquired Localized (SPECIAL), 301–302
- SRA Primary Mental Abilities tests, 421
- STAC. *See* Scaffolding Theory of Aging and Cognition
- Stanford-Binet Intelligence Scales, 3–4
- STEAM. *See* stimulated acquisition mode
- Steinbeck, John, 180–181
- stimulated acquisition mode (STEAM), 301–302
- structural connectivity, in brain networks, 26–29, 31–33
- structural magnetic resonance imaging (sMRI)
  - of cerebellum, 224
  - of corpus callosum, 223–224
  - in covariance-based network neuroscience, 225
  - multi-metric approaches to, 225–226
  - purpose of, 210
  - of subcortical nuclei, 224–225
  - with surface-based morphometry, 217–223
    - for cortical complexity, indices of, 223
    - for cortical surface area and volume, 221–223
    - for cortical thickness, 219–221
    - goals and purpose of, 217
    - study findings, 218–223
  - for total brain volume, 210–211
  - with voxel-based morphometry, 211–217
    - modulated, 212–217
    - process of, 211–212
    - study findings, 213–217
    - unmodulated, 212–213, 215–216
    - for white matter, 216–217
- structural neuroimaging, of intelligence differences. *See* structural magnetic resonance imaging
- structural scaffolding, 138
- subcortical nuclei, sMRI of, 224–225
- suboptimal states, of intelligence, 175–180
- super agers, 148
- Sure Start program, 404
- surface-based morphometry (SBM) methods, 51, 53–55
  - with sMRI, 217–223
    - for cortical complexity, indices of, 223
    - for cortical surface area and volume, 221–223
    - for cortical thickness, 219–221
    - goals and purpose of, 217
    - study findings, 218–223
    - sMRI with, 217–223
  - sustained attention, in neural models of cognitive control, 269
- task approach, to functional brain imaging, 235–241
  - multiple demand system and, 237–238
  - Parieto-Frontal Integration Theory and, 237–240
  - study findings, 238–240
- task-negative network (TNN), 14, 246
- task-positive network (TPN), 14, 237, 246
- task-switching, in neural models of cognitive control, 269
- TBI. *See* traumatic brain injuries
- TBSS. *See* Tract-Based Spatial Statistics
- tDCS. *See* transcortical direct current stimulation
- theta stimulation, 374–375
- TMS. *See* transcortical magnetic stimulation; transcranial magnetic stimulation
- TNN. *See* task-negative network
- TPN. *See* task-positive network
- Tract-Based Spatial Statistics (TBSS), 200–202
- transcortical direct current stimulation (tDCS), 373–374
- transcortical magnetic stimulation (TMS), 373
- transcranial magnetic stimulation (TMS), 272
- traumatic brain injuries (TBI), recovery from, assessment of general intelligence, 389–391
  - genetic predisposition as factors for, 391
  - lesion severity and, 391
  - outcome predictions, 391–392
  - pre-injury intelligence as predictor of, 389–391
  - socioeconomic status as factor in, 390
- twin-based studies
  - in intelligence research, 437
  - for predictive intelligence, 334
- UK Biobank, 250
- univariate base analyses, for neural representation of concepts, 449
- unmodulated voxel-based morphometry, 212–213, 215–216
- unplanned datasets, in large-scale data repositories, 74
- variances, in measurement of *g*, 5
- VBLSM. *See* voxel-based lesion-system mapping
- VBM methods. *See* voxel-based morphometry methods
- ventrolateral prefrontal cortex, 237

- verbal representations, neurosemantic signatures of, 457–458
- video games, enhancement of cognition through, 372
- virtual fiber tractography, for white matter, 195–198
- visuospatial cognition, 313
- voxel-based lesion-system mapping (VBLSM), 385–386
- voxel-based morphometry (VBM) methods, 51–52
  - with sMRI, 211–217
    - modulated VBM, 212–217
    - process of, 211–212
    - study findings, 213–217
    - unmodulated, 212–213, 215–216
    - for white matter, 216–217
  - for white matter, 200–201
- Watershed model of Fluid Intelligence, 86, 93–94
  - intelligence as endophenotype, 93–94
  - white matter structure, 94
- Wechsler, David, 4, 267
- Wechsler Intelligence Scales, 4–6
  - Abbreviated Scale of Intelligence, 267
  - for adults, 9, 267
  - assessment of general intelligence through, 383
- Western, Educated, Industrialized, Rich and Democratic (WEIRD) countries, 10
- white matter
  - craniometry for, 192–198
    - with diffusion-weighted imaging. *See* diffusion-weighted imaging
  - Parieto-Frontal Integration Theory and, 192–193, 202–204
  - diffusion-weighted imaging, 193–205
  - in longitudinal studies, 133–135
    - children and, 133–134
    - diffusion weighted imaging of, 133
    - in infants, 135
  - magnetic resonance spectroscopy of, 284
  - sMRI for, with VBM, 216–217
  - in Watershed model of Fluid Intelligence, 94
- wisdom, 426–429
- work performance, predictive power of *g* for, 12–13
- working memory tasks, 155–156
  - control processes of, 261
  - functional brain imaging of, 237
  - functional connectomes and, 268–270